



Single CPU Systems

Last updated on the 3rd of August 2022

Column	CPU Name 	CPU Mark (higher is better) 
	<u>AMD EPYC 7773X</u>	89,614
	<u>AMD Ryzen Threadripper PRO 5995WX</u>	87,875
	<u>AMD EPYC 7763</u>	86,213
	<u>AMD EPYC 7J13</u>	86,006
	<u>AMD EPYC 7713</u>	85,861
	<u>AMD Ryzen Threadripper PRO 3995WX</u>	83,204
	<u>AMD EPYC 7713P</u>	83,155
	<u>AMD Ryzen Threadripper 3990X</u>	81,431
	<u>AMD Ryzen Threadripper PRO 5975WX</u>	79,463
	<u>AMD EPYC 7B13</u>	77,460
	<u>AMD EPYC 7643</u>	76,455
	<u>AMD EPYC 7662</u>	73,143
	<u>AMD EPYC 7702</u>	71,646
	<u>AMD EPYC 7742</u>	68,749
	<u>AMD EPYC 75F3</u>	68,505
	<u>AMD Ryzen Threadripper PRO 5965WX</u>	67,986
	<u>AMD EPYC 7543P</u>	67,297
	<u>AMD EPYC 7R32</u>	64,727
	<u>AMD Ryzen Threadripper 3970X</u>	63,741
	<u>AMD Ryzen Threadripper PRO 3975WX</u>	63,043
	<u>Intel Xeon Platinum 8380 @ 2.30GHz</u>	62,318
	<u>AMD EPYC 7702P</u>	61,689
	<u>AMD EPYC 74F3</u>	60,840
	<u>AMD EPYC 7513</u>	59,732
	<u>AMD EPYC 7642</u>	59,126
	<u>AMD EPYC 7443P</u>	57,755
	<u>AMD EPYC 7542</u>	56,728
	<u>AMD EPYC 7543</u>	56,562
	<u>AMD EPYC 7532</u>	55,358
	<u>AMD Ryzen Threadripper 3960X</u>	54,772
	<u>Intel Xeon Platinum 8358 @ 2.60GHz</u>	54,416
	<u>AMD EPYC 7453</u>	53,511
	<u>Intel Xeon W-3375 @ 2.50GHz</u>	53,266
	<u>Intel Xeon Gold 6348 @ 2.60GHz</u>	53,112
	<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	51,836
	<u>AMD EPYC 7402</u>	51,368

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD EPYC 7601</u>	42,244
<u>AMD EPYC 7452</u>	41,871
<u>AMD EPYC 7313P</u>	41,789
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,434
<u>Intel Core i9-12900K</u>	41,380
<u>Intel Core i9-12900KF</u>	41,315
<u>AMD Ryzen Threadripper PRO 5945WX</u>	41,282
<u>Apple M1 Ultra 20 Core</u>	41,175
<u>AMD EPYC 7402P</u>	41,098
<u>AMD EPYC 7F52</u>	41,023
<u>AMD EPYC 7313</u>	40,866
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794
<u>Intel Xeon W-3275M @ 2.50GHz</u>	40,767
<u>AMD EPYC 7K62</u>	40,487
<u>AMD EPYC 7352</u>	40,472
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,122
<u>Intel Xeon W-3265M @ 2.70GHz</u>	39,618
<u>AMD Ryzen 9 5900X</u>	39,336
<u>AMD Ryzen 9 3950X</u>	39,066
<u>Intel Xeon W-3335 @ 3.40GHz</u>	38,944
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	38,604
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	37,768
<u>Intel Xeon Gold 6346 @ 3.10GHz</u>	37,606
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	37,575
<u>Intel Xeon Gold 6238R @ 2.20GHz</u>	37,511
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	37,264
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167
<u>Intel Core i9-12900</u>	36,848
<u>Intel Core i7-12800HX</u>	36,511
<u>Intel Core i9-12900F</u>	36,178
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	35,356
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,328
<u>Intel Xeon Platinum 8180 @ 2.50GHz</u>	35,208
<u>AMD Ryzen 9 5900</u>	34,896
<u>Intel Core i7-12700K</u>	34,465
<u>Intel Core i7-12700KF</u>	34,296
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970
<u>AMD EPYC 7302</u>	33,863

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-12700F</u>	31,673
<u>Intel Xeon W-2295 @ 3.00GHz</u>	31,608
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	31,500
<u>AMD Ryzen 9 PRO 3900</u>	31,407
<u>Intel Core i7-12700</u>	31,354
<u>Intel Core i9-12950HX</u>	31,161
<u>Intel Core i7-12850HX</u>	31,111
<u>AMD EPYC 7371</u>	31,094
<u>AMD EPYC 7282</u>	31,059
<u>Intel Core i9-9960X @ 3.10GHz</u>	30,702
<u>AMD Ryzen 9 3900</u>	30,666
<u>Intel Xeon Platinum 8171M @ 2.60GHz</u>	30,632
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	30,617
<u>AMD EPYC Embedded 7292P</u>	30,542
<u>AMD Ryzen Threadripper 2970WX</u>	30,470
<u>AMD EPYC 7551P</u>	30,313
<u>Intel Core i9-7980XE @ 2.60GHz</u>	30,241
<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,220
<u>Intel Core i9-9990XE @ 4.00GHz</u>	30,162
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	30,103
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	30,043
<u>AMD Ryzen Threadripper 2950X</u>	29,704
<u>Intel Core i9-12900HK</u>	29,519
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356
<u>Intel Core i9-12900H</u>	29,151
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	29,147
<u>Intel Xeon W-2191B @ 2.30GHz</u>	29,090
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	28,848
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	28,580
<u>Intel Xeon W-3245 @ 3.20GHz</u>	28,531
<u>Intel Core i9-10940X @ 3.30GHz</u>	28,469
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,354
<u>AMD Ryzen 7 5800X</u>	28,164
<u>ARM Neoverse-N1 64 Core 0 MHz</u>	28,079
<u>AMD Ryzen Threadripper 1950X</u>	28,019
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,889

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	26,657
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,550
<u>AMD Ryzen 7 5700X</u>	26,498
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	26,485
<u>AMD Ryzen Threadripper 2990X</u>	26,469
<u>AMD EPYC 7272</u>	26,446
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,418
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288
<u>Intel Xeon W-3235 @ 3.30GHz</u>	26,076
<u>Intel Xeon W-1390P @ 3.50GHz</u>	26,031
<u>Intel Xeon W-2265 @ 3.50GHz</u>	26,005
<u>AMD Ryzen 7 5800</u>	25,889
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	25,740
<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	25,605
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,505
<u>AMD EPYC 7351P</u>	25,484
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	25,420
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,340
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,333
<u>AMD Ryzen Threadripper 2920X</u>	25,203
<u>Intel Xeon W-1370P @ 3.60GHz</u>	25,202
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	25,190
<u>AMD Ryzen 7 PRO 5750G</u>	24,977
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	24,928
<u>AMD EPYC 7501</u>	24,925
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	24,800
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786
<u>Intel Xeon W-2170B @ 2.50GHz</u>	24,745
<u>AMD Ryzen 7 6800HS Creator Edition</u>	24,692
<u>Intel Core i5-12600HX</u>	24,689
<u>Intel Core i7-11700K @ 3.60GHz</u>	24,689
<u>Intel Core i7-12650H</u>	24,663
<u>AMD Ryzen 9 6900HX</u>	24,636
<u>AMD Ryzen 7 5700G</u>	24,572
<u>Intel Xeon Gold 6150 @ 2.70GHz</u>	24,489
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,446

CPU Name	CPU Mark (higher is better)
<u>Intel Core i9-11980HK @ 2.60GHz</u>	23,524
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	23,512
<u>Intel Xeon W-11955M @ 2.60GHz</u>	23,436
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,432
<u>AMD Ryzen 9 PRO 6950HS</u>	23,392
<u>Intel Core i7-12800H</u>	23,392
<u>Intel Core i9-10900KF @ 3.70GHz</u>	23,377
<u>AMD Ryzen 7 6800H</u>	23,322
<u>AMD Ryzen 7 3800X</u>	23,320
<u>AMD Ryzen 9 5980HX</u>	23,319
<u>Intel Xeon W-2175 @ 2.50GHz</u>	23,215
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179
<u>Intel Core i9-11900F @ 2.50GHz</u>	23,101
<u>Intel Core i7-12700T</u>	23,089
<u>AMD Ryzen 9 5900HX</u>	23,079
<u>AMD Ryzen 7 PRO 3700</u>	23,051
<u>AMD EPYC 7F32</u>	23,026
<u>Intel Core i9-11900 @ 2.50GHz</u>	23,006
<u>Intel Core i9-10850K @ 3.60GHz</u>	22,968
<u>Intel Xeon W-1290P @ 3.70GHz</u>	22,903
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	22,851
<u>AMD Ryzen Threadripper 1920X</u>	22,820
<u>Intel Xeon E-2378G @ 2.80GHz</u>	22,755
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	22,733
<u>AMD Ryzen 7 3700X</u>	22,721
<u>Intel Core i9-11900KB @ 3.30GHz</u>	22,695
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,659
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,627
<u>AMD Ryzen 7 PRO 6850U</u>	22,608
<u>AMD Ryzen 7 5700GE</u>	22,484
<u>Intel Core i9-11950H @ 2.60GHz</u>	22,413
<u>Intel Core i5-12500H</u>	22,343
<u>Apple M1 Max 10 Core 3200 MHz</u>	22,333
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	22,298
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	22,291
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	22,266
<u>AMD Ryzen 7 PRO 5750GE</u>	22,261
<u>Intel Xeon W-2255 @ 3.70GHz</u>	22,259

CPU Name ▾	CPU Mark (higher is better) ▲
AMD Ryzen 5 5600	21,492
AMD Ryzen 9 5980HS	21,491
AMD Ryzen 7 5800H	21,366
Intel Xeon E5-2697 v4 @ 2.30GHz	21,351
Intel Core i7-11700F @ 2.50GHz	21,309
Intel Core i9-7900X @ 3.30GHz	21,260
Intel Xeon W-2155 @ 3.30GHz	21,250
Intel Core i7-11800H @ 2.30GHz	21,223
AMD Ryzen 7 6800U	21,210
Intel Core i9-11900H @ 2.50GHz	21,167
Intel Core i7-11850H @ 2.50GHz	21,142
Intel Xeon Gold 6132 @ 2.60GHz	21,042
Intel Core i5-12600H	21,000
Intel Xeon Silver 4310T @ 2.30GHz	20,973
AMD Ryzen 9 5900H	20,960
AMD Ryzen 7 5800HS Creator Edition	20,948
Intel Xeon Gold 6250 @ 3.90GHz	20,915
Intel Core i5-12600	20,904
AMD Ryzen 7 PRO 4700G	20,848
Intel Xeon E5-2697R v4 @ 2.30GHz	20,843
AMD EPYC 7262	20,827
Intel Core i9-10900F @ 2.80GHz	20,744
Intel Xeon Gold 5315Y @ 3.20GHz	20,724
Intel Xeon Gold 6130 @ 2.10GHz	20,721
Intel Core i9-10900E @ 2.80GHz	20,658
AMD Ryzen 7 5800HS	20,650
AMD Ryzen 7 PRO 4750G	20,568
Intel Xeon W-1290 @ 3.20GHz	20,535
AMD EPYC 7451	20,471
Intel Xeon W-2150B @ 3.00GHz	20,442
AMD Ryzen 7 4700GE	20,416
Intel Xeon Gold 6244 @ 3.60GHz	20,402
Intel Core i5-12500	20,386
Intel Core i9-10900 @ 2.80GHz	20,362
Intel Xeon E5-2699 v3 @ 2.30GHz	20,312
AMD Ryzen 5 PRO 5650G	20,266
Intel Xeon E-2386G @ 3.50GHz	20,229
AMD Ryzen 7 4700G	20,214

CPU Name	CPU Mark (higher is better)
Intel Core i9-9900KS @ 4.00GHz	19,551
AMD EPYC 7252	19,550
Intel Xeon W-2245 @ 3.90GHz	19,482
AMD Ryzen 5 5500	19,464
Intel Xeon Silver 4216 @ 2.10GHz	19,451
Intel Xeon Gold 6137 @ 3.90GHz	19,365
AMD Ryzen 9 4900HS	19,362
Intel Core i7-7900X @ 3.30GHz	19,358
Intel Xeon E5-2695 v4 @ 2.10GHz	19,358
AMD Ryzen 9 4900H	19,339
Intel Core i9-9820X @ 3.30GHz	19,305
Intel Xeon E-2356G @ 3.20GHz	19,280
Intel Xeon W-1270P @ 3.80GHz	19,245
Intel Core i7-10700K @ 3.80GHz	19,225
Intel Xeon E5-2697 v3 @ 2.60GHz	19,223
Intel Xeon Gold 6126 @ 2.60GHz	19,223
Intel Xeon W-1350 @ 3.30GHz	19,116
AMD Ryzen 7 PRO 6850HS	19,069
Intel Core i7-10700KF @ 3.80GHz	19,049
Intel Xeon E5-2698 v3 @ 2.30GHz	19,028
Intel Xeon Silver 4309Y @ 2.80GHz	19,011
AMD Ryzen 7 4800H	18,984
Intel Xeon E5-2676 v4 @ 2.40GHz	18,978
AMD Ryzen 5 5600GE	18,879
Intel Xeon Silver 4214R @ 2.40GHz	18,846
AMD Ryzen 7 5800U	18,842
Hygon C86 7255 16-core	18,831
AMD Ryzen 7 4800HS	18,827
ARM Neoverse-N1 80 Core 2600 MHz	18,823
Intel Xeon W-11855M @ 3.20GHz	18,810
AMD Ryzen 5 3600XT	18,753
Intel Xeon Gold 6144 @ 3.50GHz	18,656
Intel Core i9-9900K @ 3.60GHz	18,651
Intel Xeon W-1270E @ 3.40GHz	18,635
Intel Core i9-9900KF @ 3.60GHz	18,624
AMD Ryzen 5 PRO 5650GE	18,621
Intel Core i5-12450H	18,543
AMD Ryzen 7 PRO 4750GE	18,470

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD Ryzen Embedded V2718</u>	18,034
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	18,007
<u>Intel Core i5-12500T</u>	17,932
<u>AMD Ryzen 5 PRO 3600</u>	17,900
<u>Intel Core i9-10900TE @ 1.80GHz</u>	17,888
<u>Intel Core i7-1270P</u>	17,845
<u>Intel Xeon W-1270 @ 3.40GHz</u>	17,839
<u>AMD Ryzen 5 3600</u>	17,826
<u>Intel Core i5-11500B @ 3.30GHz</u>	17,801
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,795
<u>Intel Core i5-1240P</u>	17,783
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	17,757
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	17,686
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,637
<u>AMD Ryzen 7 2700X</u>	17,621
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	17,540
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	17,533
<u>Intel Xeon W-2140B @ 3.20GHz</u>	17,527
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,476
<u>AMD Ryzen 7 PRO 5850U</u>	17,432
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,401
<u>Apple M1 Pro 8 Core 3200 MHz</u>	17,325
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,272
<u>AMD Ryzen 5 6600U</u>	17,257
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,226
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,226
<u>AMD Ryzen 7 PRO 2700X</u>	17,221
<u>Intel Core i7-1260P</u>	17,210
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,194
<u>AMD Ryzen 5 5600H</u>	17,163
<u>AMD Ryzen 5 5560U</u>	17,084
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,083
<u>Intel Core i7-10700F @ 2.90GHz</u>	17,020
<u>AMD Ryzen Threadripper 1900X</u>	17,019
<u>AMD EPYC 7232P</u>	17,017
<u>Intel Xeon E-2336 @ 2.90GHz</u>	17,014
<u>AMD Ryzen 7 4800U</u>	17,009

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-10700E @ 2.90GHz</u>	16,257
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,237
<u>Intel Xeon D-2733NT @ 2.10GHz</u>	16,208
<u>AMD Ryzen Embedded V2748</u>	16,186
<u>Intel Core i5-12600T</u>	16,154
<u>Intel Core i5-11500H @ 2.90GHz</u>	16,133
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107
<u>Intel Xeon W-10885M @ 2.40GHz</u>	16,084
<u>Intel Core i9-10980HK @ 2.40GHz</u>	16,079
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	16,067
<u>Intel Core i5-11400H @ 2.70GHz</u>	16,015
<u>AMD Ryzen 7 5700U</u>	15,941
<u>AMD Ryzen 7 4850U Mobile</u>	15,920
<u>Intel Core i7-11600H @ 2.90GHz</u>	15,907
<u>AMD Ryzen 5 4500</u>	15,823
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816
<u>AMD Ryzen 7 2700</u>	15,815
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	15,772
<u>AMD Ryzen 5 PRO 4650GE</u>	15,694
<u>AMD Ryzen 7 1700X</u>	15,677
<u>AMD Ryzen 5 4600GE</u>	15,656
<u>AMD Ryzen 5 4600G</u>	15,618
<u>Intel Core i9-10885H @ 2.40GHz</u>	15,615
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,573
<u>AMD Ryzen 7 PRO 1700X</u>	15,500
<u>AMD Ryzen 5 5600U</u>	15,439
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,429
<u>AMD Ryzen 7 PRO 4750U</u>	15,423
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,420
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397
<u>Intel Core i9-10900T @ 1.90GHz</u>	15,394
<u>Intel Core i7-11700T @ 1.40GHz</u>	15,386
<u>Intel Core i7-10875H @ 2.30GHz</u>	15,381
<u>Intel Core i5-11600T @ 1.70GHz</u>	15,352
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,337
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,302
<u>Intel Xeon E-2278GE @ 3.30GHz</u>	15,252
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	15,248

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon D-1733NT @ 2.00GHz</u>	14,849
<u>AMD Ryzen 7 1700</u>	14,846
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820
<u>AMD Ryzen 5 PRO 4400GE</u>	14,795
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	14,784
<u>AMD Ryzen 5 4600HS</u>	14,735
<u>Intel Core i9-10880H @ 2.30GHz</u>	14,735
<u>AMD Ryzen 5 5625U</u>	14,723
<u>AMD Ryzen 5 4600H</u>	14,711
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,665
<u>AMD Ryzen 7 2700E</u>	14,657
<u>Intel Core i9-9980HK @ 2.40GHz</u>	14,647
<u>AMD Ryzen 7 PRO 1700</u>	14,578
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,551
<u>Apple M1 8 Core 3200 MHz</u>	14,543
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	14,537
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,526
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,522
<u>Intel Core i3-12100</u>	14,506
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,497
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,476
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,434
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,415
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405
<u>Intel Xeon E-2286G @ 4.00GHz</u>	14,384
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,379
<u>Intel Core i3-12100F</u>	14,371
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,360
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,331
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,313
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,285
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,277
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	14,273
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,213
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,142
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	14,091

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	13,781
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,778
<u>AMD Ryzen 3 PRO 5350GE</u>	13,685
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,646
<u>AMD Ryzen 3 5300GE</u>	13,636
<u>AMD Ryzen 7 4700U</u>	13,613
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,544
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,507
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,456
<u>AMD Ryzen 5 4600U</u>	13,438
<u>Intel Core i5-11500T @ 1.50GHz</u>	13,397
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,396
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,371
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,354
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,351
<u>AMD Ryzen 5 PRO 5675U</u>	13,347
<u>Intel Xeon D-1581 @ 1.80GHz</u>	13,329
<u>AMD Ryzen 5 3500X</u>	13,306
<u>AMD Ryzen 5 2600</u>	13,254
<u>AMD Ryzen 5 PRO 2600</u>	13,250
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,247
<u>AMD Ryzen Embedded V2516</u>	13,225
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,214
<u>Intel Core i7-10700T @ 2.00GHz</u>	13,210
<u>Intel Xeon E-2334 @ 3.40GHz</u>	13,189
<u>AMD Ryzen 5 5500U</u>	13,181
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,149
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,112
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	13,107
<u>AMD Ryzen 5 1600X</u>	13,098
<u>Intel Core i7-1255U</u>	13,087
<u>Intel Core i5-10500 @ 3.10GHz</u>	13,016
<u>Intel Core i7-8700 @ 3.20GHz</u>	13,012
<u>Intel Core i5-1245U</u>	13,008
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	12,998
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	12,399
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,397
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,383
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,378
<u>AMD Ryzen 5 1600</u>	12,328
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,313
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,305
<u>Intel Core i7-11375H @ 3.30GHz</u>	12,286
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,285
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,280
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	12,270
<u>Intel Core i7-10850H @ 2.70GHz</u>	12,137
<u>Intel Core i3-1210U</u>	12,130
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	12,128
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119
<u>Intel Core i7-8700B @ 3.20GHz</u>	12,105
<u>Intel Xeon D-2141L @ 2.20GHz</u>	12,083
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,081
<u>AMD Ryzen 3 PRO 5475U</u>	12,074
<u>AMD Ryzen 5 PRO 4500U</u>	12,049
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024
<u>Intel Core i7-11370H @ 3.30GHz</u>	11,966
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	11,960
<u>Intel Core i3-1215U</u>	11,888
<u>AMD Ryzen 3 5400U</u>	11,871
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,865
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,860
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,806
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,736
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,671
<u>AMD Ryzen 3 3100</u>	11,650
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,641
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,567
<u>AMD Ryzen 3 PRO 5450U</u>	11,563
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,157
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,152
<u>AMD Ryzen 3 PRO 4350GE</u>	11,111
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079
<u>AMD Ryzen 5 4500U</u>	11,071
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,036
<u>Intel Xeon E-2176M @ 2.70GHz</u>	11,026
<u>Intel Core i5-11300H @ 3.10GHz</u>	11,024
<u>Intel Xeon E-2186M @ 2.90GHz</u>	10,991
<u>Intel Xeon E5-2470 v2 @ 2.40GHz</u>	10,942
<u>AMD Ryzen 3 PRO 4200GE</u>	10,930
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	10,922
<u>Apple A12X Bionic</u>	10,900
<u>AMD Ryzen 3 PRO 4350G</u>	10,874
<u>Intel Xeon E5-2630L v4 @ 1.80GHz</u>	10,864
<u>Intel Xeon E5-4650 v3 @ 2.10GHz</u>	10,838
<u>Intel Core i7-1185G7 @ 3.00GHz</u>	10,837
<u>Intel Core i9-8950HK @ 2.90GHz</u>	10,837
<u>Intel Core i7-9700TE @ 1.80GHz</u>	10,826
<u>Intel Core i5-9600KF @ 3.70GHz</u>	10,798
<u>Intel Xeon W-2225 @ 4.10GHz</u>	10,798
<u>Intel Core i5-9600K @ 3.70GHz</u>	10,786
<u>AMD Ryzen 3 4300G</u>	10,756
<u>Intel Xeon E-2126G @ 3.30GHz</u>	10,747
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,722
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,660
<u>Intel Core i5-11320H @ 3.20GHz</u>	10,656
<u>Intel Core i5-10500E @ 3.10GHz</u>	10,630
<u>Intel Core i7-11390H @ 3.40GHz</u>	10,614
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,544
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,525
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,505
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,480
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,464
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	10,454
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,432
<u>AMD Ryzen 5 PRO 1600</u>	10,401
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,387

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	10,193
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,180
<u>Intel Xeon D-1541 @ 2.10GHz</u>	10,170
<u>AMD Ryzen 3 PRO 4450U</u>	10,169
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	10,076
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	10,075
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	10,057
<u>Intel Core i7-8750H @ 2.20GHz</u>	10,056
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,040
<u>Intel Core i3-10320 @ 3.80GHz</u>	10,027
<u>AMD Ryzen 3 5300U</u>	10,004
<u>Intel Core i7-10710U @ 1.10GHz</u>	10,004
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,989
<u>Intel Core i7-1185G7E @ 2.80GHz</u>	9,980
<u>Intel Xeon W-2125 @ 4.00GHz</u>	9,975
<u>Intel Core i7-4960X @ 3.60GHz</u>	9,968
<u>Intel Core i5-10400T @ 2.00GHz</u>	9,960
<u>Intel Core i5-10500TE @ 2.30GHz</u>	9,960
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,908
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,903
<u>Intel Core i5-1230U</u>	9,896
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,872
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,858
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,849
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,832
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,807
<u>Intel Xeon E5-2450 v2 @ 2.50GHz</u>	9,795
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,768
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,726
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,713
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,689
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,673
<u>Intel Xeon E-2274G @ 4.00GHz</u>	9,660
<u>AMD Ryzen 5 PRO 3350GE</u>	9,643
<u>Intel Core i5-1038NG7 @ 2.00GHz</u>	9,629
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,596

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,313
<u>AMD Ryzen 5 PRO 3400G</u>	9,303
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	9,276
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	9,262
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,242
<u>Intel Xeon D-1567 @ 2.10GHz</u>	9,236
<u>Intel Xeon D-1587 @ 1.70GHz</u>	9,223
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,220
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,216
<u>Intel Core i5-9500TE @ 2.20GHz</u>	9,212
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,187
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,156
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,153
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	9,142
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139
<u>AMD Ryzen 5 3350G</u>	9,113
<u>Intel Core i7-9850HL @ 1.90GHz</u>	9,112
<u>Intel Core i3-10105F @ 3.70GHz</u>	9,111
<u>Intel Xeon D-1715TER @ 2.40GHz</u>	9,104
<u>AMD Ryzen 5 1500X</u>	9,102
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,083
<u>Intel Xeon D-1548 @ 2.00GHz</u>	9,075
<u>Intel Xeon E5-4648 v3 @ 1.70GHz</u>	9,061
<u>AMD Ryzen 5 3400GE</u>	8,985
<u>Intel Core i7-6700K @ 4.00GHz</u>	8,975
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,965
<u>Intel Core i5-10400H @ 2.60GHz</u>	8,954
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	8,931
<u>Intel Xeon E5-2630L v3 @ 1.80GHz</u>	8,928
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,878
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,867
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,858
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,841
<u>Intel Core i7-1180G7 @ 1.30GHz</u>	8,837
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,786
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,775

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,500
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,497
<u>AMD Ryzen Embedded V1807B</u>	8,487
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,472
<u>Intel Core i5-9600T @ 2.30GHz</u>	8,464
<u>Intel Xeon E5-2628 v3 @ 2.50GHz</u>	8,447
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,421
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,414
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,411
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,408
<u>AMD Ryzen 5 PRO 2400G</u>	8,399
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,396
<u>Intel Core i5-10200H @ 2.40GHz</u>	8,391
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,388
<u>AMD Opteron 6386 SE</u>	8,320
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,320
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,293
<u>Intel Core i5-8600T @ 2.30GHz</u>	8,290
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,273
<u>AMD Ryzen 7 3750H</u>	8,270
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,269
<u>AMD Ryzen 5 PRO 3400GE</u>	8,265
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,252
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,247
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,240
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,229
<u>Intel Core i7-8557U @ 1.70GHz</u>	8,225
<u>AMD Ryzen Embedded V1756B</u>	8,215
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,203
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,193
<u>Intel Core i5-1035G4 @ 1.10GHz</u>	8,180
<u>Intel Xeon E-2276ME @ 2.80GHz</u>	8,167
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136
<u>Intel Core i3-10300T @ 3.00GHz</u>	8,119
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,107
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,104
<u>Intel Xeon E-2314 @ 2.80GHz</u>	8,091
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,082

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,938
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,926
<u>Intel Xeon E3-1230 v5 @ 3.40GHz</u>	7,905
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,895
<u>AMD Ryzen 5 2600H</u>	7,876
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,854
<u>Intel Core i3-10105T @ 3.00GHz</u>	7,850
<u>Intel Core i5-9400T @ 1.80GHz</u>	7,817
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,803
<u>AMD Ryzen 5 1400</u>	7,789
<u>Intel Core i5-8279U @ 2.40GHz</u>	7,782
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,763
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,738
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,714
<u>Intel Xeon E3-1285 v4 @ 3.50GHz</u>	7,712
<u>AMD Athlon Gold PRO 3150G</u>	7,702
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,696
<u>Intel Core i3-9350K @ 4.00GHz</u>	7,694
<u>AMD Ryzen 5 3550U</u>	7,681
<u>Intel Core i5-8257U @ 1.40GHz</u>	7,672
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,671
<u>Intel Xeon E3-1270L v4 @ 3.00GHz</u>	7,662
<u>AMD Ryzen 7 2800H</u>	7,656
<u>AMD Ryzen 7 3780U</u>	7,651
<u>Intel Xeon E3-1575M v5 @ 3.00GHz</u>	7,629
<u>Intel Core i5-9300HF @ 2.40GHz</u>	7,617
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,607
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,606
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,603
<u>Qualcomm Technologies, Inc KONA-IOT</u>	7,592
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,581
<u>AMD Ryzen 3 4300U</u>	7,577
<u>AMD Ryzen 3 2300X</u>	7,574
<u>AMD Ryzen 3 PRO 1300</u>	7,574
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,569
<u>AMD Ryzen 5 PRO 2400GE</u>	7,567
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,539

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,435
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,415
<u>AMD Ryzen 5 3580U</u>	7,383
<u>Intel Xeon @ 2.00GHz</u>	7,363
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358
<u>MediaTek MT6895</u>	7,355
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,353
<u>Intel Xeon D-1559 @ 1.50GHz</u>	7,353
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,348
<u>AMD Ryzen 7 PRO 3700U</u>	7,341
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,334
<u>AMD Ryzen 7 PRO 2700U</u>	7,330
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,330
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,318
<u>AMD Ryzen 3 3200GE</u>	7,317
<u>Intel Core i7-995X @ 3.60GHz</u>	7,297
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,295
<u>AMD Opteron 6281</u>	7,279
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,279
<u>AMD Ryzen 7 3700U</u>	7,276
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,240
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,239
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,231
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,223
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	7,211
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,201
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,200
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,200
<u>AMD Ryzen 3 3200G</u>	7,195
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	7,147
<u>AMD Ryzen 7 3700C</u>	7,145
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,135
<u>Intel Xeon D-1557 @ 1.50GHz</u>	7,118

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-980 @ 3.33GHz</u>	7,032
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,029
<u>Intel Core i7-10610U @ 1.80GHz</u>	7,013
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,012
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,008
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	7,001
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,996
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	6,992
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,987
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,984
<u>AMD Ryzen 5 PRO 3500U</u>	6,983
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,977
<u>Intel Xeon E-2124 @ 3.30GHz</u>	6,977
<u>Intel Core i7-1060NG7 @ 1.20GHz</u>	6,971
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,961
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954
<u>AMD Ryzen 3 PRO 3200G</u>	6,952
<u>AMD Ryzen 3 1300X</u>	6,945
<u>Intel Core i7-6820HK @ 2.70GHz</u>	6,934
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	6,927
<u>AMD Opteron 6287 SE</u>	6,925
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	6,924
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,923
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,913
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,908
<u>AMD Ryzen 7 2700U</u>	6,906
<u>Intel Xeon X5690 @ 3.47GHz</u>	6,904
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,902
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,895
<u>AMD Ryzen 5 PRO 2500U</u>	6,870
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,869
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,866
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,866
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,848
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830
<u>AMD Ryzen Embedded V1605B</u>	6,829
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,827

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD Ryzen 3 PRO 2200G</u>	6,704
<u>Intel Core i5-7640X @ 4.00GHz</u>	6,675
<u>AMD Ryzen Embedded R2314</u>	6,643
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	6,636
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,628
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,591
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,569
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,566
<u>Qualcomm Technologies, Inc SA8195P</u>	6,554
<u>Intel Core i5-10310U @ 1.70GHz</u>	6,553
<u>AMD Ryzen 5 2500U</u>	6,548
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,540
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	6,532
<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	6,531
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,519
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,509
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,508
<u>Intel Core i7-970 @ 3.20GHz</u>	6,493
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,490
<u>AMD Opteron 6380</u>	6,488
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,458
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,431
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,429
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,420
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,400
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,388
<u>AMD Opteron 6282 SE</u>	6,385
<u>Qualcomm Technologies, Inc SM8350AC</u>	6,385
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,381
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,379
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,376
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,375
<u>Odin based on Qualcomm Technologies, Inc SM8350</u>	6,372
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,365
<u>AMD Ryzen 3 2200GE</u>	6,351

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Qualcomm Technologies, Inc SM8250_AC</u>	6,267
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,260
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,249
<u>SM7325</u>	6,249
<u>AMD Opteron 6276</u>	6,245
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,242
<u>AMD Ryzen Embedded V1404I</u>	6,241
<u>vendor Kirin9000E</u>	6,235
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,234
<u>MT6891Z/CZA</u>	6,232
<u>Intel Xeon D-1622 @ 2.60GHz</u>	6,205
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,201
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,181
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,180
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,173
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,167
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,162
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,150
<u>AMD FX-8370 Eight-Core</u>	6,147
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,145
<u>AMD Ryzen 3 PRO 3300U</u>	6,144
<u>MT6893Z_C/CZA</u>	6,139
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,138
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	6,137
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,131
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,119
<u>Rockchip RK3588</u>	6,113
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,107
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,099
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,095
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,079
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	6,077
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,076
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	6,075
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073

CPU Name 	CPU Mark (higher is better) 
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	5,929
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	5,928
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,925
<u>Intel Core i7-4770T @ 2.50GHz</u>	5,921
<u>Intel Core i7-3840QM @ 2.80GHz</u>	5,914
<u>Intel Xeon D-1528 @ 1.90GHz</u>	5,910
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,905
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	5,903
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	5,900
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,896
<u>AMD Opteron 6378</u>	5,889
<u>AMD Ryzen 3 3350U</u>	5,889
<u>Intel Xeon W-2104 @ 3.20GHz</u>	5,885
<u>Intel Pentium Gold G7400T</u>	5,883
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,880
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,876
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,863
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,862
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,856
<u>vendor Kirin985</u>	5,834
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,830
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,827
<u>Qualcomm Technologies, Inc SM8350</u>	5,816
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,810
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,788
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,786
<u>AMD Ryzen 3 3300U</u>	5,778
<u>AMD Opteron 4274 HE</u>	5,776
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,776
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,775
<u>vendor Kirin990</u>	5,755
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,754
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,753
<u>MT6893Z_A/CZA</u>	5,748
<u>MT8195AV/ZA</u>	5,735
<u>Snapdragon 8cx Gen 2 @ 3.1</u>	5,734
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,708

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,591
<u>AMD Ryzen 3 2300U</u>	5,586
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,573
<u>AMD Qpteron 6376</u>	5,572
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,567
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,564
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,564
<u>Qualcomm Technologies, Inc SM8250</u>	5,561
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	5,556
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,555
<u>Intel Core i5-5675C @ 3.10GHz</u>	5,548
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,523
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,523
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,508
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,504
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,500
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,497
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,492
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,491
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,475
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,464
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,462
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,444
<u>Qualcomm Technologies, Inc KONA</u>	5,442
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,436
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,427
<u>AMD FX-8320 Eight-Core</u>	5,422
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,417
<u>Qualcomm Technologies, Inc SDM778G</u>	5,414
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,412
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,396
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,394
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,393
<u>lisa based Qualcomm Technologies, Inc. SM7325</u>	5,362
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,359
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,351
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,349

CPU Name 	CPU Mark (higher is better) 
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,283
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,273
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,260
<u>Vili based on Qualcomm Technologies, Inc SM8350</u>	5,253
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,245
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,242
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	5,241
<u>AMD Opteron 6272</u>	5,240
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,239
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233
<u>Intel Xeon E5649 @ 2.53GHz</u>	5,229
<u>AMD Ryzen 5 3500C</u>	5,214
<u>Apple A13 Bionic</u>	5,214
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,207
<u>Microsoft SQ2 @ 3.15 GHz</u>	5,199
<u>AMD FX-8150 Eight-Core</u>	5,191
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,191
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,179
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	5,174
<u>AMD FX-8310 Eight-Core</u>	5,165
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,163
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,155
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	5,139
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,131
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,117
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,116
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,114
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,108
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,101
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,101
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,100
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,097
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	5,086
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	5,085
<u>Hisilicon Kirin9000</u>	5,083
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,075
<u>Samsung Exynos 2100</u>	5,075

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon E5645 @ 2.40GHz</u>	4,955
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,937
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929
<u>Microsoft ARM SQ1 @ 3.0 GHz</u>	4,915
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,913
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,905
<u>AMD FX-8140 Eight-Core</u>	4,860
<u>AMD Opteron 6366 HE</u>	4,858
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,851
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,848
<u>Samsung Technologies, Inc Exynos E1080</u>	4,846
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,839
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,834
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,819
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,812
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,812
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,796
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,784
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,776
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,768
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,764
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,756
<u>Renoir based on Qualcomm Technologies, Inc SM7350</u>	4,755
<u>AMD Opteron 6220</u>	4,753
<u>Apple A12 Bionic</u>	4,746
<u>Intel Atom C3758 @ 2.20GHz</u>	4,743
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,725
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	4,725
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,720
<u>Intel Atom C3858 @ 2.00GHz</u>	4,707
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,707
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,687
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,668
<u>AMD Opteron 4284</u>	4,665
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,664

CPU Name ▾	CPU Mark (higher is better) ▲
<u>MT6877V/ZA</u>	4,587
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	4,586
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,585
<u>AMD Athlon 240GE</u>	4,551
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,551
<u>AMD Athlon Silver 3050GE</u>	4,545
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,538
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,537
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,522
<u>MT6877T</u>	4,521
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,513
<u>AMD Opteron 4280</u>	4,504
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,493
<u>AMD Athlon 3000G</u>	4,481
<u>AMD Athlon PRO 300GE</u>	4,475
<u>AMD FX-6350 Six-Core</u>	4,472
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,472
<u>AMD FX-6330 Six-Core</u>	4,455
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,449
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,448
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,432
<u>AMD Athlon 220GE</u>	4,424
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,423
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,419
<u>vendor Kirin810</u>	4,410
<u>Qualcomm Technologies, Inc SM6375</u>	4,406
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,401
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,396
<u>Hisilicon Kirin990</u>	4,394
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,394
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,394
<u>MT6875</u>	4,393
<u>Qualcomm Technologies, Inc SM8150</u>	4,391
<u>Intel Core i3-8121U @ 2.20GHz</u>	4,390
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,390
<u>AMD Opteron 4386</u>	4,378
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,378

CPU Name 	CPU Mark (higher is better) 
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,281
<u>Apple A11 Bionic</u>	4,278
<u>MT6889Z/CZA</u>	4,277
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,269
<u>Intel Core i7-4770TE @ 2.30GHz</u>	4,257
<u>Hisilicon Kirin980</u>	4,256
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,243
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,239
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	4,235
<u>Intel Core i3-8140U @ 2.10GHz</u>	4,227
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,212
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,207
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,203
<u>AMD Ryzen 3 PRO 2100GE</u>	4,187
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,184
<u>AMD FX-6300 Six-Core</u>	4,177
<u>Intel Pentium J6426 @ 2.00GHz</u>	4,173
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,170
<u>AMD Ryzen Embedded R1606G</u>	4,166
<u>Hisilicon Kirin985</u>	4,162
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,160
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,159
<u>Intel Atom x6425E @ 2.00GHz</u>	4,153
<u>Intel Core i5-2450P @ 3.20GHz</u>	4,153
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,151
<u>Intel Core i5-7287U @ 3.30GHz</u>	4,149
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,147
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,144
<u>AMD Athlon PRO 200GE</u>	4,139
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,135
<u>AMD Opteron 3380</u>	4,134
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,118
<u>AMD Athlon 200GE</u>	4,117
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,112
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,104
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,103
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102

CPU Name 	CPU Mark (higher is better) 
<u>Intel Celeron N5095 @ 2.00GHz</u>	4,014
<u>AMD Opteron 6212</u>	4,007
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005
<u>AMD Opteron 3365</u>	4,002
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,002
<u>AMD Athlon Gold 3150U</u>	3,995
<u>Intel Core i3-10110U @ 2.10GHz</u>	3,980
<u>AMD Athlon 300U</u>	3,970
<u>AMD Ryzen 3 3250U</u>	3,968
<u>Snapdragon 8cx @ 2.84 GHz</u>	3,968
<u>AMD Ryzen Embedded R1505G</u>	3,966
<u>AMD Opteron 4334</u>	3,949
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,945
<u>MT6833V/PNZA</u>	3,937
<u>MT8789V/CT</u>	3,935
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,928
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,927
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	3,918
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,912
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,911
<u>AMD Opteron 4332 HE</u>	3,906
<u>AMD A8-7500</u>	3,878
<u>AMD PRO A12-9800</u>	3,878
<u>AMD Ryzen 3 3200U</u>	3,875
<u>Intel Xeon E5640 @ 2.67GHz</u>	3,869
<u>MT6781</u>	3,860
<u>AMD FX-6120 Six-Core</u>	3,857
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,855
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,851
<u>MT6833V/ZA</u>	3,849
<u>AMD PRO A12-8870</u>	3,848
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,847
<u>MediaTek MT6873</u>	3,846
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,842
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,837
<u>MT6781V/CD</u>	3,837
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,831

CPU Name ▾	CPU Mark (higher is better) ▲
Intel Xeon E5-2603 v3 @ 1.60GHz	3,752
Intel Pentium Gold G6405T @ 3.50GHz	3,746
Intel Xeon E5-1607 @ 3.00GHz	3,746
AMD Phenom II X6 1100T	3,739
Intel Pentium Gold G5400 @ 3.70GHz	3,729
Intel Xeon E5630 @ 2.53GHz	3,726
AMD Opteron 3280	3,720
Intel Core i5-7300U @ 2.60GHz	3,717
Intel Core i7-2670QM @ 2.20GHz	3,712
Intel Core i7-2675QM @ 2.20GHz	3,708
Intel Xeon L5638 @ 2.00GHz	3,707
AMD Opteron 6174	3,697
AMD FX-6100 Six-Core	3,685
AMD Ryzen 3 2200U	3,685
Intel Core i7-7500U @ 2.70GHz	3,667
AMD Phenom II X6 1090T	3,666
AMD A9-9820	3,662
Intel Pentium Gold G5600 @ 3.90GHz	3,662
AMD PRO A10-9700	3,659
AMD Athlon X4 880K	3,656
Intel Core i5-2320 @ 3.00GHz	3,642
Intel Core i7-7600U @ 2.80GHz	3,642
Intel Core i3-8130U @ 2.20GHz	3,639
Intel Core i3-4360 @ 3.70GHz	3,634
Samsung Exynos 9820	3,632
MT6833	3,628
Intel Core i3-6100T @ 3.20GHz	3,626
DG1301SML87HY	3,624
Intel Core i5-2310 @ 2.90GHz	3,623
Intel Pentium G4600 @ 3.60GHz	3,617
AMD Athlon X4 950	3,610
Intel Pentium Gold G5600T @ 3.30GHz	3,601
Intel Core i7-6650U @ 2.20GHz	3,600
Intel Xeon E5620 @ 2.40GHz	3,597
Intel Core i5-4460T @ 1.90GHz	3,594
Intel Xeon E3-1265L @ 2.40GHz	3,589
Intel Pentium Gold G5420 @ 3.80GHz	3,587
Intel Pentium Gold G6400T @ 3.40GHz	3,586

CPU Name	CPU Mark (higher is better)
Intel Pentium Gold G5420T @ 3.20GHz	3,508
Intel Xeon E5-2407 v2 @ 2.40GHz	3,504
Intel Core i3-4160 @ 3.60GHz	3,502
Intel Pentium Silver J5040 @ 2.00GHz	3,498
Intel Xeon W3580 @ 3.33GHz	3,495
AMD A10-7870K	3,492
Intel Core i5-4340M @ 2.90GHz	3,491
AMD Opteron 4365 EE	3,485
Intel Core i5-6267U @ 2.90GHz	3,482
AMD Opteron 6164 HE	3,478
Intel Core i7-6600U @ 2.60GHz	3,471
Samsung Exynos 9810	3,467
AMD A8-7680	3,466
AMD A10-7890K	3,465
Intel Xeon E5-1603 @ 2.80GHz	3,463
MT6785	3,462
Intel Core i3-4350 @ 3.60GHz	3,459
Intel Core i5-2500S @ 2.70GHz	3,459
AMD A10 PRO-7850B APU	3,458
AMD A12-9800	3,447
AMD A12-9800E	3,447
Intel Xeon X5698 @ 4.40GHz	3,447
Intel Celeron G6900	3,446
AMD Athlon X4 860K	3,437
AMD PRO A10-8770	3,434
Intel Core i3-7100H @ 3.00GHz	3,430
AMD Embedded R-Series RX-418GD Radeon R6	3,426
Intel Core i3-1110G4 @ 1.80GHz	3,421
Intel Core i5-L16G7 @ 1.40GHz	3,421
AMD Ryzen Embedded V1202B	3,417
Intel Pentium Silver N5020 @ 1.10GHz	3,404
AMD Opteron 4226	3,400
Intel Core i3-4360T @ 3.20GHz	3,393
Intel Core i5-7200U @ 2.50GHz	3,393
AMD Phenom II X6 1065T	3,392
Intel Core i7-6560U @ 2.20GHz	3,391
Intel Xeon E5-4603 @ 2.00GHz	3,391
Intel Xeon W5580 @ 3.20GHz	3,386

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Qualcomm Technologies, Inc ATOLL-AB</u>	3,338
<u>AMD Phenom II X6 1405T</u>	3,335
<u>AMD FX-4150 Quad-Core</u>	3,327
<u>Intel Xeon D-1520 @ 2.20GHz</u>	3,324
<u>AMD A10-8750</u>	3,318
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315
<u>AMD A8-9600</u>	3,305
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,304
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,303
<u>AMD Embedded R-Series RX-421BD</u>	3,302
<u>AMD Phenom II X6 1075T</u>	3,299
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,297
<u>Qualcomm Technologies, Inc SM7225</u>	3,295
<u>AMD Athlon X4 840</u>	3,287
<u>Intel Core i7-965 @ 3.20GHz</u>	3,286
<u>AMD FX-9830P</u>	3,283
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,280
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,278
<u>Hisilicon Kirin820</u>	3,273
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,273
<u>AMD FX-4350 Quad-Core</u>	3,272
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,270
<u>Intel Core i7-960 @ 3.20GHz</u>	3,268
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,256
<u>Qualcomm Technologies, Inc LAGOON</u>	3,254
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,251
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,250
<u>AMD FX-4330</u>	3,248
<u>Qualcomm Technologies, Inc SDMMAGPIEP</u>	3,245
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244
<u>MediaTek MT6785V/CD</u>	3,244
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,239
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,234
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,231
<u>AMD PRO A8-8650B</u>	3,230
<u>AMD Phenom II X6 1055T</u>	3,222

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,181
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,181
<u>Qualcomm Technologies, Inc SDM720G</u>	3,179
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,177
<u>Intel Core i7-950 @ 3.07GHz</u>	3,175
<u>Qualcomm Technologies, Inc L1TQ</u>	3,175
<u>AMD A12-9730P</u>	3,172
<u>AMD A10-7700K APU</u>	3,171
<u>AMD A10-6800K APU</u>	3,158
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,158
<u>Qualcomm Technologies, Inc SM7125</u>	3,157
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,155
<u>AMD A10-7800 APU</u>	3,153
<u>MediaTek MT6785V/CC</u>	3,152
<u>Intel Core i7-875K @ 2.93GHz</u>	3,145
<u>Qualcomm Technologies, Inc SDM765G 5G</u>	3,145
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,143
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,143
<u>MT8786V/N</u>	3,143
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,142
<u>AMD Opteron X3418 APU</u>	3,137
<u>AMD FX-4200 Quad-Core</u>	3,134
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,130
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,130
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,124
<u>AMD Ryzen Embedded R1305G</u>	3,122
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,122
<u>AMD PRO A10-8770E</u>	3,121
<u>AMD FX-4170 Quad-Core</u>	3,115
<u>AMD A10-6800B APU</u>	3,114
<u>Qualcomm Technologies, Inc SM7150</u>	3,107
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,106
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,100
<u>Intel Core i3-10100Y @ 1.30GHz</u>	3,098
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,098
<u>AMD A10-6700 APU</u>	3,095
<u>AMD FX-870K Quad Core</u>	3,094
<u>Intel Core i7-870 @ 2.93GHz</u>	3,093

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD Phenom II X6 1045T</u>	3,043
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,041
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,039
<u>Unisoc ums9230T</u>	3,039
<u>Intel Core i5-4300M @ 2.60GHz</u>	3,035
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,035
<u>Intel Xeon W3540 @ 2.93GHz</u>	3,031
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,024
<u>AMD A8-7650K</u>	3,013
<u>Intel Core i7-4558U @ 2.80GHz</u>	3,012
<u>Intel Core i5-6200U @ 2.30GHz</u>	3,011
<u>Intel Xeon X5550 @ 2.67GHz</u>	3,009
<u>Qualcomm Technologies, Inc SDMMAGPIE</u>	3,009
<u>SMDK4x12</u>	3,006
<u>Intel Pentium GOLD 6500Y @ 1.10GHz</u>	2,997
<u>Intel Core i3-7130U @ 2.70GHz</u>	2,993
<u>Intel Core i7-5600U @ 2.60GHz</u>	2,992
<u>Intel Core i5-4210H @ 2.90GHz</u>	2,990
<u>AMD PRO A8-8670E</u>	2,989
<u>Hisilicon Kirin810</u>	2,986
<u>Intel Xeon L5630 @ 2.13GHz</u>	2,985
<u>Intel Celeron J4125 @ 2.00GHz</u>	2,981
<u>Intel Core i5-2405S @ 2.50GHz</u>	2,980
<u>Intel Xeon E5-2637 @ 3.00GHz</u>	2,978
<u>Unisoc ums9230H</u>	2,973
<u>Intel Core i5-3380M @ 2.90GHz</u>	2,970
<u>AMD PRO A12-8870E</u>	2,966
<u>AMD A8-6600K APU</u>	2,962
<u>AMD Phenom II X6 1035T</u>	2,961
<u>AMD Athlon Silver 3050e</u>	2,955
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,953
<u>Intel Core m3-8100Y @ 1.10GHz</u>	2,951
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950
<u>AMD FX-4300 Quad-Core</u>	2,949
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,949
<u>AMD A10-9700E</u>	2,947
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,942

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,908
<u>Intel Atom x6425RE @ 1.90GHz</u>	2,903
<u>AMD Athlon X4 830</u>	2,901
<u>Samsung Exynos 8895</u>	2,901
<u>AMD A10-9630P</u>	2,899
<u>AMD A10-5800B APU</u>	2,897
<u>AMD FX-670K Quad-Core</u>	2,897
<u>AMD PRO A10-9700E</u>	2,896
<u>AMD A8-6500B APU</u>	2,892
<u>Intel Core i3-4350T @ 3.10GHz</u>	2,888
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,886
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,879
<u>Snapdragon 7c @ 2.40 GHz</u>	2,878
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,875
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873
<u>AMD Opteron 4184</u>	2,872
<u>Intel Core i7-930 @ 2.80GHz</u>	2,870
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,867
<u>Rockchip RK3399</u>	2,857
<u>AMD FX-7600P APU</u>	2,856
<u>AMD A8 PRO-7600B APU</u>	2,855
<u>AMD Phenom II X4 980</u>	2,839
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,831
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,827
<u>AMD Opteron 6128</u>	2,826
<u>AMD A8-6500 APU</u>	2,825
<u>AMD Opteron 3350 HE</u>	2,825
<u>Intel Celeron G5905 @ 3.50GHz</u>	2,819
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,814
<u>AMD A8-5600K APU</u>	2,806
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,804
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,803
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,803
<u>AMD FX-8800P</u>	2,798
<u>Intel Core i7-860S @ 2.53GHz</u>	2,796
<u>MediaTek MT6779V/CE</u>	2,796
<u>Qualcomm Technologies, Inc SM4350</u>	2,794
<u>AMD Athlon X4 750K Quad Core</u>	2,790

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,737
<u>AMD RX-427BB</u>	2,729
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,728
<u>AMD RX-425BB</u>	2,724
<u>AMD 3015e</u>	2,720
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,720
<u>AMD A6-9400</u>	2,717
<u>Intel Celeron G4950 @ 3.30GHz</u>	2,714
<u>AArch64 rev 0 (aarch64)</u>	2,711
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,709
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,708
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,705
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,703
<u>AMD PRO A12-9800B</u>	2,702
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,698
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,695
<u>AMD Phenom II X4 B65</u>	2,690
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,689
<u>AMD FX-770K Quad-Core</u>	2,686
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,686
<u>Intel Core i5-4402E @ 1.60GHz</u>	2,681
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,678
<u>ARM D2000/8 8 Core 2300 MHz</u>	2,674
<u>Intel Celeron G5900 @ 3.40GHz</u>	2,672
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,667
<u>Intel Celeron 7305</u>	2,665
<u>AMD Athlon X4 740 Quad Core</u>	2,664
<u>AMD FX-4130 Quad-Core</u>	2,664
<u>Qualcomm Technologies, Inc SM6150</u>	2,663
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,659
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,653
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650
<u>Intel Celeron G5900T @ 3.20GHz</u>	2,648
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,646
<u>AMD A8-5500B APU</u>	2,644
<u>AMD Phenom II X4 970</u>	2,644
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,636
<u>AMD FirePro A320 APU</u>	2,634

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD PRO A10-9700B</u>	2,602
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,600
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,593
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,592
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,591
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,590
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,588
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,588
<u>AMD A8-5500 APU</u>	2,586
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,577
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,575
<u>MT6768G</u>	2,572
<u>Unisoc T610</u>	2,572
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,571
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,570
<u>AMD Athlon II X4 557</u>	2,567
<u>AMD Phenom II X4 965</u>	2,567
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,566
<u>AMD FX-4100 Quad-Core</u>	2,564
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,553
<u>AMD Phenom II X4 B60</u>	2,546
<u>Snapdragon 850 @ 2.96 GHz</u>	2,544
<u>AMD Phenom II X4 B99</u>	2,536
<u>Apple A9X</u>	2,531
<u>Qualcomm Technologies, Inc SM6115</u>	2,524
<u>AMD A10-9620P</u>	2,523
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,522
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,518
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,518
<u>MT6769H</u>	2,518
<u>Intel Celeron N4120 @ 1.10GHz</u>	2,517
<u>MediaTek MT6779V/CU</u>	2,517
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,513
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,512
<u>Intel Core i5-4310U @ 2.00GHz</u>	2,512
<u>Intel Core i5-670 @ 3.47GHz</u>	2,511
<u>Intel Xeon E5520 @ 2.27GHz</u>	2,505

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AArch64 rev 1 (aarch64)</u>	2,469
<u>AMD Phenom II X4 B55</u>	2,465
<u>Qualcomm Technologies, Inc SDM710</u>	2,465
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,460
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459
<u>MT6769V/CT</u>	2,459
<u>MediaTek MT6779V/CV</u>	2,452
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,450
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,448
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446
<u>AMD A12-9700P</u>	2,445
<u>Intel Core i5-661 @ 3.33GHz</u>	2,444
<u>Qualcomm Technologies, Inc SDA660</u>	2,444
<u>MediaTek MT6771V/C</u>	2,443
<u>T610-Unisoc</u>	2,442
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,441
<u>AMD Athlon II X4 650</u>	2,440
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,440
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,435
<u>AMD Phenom II X4 955</u>	2,431
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,429
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,425
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,424
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,420
<u>AMD Athlon II X4 553</u>	2,418
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,418
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,408
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,406
<u>Intel Atom C3558 @ 2.20GHz</u>	2,405
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,403
<u>AMD FX-9800P</u>	2,402
<u>AMD PRO A10-8730B</u>	2,401
<u>HiSilicon Kirin 960</u>	2,401
<u>AMD PRO A12-8830B</u>	2,392
<u>Unisoc ums9230</u>	2,390
<u>AMD PRO A8-9600B</u>	2,388
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,383

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD Phenom II X4 840</u>	2,355
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,348
<u>AMD Opteron 4130</u>	2,347
<u>Intel Xeon E5440 @ 2.83GHz</u>	2,345
<u>AMD A8-3870K APU</u>	2,344
<u>Intel Atom C2758 @ 2.40GHz</u>	2,343
<u>AMD Phenom II X4 B95</u>	2,342
<u>MediaTek MT6769T</u>	2,342
<u>AMD Phenom II X4 B35</u>	2,341
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,341
<u>AMD Athlon II X4 651 Quad-Core</u>	2,338
<u>MediaTek MT6769V/CB</u>	2,333
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331
<u>MediaTek MT6769V/CU</u>	2,331
<u>MediaTek MT6769Z</u>	2,331
<u>Qualcomm Technologies, Inc SDM670</u>	2,330
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,328
<u>Qualcomm Technologies, Inc SDM712</u>	2,327
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,326
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,325
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,322
<u>Qualcomm Technologies, Inc BENGAL</u>	2,322
<u>AMD Athlon II X4 645</u>	2,319
<u>MediaTek MT6771V/WT</u>	2,316
<u>AMD A10-6700T APU</u>	2,311
<u>AMD Athlon Gold 3150C</u>	2,310
<u>AMD Athlon II X4 555</u>	2,310
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,310
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,310
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,308
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,307
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,306
<u>AMD Phenom II X4 B70</u>	2,303
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,303
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,301
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,298

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,278
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,278
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,272
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,271
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,270
<u>AMD Phenom II X4 840T</u>	2,269
<u>MediaTek MT6771V/W</u>	2,269
<u>AMD Phenom II X4 850</u>	2,266
<u>AMD Phenom II X4 B50</u>	2,264
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,262
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,260
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,255
<u>AMD PRO A10-8700B</u>	2,253
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,252
<u>AMD Athlon II X4 638 Quad-Core</u>	2,250
<u>Intel Celeron G4930T @ 3.00GHz</u>	2,250
<u>Qualcomm Technologies, Inc SDM660</u>	2,246
<u>AMD A8-3850 APU</u>	2,244
<u>AMD A10-8700P</u>	2,243
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,241
<u>Qualcomm Technologies, Inc SM6225</u>	2,241
<u>AMD A8-8600P</u>	2,240
<u>AMD Phenom II X4 960T</u>	2,239
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,239
<u>AMD Phenom II X4 B40</u>	2,238
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,238
<u>AMD A10-9600P</u>	2,235
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,235
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,229
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,228
<u>MT6969T</u>	2,228
<u>Intel Core i3-3225 @ 3.30GHz</u>	2,226
<u>Unisoc T700</u>	2,224
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,219
<u>Intel Core i5-650 @ 3.20GHz</u>	2,219
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,218
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,218

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,189
<u>AMD Phenom II X4 925</u>	2,188
<u>AMD Athlon II X4 640</u>	2,186
<u>AMD A8-3820 APU</u>	2,181
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,175
<u>Intel Atom C2750 @ 2.41GHz</u>	2,174
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,165
<u>Intel Xeon X3350 @ 2.66GHz</u>	2,158
<u>MediaTek MT6797X</u>	2,158
<u>AMD A8-7200P</u>	2,154
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,154
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,152
<u>AMD Athlon II X4 641 Quad-Core</u>	2,143
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,142
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,141
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,139
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,131
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,130
<u>MediaTek MT6763V/CE</u>	2,130
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,129
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,127
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,126
<u>AMD A10-7400P</u>	2,122
<u>AMD PRO A8-8600B</u>	2,122
<u>Intel Core i5-2415M @ 2.30GHz</u>	2,122
<u>AMD Athlon II X4 635</u>	2,120
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,116
<u>AMD Athlon X4 640</u>	2,115
<u>Hardkernel ODROID-N2Plus</u>	2,115
<u>Samsung Exynos 9610</u>	2,111
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,109
<u>AMD Phenom II X4 B25</u>	2,108
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,106
<u>AMD 3015Ce</u>	2,105
<u>AMD Phenom II X4 B93</u>	2,104
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,104
<u>AMD Phenom II X4 820</u>	2,103

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,078
<u>MT6765H</u>	2,077
<u>Qualcomm Technologies, Inc BENGAL-IOT</u>	2,075
<u>AMD Opteron 2384</u>	2,074
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,073
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,072
<u>AMD A6-3670 APU</u>	2,070
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,067
<u>AMD Phenom II X4 830</u>	2,065
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,063
<u>AMD Opteron 3250 HE</u>	2,061
<u>Intel Core i7-640M @ 2.80GHz</u>	2,061
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,061
<u>AMD Opteron 4162 EE</u>	2,058
<u>Apple A9</u>	2,056
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,052
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,050
<u>AMD Phenom II X4 910e</u>	2,044
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,038
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,036
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034
<u>AMD A10-5757M APU</u>	2,031
<u>AMD Phenom II X4 920</u>	2,031
<u>Intel Atom T5700 @ 1.70GHz</u>	2,030
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,029
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	2,027
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,025
<u>Intel Core i5-2430M @ 2.40GHz</u>	2,024
<u>Qualcomm Technologies, Inc SDM636</u>	2,020
<u>Intel Core M-5Y71 @ 1.20GHz</u>	2,019
<u>Qualcomm Technologies, Inc SM4250</u>	2,018
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016
<u>Intel Core i7-620M @ 2.67GHz</u>	2,012
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,011
<u>ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</u>	2,007
<u>Intel Core i3-3240T @ 2.90GHz</u>	2,007

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-3317U @ 1.70GHz</u>	1,973
<u>AMD A8-3800 APU</u>	1,971
<u>AMD Athlon II X4 615e</u>	1,967
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,967
<u>Intel Celeron N4500 @ 1.10GHz</u>	1,964
<u>Intel Core i5-2410M @ 2.30GHz</u>	1,959
<u>AMD Athlon II X4 605e</u>	1,957
<u>Qualcomm Technologies, Inc MSM8976SG</u>	1,956
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,952
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,952
<u>Intel Core i3-4120U @ 2.00GHz</u>	1,948
<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	1,948
<u>AMD Phenom 9850B Quad-Core</u>	1,946
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,946
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,938
<u>AMD Athlon X4 730</u>	1,936
<u>Intel Xeon X6550 @ 2.00GHz</u>	1,936
<u>Intel Core i5-580M @ 2.67GHz</u>	1,935
<u>Intel Xeon E5603 @ 1.60GHz</u>	1,935
<u>AMD Athlon II X4 620</u>	1,934
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,932
<u>AMD A10-5750M APU</u>	1,931
<u>AMD Phenom II X4 805</u>	1,931
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,929
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,928
<u>Intel Xeon X3330 @ 2.66GHz</u>	1,928
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,926
<u>Intel Core i3-5015U @ 2.10GHz</u>	1,926
<u>AMD Athlon II X3 460</u>	1,924
<u>AMD Athlon 5370 APU</u>	1,923
<u>AMD A10-4600M APU</u>	1,921
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,921
<u>AMD Phenom 9950 Quad-Core</u>	1,920
<u>AMD A10 PRO-7350B APU</u>	1,919
<u>AMD A6-7480</u>	1,918
<u>AMD Opteron 3320 EE</u>	1,918
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,913

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889
<u>AMD PRO A6-8550B</u>	1,885
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882
<u>SAMSUNG Exynos7420</u>	1,881
<u>Intel Core i7-3555LE @ 2.50GHz</u>	1,880
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,878
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,878
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,876
<u>Intel Core i5-560M @ 2.67GHz</u>	1,874
<u>AMD Athlon II X4 610e</u>	1,871
<u>Intel Core i3-2105 @ 3.10GHz</u>	1,871
<u>Qualcomm Technologies, Inc SDM632</u>	1,871
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,870
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,868
<u>AMD A6-9500</u>	1,864
<u>AMD Opteron 2378</u>	1,864
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,863
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,861
<u>Qualcomm Technologies, Inc SDM460</u>	1,861
<u>AMD A6-3620 APU</u>	1,857
<u>AMD A8-5550M APU</u>	1,854
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,853
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853
<u>ARM Cortex-A53 6 Core 1896 MHz</u>	1,851
<u>Intel Pentium 1403 @ 2.60GHz</u>	1,851
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850
<u>AMD Phenom II X4 810</u>	1,849
<u>Intel Core i3-4100E @ 2.40GHz</u>	1,848
<u>Qualcomm Technologies, Inc APQ8053</u>	1,847
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,845
<u>AMD Phenom II X3 B77</u>	1,844
<u>AMD A6-9500E</u>	1,841
<u>AMD Athlon II X3 455</u>	1,841
<u>UIS7862A</u>	1,839
<u>Intel Xeon X3323 @ 2.50GHz</u>	1,837
<u>AMD FX-7500 APU</u>	1,835
<u>Qualcomm Technologies, Inc SDM630</u>	1,830

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,809
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,806
<u>AMD Phenom 9750 Quad-Core</u>	1,804
<u>AMD A6-7470K</u>	1,799
<u>AMD Opteron 1381</u>	1,797
<u>AMD Phenom II X940 Quad-Core</u>	1,797
<u>Intel Celeron 6305E @ 1.80GHz</u>	1,797
<u>AMD GX-420MC SOC</u>	1,796
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,795
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,795
<u>AArch64 rev 4 (aarch64)</u>	1,787
<u>AMD Athlon X4 530</u>	1,786
<u>MT6765</u>	1,785
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784
<u>Snapdragon 835</u>	1,784
<u>AMD Athlon X3 455</u>	1,783
<u>Intel Core i5-540M @ 2.53GHz</u>	1,783
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,782
<u>AMD Athlon X3 435</u>	1,781
<u>AMD A8-5557M APU</u>	1,778
<u>AMD Phenom II X4 910</u>	1,776
<u>AMD Athlon II X3 450</u>	1,773
<u>AMD R-464L APU</u>	1,773
<u>AMD A8-6410 APU</u>	1,771
<u>MT6757WD</u>	1,771
<u>AMD Phenom II N830 3+1</u>	1,768
<u>AMD GX-420CA SOC</u>	1,767
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,764
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,761
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,761
<u>AMD A10-4657M APU</u>	1,759
<u>Intel Atom C3538 @ 2.10GHz</u>	1,756
<u>MT6765V/WB</u>	1,756
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,755
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,754
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,753
<u>MT6797M</u>	1,745

CPU Name ▾	CPU Mark (higher is better) ▲
AMD Phenom X2 Dual-Core GE-6060	1,722
Intel Celeron J4025 @ 2.00GHz	1,722
AMD Athlon II X3 440	1,718
Intel Core i3-4158U @ 2.00GHz	1,718
AMD Athlon II X4 600e	1,711
P22	1,709
Samsung Exynos 7885	1,709
Intel Celeron G1630 @ 2.80GHz	1,707
AMD PRO A6-8500B	1,704
Intel Core i3-560 @ 3.33GHz	1,704
AMD Opteron 1356	1,703
HiSilicon Kirin 659	1,703
AMD PRO A4-3350B APU	1,702
Intel Xeon E5405 @ 2.00GHz	1,702
Samsung Exynos 7904	1,702
Samsung Exynos 7880	1,701
AMD Phenom 9650 Quad-Core	1,699
AMD Phenom FX-5200 Quad-Core	1,699
Qualcomm Technologies, Inc MSM8953	1,696
AMD PRO A6-9500	1,695
Intel Atom x6211E @ 1.20GHz	1,695
Intel Celeron 4305U @ 2.20GHz	1,694
MediaTek MT6765V/CA	1,694
AMD A9-9430	1,693
Intel Celeron 3965U @ 2.20GHz	1,692
Intel Pentium G2100T @ 2.60GHz	1,691
HiSilicon Kirin 650	1,689
Intel Core i7-2617M @ 1.50GHz	1,687
AMD Athlon II X3 435	1,682
AMD Phenom 9850 Quad-Core	1,679
AMD PRO A6-7350B	1,679
Intel Xeon L5335 @ 2.00GHz	1,678
Intel Pentium G2020 @ 2.90GHz	1,674
AMD A6-6310 APU	1,671
AMD Phenom II X920 Quad-Core	1,669
AMD A4-7210 APU	1,663
Intel Core i7-720QM @ 1.60GHz	1,663
AMD PRO A6-9500E	1,662

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,639
<u>MediaTek MT6757CD</u>	1,639
<u>AMD A10-4655M APU</u>	1,637
<u>AMD Opteron 2373 EE</u>	1,635
<u>Nvidia Tegra T210</u>	1,635
<u>AMD A6-3600 APU</u>	1,633
<u>AMD Phenom 9600 Quad-Core</u>	1,633
<u>Intel Core i3-4010U @ 1.70GHz</u>	1,632
<u>AMD A8-3510MX APU</u>	1,630
<u>Intel Celeron N4020C @ 1.10GHz</u>	1,630
<u>Snapdragon 888</u>	1,630
<u>AMD Embedded R-Series RX-216GD</u>	1,628
<u>AMD A8-5545M APU</u>	1,625
<u>AMD Opteron 1354</u>	1,620
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619
<u>AMD A6-6400B APU</u>	1,616
<u>Intel Core i3-3110M @ 2.40GHz</u>	1,615
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,614
<u>Intel Pentium G2120T @ 2.70GHz</u>	1,613
<u>MediaTek MT6797T</u>	1,613
<u>Samsung Exynos 7420</u>	1,612
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,607
<u>Spreadtrum SC9863A Board</u>	1,607
<u>AMD A6-8550</u>	1,604
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,601
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,599
<u>AMD Phenom 9550 Quad-Core</u>	1,597
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591
<u>Intel Core i3-550 @ 3.20GHz</u>	1,590
<u>AMD A6-7400K APU</u>	1,589
<u>Qualcomm MSM8953</u>	1,589
<u>Qualcomm Technologies, Inc APQ8096</u>	1,588
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,586
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,581
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,580
<u>AMD A8-3550MX APU</u>	1,579
<u>ARM phytium FT1500a 4 Core 2000 MHz</u>	1,579

CPU Name ▾	CPU Mark (higher is better) ▲
<u>AMD PRO A4-8350B</u>	1,552
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,552
<u>AMD A6-6420B APU</u>	1,550
<u>MediaTek MT6757V</u>	1,550
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,548
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,546
<u>AMD A4 PRO-7350B</u>	1,544
<u>Qualcomm Technologies, Inc MSM8976</u>	1,544
<u>AMD A4-6320 APU</u>	1,543
<u>AMD A6-6420K APU</u>	1,539
<u>AMD Phenom II X3 B73</u>	1,538
<u>AMD Athlon II X3 425</u>	1,535
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,535
<u>Apple A8</u>	1,532
<u>Samsung A13 USA SINGLE REV02B board based on EXYN0</u>	1,528
<u>AMD Opteron X3216 APU</u>	1,525
<u>AMD Phenom 9500 Quad-Core</u>	1,524
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524
<u>AMD A9-9425</u>	1,522
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,522
<u>AMD E2-7110 APU</u>	1,521
<u>AMD Phenom 9750B Quad-Core</u>	1,520
<u>Intel Xeon E5504 @ 2.00GHz</u>	1,519
<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,519
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,518
<u>AMD Athlon X3 425</u>	1,516
<u>AMD Phenom II N950 Quad-Core</u>	1,515
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,515
<u>AMD A9-9420</u>	1,514
<u>Intel Pentium G870 @ 3.10GHz</u>	1,511
<u>Intel Core i3-540 @ 3.07GHz</u>	1,510
<u>AMD Opteron 2354</u>	1,509
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,507
<u>AMD A9-9410</u>	1,505
<u>AMD Phenom II X4 900e</u>	1,505
<u>AMD Athlon X2 370K Dual Core</u>	1,504

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,481
<u>Qualcomm Technologies, Inc SDA450</u>	1,481
<u>AMD Phenom II X3 720</u>	1,480
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,480
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475
<u>Qualcomm Technologies, Inc MSM8996pro</u>	1,475
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,472
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,472
<u>MediaTek MT6763V/V</u>	1,470
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,469
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469
<u>AMD A6-8500P</u>	1,466
<u>AMD Opteron 1352</u>	1,464
<u>Intel Core i3-530 @ 2.93GHz</u>	1,463
<u>AMD Phenom 9450e Quad-Core</u>	1,455
<u>MediaTek MT6765G</u>	1,455
<u>MT6763V/CT</u>	1,454
<u>AMD A6-6400K APU</u>	1,453
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,451
<u>Intel Pentium G860 @ 3.00GHz</u>	1,451
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451
<u>MediaTek MT6762V/WR</u>	1,450
<u>Unisoc T310</u>	1,450
<u>Intel Core i5-2467M @ 1.60GHz</u>	1,449
<u>AMD A6-3430MX APU</u>	1,448
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,444
<u>AMD Athlon II X3 415e</u>	1,441
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,440
<u>AMD Athlon X3 440</u>	1,438
<u>Qualcomm Technologies, Inc APQ8076</u>	1,438
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,435
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,432
<u>AMD A4-6300 APU</u>	1,431
<u>AMD Phenom II X3 700e</u>	1,430
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429
<u>AMD A6-5400B APU</u>	1,428
<u>AMD Phenom II X2 560</u>	1,426

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407
<u>AMD GX-415GA SOC</u>	1,406
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406
<u>AMD Phenom II X2 565</u>	1,405
<u>AMD A8-3520M APU</u>	1,401
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,400
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,391
<u>AMD A6-3500 APU</u>	1,390
<u>AMD Phenom 8600B Triple-Core</u>	1,390
<u>MT6755V/WS</u>	1,389
<u>AMD E1-6050J APU</u>	1,385
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,383
<u>MT8176</u>	1,380
<u>AMD Athlon 5150 APU</u>	1,378
<u>Qualcomm Technologies, Inc SDM439</u>	1,378
<u>Qualcomm Technologies, Inc MSM8956</u>	1,377
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,375
<u>Intel Pentium G850 @ 2.90GHz</u>	1,373
<u>AMD PRO A6-9500B</u>	1,371
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,367
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,366
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362
<u>AMD Phenom II X2 570</u>	1,360
<u>Intel Celeron N4000C @ 1.10GHz</u>	1,360
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,358
<u>AMD A4-5300 APU</u>	1,357
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,357
<u>AMD A9-9400</u>	1,356
<u>Intel Pentium G645 @ 2.90GHz</u>	1,356
<u>AMD Athlon II X2 280</u>	1,355
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,350
<u>AMD A4-5100 APU</u>	1,346
<u>AMD A10 Micro-6700T APU</u>	1,345
<u>AMD Phenom 8750 Triple-Core</u>	1,343
<u>Qualcomm Technologies, Inc MSM8996</u>	1,343
<u>VIA QuadCore C4650@2.0GHz</u>	1,343

CPU Name 	CPU Mark (higher is better) 
<u>AMD Athlon II X3 400e</u>	1,320
<u>AMD Phenom II P940 Quad-Core</u>	1,319
<u>MT6750V/C</u>	1,318
<u>AMD Opteron 2393 SE</u>	1,317
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,317
<u>AMD Athlon X2 340 Dual Core</u>	1,315
<u>AMD Phenom II X2 555</u>	1,315
<u>MT6763V/WT</u>	1,313
<u>Intel Core i5-480M @ 2.67GHz</u>	1,312
<u>ARM Cortex-A57 4 Core 2091 MHz</u>	1,311
<u>ARM Cortex-A73 6 Core 1992 MHz</u>	1,311
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,309
<u>Samsung Exynos 7884</u>	1,309
<u>AMD A8-3500M APU</u>	1,308
<u>AMD A8-4555M APU</u>	1,307
<u>Qualcomm MSM8996</u>	1,307
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,297
<u>AMD Athlon X2 450</u>	1,295
<u>ARM Cortex-A72 4 Core 2400 MHz</u>	1,295
<u>AMD A6-9220</u>	1,293
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,293
<u>Hisilicon Kirin 935</u>	1,291
<u>AMD A4-5000 APU</u>	1,289
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284
<u>AMD Phenom 8850B Triple-Core</u>	1,281
<u>Intel Pentium G630 @ 2.70GHz</u>	1,280
<u>AMD A6-9230</u>	1,279
<u>AMD Phenom 9100e Quad-Core</u>	1,279
<u>AMD Phenom II X2 521</u>	1,279
<u>Unisoc UIS8581E</u>	1,279
<u>AMD Sempron 240</u>	1,278
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,278
<u>MT6755</u>	1,278
<u>Intel Core i5-460M @ 2.53GHz</u>	1,277
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275
<u>AMD A6-3420M APU</u>	1,274
<u>AMD Embedded G-Series GX-224IJ Radeon R4E</u>	1,271

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Qualcomm Technologies, Inc SDM450</u>	1,250
<u>Intel Atom C3338 @ 1.50GHz</u>	1,245
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,245
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,245
<u>AMD Athlon II X2 270</u>	1,242
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242
<u>AMD A6-5400K APU</u>	1,239
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,238
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,237
<u>Snapdragon 898</u>	1,234
<u>AMD Athlon II X2 265</u>	1,233
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,233
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,232
<u>BCM2835</u>	1,231
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,231
<u>AMD A4-9120</u>	1,230
<u>Samsung A13 EUR OPEN REV02B board based on EXYNOS8</u>	1,230
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,229
<u>MT6755M</u>	1,229
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,228
<u>AMD A4-4020 APU</u>	1,225
<u>AMD Phenom 8450e Triple-Core</u>	1,225
<u>AMD A4-5300B APU</u>	1,222
<u>AMD Phenom II X3 705e</u>	1,222
<u>Intel Celeron G550 @ 2.60GHz</u>	1,222
<u>Intel Pentium G620 @ 2.60GHz</u>	1,221
<u>MT6755V/BM</u>	1,219
<u>AMD R-272F APU</u>	1,215
<u>Qualcomm MSM8992</u>	1,215
<u>AMD Phenom 8450 Triple-Core</u>	1,214
<u>AMD Phenom II P860 Triple-Core</u>	1,214
<u>Intel Core i5-450M @ 2.40GHz</u>	1,214
<u>AMD A4-9125</u>	1,211
<u>AMD Phenom 8600 Triple-Core</u>	1,210
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,210
<u>AMD A6-3400M APU</u>	1,206
<u>Intel Core i5-430M @ 2.27GHz</u>	1,206

CPU Name ▾	CPU Mark (higher is better) ▲
Rockchip RK3568 EVB1 DDR4 V10 Board	1,189
AMD Phenom 8750B Triple-Core	1,188
AMD Phenom II X2 550	1,188
Intel Core2 Duo E8335 @ 2.93GHz	1,187
AMD R-460L APU	1,183
Intel Celeron 3755U @ 1.70GHz	1,182
Intel Pentium E6700 @ 3.20GHz	1,181
Intel Celeron 3965Y @ 1.50GHz	1,179
Intel Core i3-390M @ 2.67GHz	1,178
Intel Core2 Duo T9800 @ 2.93GHz	1,178
Intel Celeron G540T @ 2.10GHz	1,174
ARM Cortex-A57 4 Core 1734 MHz	1,172
Intel Core2 Duo E8335 @ 2.66GHz	1,172
Intel Xeon Gold 6133 @ 2.50GHz	1,172
Intel Pentium E5800 @ 3.20GHz	1,171
Intel Core2 Duo E8400 @ 3.00GHz	1,168
Intel Atom Z3795 @ 1.60GHz	1,167
AMD A4-4000 APU	1,166
Intel Core i3-380M @ 2.53GHz	1,166
Intel Pentium E6800 @ 3.33GHz	1,166
AMD Athlon II X2 255	1,165
AMD Phenom II X640 Dual-Core	1,165
Intel Pentium 3805U @ 1.90GHz	1,165
Intel Pentium G645T @ 2.50GHz	1,164
AMD Phenom II X2 511	1,163
Intel Core2 Duo E7600 @ 3.06GHz	1,163
MT6757WH	1,161
AMD Phenom II P920 Quad-Core	1,160
Intel Celeron N3160 @ 1.60GHz	1,159
MTK6757	1,158
Intel Core2 Duo E8435 @ 3.06GHz	1,157
AMD Athlon II X2 250e	1,155
AMD QC-4000	1,155
AMD Sempron 3850 APU	1,153
ARM Cortex-A57 4 Core 2014 MHz	1,153
MediaTek MT6762G	1,152
AMD Phenom II X2 B55	1,151
Intel Core i5-2537M @ 1.40GHz	1,150

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,135
<u>Intel Core i3-370M @ 2.40GHz</u>	1,129
<u>AMD A9-9420e</u>	1,127
<u>AMD Phenom II X2 B53</u>	1,126
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,125
<u>MediaTek MT6750T</u>	1,123
<u>AMD A6-5345M APU</u>	1,122
<u>AMD A6-5350M APU</u>	1,120
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118
<u>AMD A6-1450 APU</u>	1,117
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,117
<u>AMD Phenom II P840 Triple-Core</u>	1,116
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,115
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,115
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,115
<u>AMD A6-9220C</u>	1,114
<u>AMD Phenom 8250 Triple-Core</u>	1,114
<u>Intel Celeron G530 @ 2.40GHz</u>	1,113
<u>Intel Celeron G540 @ 2.50GHz</u>	1,110
<u>AMD Phenom II X2 545</u>	1,107
<u>AMD Opteron 2220</u>	1,106
<u>AMD PRO A4-4350B</u>	1,106
<u>AMD Athlon II X2 210e</u>	1,105
<u>AMD Athlon II X2 260</u>	1,103
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,102
<u>AMD Phenom II X2 B57</u>	1,099
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096
<u>AMD Athlon II X2 250</u>	1,095
<u>AMD A4-3420 APU</u>	1,094
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,093
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091
<u>Intel Pentium B970 @ 2.30GHz</u>	1,091
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,090
<u>MT6755V/WM</u>	1,090
<u>AMD Opteron 1222</u>	1,089
<u>MT6795</u>	1,088
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,088

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,074
<u>AMD Athlon II X2 B24</u>	1,073
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070
<u>MT6755BM</u>	1,070
<u>AMD Phenom II P820 Triple-Core</u>	1,068
<u>MediaTek MT6750V/WT</u>	1,068
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,067
<u>AMD GX-412HC</u>	1,065
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,065
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063
<u>AMD A6-9200</u>	1,061
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,061
<u>Intel Core i3-350M @ 2.27GHz</u>	1,060
<u>AMD Athlon II X2 4400e</u>	1,059
<u>Rockchip RK3566 BOX DEMO V10 ANDROID Board</u>	1,058
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,057
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,057
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056
<u>MT6592T</u>	1,056
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,052
<u>Intel Atom E3845 @ 1.91GHz</u>	1,050
<u>AMD Athlon II X2 235e</u>	1,049
<u>MT8168B</u>	1,044
<u>Qualcomm Technologies, Inc MSM8937</u>	1,044
<u>AMD Athlon II X2 245</u>	1,042
<u>MT8783</u>	1,039
<u>AMD GX-222GC SOC</u>	1,038
<u>AMD Athlon 7850 Dual-Core</u>	1,037
<u>AMD Athlon II X2 B22</u>	1,036
<u>AMD Opteron 1220</u>	1,036
<u>AMD Opteron 2218</u>	1,036
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,035
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	1,034
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,031
<u>Intel Pentium G630T @ 2.30GHz</u>	1,029
<u>AMD Athlon II X2 220</u>	1,028
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028



CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,012
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011
<u>AMD A6-7000</u>	1,010
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,010
<u>Rockchip RK3566 EVB3 DDR3 V10 Board</u>	1,010
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	1,008
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,008
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,008
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	1,008
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,007
<u>AMD A4 Micro-6400T APU</u>	1,004
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,004
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,004
<u>ARM Cortex-A72 6 Core 1416 MHz</u>	1,003
<u>Intel Core i3-330M @ 2.13GHz</u>	1,002
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002
<u>tn8</u>	1,002
<u>Intel Pentium 2117U @ 1.80GHz</u>	998
<u>AMD Athlon X2 215</u>	996
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	995
<u>AMD Athlon X2 250</u>	993
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	993
<u>Qualcomm MSM8937</u>	993
<u>AMD E2-9010</u>	991
<u>Intel Celeron 2981U @ 1.60GHz</u>	991
<u>Intel Pentium E6300 @ 2.80GHz</u>	991
<u>AMD Athlon II X2 4300e</u>	990
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	990
<u>Nvidia Tegra T132</u>	990
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987
<u>Intel Pentium B950 @ 2.10GHz</u>	986
<u>ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</u>	984
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	983
<u>AMD A4-4300M APU</u>	980
<u>AMD Athlon II X2 240e</u>	980
<u>AMD A4-3300 APU</u>	979
<u>AMD Opteron 1218 HE</u>	979

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i7-620UM @ 1.07GHz</u>	964
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	964
<u>Intel Xeon 5160 @ 3.00GHz</u>	963
<u>Intel Atom C2538 @ 2.40GHz</u>	960
<u>Unisoc ums312</u>	958
<u>AMD Opteron 285</u>	956
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	955
<u>MT6750V/CS</u>	955
<u>AMD R-260H APU</u>	954
<u>AMD E2-3200 APU</u>	953
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	953
<u>Qualcomm Technologies, Inc MSM8940</u>	953
<u>AMD Opteron 290</u>	952
<u>AMD Athlon 7750 Dual-Core</u>	951
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	950
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	949
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	948
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	948
<u>Qualcomm Technologies, Inc SDM429</u>	947
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	946
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	944
<u>AMD Athlon 64 FX-62 Dual Core</u>	943
<u>Intel Celeron J1850 @ 1.99GHz</u>	942
<u>Intel Xeon 3060 @ 2.40GHz</u>	939
<u>AMD Athlon X2 255</u>	938
<u>AMD Turion II P540 Dual-Core</u>	937
<u>MediaTek MT8166B</u>	937
<u>Intel Pentium E5400 @ 2.70GHz</u>	936
<u>AMD Athlon II X2 240</u>	935
<u>Intel Celeron E3500 @ 2.70GHz</u>	935
<u>MT8766A</u>	935
<u>AMD E2-9000</u>	933
<u>AMD Phenom II P650 Dual-Core</u>	933
<u>Qualcomm Technologies, Inc MSM8994</u>	932
<u>AMD Sempron X2 198 Dual-Core</u>	930
<u>Intel Celeron B840 @ 1.90GHz</u>	930
<u>MediaTek MT6753</u>	929
<u>Intel Xeon L3406 @ 2.27GHz</u>	928



CPU Name ▾	CPU Mark (higher is better) ▲
AMD Opteron 2220 SE	909
Intel Core2 Duo P9300 @ 2.26GHz	909
AMD Athlon 64 X2 Dual Core 5400+	907
Intel Atom x5-Z8350 @ 1.44GHz	907
Intel Celeron 1017U @ 1.60GHz	906
Intel Core i5-520UM @ 1.07GHz	902
Intel Xeon 3.73GHz	901
AMD Athlon II N370 Dual-Core	899
Intel Pentium G620T @ 2.20GHz	896
Intel Core2 Duo T8300 @ 2.40GHz	895
AMD A4-9120e	894
Intel Core i3-2375M @ 1.50GHz	894
UGOOS UT8 Board	894
Intel Core2 Duo L9600 @ 2.13GHz	892
MT8365	889
Intel Xeon 5133 @ 2.20GHz	887
AMD Phenom X2 Dual-Core GP-7730	884
ARM FT-2000/4 4 Core 2200 MHz	881
AMD Sempron X2 190	879
Intel Atom x5-E3930 @ 1.30GHz	878
Intel Pentium N3510 @ 1.99GHz	878
MT8165	878
Samsung Exynos 7580	878
AMD Turion II N550 Dual-Core	877
Athlon 64 Dual Core 5600+	875
AMD Athlon 5000 Dual-Core	872
Intel Core2 Duo E6550 @ 2.33GHz	870
rockchip,rk3368	870
AMD A4-9120C	869
AMD Athlon 5200 Dual-Core	869
Intel Core2 Duo P7550 @ 2.26GHz	868
AMD Athlon II X2 4450e	867
Intel Pentium E5200 @ 2.50GHz	867
Intel Xeon 3065 @ 2.33GHz	867
AMD Turion 64 X2 Mobile TL-68	866
Intel Celeron P4600 @ 2.00GHz	862
Intel Celeron E3200 @ 2.40GHz	860
AMD Athlon 7550 Dual-Core	859

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Rockchip RK3566 EVB2 LP4X V10 Board</u>	843
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	841
<u>Intel Celeron 2955U @ 1.40GHz</u>	841
<u>Intel Celeron 2957U @ 1.40GHz</u>	841
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	841
<u>Intel Xeon 3050 @ 2.13GHz</u>	841
<u>Intel Xeon 5150 @ 2.66GHz</u>	840
<u>AMD Opteron 275</u>	839
<u>Intel Xeon E5205 @ 1.86GHz</u>	838
<u>Intel Atom Z3580 @ 1.33GHz</u>	837
<u>Intel Celeron E3300 @ 2.50GHz</u>	837
<u>Intel Xeon E5502 @ 1.87GHz</u>	837
<u>Intel Core i5-430UM @ 1.20GHz</u>	836
<u>AMD Athlon Dual Core 5000B</u>	835
<u>Intel Core i3-2367M @ 1.40GHz</u>	835
<u>BCM2711</u>	834
<u>Intel Pentium P6300 @ 2.27GHz</u>	834
<u>Intel Pentium B940 @ 2.00GHz</u>	832
<u>AMD Turion II Dual-Core Mobile M520</u>	830
<u>Intel Celeron E3400 @ 2.60GHz</u>	829
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	827
<u>AMD Athlon Dual Core 5400B</u>	826
<u>AMD Sempron X2 180</u>	826
<u>Intel Core i3-2357M @ 1.30GHz</u>	824
<u>Qualcomm Technologies, Inc MSM8939</u>	824
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823
<u>DO-Regular</u>	819
<u>AMD A4-4355M APU</u>	818
<u>AMD Turion II P560 Dual-Core</u>	818
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	816
<u>Intel Celeron P4500 @ 1.87GHz</u>	816
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	816
<u>Intel Core i3-2365M @ 1.40GHz</u>	815
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	814
<u>Intel Celeron 1007U @ 1.50GHz</u>	812
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	811
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	808

CPU Name ▾	CPU Mark (higher is better) ▲
AMD Athlon 64 X2 Dual Core 5800+	797
AMD Athlon Dual Core 4850e	796
AMD Athlon Dual Core 5200B	796
hi6210sft	796
AMD A6-4455M APU	795
Intel Xeon 5130 @ 2.00GHz	795
Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	795
Intel Atom Z3775D @ 1.49GHz	794
AMD Turion X2 Ultra Dual-Core Mobile ZM-84	793
Intel Pentium E2220 @ 2.40GHz	793
Intel Core2 Duo P7370 @ 2.00GHz	790
Intel Xeon 3040 @ 1.86GHz	790
AMD Athlon 7450 Dual-Core	789
Intel Celeron B820 @ 1.70GHz	789
Intel Pentium 997 @ 1.60GHz	789
MT6761V/CD	784
Qualcomm Technologies, Inc MSM8992	782
AMD Opteron 1216	781
Intel Pentium P6000 @ 1.87GHz	777
Intel Celeron B810 @ 1.60GHz	775
AMD Athlon 64 X2 Dual Core 5000+	773
VIA QuadCore L4700 @ 1.2+ GHz	773
Intel Atom Z3735G @ 1.33GHz	772
AMD Opteron 1212 HE	771
Intel Core2 Duo T7600 @ 2.33GHz	770
AMD A4-3310MX APU	769
Athlon Dual Core 4850e	769
MT6761V/WAB	769
AMD Athlon II N350 Dual-Core	767
AMD A4-5150M APU	765
AMD Opteron 280	765
Intel Xeon 5120 @ 1.86GHz	763
AMD GX-217GA SOC	762
Intel Core2 Duo T6600 @ 2.20GHz	762
AMD Opteron 270	761
Intel Atom Z3735D @ 1.33GHz	761
Intel Pentium T4300 @ 2.10GHz	761
Qualcomm APQ 8084 (Flattened Device Tree)	761

CPU Name 	CPU Mark (higher is better) 
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	747
<u>AMD Opteron 180</u>	746
<u>Intel Pentium E2200 @ 2.20GHz</u>	745
<u>Intel Pentium D 960 @ 3.60GHz</u>	743
<u>ARM Cortex-A55 4 Core 2124 MHz</u>	742
<u>Intel Celeron N2910 @ 1.60GHz</u>	742
<u>AC8257V/WAB</u>	740
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	739
<u>MT8696</u>	738
<u>AMD Athlon Dual Core 5600B</u>	737
<u>Intel Atom Z3770 @ 1.46GHz</u>	737
<u>Athlon 64 Dual Core 3800+</u>	736
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	736
<u>Spreadtrum SC9853I-IA</u>	734
<u>Intel Celeron 2961Y @ 1.10GHz</u>	732
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	730
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	728
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	728
<u>AMD Athlon Dual Core 4850B</u>	727
<u>AMD Opteron 1216 HE</u>	727
<u>AMD Turion II P520 Dual-Core</u>	727
<u>Intel Celeron 887 @ 1.50GHz</u>	727
<u>AMD E2-3000 APU</u>	726
<u>Intel Atom Z3775 @ 1.46GHz</u>	726
<u>ARM Cortex-A55 4 Core 1992 MHz</u>	725
<u>ARM Cortex-A72 4 Core 2000 MHz</u>	724
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	723
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	722
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	720
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	719
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	719
<u>AMD A4-3305M APU</u>	718
<u>Intel Celeron B815 @ 1.60GHz</u>	718
<u>Intel Pentium T4200 @ 2.00GHz</u>	717
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	716
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	715
<u>Intel Celeron E1600 @ 2.40GHz</u>	712

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core i3-380UM @ 1.33GHz</u>	699
<u>AMD Athlon Dual Core 4450e</u>	698
<u>AMD A4-3300M APU</u>	697
<u>AMD Opteron 1214</u>	696
<u>AMD Turion 64 X2 Mobile TL-66</u>	696
<u>AMD Opteron 185</u>	695
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695
<u>MT6738</u>	692
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	691
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691
<u>Intel Atom Z3560 @ 1.83GHz</u>	690
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689
<u>Intel Celeron P4505 @ 1.87GHz</u>	689
<u>AMD Athlon X2 Dual Core BE-2400</u>	688
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	688
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	688
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	687
<u>AMD Athlon Dual Core 4450B</u>	684
<u>AMD Athlon II P320 Dual-Core</u>	684
<u>AMD Turion II Neo K685 Dual-Core</u>	684
<u>MediaTek MT6761V/WBB</u>	684
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	683
<u>AMD Opteron 175</u>	682
<u>Athlon Dual Core 4450e</u>	681
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680
<u>AMD Athlon II Dual-Core M340</u>	676
<u>AMD Athlon II X2 270u</u>	675
<u>AMD Turion 64 X2 Mobile TL-64</u>	675
<u>AMD E2-3000M APU</u>	674
<u>Intel Pentium E2180 @ 2.00GHz</u>	674
<u>AMD Athlon II P340 Dual-Core</u>	673
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	672
<u>Intel Celeron E1400 @ 2.00GHz</u>	671
<u>Athlon Dual Core 4050e</u>	670
<u>Intel Pentium D 950 @ 3.40GHz</u>	670
<u>Intel Celeron J3060 @ 1.60GHz</u>	668
<u>Intel Celeron N3060 @ 1.60GHz</u>	668
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	666



CPU Name 	CPU Mark (higher is better) 
<u>MT6761V/CAB</u>	650
<u>AMD Turion Dual-Core RM-72</u>	649
<u>Intel Atom Z3740 @ 1.33GHz</u>	649
<u>Intel Celeron B800 @ 1.50GHz</u>	649
<u>Intel Celeron E1500 @ 2.20GHz</u>	649
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	649
<u>AMD Opteron 170</u>	648
<u>M7221</u>	646
<u>ARM Cortex-A72 4 Core 2100 MHz</u>	642
<u>Samsung EXYNOS5420</u>	642
<u>AMD Athlon 64 X2 QL-66</u>	641
<u>AMD A4-3320M APU</u>	640
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	639
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	638
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	635
<u>Intel Pentium 2129Y @ 1.10GHz</u>	635
<u>Intel Pentium T3200 @ 2.00GHz</u>	635
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	634
<u>AMD Athlon II Dual-Core M300</u>	634
<u>Intel Pentium 987 @ 1.50GHz</u>	634
<u>Intel Celeron 877 @ 1.40GHz</u>	632
<u>Intel Pentium E2160 @ 1.80GHz</u>	628
<u>Intel Pentium 967 @ 1.30GHz</u>	626
<u>Intel Atom C2358 @ 1.74GHz</u>	625
<u>Qualcomm MSM8974PRO-AB</u>	625
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	624
<u>Intel Pentium U5600 @ 1.33GHz</u>	624
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	623
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	623
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	622
<u>AMD Athlon 64 X2 QL-64</u>	622
<u>Intel Pentium 957 @ 1.20GHz</u>	622
<u>Intel Atom Z3745 @ 1.33GHz</u>	621
<u>AMD GX-212JC SOC</u>	619
<u>MT6795MM</u>	618
<u>AMD Athlon Dual Core 4050e</u>	616
<u>Intel Atom Z3740D @ 1.33GHz</u>	614
<u>Generic DT based system</u>	612

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Atom S1260 @ 2.00GHz</u>	596
<u>Intel Celeron J1750 @ 2.41GHz</u>	595
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594
<u>AMD E1-2500 APU</u>	593
<u>AMD Opteron 1212</u>	593
<u>AMD Sempron 150</u>	593
<u>Intel Celeron N3050 @ 1.60GHz</u>	593
<u>AMD Athlon II X2 250u</u>	592
<u>AMD Athlon X2 Dual Core BE-2350</u>	591
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	590
<u>AMD Turion II Neo N40L Dual-Core</u>	589
<u>Intel Celeron J1800 @ 2.41GHz</u>	589
<u>AMD Turion Dual-Core RM-74</u>	588
<u>Qualcomm MSM8917</u>	587
<u>Qualcomm MSM8974PRO-AA</u>	587
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	586
<u>Intel Atom Z3745D @ 1.33GHz</u>	585
<u>MediaTek MT6737T</u>	585
<u>Intel Atom C2338 @ 1.74GHz</u>	584
<u>Intel Celeron 847E @ 1.10GHz</u>	584
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	584
<u>AMD Athlon 64 X2 QL-67</u>	582
<u>AMD E1-7010 APU</u>	582
<u>Intel Xeon MV 3.20GHz</u>	582
<u>Intel Celeron N2840 @ 2.16GHz</u>	580
<u>MT8167D</u>	580
<u>Pentium Dual-Core T4200 @ 2.00GHz</u>	578
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	577
<u>Intel Celeron 1019Y @ 1.00GHz</u>	576
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	575
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	573
<u>MediaTek MT8163</u>	573
<u>AMD Athlon X2 Dual Core BE-2300</u>	570
<u>Intel Celeron 857 @ 1.20GHz</u>	569
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	569
<u>AMD Athlon 64 X2 3800+</u>	566
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</u>	566
<u>AMD Turion II Neo K625 Dual-Core</u>	565

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Pentium E2140 @ 1.60GHz</u>	549
<u>Intel Celeron @ 1.30GHz</u>	548
<u>Intel T1500 @ 1.86GHz</u>	548
<u>AMD Athlon 64 X2 QL-60</u>	547
<u>Intel Pentium T2390 @ 1.86GHz</u>	547
<u>MediaTek MT6762V/CN</u>	546
<u>Intel Celeron N2830 @ 2.16GHz</u>	545
<u>MT6761V/WD</u>	543
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	542
<u>Amlogic</u>	541
<u>Qualcomm APQ8084</u>	540
<u>Intel Atom Z3735F @ 1.33GHz</u>	539
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	538
<u>Intel Pentium U5400 @ 1.20GHz</u>	538
<u>mt6762m</u>	538
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536
<u>Intel Pentium T2330 @ 1.60GHz</u>	536
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	535
<u>AMD Sempron Dual Core 2100</u>	533
<u>Intel Celeron N3010 @ 1.04GHz</u>	533
<u>Intel Atom C2350 @ 1.74GHz</u>	532
<u>Intel Celeron N2808 @ 1.58GHz</u>	532
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531
<u>AMD E1-6010 APU</u>	531
<u>AMD Opteron 165</u>	531
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	531
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	531
<u>MT6739CH</u>	530
<u>AMD Athlon Neo X2 Dual Core L335</u>	529
<u>AMD Athlon II Neo K345 Dual-Core</u>	527
<u>MT8735A</u>	527
<u>Intel Pentium T2310 @ 1.46GHz</u>	526
<u>Intel Celeron G465 @ 1.90GHz</u>	524
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	521
<u>MT6592</u>	521
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	519
<u>Intel Celeron T1600 @ 1.66GHz</u>	519
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	518

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498
<u>Intel Pentium D 940 @ 3.20GHz</u>	498
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497
<u>MediaTek MT6735</u>	497
<u>SAMSUNG JF</u>	496
<u>MT8735</u>	495
<u>Intel Celeron N2815 @ 1.86GHz</u>	494
<u>Intel Atom D2700 @ 2.13GHz</u>	492
<u>Intel Celeron E1200 @ 1.60GHz</u>	492
<u>Intel Celeron G460 @ 1.80GHz</u>	489
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	489
<u>Intel Atom Z3770D @ 1.49GHz</u>	488
<u>Qualcomm Technologies, Inc MSM8917</u>	488
<u>AMD E-350D APU</u>	486
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	485
<u>AMD Athlon 64 3100+</u>	484
<u>Intel Core i3-330UM @ 1.20GHz</u>	484
<u>Intel Celeron N2806 @ 1.60GHz</u>	479
<u>AMD Athlon II Neo N36L Dual-Core</u>	478
<u>AMD Turion 64 X2 Mobile TL-58</u>	478
<u>Intel Xeon 3.20GHz</u>	478
<u>MT8167A</u>	478
<u>AMD Athlon Neo X2 Dual Core L325</u>	476
<u>Intel Pentium SU4100 @ 1.30GHz</u>	476
<u>Intel Celeron N2820 @ 2.13GHz</u>	475
<u>Intel T1400 @ 1.73GHz</u>	475
<u>AMD E1-2200 APU</u>	474
<u>AMD G-T56N</u>	473
<u>Intel Celeron U3400 @ 1.07GHz</u>	473
<u>Qualcomm Technologies, Inc APQ8017</u>	473
<u>Intel Celeron 847 @ 1.10GHz</u>	472
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	468
<u>Qualcomm Technologies, Inc QM215</u>	468
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	467
<u>AMD Athlon 64 FX-59</u>	465
<u>AMD Sempron 140</u>	464

CPU Name 	CPU Mark (higher is better) 
<u>Intel Atom N2800 @ 1.86GHz</u>	438
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	438
<u>AMD E2-1800 APU</u>	437
<u>AMD Turion 64 X2 Mobile TL-50</u>	436
<u>Qualcomm Technologies, Inc MSM8920</u>	436
<u>AMD G-T48E</u>	435
<u>MT8161P</u>	434
<u>Intel Atom D2560 @ 2.00GHz</u>	433
<u>AMD A4-1250 APU</u>	432
<u>AMD Turion Neo X2 Dual Core L625</u>	432
<u>MediaTek MT6737</u>	432
<u>AMD Athlon LE-1640</u>	430
<u>AMD Opteron 152</u>	428
<u>Sony Mobile fusion3</u>	428
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	425
<u>Intel Celeron G440 @ 1.60GHz</u>	425
<u>Intel Xeon 3.00GHz</u>	425
<u>Qualcomm MSM8916</u>	424
<u>AMD E-350 APU</u>	423
<u>Intel Atom D2550 @ 1.86GHz</u>	423
<u>Intel Pentium D 915 @ 2.80GHz</u>	423
<u>AMD Athlon LE-1620</u>	421
<u>AMD E-450 APU</u>	420
<u>Intel Celeron N2810 @ 2.00GHz</u>	420
<u>AMD Athlon II Neo K325 Dual-Core</u>	417
<u>AMD Athlon LE-1660</u>	416
<u>AMD E-350</u>	416
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415
<u>AMD Athlon 1640B</u>	412
<u>AMD Athlon LE-1600</u>	412
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408
<u>AMD E1-2100 APU</u>	407
<u>Intel Atom E3805 @ 1.33GHz</u>	407
<u>Intel Celeron 900 @ 2.20GHz</u>	406
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	405
<u>MT8735P</u>	405
<u>AMD Athlon 64 FX-55</u>	404
<u>Intel Atom D510 @ 1.66GHz</u>	404


CPU Name 	CPU Mark (higher is better) 
<u>AMD Athlon 64 3700+</u>	394
<u>AMD Opteron 150</u>	393
<u>Intel Xeon 3.80GHz</u>	393
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	393
<u>AMD E1-1500 APU</u>	392
<u>AMD Opteron 148</u>	392
<u>Intel Celeron 807 @ 1.50GHz</u>	392
<u>Intel Atom D525 @ 1.80GHz</u>	390
<u>Intel Core Duo L2300 @ 1.50GHz</u>	387
<u>Intel Atom E3825 @ 1.33GHz</u>	385
<u>Intel Pentium 4 3.73GHz</u>	385
<u>Qualcomm Technologies, Inc MSM8916</u>	385
<u>AMD Turion 64 Mobile ML-44</u>	384
<u>AMD Turion 64 X2 Mobile TL-52</u>	384
<u>Intel Core Duo T2350 @ 1.86GHz</u>	384
<u>MediaTek MT6739WA</u>	384
<u>Intel Pentium T2130 @ 1.86GHz</u>	382
<u>QCT APQ8064 AWIFI</u>	382
<u>MT8765WB</u>	381
<u>AMD Athlon X2 Dual Core L310</u>	379
<u>AMD V140</u>	379
<u>AMD Athlon 64 3300+</u>	375
<u>AMD E1-1200 APU</u>	375
<u>Intel Xeon 3.40GHz</u>	375
<u>Intel Pentium D 805 @ 2.66GHz</u>	374
<u>Intel Celeron D 360 @ 3.46GHz</u>	372
<u>Intel Atom 330 @ 1.60GHz</u>	371
<u>Intel Celeron 827E @ 1.40GHz</u>	371
<u>Intel Celeron 440 @ 2.00GHz</u>	368
<u>AMD A4-1200 APU</u>	366
<u>Intel Celeron 560 @ 2.13GHz</u>	365
<u>AMD Sempron 3600+</u>	364
<u>AMD E-300 APU</u>	363
<u>AMD Turion 64 Mobile MK-38</u>	362
<u>AMD V120</u>	362
<u>AMD Sempron 3800+</u>	360
<u>Intel Core Duo T2400 @ 1.83GHz</u>	359
<u>AMD Athlon II 160u</u>	358



CPU Name ▾	CPU Mark (higher is better) ▲
Intel Core2 Duo U7700 @ 1.33GHz	345
Intel Celeron 570 @ 2.26GHz	344
Mobile Intel Pentium 4 3.33GHz	344
Intel 2.80GHz	341
AMD Athlon 64 3200+	340
AMD Athlon 64 4000+	340
AMD Athlon TF-36	338
AMD Sempron M100	338
AMD V160	337
Qualcomm MSM8928	337
AMD Turion 64 Mobile ML-40	336
ARM Cortex-A72 4 Core 1750 MHz	335
Intel Atom N570 @ 1.66GHz	335
Intel Celeron N2805 @ 1.46GHz	335
Mobile AMD Sempron 3800+	335
AMD Turion 64 Mobile MK-36	334
AMD Turion 64 Mobile ML-37	334
ARM Cortex-A35 4 Core 1296 MHz	334
Intel Core Duo T2300 @ 1.66GHz	334
AMD Athlon 2850e	333
Mobile AMD Athlon 64 3400+	333
Qualcomm MSM8228	332
MediaTek MT8167B	331
Intel Pentium T2060 @ 1.60GHz	330
Intel Pentium 4 3.20GHz	329
Unisoc SC7731e	328
Mobile AMD Athlon 64 3200+	326
MT6735P	326
Intel Atom N2600 @ 1.60GHz	323
Intel Core Duo T2050 @ 1.60GHz	320
Rockchip RK3328	319
AMD Athlon 64 3400+	317
Intel Pentium 4 3.80GHz	317
AMD Opteron 144	316
Intel Core2 Duo U7600 @ 1.20GHz	316
AMD Sempron 3300+	315
AMD Sempron LE-1100	315
AMD Turion 64 Mobile MT-37	315

CPU Name ▾	CPU Mark (higher is better) ▲
Intel Atom E3826 @ 1.46GHz	304
AMD Athlon 64 3000+	303
AMD Athlon II Neo K125	302
Mobile AMD Sempron 3600+	302
AMD Sempron LE-1250	301
Intel Celeron 550 @ 2.00GHz	301
Qualcomm MSM8926	300
AMD G-T40N	299
AMD Athlon II Neo K145	298
AMD Sempron 3100+	298
Intel Atom Z2760 @ 1.80GHz	298
Intel Pentium 4 3.40GHz	298
UNIVERSAL3475	298
AMD Athlon 64 2800+	295
Intel Atom N550 @ 1.50GHz	295
Intel Pentium 4 3.46GHz	295
Mobile AMD Sempron 3300+	294
Qualcomm MSM8626	294
Spreadtrum SC7731e	294
Intel Celeron 430 @ 1.80GHz	293
AMD Athlon 64 3800+	292
AMD Sempron 3400+	292
Intel Pentium M 2.10GHz	292
Qualcomm Technologies, Inc MSM8216	292
AMD Athlon 2800+	291
Qualcomm APQ8026	291
Rockchip RK3326	291
AMD C-60	290
Mobile AMD Sempron 3500+	290
AMD G-T40E	289
AMD Sempron SI-40	288
AMD Turion 64 Mobile MT-32	286
Qualcomm Technologies, Inc APQ8009	286
AMD Turion 64 Mobile ML-32	285
Intel Celeron 540 @ 1.86GHz	283
Intel Celeron D 352 @ 3.20GHz	283
AMD Athlon Neo MV-40	282
AMD Athlon XP 3100+	282

CPU Name ▾	CPU Mark (higher is better) ▲
AMD C-50	269
Mobile AMD Sempron 3000+	269
Mobile AMD Sempron 3400+	269
AMD Sempron 3000+	268
Intel Celeron 530 @ 1.73GHz	268
Intel Celeron 743 @ 1.30GHz	268
Qualcomm Technologies, Inc MSM8909	268
AMD Sempron 210U	267
Intel Celeron 3.20GHz	267
Intel Celeron M 723 @ 1.20GHz	267
AMD Athlon TF-20	265
Qualcomm MSM8226	265
Intel Celeron 3.33GHz	263
VIA Eden C1050@1.06GHz	263
AMD Athlon XP 3000+	262
AMD Z-60 APU	262
AMD Sempron SI-42	261
AMD Athlon XP 2800+	260
Intel Xeon 2.80GHz	260
AMD Athlon XP 2700+	256
Mobile AMD Sempron 2600+	256
Intel Core Duo U2400 @ 1.06GHz	255
AMD Turion 64 Mobile ML-28	254
VIA Nano L2007@1600MHz	254
AMD Sempron 2600+	253
Intel Core Solo T1400 @ 1.83GHz	253
Intel Celeron M 1.70GHz	252
Intel Core2 Solo U3500 @ 1.40GHz	252
msm8960dt	252
AMD Sempron 3200+	251
AMD Sempron LE-1150	251
Intel Celeron D 356 @ 3.33GHz	251
Intel Pentium 4 3.06GHz	249
AMD GX-210JA SOC	248
AMD Sempron M120	247
SAMSUNG SERRANO	247
AMD Turion 64 Mobile MT-30	246
Mobile AMD Sempron 3200+	245

CPU Name ▾	CPU Mark (higher is better) ▲
<u>Mobile AMD Athlon XP-M 2200+</u>	237
<u>Mobile AMD Sempron 2800+</u>	237
<u>Intel Pentium 4 2.80GHz</u>	236
<u>Intel Celeron 420 @ 1.60GHz</u>	235
<u>AMD Athlon XP 2400+</u>	234
<u>Intel Celeron 3.06GHz</u>	234
<u>Rockchip RK3229</u>	234
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233
<u>Mobile AMD Athlon 4 2400+</u>	233
<u>AMD Sempron 3500+</u>	232
<u>Intel Celeron D 347 @ 3.06GHz</u>	232
<u>Mobile Intel Pentium 4 3.20GHz</u>	232
<u>AMD Athlon XP 2500+</u>	231
<u>Intel Celeron 2.93GHz</u>	230
<u>Intel Celeron M 450 @ 2.00GHz</u>	230
<u>Intel Pentium M 1.60GHz</u>	229
<u>Intel Pentium M 2.26GHz</u>	227
<u>Mobile AMD Athlon XP-M 2500+</u>	226
<u>Intel Pentium M 1.40GHz</u>	225
<u>Mobile AMD Athlon XP-M 2400+</u>	225
<u>Intel Atom N470 @ 1.83GHz</u>	224
<u>Intel Atom D425 @ 1.80GHz</u>	222
<u>Intel Celeron 2.53GHz</u>	222
<u>Intel Celeron M 360 1.40GHz</u>	221
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220
<u>Mobile Intel Pentium 4 3.06GHz</u>	220
<u>Intel Celeron M 1500MHz</u>	217
<u>Intel Celeron M 1.50GHz</u>	216
<u>Intel Celeron M 520 @ 1.60GHz</u>	215
<u>Intel Pentium 4 2.60GHz</u>	215
<u>AMD Athlon XP 2200+</u>	214
<u>Intel Celeron 723 @ 1.20GHz</u>	213
<u>AMD Athlon XP 2100+</u>	210
<u>Intel Atom 230 @ 1.60GHz</u>	210
<u>Intel Core Solo T1300 @ 1.66GHz</u>	210
<u>Intel Celeron 220 @ 1.20GHz</u>	209
<u>Intel Pentium M 1400MHz</u>	208
<u>AMD Sempron 2300+</u>	207

CPU Name 	CPU Mark (higher is better) 
<u>Mobile AMD Athlon XP-M 2000+</u>	196
<u>AMD Athlon XP 1800+</u>	195
<u>AMD Athlon XP 2000+</u>	195
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194
<u>Intel Pentium III 1400S @ 1400MHz</u>	194
<u>Intel Pentium III 1400 @ 1400MHz</u>	193
<u>Intel Pentium M 1600MHz</u>	193
<u>Mobile AMD Athlon XP-M 1800+</u>	193
<u>Mobile AMD Athlon MP-M 2400+</u>	192
<u>AMD Athlon 1500+</u>	191
<u>Intel Celeron 2.80GHz</u>	190
<u>Intel Celeron M 1.60GHz</u>	190
<u>Intel Atom N2100 @ 1.60GHz</u>	188
<u>Intel Pentium M 1500MHz</u>	188
<u>AMD Sempron 2200+</u>	184
<u>AMD V105</u>	184
<u>Intel Pentium M 1.10GHz</u>	184
<u>VIA Nano U3500@1000MHz</u>	184
<u>AMD Athlon XP1600+</u>	183
<u>Intel Atom Z530 @ 1.60GHz</u>	183
<u>Mobile Intel Celeron 1333MHz</u>	183
<u>AMD E-240</u>	182
<u>Intel Celeron 2.26GHz</u>	182
<u>Mobile Intel Pentium 4 2.66GHz</u>	182
<u>Intel Xeon 2.40GHz</u>	180
<u>Intel Atom N455 @ 1.66GHz</u>	179
<u>Intel Atom N475 @ 1.83GHz</u>	179
<u>VIA Nano U2250@1300+MHz</u>	179
<u>AMD C-30</u>	178
<u>AMD G-T52R</u>	177
<u>Intel Atom D410 @ 1.66GHz</u>	177
<u>AMD Athlon XP 1700+</u>	176
<u>Intel Atom E3815 @ 1.46GHz</u>	175
<u>Intel Atom N270 @ 1.60GHz</u>	175
<u>Intel Atom N280 @ 1.66GHz</u>	175
<u>AMD Athlon XP 1600+</u>	174
<u>ARM Cortex-A72 4 Core 1200 MHz</u>	174
<u>Intel Celeron 215 @ 1.33GHz</u>	174

CPU Name 	CPU Mark (higher is better) 
<u>Intel Celeron 1200MHz</u>	159
<u>Intel Celeron 2.70GHz</u>	159
<u>Intel Atom Z670 @ 1.50GHz</u>	158
<u>Intel Pentium 4 2.20GHz</u>	157
<u>Intel Pentium 4 2.66GHz</u>	157
<u>Intel Pentium III Mobile 1200MHz</u>	156
<u>Intel Pentium M 1000MHz</u>	156
<u>Intel Pentium M 1200MHz</u>	155
<u>AMD Athlon 64 2000+</u>	154
<u>Intel Celeron 2.66GHz</u>	154
<u>Intel Pentium 4 3.83GHz</u>	154
<u>Mobile Intel Celeron 2.40GHz</u>	154
<u>Intel Atom N435 @ 1.33GHz</u>	153
<u>Intel Xeon 2.00GHz</u>	152
<u>Intel Pentium 4 2.26GHz</u>	151
<u>Intel Pentium 4 2.93GHz</u>	150
<u>VIA C7-D 1800MHz</u>	150
<u>Intel Celeron M 1.00GHz</u>	149
<u>Intel Celeron 2.30GHz</u>	148
<u>Mobile Intel Celeron 2.20GHz</u>	147
<u>Mobile Intel Pentium III - M 1200MHz</u>	146
<u>VIA C7-M 6300MHz</u>	145
<u>Intel Celeron 2.40GHz</u>	143
<u>Intel Celeron 2.60GHz</u>	143
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	143
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142
<u>Intel Pentium M 900MHz</u>	141
<u>Intel Celeron 1000MHz</u>	139
<u>Intel Celeron 2.20GHz</u>	139
<u>Intel Celeron M 420 @ 1.60GHz</u>	139
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	139
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	138
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136
<u>VIA Esther 1500MHz</u>	135
<u>Intel Pentium 4 2.00GHz</u>	133
<u>Mobile Intel Celeron 2.00GHz</u>	133
<u>Intel Pentium 4 Mobile 2.00GHz</u>	132
<u>Intel Pentium 4 2.40GHz</u>	131

CPU Name	CPU Mark (higher is better)
<u>Mobile Intel Celeron 1.70GHz</u>	118
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116
<u>VIA C7-M 1600MHz</u>	116
<u>Intel Pentium 4 1.80GHz</u>	115
<u>Intel Pentium 4 1800MHz</u>	114
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114
<u>Intel Celeron 1100MHz</u>	113
<u>VIA C7-M 1200MHz</u>	112
<u>Intel Celeron B710 @ 1.60GHz</u>	106
<u>Intel Pentium 4 1.90GHz</u>	104
<u>Intel Celeron 1.70GHz</u>	101
<u>VIA Nehemiah</u>	101
<u>Intel Pentium 4 1700MHz</u>	100
<u>Intel Pentium III Mobile 866MHz</u>	99
<u>Intel Celeron 1.80GHz</u>	96
<u>VIA Esther 1000MHz</u>	95
<u>ARM Cortex-A7 2 Core 960 MHz</u>	93
<u>VIA Eden 1200MHz</u>	93
<u>Intel Pentium 4 1.50GHz</u>	86
<u>Intel Pentium 4 1.70GHz</u>	86
<u>Intel Pentium 4 1.60GHz</u>	84
<u>Intel Pentium 4 1400MHz</u>	83
<u>Intel Pentium 4 1500MHz</u>	81
<u>VIA Eden 1000MHz</u>	80
<u>Intel Pentium 4 1300MHz</u>	77