

Last Updated: 29th of August 2024

Columns Show 100 entries

	CPU Name <div>Search...</div>	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		Min...	Min...	Min...	Min...		
		Max...	Max...	Max...	Max...		
»	[Dual CPU] AMD EPYC 9684X	96	156,957	2,879	400	SP5	Server
»	AMD Ryzen Threadripper PRO 7995WX	96	154,671	3,952	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 9474F	48	148,891	3,243	360	SP5	Server
»	[Dual CPU] AMD EPYC 9654	96	147,224	2,759	360	SP5	Server
»	[Dual CPU] AMD EPYC 9554	64	146,218	2,949	360	SP5	Server
»	[Dual CPU] AMD EPYC 9634	84	142,801	2,821	290	SP5	Server
»	AMD Ryzen Threadripper PRO 7985WX	64	135,597	3,998	350	sTR5	Desktop
»	AMD Ryzen Threadripper 7980X	64	135,291	3,992	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 9454	48	134,517	3,030	290	SP5	Server
»	[Dual CPU] AMD EPYC 9754	128	132,951	2,419	360	SP5	Server
»	[Dual CPU] AMD EPYC 9374F	32	131,140	3,383	320	SP5	Server
»	[Dual CPU] AMD EPYC 9734	112	130,018	2,365	340	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8488C	48	127,207	3,096	385	Unknown	Server
»	[Dual CPU] Intel Xeon Platinum 8468	48	126,838	3,156	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8568Y+	48	125,432	2,978	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8480+	56	125,165	2,942	350	FCLGA4677	Server
»	AMD EPYC 9684X	96	120,780	2,883	400	SP5	Server
»	[Dual CPU] AMD EPYC 7J13	64	119,134	2,594	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Platinum 8458P	44	117,136	2,841	350	FCLGA4677	Server
»	AMD EPYC 9654	96	116,990	2,907	360	SP5	Server
»	AMD EPYC 9R14	96	116,475	2,920	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 7763	64	115,607	2,512	280	SP3	Server
»	[Dual CPU] AMD EPYC 7T83	64	114,770	2,532	280	SP3	Server
»	AMD EPYC 9654P	96	113,949	2,616	360	SP5	Server
»	[Dual CPU] AMD EPYC 7713	64	113,896	2,575	225	SP3	Server
»	[Dual CPU] AMD Ryzen Threadripper PRO 3995WX	64	113,693	2,559	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 9274F	24	112,474	3,336	NA	SP5	Server
»	[Dual CPU] AMD EPYC 9354	32	112,027	2,881	280	SP5	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD EPYC 9554	64	111,794	2,937	360	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8462Y+	32	111,282	3,065	300	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 9334	32	110,928	3,076	NA	SP5	Server
»	AMD EPYC 9554P	64	110,790	2,942	360	SP5	Server
»	[Dual CPU] AMD EPYC 7773X	64	108,504	2,437	280	SP3	Server
»	[Dual CPU] AMD EPYC 7Y83	64	108,281	2,622	280	SP3	Mobile/Embedded
»	AMD EPYC 9634	84	107,944	2,924	290	SP5	Server
»	AMD EPYC 9474F	48	105,003	3,183	360	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6448Y	32	104,805	3,277	225	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7573X	32	103,531	2,650	280	SP3	Server
»	[Dual CPU] AMD EPYC 7B12	64	102,240	2,145	240	SP3	Server
»	[Dual CPU] AMD EPYC 7K83	64	102,053	2,458	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 75F3	32	101,429	2,664	280	SP3	Server
»	AMD EPYC 9754	128	100,460	2,433	360	SP5	Server
»	[Dual CPU] AMD Ryzen Threadripper PRO 3975WX	32	98,811	2,676	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 7543	32	98,074	2,621	240	SP3	Server
»	AMD Ryzen Threadripper 7970X	32	97,696	4,145	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 7H12	64	97,573	2,022	280	SP3	Server
»	[Dual CPU] AMD EPYC 7662	64	97,178	2,089	225	SP3	Server
»	[Dual CPU] AMD EPYC 7513	32	96,409	2,730	200	SP3	Server
»	AMD EPYC 9454P	48	95,891	2,993	290	SP5	Server
»	[Dual CPU] AMD EPYC 74F3	24	95,621	2,982	240	SP3	Server
»	AMD EPYC 9454	48	95,495	2,990	290	SP5	Server
»	AMD Ryzen Threadripper PRO 7975WX	32	94,884	4,061	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 7V73X	64	94,451	2,277	280	Unknown	Server
»	[Dual CPU] AMD EPYC 7742	64	94,081	2,046	225	SP3	Server
»	[Dual CPU] AMD EPYC 7642	48	94,050	2,140	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6530	32	94,027	3,282	270	FCLGA4677	Server
»	AMD EPYC 9534	64	93,884	2,579	280	SP5	Server
»	[Dual CPU] AMD EPYC 7702	64	93,716	2,085	200	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6438Y+	32	93,306	3,273	205	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 5995WX	64	93,192	3,207	280	sWRX8	Desktop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon Gold 6442Y	24	92,983	3,190	225	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7R12	48	92,961	2,142	200	SP3	Server
»	[Dual CPU] AMD EPYC 9224	24	92,938	2,866	200	Unknown	Server
»	[Dual CPU] AMD EPYC 7K62	48	91,903	2,134	NA	SP3	Server
»	Intel Xeon w9-3495X	56	91,628	3,467	350	FCLGA4677	Server
»	AMD EPYC 7773X	64	91,491	2,570	280	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz	40	91,257	2,400	270	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 9174F	16	90,483	3,439	320	SP5	Unknown
»	Intel Xeon Platinum 8470 @2.00GHz	52	89,850	3,153	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 5420+	28	88,738	3,012	205	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7643	48	88,348	1,915	225	SP3	Server
»	[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz	28	88,102	2,379	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz	38	88,038	2,345	270	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8369B @ 2.90GHz	32	87,459	2,499	270	FCLGA4189	Server
»	Intel Xeon Max 9480	56	87,420	2,926	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz	32	86,451	2,468	300	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6428N	32	86,030	2,672	185	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6454S	32	85,725	2,355	270	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6548Y+	32	85,587	2,446	205	FCLGA4677	Server
»	AMD EPYC 7J13	64	84,786	2,450	NA	Unknown	Server
»	AMD EPYC 7763	64	84,706	2,528	280	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6418H	24	84,526	2,901	185	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 9184X	16	84,253	3,222	320	SP5	Server
»	[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	83,793	2,297	165	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 3995WX	64	83,646	2,598	280	sWRX8	Desktop, Server
»	[Quad CPU] Intel Xeon Gold 5320H @ 2.40GHz	20	83,263	2,571	150	FCLGA4189	Server
»	AMD Ryzen Threadripper 7960X	24	83,128	4,090	350	sTR5	Desktop
»	[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz	32	83,116	2,355	250	FCLGA4189	Server
»	AMD EPYC 7V13	64	82,878	2,729	240	SP3	Server
»	AMD EPYC 7713	64	82,666	2,637	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6430	32	82,407	2,497	NA	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen Threadripper PRO 7965WX	24	82,257	4,034	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 7532	32	82,196	2,139	200	SP3	Server
»	AMD EPYC 7R13 64-Core	48	82,158	2,752	NA	Unknown	Unknown
»	AMD EPYC 7663	56	82,087	2,606	240	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz	32	82,052	2,378	240	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8338C @ 2.60GHz	32	81,817	2,439	250	FCLGA4189	Server
»	AMD EPYC 7T83	64	81,757	2,462	280	SP3	Server
»	[Dual CPU] AMD EPYC 7473X	24	81,282	2,201	240	SP3	Server
»	AMD EPYC 7713P	64	81,201	2,609	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5418Y	24	81,141	3,000	185	FCLGA4677	Server
»	AMD Ryzen Threadripper 3990X	64	80,727	2,565	280	sTRX4	Desktop
»	[Dual CPU] AMD EPYC 7453	28	80,327	2,371	225	SP3	Server
»	[Dual CPU] AMD EPYC 7502	32	80,300	2,189	180	SP3	Server
»	AMD EPYC 9374F	32	79,826	3,055	320	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6544Y	16	79,819	3,227	270	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7452	32	77,746	2,160	155	SP3	Server
»	AMD EPYC 7B13	60	77,460	2,564	NA	Unknown	Server
»	AMD EPYC 9354P	32	76,605	2,857	280	SP5	Server
»	[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	76,542	2,681	205	FCLGA3647	Server
»	AMD EPYC 7643	48	76,050	2,691	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz	28	75,906	2,354	235	FCLGA4189	Server
»	AMD Ryzen Threadripper PRO 5975WX	32	75,609	3,314	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 7413	24	74,990	2,248	180	SP3	Server
»	Intel Xeon Platinum 8461V	48	74,982	2,855	300	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8336C	32	74,875	2,054	230	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 7373X	16	74,709	2,761	240	SP3	Server
»	[Dual CPU] AMD EPYC 7R32	48	74,520	1,918	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz	24	74,003	2,376	230	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 7343	16	73,934	2,806	190	SP3	Server
»	[Dual CPU] AMD EPYC 7542	32	73,885	2,073	225	SP3	Server
»	AMD EPYC 9274F	24	73,463	3,347	NA	SP5	Server
»	[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	72,905	2,379	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] AMD EPYC 73F3	16	72,363	2,831	240	SP3	Server
»	AMD EPYC 7662	64	72,298	2,102	225	SP3	Server
»	[Dual CPU] AMD EPYC 7552	48	72,235	1,527	200	SP3	Server
»	AMD EPYC 8534P	64	71,900	2,441	200	SP6	Server
»	[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz	24	71,408	2,542	185	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 7443	24	71,156	2,380	200	SP3	Server
»	[Quad CPU] Intel Xeon Gold 5318H @ 2.50GHz	18	70,723	1,975	150	FCLGA4189	Server
»	AMD EPYC 7702	64	69,937	2,092	200	SP3	Server
»	AMD EPYC 7C13	64	69,785	2,602	NA	Unknown	Server
»	AMD EPYC 7742	64	69,663	2,162	225	SP3	Server
»	AMD EPYC 7H12	64	69,633	1,774	280	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6426Y	16	69,543	3,128	185	FCLGA4677	Server
»	AMD EPYC 7573X	32	69,432	2,674	280	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6444Y	16	68,969	3,273	270	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz	32	68,643	1,913	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz	32	68,563	2,185	205	FCLGA4189	Server
»	AMD EPYC 75F3	32	68,505	2,775	280	SP3	Server
»	Intel Xeon Platinum 8571N	52	68,385	1,969	300	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6526Y	16	68,121	3,040	195	FCLGA4677	Server
»	[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz	24	67,895	2,099	165	LGA2011-v3	Server
»	AMD EPYC 9354	32	67,842	2,310	280	SP5	Server
»	[Quad CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	67,444	2,190	125	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7313	16	67,180	2,626	155	SP3	Server
»	AMD Ryzen 9 9950X	16	66,978	4,744	170	AM5	Desktop
»	[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz	24	66,812	2,375	NA	Unknown	Server
»	AMD EPYC 9254	24	66,708	3,181	200	SP5	Server
»	AMD Ryzen Threadripper PRO 5965WX	24	66,689	3,358	280	sWRX8	Desktop, Server
»	AMD EPYC 7543P	32	66,687	2,741	225	SP3	Server
»	[Dual CPU] Montage Jintide C6348	28	66,555	2,206	NA	LGA4189	Server
»	AMD EPYC 8434P	48	66,490	2,448	200	SP6	Server
»	AMD EPYC 7B12	64	66,044	1,927	240	SP3	Server
»	[Dual CPU] AMD EPYC 7352	24	65,921	2,040	155	SP3	Server
»	Intel Xeon w7-3465X	28	65,879	3,444	300	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz	32	65,860	1,955	185	FCLGA4189	Server
»	Intel Xeon Gold 6530	32	65,533	3,330	270	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	64,957	2,260	125	FCLGA3647	Server
»	AMD EPYC 7702P	64	64,943	2,120	200	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz	26	64,917	2,064	185	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Silver 4416+	20	64,909	2,676	165	FCLGA4677	Server
»	AMD EPYC 9334	32	64,841	2,367	NA	SP5	Server
»	[Dual CPU] AMD EPYC 7F52	16	64,806	2,439	240	SP3	Server
»	Intel Xeon w9-3475X	36	64,804	3,438	300	FCLGA4677	Server
»	AMD EPYC 7R32	48	64,727	1,922	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz	18	64,487	2,480	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz	28	64,291	2,356	205	FCLGA3647	Server
»	[Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	64,115	1,921	165	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7402	24	63,999	1,980	180	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz	28	63,984	2,346	205	FCLGA3647	Server
»	[Dual CPU] AMD Ryzen Threadripper PRO 3955WX	16	63,885	2,439	280	sWRX8	Desktop, Server
»	[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz	28	63,855	1,902	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 5416S	16	63,499	3,310	150	FCLGA4677	Server
»	AMD Ryzen Threadripper 3970X	32	63,135	2,666	280	sTRX4	Desktop
»	Intel Core i9-14900KS	24	62,991	4,878	150	FCLGA1700	Desktop
»	AMD EPYC 4584PX	16	62,877	4,308	120	AM5	Server
»	AMD Ryzen 9 7950X	16	62,766	4,279	170	AM5	Desktop
»	AMD Ryzen Threadripper PRO 3975WX	32	62,571	2,658	280	sWRX8	Desktop, Server
»	Intel Xeon Platinum 8454H	32	62,530	2,839	270	FCLGA4677	Server
»	AMD Ryzen 9 7950X3D	16	62,432	4,143	120	AM5	Desktop
»	Intel Xeon Platinum 8380 @ 2.30GHz	40	62,318	2,385	270	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8268 @ 2.90GHz	24	62,130	2,347	205	FCLGA3647	Server
»	AMD EPYC 4564P	16	62,058	4,309	170	AM5	Server
»	[Dual CPU] Intel Xeon Platinum 8269CY @ 2.50GHz	26	61,811	2,053	NA	FCLGA3647	Server
»	Intel Core i9-13900KS	24	61,686	4,752	150	FCLGA1700	Desktop
»	AMD EPYC 7552	48	61,282	2,163	200	SP3	Server
»	[Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	61,131	1,940	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz	24	61,068	2,335	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 9124	16	60,915	2,229	200	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6268CL @ 2.80GHz	24	60,687	2,353	205	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
⌵	AMD EPYC 74F3	24	60,666	2,942	240	SP3	Server
⌵	[Quad CPU] Intel Xeon E7-8894 v4 @ 2.40GHz	24	60,496	1,858	165	FCLGA2011	Server
⌵	Intel Xeon Gold 6448Y	32	60,449	2,686	225	FCLGA4677	Server
⌵	Intel Core i9-14900K	24	60,443	4,749	125	FCLGA1700	Desktop
⌵	Intel Xeon Gold 5512U	28	60,227	3,077	185	FCLGA4677	Server
⌵	[Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz	28	60,188	2,427	NA	Unknown	Server
⌵	AMD Ryzen Threadripper PRO 7955WX	16	59,665	4,073	350	sTR5	Desktop
⌵	Intel Core i9-14900KF	24	59,632	4,707	125	FCLGA1700	Desktop
⌵	[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz	28	59,385	2,133	205	FCLGA3647	Server
⌵	AMD EPYC 7513	32	59,285	2,442	200	SP3	Server
⌵	AMD EPYC 7473X	24	59,280	2,751	240	SP3	Server
⌵	[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz	24	59,185	2,106	165	FCLGA4189	Server
⌵	Intel Core i9-13900K	24	59,149	4,624	125	FCLGA1700	Desktop
⌵	Intel Xeon W-3375 @ 2.50GHz	38	59,069	2,643	270	FCLGA4189	Server
⌵	Intel Xeon W-3365 @ 2.70GHz	32	59,038	2,625	270	FCLGA4189	Server
⌵	Intel Xeon Gold 6421N	32	58,797	2,978	185	FCLGA4677	Server
⌵	Intel Xeon w7-2495X	24	58,716	3,591	225	FCLGA4677	Server
⌵	Intel Core i9-13900KF	24	58,503	4,616	125	FCLGA1700	Desktop
⌵	AMD EPYC 7543	32	58,303	2,307	240	SP3	Server
⌵	AMD EPYC 7642	48	58,248	2,045	225	SP3	Server
⌵	Intel Xeon Gold 5420+	28	58,209	3,408	205	FCLGA4677	Server
⌵	AMD EPYC 7K62	48	58,203	2,120	NA	SP3	Server
⌵	AMD Ryzen 9 7945HX3D	16	58,117	4,132	55	FL1	Laptop
⌵	[Dual CPU] AMD EPYC 7551	32	57,865	1,789	180	SP3	Server
⌵	[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz	26	57,780	2,109	165	FCLGA3647	Server
⌵	Ampere ARM - 192 Core 3200 MHz	192	57,444	1,228	NA	Unknown	Server
⌵	Intel Xeon Gold 6423N	28	57,434	2,998	195	FCLGA4677	Server
⌵	ARM Neoverse-V2 72 Core 3465 MHz	72	57,369	2,328	NA	Unknown	Unknown
⌵	[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz	15	57,307	2,010	155	FCLGA2011	Server
⌵	[Dual CPU] Intel Xeon Silver 4510	12	57,247	3,277	150	FCLGA4677	Server
⌵	ARM Neoverse-V2 72 Core 3519 MHz	72	57,240	2,340	NA	Unknown	Server
⌵	Intel Xeon Gold 6414U	32	57,200	2,610	250	FCLGA4677	Server
⌵	Intel Xeon w7-3455	24	57,164	3,350	270	FCLGA4677	Server
⌵	AMD EPYC 7443P	24	57,104	2,916	200	SP3	Server
⌵	[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz	28	57,049	2,152	165	FCLGA3647	Server
⌵	AMD EPYC 7443	24	56,601	2,907	200	SP3	Server
⌵	AMD EPYC 8324P	32	56,482	2,369	180	SP6	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Platinum 8375C @ 2.90GHz	32	56,202	2,474	300	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz	24	55,974	2,358	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz	16	55,568	2,461	205	FCLGA4189	Server
»	AMD EPYC 9174F	16	55,485	3,318	320	SP5	Unknown
»	[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz	24	55,297	2,472	165	LGA3647	Server
»	[Dual CPU] AMD EPYC 7401	24	55,280	1,850	155	SP3	Server
»	Intel Xeon w7-2475X	20	55,229	3,702	225	FCLGA4677	Server
»	AMD Ryzen 9 9900X	12	54,940	4,722	120	AM5	Desktop
»	[Dual CPU] AMD EPYC 7371	16	54,894	2,320	NA	SP3	Server
»	AMD Ryzen Threadripper 3960X	24	54,872	2,681	280	sTRX4	Desktop
»	[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz	24	54,857	2,132	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz	24	54,849	2,042	210	LGA 3647	Server
»	[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz	20	54,829	2,373	205	FCLGA3647	Server
»	AMD Ryzen 9 7945HX	16	54,826	4,055	55	FL1	Laptop
»	[Quad CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	54,647	1,657	150	FCLGA2011	Server
»	[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	54,621	1,786	120	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz	24	54,515	2,287	150	FCLGA3647	Server
»	Intel Xeon Platinum 8358 @ 2.60GHz	32	54,416	2,382	250	FCLGA4189	Server
»	[Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	54,123	2,273	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz	16	54,086	2,354	185	FCLGA4189	Server
»	Intel Xeon Platinum 8360Y @ 2.40GHz	36	54,078	2,489	250	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz	18	53,981	2,338	200	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5320H @ 2.40GHz	20	53,931	2,485	150	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz	28	53,835	2,040	165	FCLGA3647	Server
»	AMD Ryzen 9 7940HX	16	53,833	3,937	55	AM5 (LGA 1718)	Desktop, Laptop
»	[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz	26	53,762	2,245	150	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7601	32	53,737	1,765	180	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz	20	53,687	2,150	150	FCLGA4189	Server
»	Intel Core i7-14700K	20	53,417	4,474	125	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz	18	53,402	1,584	135	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz	24	53,398	2,217	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz	28	53,264	1,993	165	FCLGA3647	Server
»	Intel Core i7-14700KF	20	53,241	4,479	125	FCLGA1700	Desktop
»	AMD EPYC 7532	32	52,929	2,047	200	SP3	Server
»	Intel Xeon Gold 6438N	32	52,789	2,315	205	FCLGA4677	Server
»	Intel Xeon Gold 5412U	24	52,742	3,110	185	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7282	16	52,611	2,041	120	SP3	Server
»	AMD EPYC 7F72	24	52,597	2,381	240	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz	26	52,386	2,382	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7451	24	52,322	1,931	180	SP3	Server
»	Intel Xeon Gold 6348 @ 2.60GHz	28	52,276	2,459	235	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	52,066	2,065	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz	22	51,998	1,970	205	FCLGA3647	Server
»	AMD Ryzen 9 7900X	12	51,787	4,260	170	AM5	Desktop
»	[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz	28	51,519	2,175	205	FCLGA3647	Server
»	[Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz	18	51,476	1,634	165	LGA2011-1	Server
»	[Dual CPU] AMD EPYC 7302	16	51,405	1,936	155	SP3	Server
»	Intel Core i9-13900F	24	51,209	4,434	65	FCLGA1700	Desktop
»	AMD EPYC 4484PX	12	51,115	4,251	120	AM5	Server
»	AMD EPYC 7453	28	50,575	2,522	225	SP3	Server
»	AMD EPYC 7502P	32	50,534	2,008	180	SP3	Server
»	AMD Ryzen 9 7900X3D	12	50,368	4,125	120	AM5 (LGA 1718)	Desktop
»	[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz	28	50,348	2,144	165	FCLGA3647	Server
»	AMD EPYC 9184X	16	50,344	3,196	320	SP5	Server
»	AMD EPYC 7413	24	50,223	2,365	180	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5318H @ 2.50GHz	18	50,218	2,301	150	FCLGA4189	Server
»	[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	50,157	1,574	150	LGA2011-1	Server
»	Apple M2 Ultra 24 Core	24	50,109	4,192	NA	Unknown	Desktop
»	AMD Ryzen Threadripper PRO 5955WX	16	50,032	3,341	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 72F3	8	50,017	3,034	180	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz	24	49,891	2,255	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz	18	49,872	2,401	205	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 7945WX	12	49,599	4,086	350	sTR5	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Platinum 8347C @ 2.10GHz	36	49,386	2,445	210	LGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz	18	49,349	2,186	200	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	49,282	2,037	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6252N @ 2.30GHz	24	49,269	1,942	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4410Y	12	49,077	3,147	150	FCLGA4677	Server
»	Montage Jintide C5418Y	24	49,045	2,341	185	LGA4677	Server
»	AMD EPYC 7R12	48	48,934	2,079	200	SP3	Server
»	AMD Ryzen 9 7900	12	48,828	4,150	65	AM5	Desktop
»	AMD EPYC 4464P	12	48,793	4,124	NA	AM5	Server
»	[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz	18	48,775	2,019	NA	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz	18	48,736	2,308	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz	12	48,676	2,683	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz	16	48,396	2,402	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4410T	10	48,208	3,084	150	FCLGA4677	Server
»	Intel Xeon Gold 6314U @ 2.30GHz	32	48,013	2,217	205	FCLGA4189	Server
»	AMD EPYC 7502	32	47,983	2,021	180	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4514Y	16	47,978	2,077	150	FCLGA4677	Server
»	AMD Ryzen 9 PRO 7945	12	47,847	4,174	65	AM5 (LGA 1718)	Desktop, Server
»	Intel Core i9-14900	24	47,667	4,546	65	FCLGA1700	Desktop
»	Intel Core i9-14900F	24	47,661	4,559	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz	24	47,488	1,886	135	Unknown	Server
»	Intel Core i9-13900	24	47,363	4,343	65	FCLGA1700	Desktop
»	Intel Xeon Gold 6342 @ 2.80GHz	24	47,320	2,431	230	FCLGA4189	Server
»	Intel Core i9-13980HX	24	47,189	4,304	55	FCBGA1964	Laptop
»	Intel Xeon w7-3445	20	47,108	3,251	270	FCLGA4677	Server
»	[Quad CPU] Intel Xeon E7-8891 v4 @ 2.80GHz	10	47,104	2,130	165	FCLGA2011	Server
»	Intel Xeon w5-2465X	16	46,855	3,511	200	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	46,766	2,634	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz	20	46,730	2,111	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	46,724	2,102	165	FCLGA3647	Server
»	Intel Xeon Platinum 8368Q @ 2.60GHz	38	46,681	2,568	270	FCLGA4189	Server
»	Intel Core i7-13700K	16	46,477	4,360	125	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz	16	46,473	2,392	205	FCLGA3647	Server
»	Intel Xeon w5-3435X	16	46,466	3,469	324	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-13790F	16	46,309	4,159	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz	22	46,225	2,033	140	FCLGA3647	Server
»	Intel Core i7-13700KF	16	46,209	4,348	125	FCLGA1700	Desktop
»	Intel Xeon Silver 4416+	20	46,208	3,233	165	FCLGA4677	Server
»	AMD Ryzen 9 5900XT	16	46,141	3,429	105	AM4	Desktop
»	AMD EPYC 73F3	16	46,103	2,883	240	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz	16	46,066	2,190	135	FCLGA4189	Server
»	Intel Xeon Gold 6526Y	16	46,025	3,242	195	FCLGA4677	Server
»	Intel Core i9-14900HX	24	46,003	4,293	55	FCBGA1964	Laptop
»	[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz	16	46,001	1,730	165	FCLGA2011	Server
»	AMD EPYC 7402	24	45,873	2,125	180	SP3	Server
»	Intel Xeon W-3345 @ 3.00GHz	24	45,694	2,426	250	FCLGA4189	Server
»	AMD Ryzen 9 5950X	16	45,633	3,469	105	AM4	Desktop
»	AMD Ryzen 9 7845HX	12	45,552	3,966	55	FL1	Laptop
»	Intel Xeon Gold 6336Y @ 2.40GHz	24	45,517	2,522	185	FCLGA4189	Server
»	[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	45,066	1,798	155	LGA 2011-1	Server
»	AMD EPYC 7542	32	45,003	2,102	225	SP3	Server
»	AMD EPYC 8224P	24	44,990	2,367	160	SP6	Server
»	[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz	22	44,982	2,109	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6538N	32	44,895	1,725	205	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz	20	44,839	2,120	125	FCLGA3647	Server
»	AMD EPYC 7452	32	44,759	1,990	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5415+	8	44,674	3,248	150	FCLGA4677	Server
»	Intel Xeon Gold 5418Y	24	44,487	1,961	185	FCLGA4677	Server
»	Intel Core i9-13900T	24	44,376	4,208	35	FCLGA1700	Desktop
»	Intel Core i9-13900HX	24	44,325	4,131	55	FCBGA1964	Laptop
»	[Dual CPU] AMD EPYC 7272	12	44,270	2,019	120	SP3	Server
»	Intel Core i9-14900T	24	44,248	4,192	35	FCLGA1700	Desktop
»	Intel Core i7-14700F	20	44,229	4,330	65	FCLGA1700	Desktop
»	AMD EPYC 7402P	24	44,068	2,028	180	SP3	Server
»	Intel Core i9-12900KS	16	44,027	4,346	150	LGA 1700	Desktop
»	AMD EPYC 9124	16	43,963	2,729	200	SP5	Server
»	[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz	18	43,913	2,096	240	FCLGA3647	Server
»	Intel Core i9-13950HX	24	43,855	4,030	55	FCBGA1964	Laptop
»	Intel Core i7-14700	20	43,733	4,215	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz	22	43,586	2,107	145	FCLGA2011-3	Server
»	AMD EPYC 7343	16	43,368	2,703	190	SP3	Server
»	ARM Neoverse-N1 128 Core 3000 MHz	128	43,229	1,323	NA	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	ARM Neoverse-N1 128 Core 2800 MHz	128	43,111	1,239	NA	Unknown	Server
»	Intel Xeon Gold 6330 @ 2.00GHz	28	43,056	2,034	205	FCLGA4189	Server
»	AMD EPYC 7D12	32	43,032	1,895	85	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	42,866	2,095	125	FCLGA3647	Server
»	AMD EPYC 9224	24	42,448	2,057	200	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz	12	42,206	2,490	165	FCLGA3647	Server
»	Intel Xeon Gold 6312U @ 2.40GHz	24	42,124	2,344	185	FCLGA4189	Server
»	Intel Xeon Gold 6338N @ 2.20GHz	32	42,086	2,066	185	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 6162 @ 1.90GHz	24	42,073	1,587	150	FCLGA3647	Server
»	AMD EPYC 7313P	16	42,070	2,707	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz	18	41,925	2,211	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4509Y	8	41,561	2,774	125	FCLGA4677	Server
»	Intel Core i9-12900K	16	41,491	4,164	241	FCLGA1700	Desktop
»	Intel Xeon Gold 6354 @ 3.00GHz	18	41,445	2,450	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz	22	41,353	2,121	150	FCLGA2011-3	Server
»	[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	41,232	1,446	135	FCLGA2011-3	Server
»	Apple M1 Ultra 20 Core	20	41,148	3,868	60	Unknown	Desktop
»	Intel Core i9-12900KF	16	41,127	4,163	241	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	41,126	1,628	105	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz	16	41,082	1,785	110	FCLGA3647	Server
»	Intel Xeon W-3275 @ 2.50GHz	28	40,931	2,584	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz	16	40,853	2,184	150	FCLGA3647	Server
»	Intel Xeon Platinum 8275CL @ 3.00GHz	24	40,794	2,386	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz	20	40,707	2,202	120	FCLGA3647	Server
»	[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	40,698	2,221	130	FCLGA3647	Server
»	Apple M3 Max 16 Core	16	40,669	4,776	78	Unknown	Laptop
»	Intel Xeon Gold 6416H	18	40,606	2,860	165	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 5945WX	12	40,542	3,354	280	sWRX8	Desktop, Server
»	[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz	20	40,534	2,193	125	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 3955WX	16	40,341	2,680	280	sWRX8	Desktop, Server
»	AMD EPYC 7F52	16	40,251	2,471	240	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz	12	40,249	2,334	150	FCLGA4189	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz	18	40,210	1,954	NA	LGA 3647	Server
»	AMD EPYC 7352	24	40,096	1,969	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz	18	40,091	2,112	140	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz	20	40,064	1,620	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz	16	39,978	2,107	150	FCLGA3647	Server
»	Intel Xeon W-3275M @ 2.50GHz	28	39,834	2,723	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7F32	8	39,712	2,415	180	SP3	Server
»	[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz	20	39,543	2,114	135	FCLGA2011-3	Server
»	Intel Core i5-14600KF	14	39,362	4,292	125	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz	15	39,311	1,610	130	LGA 2011	Server
»	Intel Xeon W-3335 @ 3.40GHz	16	39,293	2,673	250	FCLGA4189	Server
»	Intel Core i5-14600K	14	39,170	4,281	125	FCLGA1700	Desktop
»	AMD Ryzen 9 5900X	12	39,134	3,469	105	AM4	Desktop
»	AMD EPYC 7313	16	39,091	2,417	155	SP3	Server
»	Intel Core i7-13700F	16	38,874	4,126	65	FCLGA1700	Desktop
»	AMD Ryzen 9 3950X	16	38,759	2,704	105	AM4	Desktop
»	[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz	12	38,392	2,346	165	FCLGA3647	Server
»	Intel Xeon Platinum 8180 @ 2.50GHz	28	38,259	2,142	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz	18	38,220	2,089	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6426Y	16	38,159	2,714	185	FCLGA4677	Server
»	AMD EPYC 7551P	32	38,117	1,771	180	SP3	Server
»	Intel Core i5-13600K	14	37,971	4,139	125	FCLGA1700	Desktop
»	Intel Core i7-13850HX	20	37,919	3,839	55	FCBGA1964	Laptop
»	Intel Xeon w5-2455X	12	37,918	3,564	200	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz	20	37,891	2,055	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	37,875	1,647	150	FCLGA2011	Server
»	Intel Core i5-13600KF	14	37,822	4,133	125	FCLGA1700	Desktop
»	AMD Ryzen 7 9700X	8	37,698	4,507	65	AM5	Desktop
»	Intel Xeon Gold 6346 @ 3.10GHz	16	37,665	2,483	205	FCLGA4189	Server
»	Intel Xeon Gold 5320 @ 2.20GHz	26	37,558	1,826	185	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz	16	37,551	2,057	NA	FCLGA3647	Server
»	Intel Xeon Gold 6238R @ 2.20GHz	28	37,511	2,362	165	FCLGA3647	Server
»	Intel Core i7-14650HX	16	37,451	3,953	157	FCBGA1964	Laptop
»	Intel Xeon W-3175X @ 3.10GHz	28	37,167	2,148	255	FCLGA3647	Desktop
»	Intel Core i7-13700	16	37,092	4,132	65	FCLGA1700	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-14700T	20	36,910	4,081	35	FCLGA1700	Desktop
»	Intel Core i7-14700HX	20	36,872	3,911	55	FCBGA1964	Laptop
»	Intel Xeon w5-3425	12	36,726	3,389	270	FCLGA4677	Server
»	Intel Core i9-12900F	16	36,502	4,043	65	FCLGA1700	Desktop
»	AMD Ryzen AI 9 HX 370	12	36,474	4,113	28	FP8	Desktop, Laptop
»	AMD EPYC 8124P	16	36,470	2,373	125	SP6	Server
»	[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz	8	36,428	2,471	140	FCLGA4189	Server
»	Intel Xeon Gold 6330N @ 2.20GHz	28	36,360	2,322	165	FCLGA4189	Server
»	Apple M3 Max 14 Core	14	36,346	4,760	78	Unknown	Laptop
»	[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz	12	36,304	1,935	130	FCLGA2011	Server
»	[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	36,266	1,554	115	FCLGA2011	Server
»	Intel Xeon Gold 6248R @ 3.00GHz	24	36,186	2,301	205	FCLGA3647	Server
»	Intel Xeon Gold 5416S	16	35,976	2,888	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	35,966	2,170	150	FCLGA3647	Server
»	AMD Ryzen 7 7700X	8	35,963	4,202	105	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz	16	35,888	2,101	150	FCLGA3647	Server
»	AMD EPYC 4364P	8	35,865	4,220	105	AM5	Server
»	[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz	16	35,440	2,229	125	FCLGA3647	Server
»	Intel Xeon Gold 6326 @ 2.90GHz	16	35,270	2,365	185	FCLGA4189	Server
»	AMD EPYC 4344P	8	35,191	4,094	65	AM5	Server
»	[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz	8	35,164	2,705	185	FCLGA3647	Server
»	Intel Core i9-12900TE	16	35,057	3,926	35	FCLGA1700	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz	18	35,052	1,907	120	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz	16	35,036	2,014	105	Unknown	Server
»	Intel Xeon Gold 6242R @ 3.10GHz	20	34,963	2,424	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7252	8	34,911	2,095	120	SP3	Server
»	Intel Xeon w5-3433	16	34,849	2,657	220	FCLGA4677	Server
»	Intel Core i5-14600	14	34,770	4,085	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz	8	34,757	2,516	165	FCLGA4189	Server
»	Intel Core i7-13700E	16	34,728	3,272	65	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 7 PRO 7745	8	34,652	4,083	65	AM5 (LGA 1718)	Desktop, Server
»	ARM Neoverse-N1 80 Core 3000 MHz	80	34,639	1,326	NA	Unknown	Server
»	Intel Core i7-12700K	12	34,610	4,031	190	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	34,583	1,787	150	LGA2011-1	Server
»	AMD Ryzen 9 PRO 5945	12	34,573	3,497	65	AM4	Desktop
»	Intel Xeon Gold 6268CL @ 2.80GHz	24	34,558	2,278	205	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 7 7700	8	34,548	4,057	65	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz	14	34,541	2,178	140	FCLGA3647	Server
»	Intel Xeon Platinum 8268 @ 2.90GHz	24	34,483	2,255	205	FCLGA3647	Server
»	AMD Ryzen 9 5900	12	34,400	3,449	65	AM4	Desktop
»	Intel Core i7-12700KF	12	34,388	4,014	190	FCLGA1700	Desktop
»	Intel Core i9-12900	16	34,295	4,048	65	FCLGA1700	Desktop
»	AMD Ryzen 7 7800X3D	8	34,246	3,748	120	AM5	Desktop
»	[Dual CPU] AMD EPYC 7262	8	34,227	2,023	155	SP3	Server
»	Intel Xeon Silver 4510	12	34,170	3,396	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz	18	34,168	1,967	145	LGA2011-v3	Server
»	[Dual CPU] AMD EPYC 7301	16	34,148	1,654	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	34,110	2,107	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz	22	34,102	1,497	145	FCLGA2011-3	Server
»	Intel Core i9-12900HX	16	34,090	3,836	55	FCBGA1964	Laptop
»	AMD EPYC 7601	32	34,079	1,890	180	SP3	Server
»	Intel Core i9-13900E	24	34,049	3,592	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon Platinum 8260M @ 2.30GHz	24	33,970	2,315	165	LGA3647	Server
»	[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz	16	33,866	2,156	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6338 @ 2.00GHz	32	33,814	2,206	205	FCLGA4189	Server
»	Intel Core i7-13700HX	16	33,803	3,876	55	FCBGA1964	Laptop
»	Intel Xeon D-2799 @ 2.40GHz	20	33,792	2,404	129	FCBGA2579	Server
»	Intel Xeon Gold 6230R @ 2.10GHz	26	33,724	2,236	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz	18	33,650	1,831	145	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz	8	33,625	2,559	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz	20	33,619	1,931	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz	16	33,586	1,939	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz	12	33,533	1,931	120	FCLGA4189	Server
»	AMD Ryzen Threadripper PRO 3945WX	12	33,519	2,703	280	sWRX8	Desktop, Server
»	Intel Xeon Gold 5220R @ 2.20GHz	24	33,370	2,399	150	FCLGA3647	Server
»	Intel Xeon Gold 6240R @ 2.40GHz	24	33,353	2,312	165	FCLGA3647	Server
»	Intel Xeon Gold 5318Y @ 2.10GHz	24	33,283	2,083	165	FCLGA4189	Server
»	AMD EPYC 7302	16	33,106	2,019	155	SP3	Server
»	Intel Xeon Platinum 8168 @ 2.70GHz	24	33,099	2,092	205	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz	18	32,860	2,059	145	LGA2011-v3	Server
»	Intel Xeon Gold 6278C @ 2.60GHz	26	32,835	2,019	185	FCLGA3647	Server
»	Intel Xeon W-3265M @ 2.70GHz	24	32,810	2,659	205	FCLGA3647	Desktop, Server
»	Intel Core i9-10980XE @ 3.00GHz	18	32,786	2,652	165	FCLGA2066	Desktop
»	Intel Xeon Platinum 8280 @ 2.70GHz	28	32,781	2,029	205	FCLGA3647	Server
»	AMD EPYC 7302P	16	32,740	1,881	155	SP3	Server
»	AMD Ryzen 7 7745HX	8	32,729	3,956	55	AM5 (LGA 1718)	Laptop
»	AMD Ryzen 9 3900XT	12	32,680	2,745	105	AM4	Desktop
»	AMD Ryzen 9 3900X	12	32,630	2,706	105	AM4	Desktop
»	Intel Core i5-14500	14	32,606	4,009	65	FCLGA1700	Desktop
»	Intel Core i9-12950HX	16	32,387	3,827	55	FCBGA1964	Laptop
»	[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	32,381	2,013	130	FCLGA2011	Server
»	Intel Xeon w5-2445	10	32,234	3,374	175	FCLGA4677	Server
»	Intel Core i7-12800HX	16	32,208	3,737	55	FCBGA1964	Laptop
»	AMD Ryzen Threadripper 2990WX	32	32,167	2,279	250	sTR4	Desktop, Server
»	[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz	10	32,150	1,563	95	FCLGA2011	Server
»	Intel Core i5-13600	14	32,148	4,044	65	FCLGA1700	Desktop
»	AMD Ryzen 7 PRO 8700G	8	32,070	3,973	65	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	32,062	2,203	125	FCLGA3647	Server
»	Intel Core i9-9980XE @ 3.00GHz	18	32,057	2,563	165	FCLGA2066	Desktop
»	[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz	14	32,047	2,104	135	FCLGA2011-3	Server
»	Intel Core i5-13500	14	31,949	3,885	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz	8	31,783	2,456	105	FCLGA4189	Server
»	AMD Ryzen 7 8700G	8	31,782	3,933	65	AM5	Desktop
»	Intel Xeon Gold 5320H @ 2.40GHz	20	31,718	2,428	150	FCLGA4189	Server
»	AMD Ryzen 9 PRO 3900	12	31,609	2,692	65	AM4	Desktop
»	Intel Core i9-13900HK	14	31,569	3,979	45	FCBGA1744	Laptop
»	Intel Xeon Gold 6254 @ 3.10GHz	18	31,513	2,363	200	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	31,494	1,549	135	FCLGA2011-3	Server
»	Intel Core i7-13650HX	14	31,471	3,825	55	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz	16	31,381	2,006	135	LGA2011-v3	Server
»	Intel Xeon Silver 4316 @ 2.30GHz	20	31,341	1,928	150	FCLGA4189	Server
»	AMD Ryzen 9 PRO 8945HS	8	31,160	3,932	45	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Platinum 8259CL @ 2.50GHz	24	31,142	1,955	210	LGA 3647	Server
»	AMD EPYC 7371	16	31,094	2,377	NA	SP3	Server
»	AMD Ryzen AI 9 365	10	31,063	4,100	28	FP8	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 9 8945H	8	31,008	3,988	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Xeon W-3245 @ 3.20GHz	16	30,968	2,591	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz	8	30,862	2,390	130	FCLGA3647	Server
»	AMD Ryzen 9 3900	12	30,813	2,623	65	AM4	Desktop
»	Intel Core i7-12700	12	30,785	3,912	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz	16	30,722	1,643	125	FCLGA3647	Server
»	Intel Core i7-12850HX	16	30,706	3,709	55	FCBGA1964	Laptop
»	AMD Ryzen 7 8700F	8	30,674	3,884	65	AM5	Desktop
»	Intel Xeon W-2295 @ 3.00GHz	18	30,668	2,634	165	FCLGA2066	Server
»	Intel Core i7-12700F	12	30,648	3,872	65	FCLGA1700	Desktop
»	Intel Xeon Platinum 8171M @ 2.60GHz	26	30,632	2,222	165	FCLGA3647	Server
»	AMD EPYC Embedded 7292P	16	30,542	2,091	NA	Unknown	Server
»	Intel Core i5-13500HX	14	30,542	3,661	55	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz	16	30,507	1,754	125	FCLGA3647	Server
»	Intel Xeon Gold 6246R @ 3.40GHz	16	30,468	2,341	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz	12	30,442	2,114	125	FCLGA3647	Server
»	AMD Ryzen Threadripper 2970WX	24	30,439	2,323	250	sTR4	Desktop, Server
»	AMD Ryzen 9 7940HS	8	30,419	3,905	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i9-9960X @ 3.10GHz	16	30,360	2,608	165	FCLGA2066	Desktop
»	AMD Ryzen 7 PRO 8700GE	8	30,356	3,979	35	AM5	Desktop
»	Intel Xeon Platinum 8260 @ 2.40GHz	24	30,347	2,239	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz	16	30,184	1,780	100	FCLGA3647	Server
»	Intel Core i9-9990XE @ 4.00GHz	14	30,162	2,970	255	LGA2066	Desktop
»	Intel Core i9-7980XE @ 2.60GHz	18	30,108	2,474	165	FCLGA2066	Desktop
»	Intel Xeon W-3265 @ 2.70GHz	24	30,105	2,572	205	FCLGA3647	Server
»	Intel Core i9-12900T	16	30,056	3,819	35	FCLGA1700	Desktop
»	Intel Core i9-13905H	14	30,036	3,671	45	FCBGA1792	Laptop
»	Intel Xeon Platinum 8270 @ 2.70GHz	26	29,986	2,325	205	FCLGA3647	Server
»	AMD EPYC 7282	16	29,983	1,887	120	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz	8	29,954	2,466	150	FCLGA3647	Server
»	AMD Ryzen 5 9600X	6	29,883	4,563	65	AM5	Desktop
»	[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz	16	29,874	1,830	120	FCLGA2011-3	Server
»	Intel Xeon E-2478	8	29,827	4,000	80	FCLGA1700	Server
»	Intel Core i7-12800HE	14	29,805	3,313	45	FCBGA1744	Mobile/Embedded
»	Intel Xeon E-2488	8	29,795	4,272	95	FCLGA1700	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz	14	29,657	1,865	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz	10	29,629	2,334	165	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz	14	29,566	1,730	105	FCLGA3647	Server
»	AMD Ryzen 9 8945HS	8	29,562	3,878	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Xeon Gold 6248 @ 2.50GHz	20	29,504	2,291	150	FCLGA3647	Server
»	AMD Ryzen Threadripper 2950X	16	29,422	2,458	180	sTR4	Desktop
»	Intel Core i7-12700E	12	29,384	3,777	65	FCLGA1700	Desktop, Mobile/Embedded
»	[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz	12	29,315	1,985	100	FCLGA3647	Server
»	Intel Core Ultra 9 185H	16	29,302	3,708	45	FCBGA2049	Laptop
»	Intel Xeon Gold 5318H @ 2.50GHz	18	29,301	2,225	150	FCLGA4189	Server
»	AMD Ryzen 7 PRO 8845HS	8	29,106	3,831	45	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Gold 6148 @ 2.40GHz	20	29,009	2,152	150	FCLGA3647	Server
»	Intel Xeon Silver 4314 @ 2.40GHz	16	28,954	2,215	135	FCLGA4189	Server
»	AMD Ryzen 7 7840HS	8	28,939	3,782	54	FP7 FP7r2 FP8	Laptop
»	Intel Xeon Gold 6210U @ 2.50GHz	20	28,915	2,203	150	FCLGA3647	Server
»	Intel Core i9-13900H	14	28,913	3,855	45	FCBGA1744	Laptop
»	Intel Xeon Silver 4410T	10	28,859	3,094	150	FCLGA4677	Server
»	Intel Xeon Platinum 8160 @ 2.10GHz	24	28,825	2,077	150	FCLGA3647	Server
»	Intel Core i9-7960X @ 2.80GHz	16	28,798	2,498	165	FCLGA2066	Desktop
»	[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz	12	28,680	2,089	160	FCLGA2011-3	Server
»	Intel Xeon Gold 6238 @ 2.10GHz	22	28,668	1,878	140	FCLGA3647	Server
»	Intel Core i5-14490F	10	28,662	3,873	65	FCLGA1700	Desktop
»	AMD Ryzen 7 8845HS	8	28,638	3,751	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Xeon Gold 6154 @ 3.00GHz	18	28,632	2,239	200	FCLGA3647	Server
»	Intel Core i5-14500HX	14	28,625	3,555	55	FCBGA1964	Laptop
»	AMD Ryzen 9 7940H	8	28,608	3,996	54	FP7 FP7r2 FP8	Laptop
»	AMD EPYC 7303	16	28,572	1,460	130	SP3	Server
»	Intel Xeon Gold 6253CL @ 3.10GHz	18	28,549	2,311	205	FCLGA3647	Server
»	AMD EPYC 7401P	24	28,546	1,731	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	28,538	2,202	130	FCLGA3647	Server
»	AMD Ryzen 5 7600X	6	28,474	4,146	105	AM5	Desktop
»	AMD Ryzen 7 7840H	8	28,469	3,733	54	FP7 FP7r2 FP8	Laptop
»	Intel Xeon D-2795NT @ 2.00GHz	20	28,463	2,192	110	FCBGA2579	Server
»	[Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz	4	28,424	2,270	140	FCLGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz	14	28,414	1,962	120	FCLGA2011-3	Server
»	Intel Xeon W-2191B @ 2.30GHz	18	28,370	2,533	140	FCLGA2066	Server
»	Intel Xeon Gold 6240 @ 2.60GHz	18	28,369	1,990	150	FCLGA3647	Server
»	Intel Xeon w5-3423	12	28,340	2,894	270	FCLGA4677	Server
»	AMD Ryzen 7 5800X3D	8	28,288	3,231	105	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz	16	28,240	1,754	120	FCLGA2011-3	Server
»	[Quad CPU] Intel Xeon E5-4650L @ 2.60GHz	8	28,193	1,439	115	LGA 2011	Server
»	Intel Xeon Platinum 8252C @ 3.80GHz	12	28,147	2,700	NA	Unknown	Server
»	AMD Ryzen 9 PRO 7940HS	8	28,114	3,719	45	FP7 FP7r2	Laptop
»	ARM Neoverse-N1 64 Core 0 MHz	64	28,064	1,089	NA	Unknown	Server
»	Intel Core i5-13500E	14	28,036	3,858	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon Platinum 8173M @ 2.00GHz	28	28,025	2,058	165	FCLGA3647	Server
»	Intel Core i9-12900H	14	28,018	3,785	45	FCBGA1744	Laptop
»	Intel Core i9-9940X @ 3.30GHz	14	27,985	2,628	165	FCLGA2066	Desktop
»	Intel Xeon W-2195 @ 2.30GHz	18	27,978	2,443	140	FCLGA2066	Server
»	Intel Xeon W-2275 @ 3.30GHz	14	27,963	2,755	165	FCLGA2066	Desktop
»	AMD Ryzen 7 8845H	8	27,918	3,697	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Core i9-10940X @ 3.30GHz	14	27,907	2,666	165	FCLGA2066	Desktop
»	AMD Ryzen 7 5800X	8	27,861	3,445	105	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz	14	27,797	1,748	105	FCLGA2011-3	Server
»	Intel Core i5-12600KF	10	27,775	3,931	150	FCLGA1700	Desktop
»	Intel Core i5-12600K	10	27,707	3,947	150	FCLGA1700	Desktop
»	[Dual CPU] Hygon C86 S316 16-core	16	27,680	1,677	NA	Unknown	Desktop
»	Intel Core i5-13600HX	14	27,606	3,673	55	FCBGA1964	Laptop
»	AMD Ryzen Threadripper 1950X	16	27,573	2,275	180	sTR4	Desktop
»	Intel Core i5-13490F	10	27,496	3,894	65	FCLGA1700	Desktop
»	Intel Xeon Gold 6212U @ 2.40GHz	24	27,470	2,013	165	FCLGA3647	Server
»	AMD EPYC 7571	32	27,445	1,934	120	SP3	Server
»	Intel Core i5-14600T	14	27,441	3,885	35	FCLGA1700	Desktop
»	AMD EPYC 4244P	6	27,438	3,949	65	AM5	Server
»	Intel Core i9-12900HK	14	27,420	3,646	45	FCBGA1744	Laptop
»	Intel Xeon Gold 5317 @ 3.00GHz	12	27,387	2,361	150	FCLGA4189	Server
»	Intel Xeon Gold 6150 @ 2.70GHz	18	27,337	2,144	165	FCLGA3647	Server
»	Intel Xeon Platinum 8124M @ 3.00GHz	18	27,336	2,091	NA	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon D-2775TE @ 2.00GHz	16	27,299	2,203	100	FCBGA2579	Unknown
»»	AMD Ryzen 7 PRO 8840HS	8	27,290	3,792	28	FP7 FP7r2 FP8	Desktop, Laptop
»»	Intel Core i7-13700H	14	27,286	3,646	45	FCBGA1744	Laptop
»»	AMD EPYC 72F3	8	27,252	3,070	180	SP3	Server
»»	Intel Core i5-13600T	14	27,166	3,731	35	FCLGA1700	Desktop
»»	Intel Xeon Gold 6252 @ 2.10GHz	24	27,148	1,883	150	FCLGA3647	Server
»»	Intel Core i7-13800H	14	27,127	3,591	45	FCBGA1744	Laptop
»»	Intel Core i7-13700T	16	27,108	3,875	35	FCLGA1700	Desktop
»»	AMD Ryzen 5 PRO 7645	6	27,106	3,901	65	AM5 (LGA 1718)	Unknown
»»	AMD Ryzen 5 7600	6	27,099	3,909	65	AM5 (LGA 1718)	Desktop
»»	Intel Xeon Gold 6208U @ 2.90GHz	16	27,085	2,265	150	FCLGA3647	Server
»»	Intel Xeon Gold 6230 @ 2.10GHz	20	27,069	2,269	125	FCLGA3647	Server
»»	[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz	8	27,008	1,549	130	LGA2011	Server
»»	AMD Ryzen 5 7500F	6	26,913	3,838	65	AM5 (LGA 1718)	Desktop
»»	AMD Ryzen 5 7645HX	6	26,868	3,915	55	AM5 (LGA 1718)	Laptop
»»	Intel Xeon W-3245M @ 3.20GHz	16	26,814	2,571	205	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz	14	26,794	1,499	105	Unknown	Server
»»	AMD Ryzen 7 5700X	8	26,668	3,382	65	AM4	Desktop
»»	Intel Core i9-12900E	16	26,666	3,515	65	FCLGA1700	Mobile/Embedded
»»	Intel Xeon Platinum 8175M @ 2.50GHz	24	26,659	1,903	NA	FCLGA3647	Server
»»	AMD Ryzen 7 PRO 7840HS	8	26,634	3,491	54	FP7 FP7r2 FP8	Laptop
»»	Apple M3 Pro 12 Core	12	26,621	4,601	27	Unknown	Laptop
»»	[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz	14	26,586	1,939	145	LGA2011-v3	Server
»»	Apple M2 Max 12 Core 3680 MHz	12	26,531	4,143	NA	Unknown	Laptop
»»	Apple M2 Pro 12 Core 3480 MHz	12	26,442	4,106	NA	Unknown	Laptop
»»	[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz	12	26,418	1,926	135	LGA2011-v3	Server
»»	[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz	14	26,359	1,906	105	FCLGA2011-3	Server
»»	Intel Xeon w3-2435	8	26,358	3,404	165	FCLGA4677	Server
»»	Intel Xeon D-2796TE @ 2.00GHz	20	26,342	2,172	118	FCBGA2579	Server
»»	AMD Ryzen 7 5700X3D	8	26,308	2,980	105	AM4	Desktop
»»	Intel Xeon Gold 6226R @ 2.90GHz	16	26,297	2,271	150	FCLGA3647	Server
»»	Intel Xeon Gold 6242 @ 2.80GHz	16	26,288	2,196	150	FCLGA3647	Server
»»	Intel Core i9-10920X @ 3.50GHz	12	26,238	2,723	165	FCLGA2066	Desktop
»»	Intel Core Ultra 7 165H	16	26,193	3,489	28	FCBGA2049	Laptop
»»	Intel Core i7-12700H	14	26,187	3,587	45	FCBGA1744	Laptop
»»	[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz	12	26,054	1,786	85	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon W-2265 @ 3.50GHz	12	26,043	2,802	165	FCLGA2066	Server
»	Intel Core i9-7940X @ 3.10GHz	14	26,025	2,488	165	FCLGA2066	Desktop
»	[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz	15	25,966	1,316	130	LGA 2011-1	Server
»	AMD Ryzen 7 PRO 5845	8	25,961	3,439	65	AM4	Desktop
»	Intel Xeon W-3323 @ 3.50GHz	12	25,875	2,617	220	FCLGA4189	Desktop, Server
»	AMD Ryzen Threadripper 2990X	32	25,874	2,312	250	TR4	Desktop
»	AMD EPYC 7451	24	25,863	1,955	180	SP3	Server
»	[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	25,851	1,630	105	FCLGA2011-3	Server
»	Intel Core i5-14400	10	25,827	3,788	148	FCLGA1700	Desktop
»	AMD Ryzen 7 5800	8	25,756	3,388	65	AM4	Desktop
»	Intel Core i5-14400F	10	25,700	3,699	148	FCLGA1700	Desktop
»	AMD EPYC 7351P	16	25,657	1,788	155	SP3	Server
»	Intel Xeon E5-2699A v4 @ 2.40GHz	22	25,654	1,973	145	FCLGA2011-3	Server
»	Intel Xeon E5-2698R v4 @ 2.20GHz	20	25,605	2,243	NA	FCLGA2011-3	Server
»	Intel Xeon Gold 5515+	8	25,587	3,406	165	FCLGA4677	Server
»	Intel Xeon E-2468	8	25,579	3,948	65	FCLGA1700	Server
»	AMD EPYC 7272	12	25,568	1,948	120	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz	12	25,536	1,680	85	FCLGA3647	Server
»	Intel Xeon W-3235 @ 3.30GHz	12	25,519	2,632	180	FCLGA3647	Server
»	Intel Xeon E5-2699 v4 @ 2.20GHz	22	25,500	1,953	145	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz	8	25,455	2,089	115	FCLGA3647	Server
»	AMD Ryzen Threadripper 2920X	12	25,443	2,491	180	sTR4	Desktop
»	Intel Xeon Gold 6152 @ 2.10GHz	22	25,441	2,006	140	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz	14	25,440	1,643	65	FCLGA2011-3	Server
»	[Dual CPU] AMD EPYC 7351	16	25,431	1,747	155	SP3	Server
»	Intel Xeon Platinum 8167M @ 2.00GHz	26	25,396	1,455	NA	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz	12	25,395	1,725	105	FCLGA3647	Server
»	Intel Core i5-13450HX	10	25,393	3,567	55	FCBGA1964	Laptop
»	Intel Xeon W-1390P @ 3.50GHz	8	25,304	3,566	125	FCLGA1200	Desktop, Server
»	AMD Ryzen 5 8600G	6	25,301	3,872	65	AM5	Desktop
»	AMD Ryzen 5 PRO 8600G	6	25,288	3,872	65	AM5	Desktop
»	Intel Core i9-11900K @ 3.50GHz	8	25,264	3,517	125	FCLGA1200	Desktop
»	Intel Core i5-13400F	10	25,217	3,650	148	FCLGA1700	Desktop
»	Intel Xeon Gold 6142 @ 2.60GHz	16	25,215	2,143	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i9-9920X @ 3.50GHz	12	25,163	2,639	165	FCLGA2066	Desktop
»	Intel Core Ultra 7 155H	16	25,116	3,546	28	Unknown	Laptop
»	Intel Core i7-13620H	10	25,068	3,684	45	FCBGA1744	Laptop
»	AMD Ryzen 5 PRO 8600GE	6	25,065	3,846	35	AM5	Desktop
»	[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	25,055	1,790	155	LGA 2011-1	Server
»	Intel Core i9-11900KF @ 3.50GHz	8	25,054	3,541	125	FCLGA1200	Desktop
»	AMD Ryzen Z1 Extreme	8	25,031	3,600	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 7 7840U	8	25,001	3,599	30	Unknown	Laptop
»	Apple M4 10 Core	10	24,990	4,460	NA	Unknown	Mobile/Embedded
»	Intel Xeon Gold 5415+	8	24,951	3,247	150	FCLGA4677	Server
»	AMD EPYC 7501	32	24,925	1,925	155	SP3	Server
»	AMD Ryzen 7 PRO 7840U	8	24,904	3,709	30	Unknown	Laptop
»	Intel Xeon Gold 6434	8	24,836	2,759	195	FCLGA4677	Server
»	Intel Xeon E5-2696 v4 @ 2.20GHz	22	24,834	2,141	150	FCLGA2011-3	Server
»	Intel Xeon Gold 6246 @ 3.30GHz	12	24,829	2,468	165	FCLGA3647	Server
»	AMD Ryzen 9 6900HX	8	24,813	3,442	45	FP7	Laptop
»	Intel Core i7-12800H	14	24,803	3,483	45	FCBGA1744	Laptop
»	Intel Xeon Gold 6143 @ 2.80GHz	16	24,786	2,248	205	FCLGA3647	Server
»	Intel Xeon Gold 6222V @ 1.80GHz	20	24,764	2,054	115	FCLGA3647	Server
»	Intel Xeon Gold 5218R @ 2.10GHz	20	24,742	2,234	125	FCLGA3647	Server
»	Intel Xeon E E-2486	6	24,713	4,062	95	FCLGA1700	Server
»	Apple M3 Pro 11 Core	11	24,708	4,744	27	Unknown	Laptop
»	Intel Core i5-12600HX	12	24,643	3,701	55	FCBGA1964	Laptop
»	AMD Ryzen 7 7840S	8	24,635	3,680	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i7-11700K @ 3.60GHz	8	24,620	3,406	125	FCLGA1200	Desktop
»	Intel Core i5-12600HE	12	24,599	3,772	65	BGA 1744	Mobile/Embedded
»	Intel Core i5-14400T	10	24,598	3,351	82	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E7-4870 @ 2.40GHz	10	24,580	1,109	130	LGA1567	Server
»	AMD Ryzen 7 5700G	8	24,552	3,283	65	AM4	Desktop
»	AMD EPYC 7551	32	24,534	1,758	180	SP3	Server
»	Intel Xeon Gold 6140 @ 2.30GHz	18	24,445	2,109	140	FCLGA3647	Server
»	[Quad CPU] Intel Xeon E7-8870 @ 2.40GHz	10	24,434	1,124	130	LGA1567	Server
»	AMD Ryzen 7 PRO 5750G	8	24,421	3,315	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	24,421	1,575	120	FCLGA2011-3	Server
»	Intel Xeon Silver 4410Y	12	24,399	2,385	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz	10	24,383	1,851	85	FCLGA3647	Server
»	AMD Ryzen 5 8400F	6	24,359	3,668	65	AM5	Desktop
»	AMD Ryzen 7 7435HS	8	24,351	3,287	45	FP7r2	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz	12	24,327	1,775	120	LGA2011-v3	Server
»	AMD Ryzen 7 PRO 8840U	8	24,292	3,639	28	FP7 FP7r2	Desktop, Laptop, Server
»	[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz	12	24,262	1,779	120	LGA2011-v3	Server
»	Intel Core i5-13600H	12	24,255	3,696	45	FCBGA1744	Laptop
»	AMD Ryzen 7 8840HS	8	24,211	3,616	28	FP7 FP7r2 FP8	Desktop, Laptop
»	AMD Ryzen 7 5700	8	24,201	3,233	NA	AM4	Desktop
»	Intel Xeon Gold 5220 @ 2.20GHz	18	24,154	2,266	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz	10	24,147	1,944	160	LGA2011-v3	Server
»	Intel Xeon E5-2679 v4 @ 2.50GHz	20	24,131	1,992	200	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz	8	24,102	1,945	130	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8479 @2.00GHz	28	24,087	2,453	350	FCLGA4677	Server
»	AMD Ryzen 7 7735HS	8	24,078	3,354	54	FP7	Laptop
»	Intel Xeon W-2170B @ 2.50GHz	14	24,067	2,332	NA	FCLGA-2066	Server
»	[Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz	10	24,054	1,963	135	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz	8	24,050	2,190	135	FCLGA2011-3	Server
»	AMD Ryzen 7 7735H	8	24,025	3,310	54	FP7	Laptop
»	[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz	14	23,992	1,635	120	LGA2011-v3	Server
»	Intel Core i7-11700KF @ 3.60GHz	8	23,971	3,383	125	FCLGA1200	Desktop
»	Intel Xeon Gold 6138 @ 2.00GHz	20	23,931	2,047	125	FCLGA3647	Server
»	Intel Xeon W-1390 @ 2.80GHz	8	23,902	3,414	80	FCLGA1200	Server
»	Intel Core i5-14500T	14	23,846	3,727	35	FCLGA1700	Desktop
»	Intel Xeon Gold 6122 @ 1.80GHz	20	23,781	2,157	120	FCLGA3647	Server
»	Intel Xeon E5-2698 v4 @ 2.20GHz	20	23,730	2,157	135	FCLGA2011-3	Server
»	Intel Core i9-7920X @ 2.90GHz	12	23,680	2,508	140	FCLGA2066	Desktop
»	Intel Core i7-13705H	14	23,662	3,477	45	FCBGA1792	Laptop
»	AMD Ryzen 7 3800XT	8	23,618	2,802	105	AM4	Desktop
»	Intel Xeon E-2388G @ 3.20GHz	8	23,616	3,444	95	FCLGA1200	Server
»	AMD Ryzen 9 6900HS	8	23,610	3,290	35	FP7	Laptop
»	[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz	10	23,593	1,808	85	FCLGA3647	Server
»	Qualcomm Snapdragon X Elite - X1E-84-100	12	23,576	3,966	NA	Unknown	Laptop
»	AMD EPYC 7351	16	23,566	1,821	155	SP3	Server
»	AMD Ryzen 7 8840U	8	23,540	3,662	28	FP7 FP7r2 FP8	Desktop, Laptop
»	AMD Ryzen 9 5980HX	8	23,540	3,342	45	FP6	Laptop
»	AMD EPYC 7F32	8	23,453	2,466	180	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 7 6800H	8	23,446	3,250	45	FP7	Laptop
»	[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz	6	23,354	1,474	95	FCLGA2011	Server
»	Intel Xeon W-2175 @ 2.50GHz	14	23,345	2,471	140	FCLGA2066	Server
»	[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz	12	23,331	1,677	120	LGA2011	Server
»	Intel Xeon E-2456	6	23,330	4,209	80	FCLGA1700	Server
»	Intel Xeon W-1370P @ 3.60GHz	8	23,306	3,479	125	FCLGA1200	Desktop, Server
»	Intel Xeon Gold 6146 @ 3.20GHz	12	23,296	2,309	165	FCLGA3647	Server
»	Intel Core i5-13500T	14	23,233	3,642	92	FCLGA1700	Desktop
»	Intel Core Ultra 5 135H	14	23,214	3,554	28	FCBGA2049	Laptop
»	Intel Xeon Platinum 8176 @ 2.10GHz	28	23,179	2,048	165	FCLGA3647	Server
»	AMD Ryzen 7 3800X	8	23,155	2,718	105	AM4	Desktop
»	Intel Core i5-13400	10	23,120	3,443	154	FCLGA1700	Desktop
»	AMD Ryzen Threadripper 1920X	12	23,086	2,316	180	sTR4	Desktop
»	Intel Core i7-13700TE	16	23,074	3,228	35	FCLGA1700	Laptop
»	Intel Xeon W-1370 @ 2.90GHz	8	23,014	3,471	80	FCLGA1200	Desktop, Server
»	AMD Ryzen 7 6800HS	8	23,003	3,219	35	FP7	Laptop
»	AMD Ryzen 7 PRO 6850H	8	22,943	3,235	45	FP7	Laptop
»	Intel Core i9-11900 @ 2.50GHz	8	22,934	3,426	65	FCLGA1200	Desktop
»	Intel Core i5-12600H	12	22,929	3,563	45	FCBGA1744	Laptop
»	AMD Ryzen 7 PRO 3700	8	22,898	2,686	65	AM4	Desktop
»	Intel Core i9-11900KB @ 3.30GHz	8	22,894	3,303	65	FCBGA1787	Desktop
»	[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz	12	22,892	1,727	105	FCLGA2011-3	Server
»	Intel Core i9-11980HK @ 2.60GHz	8	22,875	3,284	45	FCBGA1787	Laptop
»	Intel Core i9-10900K @ 3.70GHz	10	22,822	3,130	125	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz	12	22,822	1,715	130	FCLGA2011	Server
»	Qualcomm Snapdragon X Elite - X1E-80-100	12	22,820	3,358	NA	Unknown	Laptop
»	AMD Ryzen 5 7640HS	6	22,817	3,621	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i5-13500H	12	22,798	3,556	45	Unknown	Laptop
»	AMD Ryzen 5 PRO 7640HS	6	22,778	3,685	54	FP7 FP7r2	Laptop
»	[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz	10	22,754	1,810	100	FCLGA3647	Server
»	[3-Way CPU] Intel Xeon E7-8860 v4 @ 2.20GHz	18	22,737	757	140	FCLGA2011	Server
»	Qualcomm Snapdragon X Elite - X1E-78-100	12	22,714	3,166	23	Unknown	Laptop
»	AMD Ryzen 9 PRO 6950HS	8	22,697	3,405	35	FP7	Laptop
»	Intel Xeon Platinum P-8124 @ 3.00GHz	18	22,674	2,059	240	FCLGA3647	Server
»	Intel Core i7-12650H	10	22,642	3,595	45	FCBGA1744	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Silver 4310 @ 2.10GHz	12	22,642	2,187	120	FCLGA4189	Server
»	Intel Core Ultra 5 125H	14	22,635	3,541	28	FCBGA2049	Laptop
»	AMD Ryzen 5 8645HS	6	22,569	3,692	45	FP7 , FP7r2 , FP	Desktop, Laptop
»	Intel Xeon W-11955M @ 2.60GHz	8	22,566	3,292	45	FCBGA1787	Laptop, Server
»	Intel Core i9-10900KF @ 3.70GHz	10	22,564	3,119	125	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz	12	22,559	1,573	105	FCLGA2011-3	Server
»	AMD Ryzen 7 3700X	8	22,552	2,660	65	AM4	Desktop
»	AMD Ryzen 9 5900HX	8	22,541	3,195	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz	12	22,526	1,654	110	LGA2011-v3	Server
»	Intel Core i7-11700B @ 3.20GHz	8	22,505	3,320	65	Unknown	Desktop
»	Intel Core i9-10900X @ 3.70GHz	10	22,473	2,681	165	FCLGA2066	Desktop
»	AMD Ryzen 9 PRO 6950H	8	22,447	3,203	45	FP7	Laptop
»	AMD Ryzen 7 5700GE	8	22,436	3,352	35	AM4	Desktop
»	Intel Xeon W-1290P @ 3.70GHz	10	22,415	3,168	125	FCLGA1200	Server
»	Intel Core i9-10850K @ 3.60GHz	10	22,408	3,078	125	FCLGA1200	Desktop
»	AMD Ryzen 5 PRO 8500G	6	22,405	4,008	65	AM5	Desktop
»	[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz	8	22,379	1,810	85	FCLGA3647	Server
»	Intel Xeon W-2255 @ 3.70GHz	10	22,369	2,712	165	FCLGA2066	Desktop, Server
»	[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz	12	22,350	1,705	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz	6	22,345	2,152	115	FCLGA3647	Server
»	Intel Xeon E-2436	6	22,337	3,595	65	FCLGA1700	Server
»	[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz	10	22,336	1,951	135	FCLGA2011-3	Server
»	Apple M4 9 Core	9	22,333	4,493	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz	10	22,331	1,832	105	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz	10	22,319	1,947	75	FCLGA2011-3	Server
»	Intel Core i9-11900F @ 2.50GHz	8	22,299	3,405	65	FCLGA1200	Desktop
»	Intel Xeon E5-2699C v4 @ 2.20GHz	22	22,283	1,527	145	FCLGA2011-3	Server
»	AMD Ryzen 7 PRO 6850HS	8	22,211	3,288	35	FP7	Laptop
»	AMD Ryzen 7 7736U	8	22,195	3,338	28	FP7	Laptop
»	AMD Ryzen 5 PRO 8500GE	6	22,140	3,982	35	AM5	Desktop
»	Intel Xeon E5-2696 v3 @ 2.30GHz	18	22,140	2,097	145	LGA2011-v3	Server
»	AMD Ryzen 9 5900HS Creator Edition	8	22,138	3,275	35	Unknown	Laptop
»	AMD Ryzen Threadripper 1920	12	22,066	2,299	140	sTR4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz	10	22,066	1,953	85	FCLGA3647	Server
»	Apple M1 Max 10 Core 3200 MHz	10	22,056	3,837	NA	Unknown	Desktop, Laptop
»	AMD Ryzen 5 PRO 8640HS	6	22,041	3,735	28	FP7 FP7r2	Desktop, Laptop, Server
»	AMD Ryzen 5 5600X3D	6	22,011	3,206	105	AM4	Desktop
»	Intel Xeon Gold 5218 @ 2.30GHz	16	21,986	2,237	125	FCLGA3647	Server
»	Intel Xeon Gold 6132 @ 2.60GHz	14	21,947	2,131	140	FCLGA3647	Server
»	AMD Ryzen 5 PRO 5645	6	21,904	3,441	NA	AM4	Desktop
»	AMD Ryzen 5 5600X	6	21,889	3,360	65	AM4	Desktop
»	AMD Ryzen 7 PRO 5750GE	8	21,882	3,303	35	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz	12	21,875	1,718	120	LGA2011-v3	Server
»	Apple M1 Pro 10 Core 3200 MHz	10	21,861	3,806	NA	Unknown	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz	12	21,856	1,576	105	LGA2011-v3	Server
»	AMD Ryzen 9 6900HS Creator Edition	8	21,855	3,327	35	FP7	Laptop
»	Intel Core i9-9900X @ 3.50GHz	10	21,825	2,560	165	FCLGA2066	Desktop
»	Intel Xeon Gold 6262 @ 1.90GHz	24	21,823	1,701	135	Unknown	Server
»	Intel Xeon Gold 6130T @ 2.10GHz	16	21,804	1,698	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz	12	21,750	1,599	115	LGA 2011	Server
»	[Quad CPU] AMD Opteron 6376	8	21,745	1,185	115	Socket G34	Server
»	AMD Ryzen 7 6800HS Creator Edition	8	21,736	3,229	35	FP7	Laptop
»	[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz	10	21,729	1,841	130	FCLGA2011	Server
»	Apple M2 Pro 10 Core 3480 MHz	10	21,708	4,104	NA	Unknown	Desktop, Laptop
»	Qualcomm Snapdragon X Plus X1P-64-100	10	21,681	3,211	NA	Unknown	Laptop
»	AMD Ryzen 9 5900HS	8	21,680	3,164	35	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz	10	21,671	1,958	120	LGA2011-v3	Server
»	AMD Ryzen 5 8500G	6	21,666	3,911	65	AM5	Desktop
»	AMD EPYC 7281	16	21,621	1,626	155	SP3	Server
»	Intel Xeon E7-8891 v3 @ 2.80GHz	10	21,615	1,715	165	LGA2011-v3	Server
»	AMD Ryzen 5 5600	6	21,571	3,258	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	21,548	1,291	115	FCLGA2011	Server
»	Intel Core i7-12700T	12	21,536	3,632	35	FCLGA1700	Desktop
»	Intel Xeon Gold 6334 @ 3.60GHz	8	21,521	2,545	165	FCLGA4189	Server
»	Intel Xeon E5-2697A v4 @ 2.60GHz	16	21,515	2,093	145	FCLGA2011-3	Server
»	Intel Core i5-13500TE	14	21,478	3,711	35	FCLGA1700	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i9-10910 @ 3.60GHz	10	21,461	3,158	125	FCLGA1200	Desktop
»	Intel Xeon Gold 5218T @ 2.10GHz	16	21,433	2,282	105	Unknown	Server
»	[Quad CPU] Intel Xeon E7-4850 @ 2.00GHz	10	21,385	931	130	LGA1567	Server
»	[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz	8	21,374	1,392	95	LGA2011	Server
»	AMD Ryzen 9 5980HS	8	21,318	3,192	35	FP6	Laptop
»	AMD Ryzen 7 7735U	8	21,291	3,276	28	FP7	Laptop
»	AMD Ryzen 5 PRO 7640U	6	21,287	3,726	28	FP7 FP7r2 FP8	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz	10	21,273	1,784	115	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz	8	21,271	1,981	110	LGA 2011	Server
»	Intel Core i5-12600	6	21,257	3,812	65	LGA 1700	Desktop
»	Intel Core i9-11950H @ 2.60GHz	8	21,206	3,179	45	FCBGA1787	Laptop
»	[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz	8	21,183	2,019	130	LGA 2011	Server
»	AMD Ryzen 5 7640U	6	21,171	3,507	28	FP7 FP7r2 FP8	Laptop
»	AMD Ryzen 7 5800HS Creator Edition	8	21,166	3,100	NA	Unknown	Laptop
»	Intel Core i5-12500H	12	21,163	3,469	45	FCBGA1744	Laptop
»	Intel Xeon E-2378G @ 2.80GHz	8	21,153	3,352	80	FCLGA1200	Server
»	[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz	10	21,121	1,871	90	FCLGA2011-3	Server
»	Intel Core i9-7900X @ 3.30GHz	10	21,092	2,559	140	FCLGA2066	Desktop
»	Intel Core i5-13400T	10	21,078	3,490	82	FCLGA1700	Desktop
»	Intel Xeon W-2155 @ 3.30GHz	10	21,059	2,604	140	FCLGA2066	Server
»	AMD Ryzen 7 5800H	8	21,036	3,046	45	FP6	Laptop
»	Intel Xeon E5-2697 v4 @ 2.30GHz	18	21,013	1,989	145	FCLGA2011-3	Server
»	Intel Core i7-7900X @ 3.30GHz	10	21,008	2,455	140	FCLGA2066	Desktop
»	Intel Core i7-11700F @ 2.50GHz	8	20,996	3,283	65	FCLGA1200	Desktop
»	Intel Xeon Silver 4310T @ 2.30GHz	10	20,973	2,288	105	FCLGA4189	Server
»	[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz	8	20,969	1,966	135	LGA2011-v3	Server
»	Intel Xeon Gold 6250 @ 3.90GHz	8	20,915	2,703	185	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz	10	20,898	1,667	85	FCLGA3647	Server
»	AMD Ryzen 7 PRO 6860Z	8	20,863	3,167	28	Unknown	Laptop
»	Intel Xeon E5-2697R v4 @ 2.30GHz	18	20,843	2,007	145	FCLGA2011-3	Server
»	Intel Xeon Gold 5315Y @ 3.20GHz	8	20,820	2,480	140	FCLGA4189	Server
»	AMD Ryzen 7 PRO 6850U	8	20,799	3,234	28	FP7	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Gold 6136 @ 3.00GHz	12	20,796	2,207	150	FCLGA3647	Server
»	AMD EPYC 7262	8	20,795	2,036	155	SP3	Server
»	AMD Ryzen 5 PRO 5650G	6	20,785	3,252	65	AM4	Desktop
»	AMD Ryzen 5 8640U	6	20,772	3,483	28	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Core i5-12500E	6	20,699	3,735	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon Gold 6138T @ 2.00GHz	20	20,649	2,087	125	FCLGA3647	Server
»	Intel Xeon Gold 6130 @ 2.10GHz	16	20,647	2,065	125	FCLGA3647	Server
»	Intel Xeon E5-2673 v4 @ 2.30GHz	20	20,631	2,107	135	FCLGA2011-3	Server
»	Intel Xeon D-2753NT @ 2.00GHz	12	20,626	2,082	87	FCBGA2579	Server
»	Intel Xeon Silver 4216 @ 2.10GHz	16	20,613	1,807	100	FCLGA3647	Server
»	Intel Core i7-12650HX	14	20,612	2,457	55	FCBGA1964	Laptop, Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz	8	20,611	1,988	150	FCLGA2011	Server
»	Intel Core i9-11900H @ 2.50GHz	8	20,602	3,133	45	FCBGA1787	Laptop
»	AMD Ryzen 7 6800U	8	20,601	3,208	28	Unknown	Laptop
»	AMD Ryzen 9 5900H	8	20,557	2,977	NA	AM4	Laptop
»	AMD EPYC 8024P	8	20,556	2,371	90	SP6	Server
»	Intel Core i7-11850H @ 2.50GHz	8	20,543	3,120	45	FCBGA1787	Laptop
»	Intel Xeon W-2150B @ 3.00GHz	10	20,515	2,690	NA	FCLGA2066	Server
»	Intel Core i7-11800H @ 2.30GHz	8	20,484	3,077	45	FCBGA1787	Laptop
»	AMD Ryzen 7 PRO 4750G	8	20,469	2,714	65	AM4	Desktop
»	Intel Xeon E5-2686 v4 @ 2.30GHz	18	20,434	1,811	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6226 @ 2.70GHz	12	20,429	2,064	125	FCLGA3647	Server
»	Intel Core i7-1280P	14	20,386	3,324	28	FCBGA1744	Laptop
»	Intel Core i5-12490F	6	20,376	3,706	65	LGA1700	Desktop
»	[Quad CPU] Intel Xeon E7-4860 @ 2.27GHz	10	20,367	1,092	130	LGA1567	Server
»	Intel Xeon E5-2699 v3 @ 2.30GHz	18	20,329	1,898	145	LGA2011-v3	Server
»	Intel Xeon E5-4667 v4 @ 2.20GHz	18	20,319	1,757	135	FCLGA2011-3	Server
»	AMD Ryzen 7 Pro 7735U	8	20,302	3,235	28	FP7	Laptop
»	[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz	10	20,294	1,722	135	FCLGA2011-3	Server
»	Intel Xeon D-1747NTE @ 2.50GHz	10	20,279	2,208	80	FCBGA2227	Server
»	AMD Ryzen 5 5600GT	6	20,253	3,354	65	AM4	Desktop
»	ARM Neoverse-N1 64 Core 2200 MHz	64	20,250	917	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz	12	20,233	1,522	120	LGA2011-v3	Server
»	AMD Ryzen Embedded V3C48	8	20,203	2,804	45	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⌵	AMD Ryzen 5 5500GT	6	20,202	3,220	65	AM4	Desktop
⌵	Intel Core i5-1250P	12	20,187	3,537	28	BGA1700	Laptop
⌵	Intel Core i7-1370P	14	20,179	3,552	28	FCBGA1744	Laptop
⌵	AMD Ryzen 7 4700G	8	20,155	2,742	65	AM4	Desktop
⌵	Intel Core i9-9820X @ 3.30GHz	10	20,137	2,457	165	FCLGA2066	Desktop
⌵	AMD Ryzen 7 5800HS	8	20,092	3,028	35	FP6	Laptop
⌵	Intel Xeon W-1290 @ 3.20GHz	10	20,071	3,086	80	FCLGA1200	Server
⌵	Intel Core i5-1340PE	12	20,041	3,690	28	FCBGA1744	Mobile/Embedded
⌵	Intel Xeon Gold 6144 @ 3.50GHz	8	19,993	2,509	150	FCLGA3647	Server
⌵	[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz	8	19,981	1,012	105	LGA1567	Server
⌵	Intel CoreT i5-1350P	12	19,976	3,636	28	FCBGA1744	Mobile/Embedded
⌵	Intel Core i9-10900F @ 2.80GHz	10	19,956	3,029	65	FCLGA1200	Desktop
⌵	[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz	6	19,933	2,279	135	FCLGA2011-3	Server
⌵	Intel Core i5-12500	6	19,895	3,689	65	LGA 1700	Desktop
⌵	AMD Ryzen 5 5600G	6	19,884	3,190	65	AM4	Desktop
⌵	[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz	12	19,882	1,352	65	LGA2011-v3	Server
⌵	Intel Core i9-10900 @ 2.80GHz	10	19,835	3,030	65	FCLGA1200	Desktop
⌵	AMD Ryzen 7 4700GE	8	19,831	2,681	35	AM4	Desktop
⌵	Intel Xeon W-1350P @ 4.00GHz	6	19,821	3,539	65	FCLGA1200	Server
⌵	AMD Ryzen 7 PRO 4700G	8	19,786	2,668	65	AM4	Desktop
⌵	Intel Core i7-11700 @ 2.50GHz	8	19,764	3,119	95	FCLGA1200	Desktop
⌵	[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz	10	19,757	1,619	105	LGA2011-v3	Server
⌵	[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz	10	19,755	1,800	55	FCLGA2011-3	Server
⌵	[Dual CPU] Intel Core i5-12400F	6	19,680	3,630	65	FCLGA1700	Desktop
⌵	Intel Core i5-11600KF @ 3.90GHz	6	19,626	3,341	125	FCLGA1200	Desktop
⌵	Intel Xeon E-2386G @ 3.50GHz	6	19,613	3,393	95	FCLGA1200	Server
⌵	Intel Core i5-11600K @ 3.90GHz	6	19,603	3,350	125	FCLGA1200	Desktop
⌵	Intel Xeon W-11865MRE @ 2.60GHz	8	19,589	3,135	45	FCBGA1787	Server, Mobile/Embedded
⌵	Intel Xeon E5-2690 v4 @ 2.60GHz	14	19,542	2,075	135	FCLGA2011-3	Server
⌵	Intel Core i5-12400F	6	19,534	3,503	65	FCLGA1700	Desktop
⌵	AMD EPYC 3451	16	19,532	1,700	NA	Unknown	Server
⌵	Intel Core i9-9900KS @ 4.00GHz	8	19,492	3,037	127	FCLGA1151-2	Desktop
⌵	Apple M3 8 Core	8	19,489	4,816	20	Unknown	Desktop, Laptop, Mobile/Embedded
⌵	Intel Core i9-10900E @ 2.80GHz	10	19,456	2,891	65	FCLGA1200	Desktop, Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon W-2245 @ 3.90GHz	8	19,454	2,737	155	FCLGA2066	Server
»	Intel Xeon E5-2695 v4 @ 2.10GHz	18	19,449	1,868	120	FCLGA2011-3	Server
»	AMD Ryzen 5 8640HS	6	19,433	3,527	28	FP7 , FP7r2 , FP	Desktop, Laptop
»	AMD Ryzen 5 5500	6	19,416	3,059	65	AM4	Desktop
»	AMD EPYC 7252	8	19,411	2,020	120	SP3	Server
»	Intel Xeon D-2183IT @ 2.20GHz	16	19,377	1,719	100	FCBGA2518	Server
»	Intel Core i5-12400	6	19,375	3,523	65	LGA 1700	Desktop
»	Intel Xeon Gold 6137 @ 3.90GHz	16	19,365	2,499	205	FCLGA-3647	Server
»	Intel Core i5-1350P	12	19,222	3,590	28	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz	10	19,216	1,725	85	FCLGA2011-3	Server
»	AMD Ryzen 5 7540U	6	19,213	3,722	28	FP7 FP7r2	Laptop
»	Intel Core i7-1360P	12	19,207	3,541	28	FCBGA1744	Laptop
»	Intel Xeon Gold 6126 @ 2.60GHz	12	19,189	2,117	125	FCLGA3647	Server
»	AMD Ryzen 9 4900H	8	19,164	2,706	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz	10	19,135	1,573	115	FCLGA2011	Server
»	Intel Xeon D-2752TER @ 1.80GHz	12	19,102	1,990	77	FCBGA2579	Server
»	Intel Xeon Silver 4309Y @ 2.80GHz	8	19,100	2,420	105	FCLGA4189	Server
»	AMD Ryzen 7 PRO 7730U	8	19,074	3,075	15	Unknown	Laptop
»	Intel Core i5-12450HX	8	19,042	3,444	148	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz	8	19,039	1,767	85	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz	10	19,028	1,373	95	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz	10	19,022	1,555	95	LGA 1356	Server
»	Intel Xeon W-1350 @ 3.30GHz	6	19,015	3,494	80	FCLGA1200	Server
»	AMD Ryzen 9 4900HS	8	18,985	2,599	35	FP6	Laptop
»	Intel Xeon Gold 6244 @ 3.60GHz	8	18,980	2,546	150	FCLGA3647	Server
»	Intel Xeon E5-2676 v4 @ 2.40GHz	16	18,978	1,730	145	FCLGA2011-3	Server
»	Intel Core i9-11900T @ 1.50GHz	8	18,968	3,326	35	FCLGA1200	Desktop
»	AMD Ryzen 5 PRO 6650H	6	18,928	3,214	45	FP7	Laptop
»	Intel Core i7-11850HE @ 2.60GHz	8	18,899	3,001	35	FCBGA1787	Mobile/Embedded
»	Intel Xeon E5-2682 v4 @ 2.50GHz	16	18,898	1,865	120	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2628L v4 @ 1.90GHz	12	18,895	1,462	75	FCLGA2011-3	Server
»	Intel Xeon E5-2698 v3 @ 2.30GHz	16	18,872	1,920	135	LGA2011-v3	Server
»	Hygon C86 7255 16-core	16	18,831	1,490	NA	Unknown	Server
»	ARM Neoverse-N1 80 Core 2600 MHz	80	18,823	1,127	NA	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-10700K @ 3.80GHz	8	18,799	3,052	125	FCLGA1200	Desktop
»	AMD Ryzen 5 6600H	6	18,791	3,186	45	FP7	Laptop
»	Intel Xeon W-1290E @ 3.50GHz	10	18,786	2,806	95	FCLGA1200	Server
»	AMD Ryzen 5 PRO 8540U	6	18,775	3,724	28	FP7 FP7r2	Desktop, Laptop, Mobile/Embedded
»	AMD Ryzen Z1	6	18,757	3,767	30	Unknown	Mobile/Embedded
»	AMD Ryzen 5 5600GE	6	18,745	3,214	35	AM4	Desktop
»	Intel Core i5-1340P	12	18,741	3,530	28	FCBGA1744	Laptop
»	AMD Ryzen 7 7730U	8	18,676	3,066	15	FP6	Laptop
»	Intel Core i5-13420H	8	18,660	3,467	45	FCBGA1744	Laptop
»	Intel Xeon w3-2425	6	18,655	3,115	130	FCLGA4677	Server
»	Intel Xeon E5-2697 v3 @ 2.60GHz	14	18,651	1,984	145	LGA2011-v3	Server
»	AMD Ryzen 5 3600XT	6	18,643	2,760	95	AM4	Desktop
»	AMD EPYC 4124P	4	18,637	3,901	65	AM5	Server
»	Intel Xeon W-1270E @ 3.40GHz	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
»	Intel Core i7-10700KF @ 3.80GHz	8	18,597	3,043	125	FCLGA1200	Desktop
»	AMD Ryzen 7 4800H	8	18,530	2,615	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz	10	18,491	1,423	95	LGA 2011	Server
»	AMD Ryzen 7 PRO 4750GE	8	18,465	2,685	35	AM4	Desktop
»	AMD Ryzen 5 7535HS	6	18,456	3,170	35	FP7	Laptop
»	Intel Xeon E-2356G @ 3.20GHz	6	18,452	3,267	80	FCLGA1200	Server
»	AMD Ryzen 7 5800U	8	18,450	3,040	15	FP6	Laptop
»	Intel Xeon W-1290T @ 1.90GHz	10	18,409	2,974	35	FCLGA1200	Server
»	AMD Ryzen 5 8540U	6	18,398	3,764	28	FP7 FP7r2	Desktop, Laptop
»	AMD Ryzen 7 5825U	8	18,392	3,058	15	AM4	Laptop
»	AMD Ryzen 5 PRO 5650GE	6	18,390	3,181	35	AM4	Desktop
»	AMD Ryzen 5 6600HS Creator Edition	6	18,353	3,122	35	FP7	Laptop
»	AMD Ryzen 7 4800HS	8	18,353	2,575	45	FP6	Laptop
»	Intel Xeon Silver 4214R @ 2.40GHz	12	18,342	1,968	100	FCLGA3647	Server
»	Intel Core i9-9900K @ 3.60GHz	8	18,279	2,930	95	FCLGA1151-2	Desktop
»	Intel Core i9-9900KF @ 3.60GHz	8	18,261	2,925	95	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz	10	18,250	1,529	95	LGA 2011	Server
»	Intel Xeon E7-8880 v3 @ 2.30GHz	18	18,244	1,612	150	LGA2011-1	Server
»	AMD Ryzen 5 3600X	6	18,196	2,652	95	AM4	Desktop
»	Intel Xeon W-11855M @ 3.20GHz	6	18,159	3,254	45	FCBGA1787	Laptop, Server
»	Intel Xeon W-2145 @ 3.70GHz	8	18,157	2,608	140	FCLGA2066	Server
»	Intel Xeon E5-2686 v3 @ 2.00GHz	18	18,148	1,910	120	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Gold 5120T @ 2.20GHz	14	18,127	1,849	105	FCLGA3647	Server
»	AMD 4700S	8	18,091	2,398	NA	Unknown	Desktop
»	AMD Ryzen 5 PRO 7540U	6	18,080	3,548	30	FP7 FP7r2	Laptop
»	Intel Core i7-9800X @ 3.80GHz	8	18,075	2,570	165	FCLGA2066	Desktop
»	Intel Core i5-11600 @ 2.80GHz	6	18,071	3,291	65	FCLGA1200	Desktop
»	Intel Xeon D-2187NT @ 2.00GHz	16	18,070	1,425	110	FCBGA2518	Server
»	Intel Xeon Gold 5120 @ 2.20GHz	14	18,007	1,803	105	FCLGA3647	Server
»	Intel Core i7-1270PE	12	17,960	3,715	28	FCBGA1744	Mobile/Embedded
»	Intel Xeon E5-2666 v4 @ 2.80GHz	12	17,958	2,052	145	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz	6	17,895	2,061	135	LGA2011-v3	Server
»	[Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	17,849	1,512	95	FCLGA2011	Server
»	Intel Xeon D-1736NT @ 2.70GHz	8	17,826	2,392	67	FCBGA2227	Server
»	Intel Core Ultra 5 125U	12	17,820	3,395	15	FCBGA2049	Laptop
»	[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz	8	17,778	1,739	150	LGA2011	Server
»	Intel Xeon E5-2680 v4 @ 2.40GHz	14	17,777	1,956	120	FCLGA2011-3	Server
»	Intel Xeon E5-2687W v4 @ 3.00GHz	12	17,755	2,037	160	FCLGA2011-3	Server
»	Intel Xeon Gold 6234 @ 3.30GHz	8	17,752	2,393	130	FCLGA3647	Server
»	AMD Ryzen 5 3600	6	17,751	2,567	65	AM4	Desktop
»	Intel Xeon E5-2683 v4 @ 2.10GHz	16	17,748	1,713	120	FCLGA2011-3	Server
»	Intel Core i5-1250PE	12	17,738	2,823	28	FCBGA1744	Mobile/Embedded
»	AMD EPYC 7322P	8	17,731	1,767	120	SP3	Server
»	Intel Xeon W-1270 @ 3.40GHz	8	17,641	3,026	80	FCLGA1200	Server
»	AMD Ryzen 5 PRO 3600	6	17,606	2,528	65	AM4	Desktop
»	Intel Core Ultra 5 135U	12	17,594	3,356	28	Unknown	Laptop
»	Intel Core i5-12600T	6	17,576	3,480	35	FCLGA1700	Desktop
»	Intel Core Ultra 7 165U	12	17,563	3,388	15	Unknown	Laptop
»	AMD Ryzen 7 2700X	8	17,523	2,421	105	AM4	Desktop
»	[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz	4	17,523	2,297	105	FCLGA3647	Server
»	Intel Xeon E5-2680R v4 @ 2.40GHz	14	17,487	1,904	120	FCLGA2011-3	Server
»	Intel Xeon W-11555MRE @ 2.60GHz	6	17,484	3,201	45	FCBGA1787	Server, Mobile/Embedded
»	Intel Xeon E-2378 @ 2.60GHz	8	17,472	3,263	65	FCLGA1200	Server
»	AMD Ryzen 7 4980U Microsoft Surface Edition	8	17,469	2,752	15	FP6	Laptop
»	Intel Core i5-11500B @ 3.30GHz	6	17,468	3,185	65	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-4669 v3 @ 2.10GHz	18	17,430	1,474	135	FCLGA2011-3	Server
»	Intel Xeon E-2288G @ 3.70GHz	8	17,423	2,901	95	FCLGA1151-2	Server
»	Intel Core i7-1270P	12	17,406	3,402	28	BGA1700	Laptop
»	Intel Core i7-6950X @ 3.00GHz	10	17,402	2,339	140	LGA2011-v3	Desktop
»	[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz	8	17,395	1,670	95	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz	8	17,380	1,737	90	LGA2011-v3	Server
»	Intel Core i5-11500 @ 2.70GHz	6	17,376	3,137	65	FCLGA1200	Desktop
»	[Quad CPU] Intel Xeon E7-8837 @ 2.67GHz	8	17,333	1,011	130	LGA1567	Server
»	[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz	8	17,328	1,628	85	FCLGA3647	Server
»	Intel Xeon W-2140B @ 3.20GHz	8	17,318	2,553	NA	FCLGA2066	Server
»	Intel Atom P5362	24	17,276	1,193	83	FCBGA2106	Server
»	Intel Core 5 120U	10	17,264	3,804	15	FCBGA1744	Mobile/Embedded
»	Intel Core i7-12700TE	12	17,189	2,875	35	FCLGA1700	Laptop, Mobile/Embedded
»	Apple M1 Pro 8 Core 3200 MHz	8	17,179	3,773	NA	Unknown	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz	6	17,175	1,978	130	FCLGA2011	Server
»	Intel Core i5-1240P	12	17,170	3,278	28	FCBGA1744	Laptop
»	Intel Xeon W-3223 @ 3.50GHz	8	17,166	2,449	160	FCLGA3647	Server
»	AMD Ryzen 5 4400G	6	17,160	2,711	65	AM4	Desktop
»	AMD Ryzen 5 Pro 7535U	6	17,156	3,214	28	FP7	Laptop
»	[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz	8	17,151	1,714	85	LGA2011-v3	Server
»	Intel Core i7-7820X @ 3.60GHz	8	17,136	2,521	140	FCLGA2066	Desktop
»	Intel Xeon W-1270P @ 3.80GHz	8	17,113	2,916	95	FCLGA1200	Server
»	Intel Xeon E-2278G @ 3.40GHz	8	17,082	2,950	80	FCLGA1151-2	Server
»	Intel Core i7-1260P	12	17,054	3,296	28	FCBGA1744	Laptop
»	AMD Ryzen Embedded V3C18I	8	17,053	2,836	15	Unknown	Mobile/Embedded
»	Intel Xeon E5-2689 v4 @ 3.10GHz	10	17,049	2,309	165	FCLGA2011-3	Server
»	Intel Core i5-11400F @ 2.60GHz	6	17,040	2,999	65	FCLGA1200	Desktop
»	Intel Core i5-11400 @ 2.60GHz	6	17,027	3,030	65	FCLGA1200	Desktop
»	AMD Ryzen 7 PRO 5850U	8	17,021	2,996	15	FP6	Laptop
»	Intel Core i5-12450H	8	17,013	3,382	45	FCBGA1744	Laptop
»	AMD Ryzen 5 5600H	6	16,998	2,948	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	16,970	1,574	95	FCLGA2011	Server
»	AMD Ryzen 7 PRO 2700X	8	16,948	2,267	105	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 7 Extreme Edition	8	16,903	2,457	NA	FP6	Laptop
»	[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz	6	16,902	NA	130	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz	8	16,884	1,639	95	LGA 1356	Server
»	AMD Ryzen 5 7535U	6	16,867	3,206	28	FP7	Laptop
»	[Dual CPU] Intel Xeon Platinum 8156 @ 3.60GHz	4	16,852	2,245	105	FCLGA3647	Server
»	AMD Ryzen Threadripper 1900X	8	16,802	2,325	180	sTR4	Desktop
»	AMD Ryzen 5 6600U	6	16,792	3,195	25	FP7	Laptop
»	[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz	4	16,787	2,336	105	FCLGA3647	Server
»	Intel Xeon E-2336 @ 2.90GHz	6	16,768	3,226	65	FCLGA1200	Server
»	[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz	8	16,754	1,675	135	LGA2011	Server
»	AMD Ryzen 5 PRO 6650U	6	16,731	3,191	28	FP7	Laptop
»	Intel Core Ultra 7 155U	12	16,726	3,468	15	FCBGA2049	Laptop
»	AMD Ryzen Embedded V2748	8	16,706	2,680	54	FP6	Mobile/Embedded
»	AMD Ryzen 7 4800U	8	16,692	2,571	15	FP6	Laptop
»	Intel Core i7-11600H @ 2.90GHz	6	16,685	3,106	45	FCBGA1787	Laptop
»	Intel Xeon Gold 5118 @ 2.30GHz	12	16,627	1,785	105	FCLGA3647	Server
»	Intel Xeon Gold 6134 @ 3.20GHz	8	16,621	2,225	130	FCLGA3647	Server
»	Intel Core i5-12500T	6	16,602	3,517	35	FCLGA1700	Desktop
»	Intel Core i7-10700E @ 2.90GHz	8	16,599	2,882	65	FCLGA1200	Laptop, Mobile/Embedded
»	Intel Core i9-9900 @ 3.10GHz	8	16,506	2,833	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-2690 v3 @ 2.60GHz	12	16,484	1,935	135	LGA2011-v3	Server
»	Intel Xeon E5-2695 v3 @ 2.30GHz	14	16,473	1,802	120	LGA2011-v3	Server
»	Intel Xeon E7-4809 v2 @ 1.90GHz	48	16,471	1,006	105	FCLGA2011	Server
»	[Quad CPU] Intel Xeon X7560 @ 2.27GHz	8	16,464	1,148	130	LGA1567	Server
»	Intel Xeon Silver 4214Y @ 2.20GHz	12	16,442	1,822	85	FCLGA3647	Server
»	Intel Core i7-10700F @ 2.90GHz	8	16,434	2,880	65	FCLGA1200	Desktop
»	Intel Xeon E E-2434	4	16,432	3,770	55	FCLGA1700	Server
»	Intel Core i7-10700 @ 2.90GHz	8	16,417	2,906	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz	4	16,400	2,205	105	FCLGA3647	Server
»	Intel Xeon E-2278GE @ 3.30GHz	8	16,379	2,712	80	FCLGA1151-2	Server
»	AMD Ryzen 5 PRO 4400G	6	16,365	2,652	NA	Unknown	Desktop
»	AMD Ryzen 7 1800X	8	16,363	2,197	95	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 5 PRO 4655G	6	16,355	2,696	65	AM4	Desktop
»	Intel Xeon E5-2698B v3 @ 2.00GHz	16	16,287	1,666	NA	LGA2011-v3	Server
»	Intel Core i9-10900TE @ 1.80GHz	10	16,251	2,633	35	FCLGA1200	Mobile/Embedded
»	AMD Ryzen Embedded V2546	6	16,236	2,513	NA	FP6	Desktop
»	Intel Xeon D-2733NT @ 2.10GHz	8	16,206	2,257	80	FCBGA2579	Server
»	AMD Ryzen 7 PRO 5875U	8	16,201	2,891	15	FP6	Laptop
»	Intel Xeon Silver 4214 @ 2.20GHz	12	16,190	1,769	85	FCLGA3647	Server
»	Intel Core i5-12400T	6	16,186	3,375	74	FCLGA1700	Desktop
»	AMD Ryzen 5 PRO 4650G	6	16,176	2,655	65	AM4	Desktop
»	Intel Core i3-1220PE	8	16,146	3,474	35	FCBGA1744	Mobile/Embedded
»	AMD Ryzen 5 4500	6	16,136	2,597	65	AM4	Desktop
»	Intel Xeon E5-2669 v3 @ 2.30GHz	12	16,107	1,502	120	LGA2011-v3	Server
»	Intel Core i5-11500H @ 2.90GHz	6	16,106	3,064	45	FCBGA1787	Laptop
»	AMD Ryzen 5 7530U	6	16,104	3,122	15	FP6	Laptop
»	[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz	8	16,080	1,676	85	FCLGA3647	Server
»	AMD Ryzen Embedded V2718	8	16,075	2,240	15	FP6	Mobile/Embedded
»	Intel Xeon E5-2660 v4 @ 2.00GHz	14	16,074	1,750	105	FCLGA2011-3	Server
»	AMD Ryzen 5 4600G	6	16,068	2,658	65	AM4	Desktop
»	[Quad CPU] AMD Opteron 6172	12	16,032	919	115	G34	Server
»	[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz	10	16,028	1,286	70	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz	12	15,980	1,047	NA	LGA 2011	Server
»	Intel Xeon W-11865MLE @ 1.50GHz	8	15,958	2,808	25	FCBGA1787	Server, Mobile/Embedded
»	AMD Ryzen 7 4850U Mobile	8	15,920	2,654	15	FP6	Laptop
»	Intel Core 7 150U	10	15,911	3,636	15	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	15,898	1,972	130	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz	8	15,883	1,700	85	FCLGA2011-3	Server
»	Intel Xeon E5-4650 v4 @ 2.20GHz	14	15,871	1,610	105	FCLGA2011-3	Server
»	AMD Ryzen 7 5700U	8	15,850	2,591	15	FP6	Laptop
»	Intel Core i9-13900TE	24	15,819	2,209	35	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 5 4600GE	6	15,816	2,627	35	AM4	Desktop
»	Intel Xeon Gold 5117 @ 2.00GHz	14	15,816	1,531	105	Unknown	Server
»	Intel Core i5-11260H @ 2.60GHz	6	15,768	2,929	45	FCBGA1787	Laptop
»	[Quad CPU] AMD Opteron 6168	12	15,745	845	115	G34	Server
»	Intel Xeon W-10885M @ 2.40GHz	8	15,735	2,767	45	FCBGA1440	Laptop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz	8	15,713	1,596	115	LGA 2011	Server
»	AMD Ryzen 5 7430U	6	15,710	3,072	15	AM4	Laptop
»	AMD Ryzen 7 2700	8	15,700	2,179	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz	8	15,691	1,499	115	LGA2011	Server
»	[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz	8	15,690	1,552	130	LGA2011	Server
»	AMD Ryzen 7 1700X	8	15,665	2,101	95	AM4	Desktop
»	Intel Core i5-11400H @ 2.70GHz	6	15,655	3,002	45	FCBGA1787	Laptop
»	Intel Xeon Gold 5215 @ 2.50GHz	10	15,624	1,835	85	FCLGA3647	Server
»	AMD Ryzen 7 PRO 1700X	8	15,602	2,141	95	AM4	Desktop
»	AMD Ryzen 5 PRO 4650GE	6	15,573	2,616	35	AM4	Desktop
»	Apple M2 8 Core 3500 MHz	8	15,537	3,911	NA	Unknown	Desktop, Laptop
»	Intel Xeon D-1726 @ 2.90GHz	6	15,511	2,477	70	FCBGA2227	Server
»	Intel Core i9-10980HK @ 2.40GHz	8	15,463	2,775	45	FCBGA1440	Laptop
»	AMD Ryzen 5 5600U	6	15,441	2,917	15	FP6	Laptop
»	Intel Xeon Gold 5217 @ 3.00GHz	8	15,429	2,173	115	FCLGA3647	Server
»	Intel Xeon E5-4667 v3 @ 2.00GHz	16	15,397	1,461	135	FCLGA2011-3	Server
»	Intel Core i7-11700T @ 1.40GHz	8	15,389	2,912	35	FCLGA1200	Desktop
»	Intel Xeon E5-4660 v4 @ 2.20GHz	16	15,375	1,805	120	FCLGA2011-3	Server
»	Intel Core i3-14100F	4	15,317	3,770	110	FCLGA1700	Desktop
»	AMD Ryzen 7 PRO 2700	8	15,300	2,186	65	AM4	Desktop
»	Intel Xeon w3-2423	6	15,275	2,625	120	FCLGA4677	Server
»	AMD Ryzen 7 PRO 4750U	8	15,207	2,508	15	FP6	Laptop
»	Intel Xeon Silver 4116T @ 2.10GHz	12	15,187	1,781	85	FCLGA3647	Server
»	Intel Core i5-1345U	10	15,170	3,513	15	FCBGA1744	Laptop
»	Intel Xeon E5-2680 v3 @ 2.50GHz	12	15,166	1,805	120	LGA2011-v3	Server
»	Intel Xeon Silver 4210R @ 2.40GHz	10	15,123	1,794	100	FCLGA3647	Server
»	AMD Ryzen 5 5560U	6	15,112	2,829	15	AM4	Laptop
»	Intel Core Ultra 7 164U	12	15,106	3,151	9	FCBGA2551	Laptop
»	Intel Xeon D-2166NT @ 2.00GHz	12	15,105	1,751	85	FCBGA2518	Server
»	[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz	10	15,084	1,144	105	FCLGA2011-3	Server
»	Intel Xeon E-2286M @ 2.40GHz	8	15,080	2,729	45	FCBGA1440	Laptop
»	Intel Core i3-14100	4	15,042	3,737	60	FCLGA1700	Desktop
»	Intel Core i9-10885H @ 2.40GHz	8	15,017	2,741	45	FCBGA1440	Laptop
»	AMD Ryzen 5 PRO 7530U	6	15,014	3,025	15	FP6	Laptop
»	Intel Xeon Silver 4215R @ 3.20GHz	8	15,004	2,262	130	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⏏	AMD EPYC 7301	16	14,991	1,363	155	SP3	Server
⏏	AMD EPYC 7251	8	14,935	1,671	120	SP3	Server
⏏	AMD Ryzen 5 5625U	6	14,930	2,888	15	FP6	Laptop
⏏	Intel Core i7-1355U	10	14,909	3,538	15	FCBGA1744	Laptop
⏏	Intel Core i7-1365U	10	14,907	3,560	15	FCBGA1744	Laptop
⏏	AMD Ryzen 5 PRO 5650U	6	14,904	2,931	15	FP6	Laptop
⏏	Intel Core i7-10875H @ 2.30GHz	8	14,898	2,730	45	FCBGA1440	Laptop
⏏	Intel Xeon E5-2658A v3 @ 2.20GHz	12	14,879	1,688	105	FCLGA2011-3	Server
⏏	Intel Xeon D-1733NT @ 2.00GHz	8	14,849	2,198	53	FCBGA2227	Server
⏏	Intel Core i9-10900T @ 1.90GHz	10	14,822	2,469	35	FCLGA1200	Desktop
⏏	AMD Ryzen 7 1700	8	14,820	2,001	65	AM4	Desktop
⏏	Intel Xeon E5-1681 v3 @ 2.90GHz	10	14,820	2,040	135	LGA2011-v3	Server
⏏	AMD Ryzen 5 PRO 4400GE	6	14,795	2,664	35	Unknown	Laptop
⏏	[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz	8	14,794	1,607	55	LGA2011-v3	Server
⏏	Intel Core i5-1335U	10	14,772	3,425	15	FCBGA1744	Laptop
⏏	Intel Xeon E5-2683 v3 @ 2.00GHz	14	14,749	1,673	120	LGA2011-v3	Server
⏏	[Quad CPU] Intel Xeon X7550 @ 2.00GHz	8	14,723	920	130	LGA1567	Server
⏏	Intel Xeon E5-2678 v3 @ 2.50GHz	12	14,720	1,761	120	LGA2011-v3	Server
⏏	Intel Core i3-12300	4	14,695	3,630	60	LGA 1700	Desktop
⏏	Intel Core i5-11600T @ 1.70GHz	6	14,679	2,870	35	FCLGA1200	Desktop
⏏	Intel Core 3 100U	6	14,677	3,809	15	FCBGA1744	Laptop
⏏	Intel Xeon Gold 5115 @ 2.40GHz	10	14,677	1,857	85	FCLGA3647	Server
⏏	Montage Jintide C4215R	8	14,672	2,134	130	LGA3647	Server
⏏	Intel Xeon Silver 4116 @ 2.10GHz	12	14,660	1,657	85	FCLGA3647	Server
⏏	AMD Ryzen 7 2700E	8	14,657	2,410	45	AM4	Desktop
⏏	Intel Core i9-10880H @ 2.30GHz	8	14,642	2,765	45	FCBGA1440	Laptop
⏏	Intel Core i3-13100F	4	14,627	3,606	58	FCLGA1700	Desktop
⏏	[Quad CPU] AMD Opteron 6380	8	14,622	1,334	115	G34	Server
⏏	Intel Xeon E5-2687W v3 @ 3.10GHz	10	14,615	1,904	160	LGA2011-v3	Server
⏏	AMD Ryzen 7 PRO 1700	8	14,614	2,025	65	AM4	Desktop
⏏	AMD Ryzen 5 PRO 5675U	6	14,607	2,960	15	FP6	Laptop
⏏	Intel Core i5-12500TE	6	14,536	2,960	35	FCLGA1700	Laptop, Mobile/Embedded
⏏	Intel Core i3-1220P	10	14,487	3,407	28	FCBGA1744	Laptop
⏏	Intel Core i7-6900K @ 3.20GHz	8	14,478	2,332	140	FCLGA2011-3	Desktop
⏏	[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz	8	14,464	1,410	95	LGA 1356	Server
⏏	Intel Core i7-9700K @ 3.60GHz	8	14,462	2,876	95	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon W-2135 @ 3.70GHz	6	14,453	2,610	140	FCLGA2066	Server
»	Intel Xeon Silver 4215 @ 2.50GHz	8	14,439	2,060	85	FCLGA3647	Server
»	AMD Ryzen 5 4600H	6	14,438	2,434	45	FP6	Laptop
»	AMD Ryzen 5 PRO 4655GE	6	14,436	2,662	35	AM4	Desktop
»	Intel Core i7-10870H @ 2.20GHz	8	14,436	2,668	45	FCBGA1440	Laptop
»	Intel Xeon E5-2658 v4 @ 2.30GHz	14	14,434	1,583	105	FCLGA2011-3	Server
»	Intel CC150 @ 3.50GHz	8	14,429	2,163	NA	FCLGA1151	Unknown
»	Intel Xeon Silver 4123 @ 3.00GHz	8	14,405	1,967	105	Unknown	Server
»	Intel Xeon W-2235 @ 3.80GHz	6	14,372	2,649	130	FCLGA2066	Server
»	Intel Xeon W-1250P @ 4.10GHz	6	14,324	2,986	125	FCLGA1200	Desktop, Server
»	Intel Xeon E5-2666 v3 @ 2.90GHz	10	14,315	1,971	135	LGA2011-v3	Server
»	Intel Core i5-10600K @ 4.10GHz	6	14,304	2,922	125	FCLGA1200	Desktop
»	Intel Core i7-8086K @ 4.00GHz	6	14,286	2,852	95	FCLGA1151-2	Desktop
»	Intel Core i7-9700KF @ 3.60GHz	8	14,263	2,876	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-4660 v3 @ 2.10GHz	14	14,256	1,558	120	FCLGA2011-3	Server
»	Intel Xeon D-1732TE @ 1.90GHz	8	14,254	2,015	52	FCBGA2227	Server
»	Intel Xeon E5-2697 v2 @ 2.70GHz	12	14,252	1,795	130	FCLGA2011	Server
»	Intel Core i3-12100E	4	14,250	3,481	60	FCLGA1700	Mobile/Embedded
»	Intel Xeon E5-2673 v3 @ 2.40GHz	12	14,245	1,740	110	LGA2011-v3	Server
»	Intel Core i5-1334U	10	14,243	3,468	15	FCBGA1744	Laptop
»	AMD Ryzen 3 8300GE	4	14,240	3,851	35	Unknown	Desktop
»	Intel Core i5-10600KF @ 4.10GHz	6	14,231	2,918	125	FCLGA1200	Desktop
»	AMD Ryzen 5 4600HS	6	14,230	2,398	35	FP6	Laptop
»	AMD Ryzen 3 PRO 8300GE	4	14,227	3,772	35	AM5	Desktop
»	Intel Xeon E5-1680 v4 @ 3.40GHz	8	14,211	2,320	140	FCLGA2011-3	Server
»	Apple M1 8 Core 3200 MHz	8	14,171	3,694	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
»	Intel Core i7-1260U	10	14,127	3,181	9	FCBGA1781	Laptop
»	Intel Core i3-12100F	4	14,120	3,462	58	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz	8	14,117	1,355	115	LGA2011	Server
»	Intel Core i9-9980HK @ 2.40GHz	8	14,110	2,529	45	FCBGA1440	Laptop
»	Intel Core i7-1370PRE	14	14,103	1,583	28	FCBGA1744	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz	8	14,103	1,357	95	LGA2011	Server
»	Intel Xeon E5-2696 v2 @ 2.50GHz	12	14,101	1,707	120	LGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 3 PRO 8300G	4	14,025	3,634	65	AM5	Desktop
»	[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz	10	14,022	1,034	70	FCLGA2011	Server
»	Intel Xeon E-2286G @ 4.00GHz	6	14,020	2,856	95	FCLGA1151-2	Server
»	Intel Xeon E-2236 @ 3.40GHz	6	14,012	2,802	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz	4	13,968	2,198	135	FCLGA2011-3	Server
»	Intel Xeon E-2186G @ 3.80GHz	6	13,955	2,759	95	FCLGA1151-2	Server
»	Intel Xeon E-2276G @ 3.80GHz	6	13,946	2,872	80	FCLGA1151-2	Server
»	AMD EPYC 3251	8	13,912	1,881	50	SP4r2	Server
»	AMD Ryzen 5 2600X	6	13,908	2,384	95	AM4	Desktop
»	Intel Xeon E5-2667 v4 @ 3.20GHz	8	13,867	2,191	135	FCLGA2011-3	Server
»	AMD Ryzen 3 PRO 5350G	4	13,851	3,101	65	AM4	Desktop
»	Intel Xeon E-2246G @ 3.60GHz	6	13,839	2,792	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz	8	13,818	1,313	95	LGA 1356	Server
»	Intel Core i7-1265U	10	13,778	3,192	15	FCBGA1744	Laptop, Mobile/Embedded
»	Intel Core i3-14100T	4	13,771	3,462	69	FCLGA1700	Desktop
»	[Quad CPU] AMD Opteron 6278	16	13,733	1,007	115	Unknown	Server
»	[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz	8	13,713	1,430	130	LGA2011	Server
»	Intel Core i9-9880H @ 2.30GHz	8	13,705	2,494	45	FCBGA1440	Laptop
»	Intel Core i5-10600 @ 3.30GHz	6	13,686	2,933	65	FCLGA1200	Desktop
»	Intel Core i5-11400T @ 1.30GHz	6	13,684	2,569	35	FCLGA1200	Desktop
»	Intel Core i7-1255U	10	13,663	3,275	15	FCBGA1744	Laptop
»	Intel Core i7-8700K @ 3.70GHz	6	13,633	2,728	95	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz	6	13,612	1,573	80	FCLGA2011	Server
»	Intel Xeon E5-2650 v4 @ 2.20GHz	12	13,612	1,704	105	FCLGA2011-3	Server
»	Intel Xeon W-1250 @ 3.30GHz	6	13,610	2,831	80	FCLGA1200	Server
»	Intel Xeon E-2374G @ 3.70GHz	4	13,607	3,416	80	FCLGA1200	Server
»	Intel Xeon E5-2670 v3 @ 2.30GHz	12	13,592	1,692	120	LGA2011-v3	Server
»	Intel Core i3-12100	4	13,588	3,435	60	FCLGA1700	Desktop
»	Intel Xeon E-2176G @ 3.70GHz	6	13,581	2,705	80	FCLGA1151-2	Server
»	Intel Xeon D-1587 @ 1.70GHz	16	13,566	1,327	65	FCBGA1667	Server
»	Intel Xeon E5-1660 v4 @ 3.20GHz	8	13,563	2,197	140	FCLGA2011-3	Server
»	Intel Xeon E5-2676 v3 @ 2.40GHz	12	13,560	1,638	120	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-12300T	4	13,558	3,404	35	FCLGA1700	Desktop
»	Intel Xeon W-1270TE @ 2.00GHz	8	13,553	2,796	35	FCLGA1200	Server
»	AMD Ryzen 5 PRO 2600	6	13,509	2,275	65	AM4	Desktop
»	Intel Xeon E5-2658 v3 @ 2.20GHz	12	13,487	1,711	105	LGA2011-v3	Server
»	Intel Xeon E5-2690 v2 @ 3.00GHz	10	13,487	1,882	130	FCLGA2011	Server
»	AMD Ryzen 5 4600U	6	13,480	2,438	15	FP6	Laptop
»	[Dual CPU] AMD Opteron 6348	6	13,470	1,344	115	Unknown	Server
»	Intel Xeon Silver 4210 @ 2.20GHz	10	13,457	1,725	85	FCLGA3647	Server
»	Intel Xeon E-2136 @ 3.30GHz	6	13,451	2,671	80	FCLGA1151-2	Server
»	Intel Core i3-13100	4	13,425	3,379	60	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz	8	13,421	1,184	95	LGA 2011	Server
»	Intel Core i5-1235U	10	13,390	3,220	15	FCBGA1744	Laptop, Mobile/Embedded
»	AMD Ryzen 7 4700U	8	13,382	2,524	15	FP6	Laptop
»	Intel Core i5-1245U	10	13,372	3,134	15	FCBGA1744	Laptop, Mobile/Embedded
»	Intel Core i7-10700TE @ 2.00GHz	8	13,368	2,594	35	FCLGA1200	Laptop
»	Intel Xeon E5-2695 v2 @ 2.40GHz	12	13,306	1,633	115	LGA 2011	Server
»	Intel Core i5-1240U	10	13,289	3,058	29	FCBGA1744	Laptop
»	Intel Xeon D-1581 @ 1.80GHz	16	13,282	1,482	65	FCBGA1667	Server
»	Intel Core i9-9900T @ 2.10GHz	8	13,280	2,453	35	FCLGA1151-2	Desktop
»	Intel Xeon E-2146G @ 3.50GHz	6	13,275	2,675	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz	6	13,260	1,697	85	LGA2011-v3	Server
»	Intel Core i7-9700F @ 3.00GHz	8	13,249	2,753	65	FCLGA1151-2	Desktop
»	[Quad CPU] AMD Opteron 6378	8	13,236	1,065	115	G34	Server
»	Intel Core i5-10500 @ 3.10GHz	6	13,230	2,810	65	FCLGA1200	Desktop
»	Intel Xeon Gold 6128 @ 3.40GHz	6	13,229	2,098	115	FCLGA3647	Server
»	[5-Way CPU] AMD Ryzen 9 5950X	16	13,220	2,972	105	AM4	Desktop
»	AMD Ryzen 5 2600	6	13,194	2,245	65	AM4	Desktop
»	Intel Xeon E5-2675 v3 @ 1.80GHz	16	13,180	1,186	NA	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz	4	13,176	2,047	135	LGA2011-v3	Server
»	AMD Ryzen 5 3500X	6	13,173	2,504	65	AM4	Desktop
»	Intel Core i7-9700 @ 3.00GHz	8	13,173	2,746	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-1680 v3 @ 3.20GHz	8	13,149	2,102	140	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Silver 4114 @ 2.20GHz	10	13,139	1,719	85	FCLGA3647	Server
»	Intel Xeon E5-2660 v3 @ 2.60GHz	10	13,126	1,804	105	LGA2011-v3	Server
»	AMD Ryzen 3 5300GE	4	13,074	3,098	35	AM4	Desktop
»	AMD Ryzen 5 1600X	6	13,062	2,198	95	AM4	Desktop
»	Intel Core i3-13100T	4	13,054	3,408	35	FCLGA1700	Desktop
»	Intel Core i5-11500T @ 1.50GHz	6	13,054	2,556	35	FCLGA1200	Desktop
»	AMD Ryzen 5 5500U	6	13,024	2,441	15	FP6	Laptop
»	AMD Ryzen Embedded V2516	6	13,016	2,439	15	FP6	Mobile/Embedded
»	Intel Xeon E-2334 @ 3.40GHz	4	13,011	3,356	65	FCLGA1200	Server
»	Intel Xeon E5-4627 v4 @ 2.60GHz	10	12,969	2,030	135	FCLGA2011-3	Server
»	Intel Xeon E5-2685 v3 @ 2.60GHz	12	12,944	1,726	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon X5690 @ 3.47GHz	6	12,905	1,712	130	LGA1366	Server
»	AMD Ryzen 3 5300G	4	12,889	3,035	65	AM4	Desktop
»	Intel Core i7-7800X @ 3.50GHz	6	12,882	2,394	140	FCLGA2066	Desktop
»	[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz	8	12,870	1,246	95	LGA2011	Server
»	Intel Core i7-8700 @ 3.20GHz	6	12,847	2,642	65	FCLGA1151-2	Desktop
»	Intel Core i7-10700T @ 2.00GHz	8	12,837	2,583	35	FCLGA1200	Desktop
»	AMD Ryzen 3 8440U	4	12,805	3,648	28	FP7, FP7r2	Desktop, Laptop
»	AMD Ryzen 5 3500	6	12,789	2,501	65	AM4	Desktop
»	[Dual CPU] AMD Opteron 6386 SE	16	12,761	1,297	140	Socket G34	Server
»	Intel Core i7-5960X @ 3.00GHz	8	12,744	1,987	140	LGA2011-v3	Desktop
»	AMD Ryzen 3 PRO 7330U	4	12,731	3,181	15	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz	6	12,728	1,560	130	LGA2011	Server
»	Intel Core i3-12100T	4	12,691	3,299	35	FCLGA1700	Desktop
»	Intel Xeon E5-1680 v2 @ 3.00GHz	8	12,661	2,110	130	LGA 2011	Server
»	Intel Xeon W-2133 @ 3.60GHz	6	12,657	2,260	140	FCLGA2066	Server
»	Intel Xeon E5-2650L v4 @ 1.70GHz	14	12,646	1,470	65	FCLGA2011-3	Server
»	Intel Xeon E5-2667 v3 @ 3.20GHz	8	12,633	2,007	135	LGA2011-v3	Server
»	AMD Ryzen 3 3300X	4	12,631	2,672	65	AM4	Desktop
»	Intel Xeon E5-2680 v2 @ 2.80GHz	10	12,630	1,786	115	FCLGA2011	Server
»	AMD Ryzen 5 PRO 4650U	6	12,627	2,419	15	FP6	Laptop
»	Intel Xeon W-10855M @ 2.80GHz	6	12,627	2,759	45	FCBGA1440	Laptop, Server
»	[Quad CPU] AMD Opteron 6174	12	12,607	939	115	Socket G34	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-9700E @ 2.60GHz	8	12,600	2,559	65	FCLGA1151-2	Desktop
»	Intel Xeon W-11555MLE @ 1.90GHz	6	12,591	2,542	25	FCBGA1787	Server
»	AMD Ryzen 3 PRO 5350GE	4	12,584	3,088	35	AM4	Desktop
»	Virtual @ 3.80GHz	12	12,575	3,738	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz	6	12,569	1,368	60	LGA 2011	Server
»	[Dual CPU] Intel Xeon X5680 @ 3.33GHz	6	12,568	1,607	130	LGA1366	Server
»	Intel Xeon E5-1660 v3 @ 3.00GHz	8	12,486	1,979	140	LGA2011-v3	Server
»	Intel Xeon D-2143IT @ 2.20GHz	8	12,461	1,712	65	FCBGA2518	Server
»	Intel Xeon E5-4628L v4 @ 1.80GHz	14	12,461	1,327	75	FCLGA2011	Mobile/Embedded
»	Intel Xeon E5-2640 v4 @ 2.40GHz	10	12,433	1,937	90	FCLGA2011-3	Server
»	Intel Xeon E5-2618L v4 @ 2.20GHz	10	12,429	1,975	75	FCLGA2011-3	Server
»	Intel Xeon E5-2649 v3 @ 2.30GHz	10	12,399	1,674	105	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz	4	12,390	1,762	85	FCLGA3647	Server
»	[Dual CPU] AMD Opteron 6380	8	12,377	1,133	115	G34	Server
»	Intel Core i3-1315U	6	12,372	3,545	15	FCBGA1744	Laptop
»	[Dual CPU] AMD Opteron 6378	8	12,352	1,018	115	G34	Server
»	Hygon C86 3350 8-core	8	12,292	1,741	NA	Unknown	Unknown
»	Intel Atom P5342	16	12,291	1,187	71	FCBGA2106	Server
»	AMD Ryzen 5 1600	6	12,279	2,065	65	AM4	Desktop
»	[Dual CPU] AMD Opteron 6376	8	12,278	1,131	115	Socket G34	Server
»	[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz	6	12,267	1,530	80	LGA 1356	Server
»	Intel Xeon E5-2667 v2 @ 3.30GHz	8	12,266	2,017	130	LGA 2011	Server
»	Intel Xeon E5-2687W v2 @ 3.40GHz	8	12,258	2,041	150	FCLGA2011	Server
»	Apple A17 Pro	6	12,250	4,536	NA	Unknown	Mobile/Embedded
»	Intel Xeon W-1250E @ 3.50GHz	6	12,212	2,588	80	FCLGA1200	Server
»	Intel Core i5-10400F @ 2.90GHz	6	12,197	2,546	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz	6	12,183	1,374	60	LGA 1356	Server
»	AMD Ryzen 3 PRO 7335U	4	12,162	3,101	30	FP7r2	Desktop, Laptop
»	Intel Core i5-10505 @ 3.20GHz	6	12,143	2,802	65	FCLGA1200	Desktop
»	Intel Core i5-10400 @ 2.90GHz	6	12,130	2,570	65	FCLGA1200	Desktop
»	Intel Xeon E5-2673 v2 @ 3.30GHz	8	12,128	1,947	110	LGA 2011	Server
»	Intel Xeon E5-2692 v2 @ 2.20GHz	12	12,119	1,571	115	LGA 2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 5 PRO 4500U	6	12,117	2,491	15	FP6	Laptop
»	Intel Xeon D-2141I @ 2.20GHz	8	12,117	1,713	65	FCBGA2518	Server
»	[Quad CPU] AMD Opteron 6282 SE	16	12,083	894	140	Unknown	Server
»	[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz	4	12,040	1,917	130	LGA 2011	Server
»	Intel Xeon E-2278GEL @ 2.00GHz	8	12,024	2,428	35	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E7-4870 @ 2.40GHz	10	11,939	1,054	130	LGA1567	Server
»	Intel Xeon E E-2414	4	11,923	3,732	55	FCLGA1700	Server
»	Intel Core i5-1335UE	10	11,921	3,373	28	FCBGA1744	Mobile/Embedded
»	Intel Core i7-8700B @ 3.20GHz	6	11,920	2,735	65	FCBGA1440	Laptop
»	Intel Xeon E5-2650L v3 @ 1.80GHz	12	11,880	1,399	65	LGA2011-v3	Server
»	Intel Core i7-10750H @ 2.60GHz	6	11,872	2,657	45	FCBGA1440	Laptop
»	Snapdragon 8cx Gen 3 @ 3.0 GHz	8	11,862	2,438	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Core i3-12100TE	4	11,859	3,139	35	FCLGA1700	Laptop, Mobile/Embedded
»	ARM Neoverse-N1 32 Core 1700 MHz	32	11,841	755	NA	Unknown	Server
»	Intel Core i7-11375H @ 3.30GHz	4	11,819	2,959	35	FCBGA1449	Laptop
»	Intel Core i7-10850H @ 2.70GHz	6	11,816	2,691	45	FCBGA1440	Laptop
»	Intel Xeon E-2276M @ 2.80GHz	6	11,815	2,623	45	FCBGA1440	Laptop
»	Intel Xeon E5-2650 v3 @ 2.30GHz	10	11,808	1,648	105	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz	6	11,796	1,381	80	FCLGA1356	Server
»	AMD Ryzen 3 7335U	4	11,791	2,889	28	FP7	Desktop, Laptop
»	Intel Core Ultra 5 134U	12	11,783	2,929	30	FCBGA2551	Laptop, Mobile/Embedded
»	Intel Xeon E5-2663 v3 @ 2.80GHz	10	11,777	2,040	120	LGA2011-v3	Server
»	Intel Core i7-1250U	10	11,761	2,774	9	FCBGA1781	Laptop
»	ARM Neoverse-N1 80 Core 2800 MHz	80	11,755	434	NA	Unknown	Server
»	Intel Xeon D-2146NT @ 2.30GHz	8	11,736	1,802	80	FCBGA2518	Server
»	[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz	8	11,711	1,040	70	LGA 1356	Server
»	[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz	4	11,701	1,948	105	LGA2011-v3	Server
»	Intel Core i7-11370H @ 3.30GHz	4	11,696	2,937	35	FCBGA1449	Laptop
»	[Dual CPU] Intel Xeon X5675 @ 3.07GHz	6	11,689	1,510	95	LGA1366	Server
»	Microsoft SQ3 @ 3.0 GHz	8	11,684	2,365	NA	Unknown	Laptop
»	Intel Xeon Platinum 8481C @ 2.70GHz	4	11,681	2,479	350	Unknown	Server
»	Intel Core i3-13100E	4	11,650	2,750	65	FCLGA1700	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon D-1577 @ 1.30GHz	16	11,645	1,319	45	FCBGA1667	Server
»	AMD Ryzen 5 5500H	4	11,629	3,018	45	FP6	Laptop
»	Intel Xeon E5-2630 v4 @ 2.20GHz	10	11,628	1,744	85	FCLGA2011-3	Server
»	Intel Xeon E5-4657L v2 @ 2.40GHz	12	11,613	1,483	115	FCLGA2011	Server
»	AMD Ryzen 3 3100	4	11,603	2,420	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz	6	11,591	1,345	95	LGA2011	Server
»	Intel Xeon E-2186M @ 2.90GHz	6	11,577	2,574	45	FCBGA1440	Laptop
»	Intel Xeon E5-2648L v4 @ 1.80GHz	14	11,547	1,435	75	FCLGA2011-3	Server
»	QTI SM8650	8	11,531	2,966	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-4669 v4 @ 2.20GHz	22	11,523	1,366	135	FCLGA2011-3	Server
»	Hygon C86 3250 8-core	8	11,476	1,741	NA	Unknown	Desktop
»	[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz	8	11,474	974	95	LGA 2011	Server
»	Intel Core i7-6850K @ 3.60GHz	6	11,472	2,405	140	FCLGA2011-3	Desktop
»	Intel Xeon E5-1650 v4 @ 3.60GHz	6	11,455	2,382	140	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz	6	11,387	1,640	130	LGA 2011	Server
»	AMD Ryzen 3 PRO 5475U	4	11,381	2,905	15	FP6	Laptop
»	AMD Ryzen 3 5425U	4	11,371	2,923	15	FP6	Laptop
»	Intel Core i5-10600T @ 2.40GHz	6	11,365	2,439	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz	8	11,364	1,050	70	LGA 2011	Server
»	Intel Core i3-11100B @ 3.60GHz	4	11,357	2,912	65	Unknown	Desktop
»	Intel Xeon E5-4627 v3 @ 2.60GHz	10	11,344	1,749	135	FCLGA2011-3	Server
»	Intel Xeon E5-2670 v2 @ 2.50GHz	10	11,330	1,624	115	FCLGA2011	Server
»	AMD Ryzen 3 PRO 4200G	4	11,315	2,564	65	FP6	Desktop
»	Intel Core i3-11100HE @ 2.40GHz	4	11,289	3,070	45	FCBGA1787	Mobile/Embedded
»	Intel Xeon Silver 4208 @ 2.10GHz	8	11,268	1,774	85	FCLGA3647	Server
»	AMD Ryzen 5 PRO 1600	6	11,240	1,884	65	AM4	Desktop
»	Intel Core i5-10500H @ 2.50GHz	6	11,230	2,586	45	FCBGA1440	Laptop
»	AMD Ryzen 3 4300GE	4	11,211	2,552	35	AM4	Desktop
»	Intel Xeon E5-2643 v4 @ 3.40GHz	6	11,138	2,205	135	FCLGA2011-3	Server
»	Intel Xeon E5-2640 v3 @ 2.60GHz	8	11,129	1,876	90	LGA2011-v3	Server
»	Intel Xeon E-2226G @ 3.40GHz	6	11,110	2,816	80	FCLGA1151-2	Server
»	Apple A16 Bionic	6	11,084	4,079	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Silver 4209T @ 2.20GHz	8	11,080	1,693	70	FCLGA3647	Server
»	Intel Xeon E5-2628L v4 @ 1.90GHz	12	11,079	1,433	75	FCLGA2011-3	Server
»	AMD Ryzen 3 4100	4	11,072	2,528	65	AM4	Desktop
»	Intel Xeon E5-4650 v2 @ 2.40GHz	10	11,064	1,501	95	FCLGA2011	Server
»	Intel Core i7-9850H @ 2.60GHz	6	11,048	2,484	45	Unknown	Laptop
»	AMD Ryzen 3 5400U	4	11,037	2,738	15	FP6	Laptop
»	AMD Ryzen 3 PRO 5450U	4	11,015	2,732	15	FP6	Laptop
»	AMD Ryzen 3 7330U	4	11,011	3,030	15	FP6	Laptop
»	Intel Core i5-1230U	10	11,006	2,741	9	FCBGA1781	Laptop
»	Apple A12X Bionic	8	11,005	2,646	NA	Unknown	Mobile/Embedded
»	Intel Core i5-11320H @ 3.20GHz	4	10,989	2,953	35	FCBGA1449	Laptop
»	[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz	8	10,978	1,260	95	LGA 1356	Server
»	AMD Ryzen 3 PRO 4350GE	4	10,971	2,528	35	AM4	Desktop
»	AMD Ryzen 3 PRO 4200GE	4	10,930	2,540	35	Unknown	Laptop
»	AMD Ryzen 5 4500U	6	10,927	2,434	15	FP6	Laptop
»	Intel Core i5-11300H @ 3.10GHz	4	10,926	2,805	35	FCBGA1449	Laptop
»	AMD Ryzen 3 4300G	4	10,922	2,556	65	AM4	Desktop
»	[Dual CPU] Intel Xeon X5670 @ 2.93GHz	6	10,922	1,417	95	LGA1366	Server
»	AMD Ryzen 3 PRO 4350G	4	10,919	2,545	65	AM4	Desktop
»	Intel Core i3-1215U	6	10,909	3,314	15	FCBGA1744	Laptop
»	Intel Xeon E-2176M @ 2.70GHz	6	10,893	2,468	45	FCBGA1440	Laptop
»	Intel Xeon E5-2618L v3 @ 2.30GHz	8	10,881	1,905	75	LGA2011-v3	Server
»	Intel Core i7-9850HE @ 2.70GHz	6	10,868	2,363	45	FCBGA1440	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz	6	10,843	1,282	80	FCLGA2011	Server
»	Intel Xeon E5-4650 v3 @ 2.10GHz	12	10,838	1,384	105	FCLGA2011-3	Server
»	Intel Core i5-10500E @ 3.10GHz	6	10,827	2,436	65	FCLGA1200	Mobile/Embedded
»	Intel Core i7-9750H @ 2.60GHz	6	10,827	2,426	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz	8	10,797	1,154	85	FCLGA3647	Server
»	Intel Core i7-9700T @ 2.00GHz	8	10,782	2,435	35	FCLGA1151-2	Desktop
»	Samsung s5e9945	10	10,782	2,827	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz	6	10,776	1,151	95	LGA 1356	Server
»	Intel Core i7-6800K @ 3.40GHz	6	10,768	2,271	140	LGA2011-v3	Desktop
»	[Quad CPU] AMD Opteron 6276	8	10,763	969	115	Socket G34	Server
»	Intel Core i7-1195G7 @ 2.90GHz	4	10,759	3,015	28	FCBGA1449	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz	6	10,701	1,274	95	LGA2011	Server
»	Intel Core i5-9600KF @ 3.70GHz	6	10,688	2,740	95	FCLGA1151-2	Desktop
»	Intel Core i5-9600K @ 3.70GHz	6	10,676	2,740	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-2470 v2 @ 2.40GHz	10	10,675	1,596	95	LGA 1356	Server
»	[Dual CPU] AMD Opteron 6284 SE	16	10,619	857	140	Socket G34	Server
»	Intel Core i7-9750HF @ 2.60GHz	6	10,608	2,428	45	FCBGA1440	Laptop
»	AMD Ryzen 5 7235HS	4	10,607	2,446	45	FP7r2	Desktop, Laptop
»	Intel Xeon E5-2630L v4 @ 1.80GHz	10	10,604	1,685	55	FCLGA2011-3	Server
»	Mediatek MT6989	8	10,593	2,347	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 PRO 4355GE	4	10,559	2,572	35	AM4	Desktop
»	Intel Xeon W-2225 @ 4.10GHz	4	10,539	2,664	105	FCLGA2066	Server
»	Intel Xeon E-2126G @ 3.30GHz	6	10,538	2,622	80	FCLGA1151-2	Server
»	Intel Xeon E5-4620 v3 @ 2.00GHz	10	10,525	1,486	105	FCLGA2011-3	Server
»	Intel Xeon E5-2658 v2 @ 2.40GHz	10	10,523	1,469	95	LGA 2011	Server
»	Intel Core i3-1210U	6	10,513	3,367	9	BGA1781	Laptop
»	Intel Xeon E5-2660 v2 @ 2.20GHz	10	10,507	1,507	95	LGA 2011	Server
»	Intel Core i9-8950HK @ 2.90GHz	6	10,503	2,440	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon X5660 @ 2.80GHz	6	10,474	1,354	95	LGA1366	Server
»	Intel Xeon E5-2643 v3 @ 3.40GHz	6	10,465	2,085	135	LGA2011-v3	Server
»	Intel Xeon D-1567 @ 2.10GHz	12	10,447	1,156	65	FCBGA1667	Server
»	Intel Xeon E5-1650 v3 @ 3.50GHz	6	10,427	2,124	140	LGA2011-v3	Server
»	Intel Core i5-9600 @ 3.10GHz	6	10,417	2,740	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-2630 v3 @ 2.40GHz	8	10,410	1,765	85	LGA2011-v3	Server
»	Intel Core i7-1185G7 @ 3.00GHz	4	10,386	2,809	15	BGA1526	Laptop
»	Intel Xeon E5-4640 v3 @ 1.90GHz	12	10,372	1,514	105	FCLGA2011-3	Server
»	QTI QCS8550	8	10,369	3,332	NA	Unknown	Mobile/Embedded
»	Intel Xeon Silver 4109T @ 2.00GHz	8	10,348	1,445	70	FCLGA3647	Server
»	Intel Core i7-5930K @ 3.50GHz	6	10,318	2,051	140	LGA2011-v3	Desktop
»	[Dual CPU] AMD Opteron 6274	8	10,313	974	115	G34	Server
»	Intel Core i7-9700TE @ 1.80GHz	8	10,280	2,201	35	FCLGA1151-2	Desktop, Laptop
»	Intel Core i7-1365URE	10	10,278	3,078	15	FCBGA1744	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-1660 v2 @ 3.70GHz	6	10,278	2,102	130	LGA 2011	Server
»	Intel Core i3-10325 @ 3.90GHz	4	10,268	2,863	65	FCLGA1200	Desktop
»	[Dual CPU] AMD Opteron 6366 HE	8	10,265	1,167	85	Unknown	Server
»	Intel Core i7-1185G7E @ 2.80GHz	4	10,256	2,621	15	FCBGA1449	Laptop, Mobile/Embedded
»	Intel Xeon Silver 4110 @ 2.10GHz	8	10,215	1,595	85	FCLGA3647	Server
»	Intel Core i7-8850H @ 2.60GHz	6	10,212	2,385	45	FCBGA1440	Laptop
»	Intel Core i7-1165G7 @ 2.80GHz	4	10,203	2,806	15	BGA1526	Laptop
»	Intel Core i5-8600K @ 3.60GHz	6	10,195	2,591	95	FCLGA1151-2	Desktop
»	Intel Core i7-8700T @ 2.40GHz	6	10,174	2,301	35	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon X5650 @ 2.67GHz	6	10,132	1,322	95	LGA1366	Server
»	Intel Core i5-1155G7 @ 2.50GHz	4	10,120	2,912	28	FCBGA1449	Laptop
»	Intel Xeon D-1541 @ 2.10GHz	8	10,120	1,707	45	FCBGA1667	Server
»	Snapdragon 8cx Gen 3 @ 2.69 GHz	8	10,110	2,188	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4960X @ 3.60GHz	6	10,096	2,083	130	LGA2011	Desktop
»	[Quad CPU] AMD Opteron 6328	4	10,076	1,252	115	G34	Server
»	Intel Core i5-10500T @ 2.30GHz	6	10,061	2,290	35	FCLGA1200	Desktop
»	Intel Xeon D-1540 @ 2.00GHz	8	10,061	1,612	45	FCBGA1667	Server
»	[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz	8	10,057	1,069	85	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz	8	10,053	1,096	95	LGA2011	Server
»	Intel Core i5-9500F @ 3.00GHz	6	10,031	2,601	65	FCLGA1151-2	Desktop
»	Intel Core i3-N305	8	10,026	2,225	15	FCBGA1264	Laptop, Mobile/Embedded
»	Intel Xeon W-2125 @ 4.00GHz	4	10,022	2,562	120	FCLGA2066	Server
»	Intel Core i3-10320 @ 3.80GHz	4	10,011	2,839	65	FCLGA1200	Desktop
»	Intel Xeon E5-2687W @ 3.10GHz	8	9,990	1,669	150	LGA2011	Server
»	Intel Core i7-11390H @ 3.40GHz	4	9,974	2,876	35	FCBGA1449	Laptop
»	AMD Ryzen 3 PRO 4450U	4	9,972	2,349	15	FP6	Laptop
»	Intel Xeon E-2234 @ 3.60GHz	4	9,958	2,878	71	FCLGA1151-2	Server
»	Intel Core i5-8600 @ 3.10GHz	6	9,956	2,579	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-2628L v3 @ 2.00GHz	10	9,949	1,483	75	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz	8	9,940	899	70	LGA 2011	Server
»	[Quad CPU] Intel Xeon E7450 @ 2.40GHz	6	9,932	1,018	90	PGA604	Server
»	Apple A15 Bionic	6	9,903	3,603	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8750H @ 2.20GHz	6	9,894	2,305	45	FCBGA1440	Laptop
»	ARM Firestorm-M1-Pro 8 Core 2064 MHz	8	9,872	2,999	NA	Unknown	Unknown
»	Intel Xeon E5-2650 v2 @ 2.60GHz	8	9,866	1,689	95	FCLGA2011	Server
»	Intel Core i5-9500TE @ 2.20GHz	6	9,861	2,370	35	FCLGA1151-2	Laptop
»	Intel Xeon E-2274G @ 4.00GHz	4	9,860	2,836	83	FCLGA1151-2	Server
»	Intel Xeon E5-2648L v3 @ 1.80GHz	12	9,847	1,292	75	LGA2011-v3	Server
»	Intel Core i7-5820K @ 3.30GHz	6	9,841	1,994	140	LGA2011-v3	Desktop
»	Intel Core i5-9500 @ 3.00GHz	6	9,803	2,573	65	FCLGA1151-2	Desktop
»	Intel Core i5-1145G7 @ 2.60GHz	4	9,801	2,749	28	FCBGA1449	Laptop
»	Intel Core i7-13800HRE	14	9,781	1,437	45	FCBGA1744	Mobile/Embedded
»	Intel Core i5-1135G7 @ 2.40GHz	4	9,774	2,684	15	BGA1526	Laptop
»	Intel Xeon E-2324G @ 3.10GHz	4	9,771	2,953	65	FCLGA1200	Server
»	Intel Core i5-10400T @ 2.00GHz	6	9,766	2,154	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz	6	9,763	1,130	95	LGA2011	Server
»	[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz	4	9,761	1,598	130	LGA2011	Server
»	Intel Xeon E5-2690 @ 2.90GHz	8	9,739	1,660	135	LGA2011	Server
»	Intel Xeon D-1718T @ 2.60GHz	4	9,713	2,297	46	FCBGA2227	Server
»	[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz	8	9,706	1,006	85	FCLGA3647	Server
»	Intel Xeon E-2174G @ 3.80GHz	4	9,689	2,678	71	FCLGA1151-2	Server
»	Intel Xeon E5-2689 @ 2.60GHz	8	9,684	1,577	115	LGA 2011	Server
»	AMD Ryzen 3 5300U	4	9,677	2,349	15	FP6	Laptop
»	Intel Core i7-7700K @ 4.20GHz	4	9,652	2,719	95	LGA 1151	Desktop
»	AMD Ryzen 5 PRO 3350GE	4	9,643	2,340	35	Unknown	Desktop
»	Intel Core i3-1215UE	6	9,643	3,271	28	FCBGA1744	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz	6	9,635	1,192	60	FCLGA1356	Server
»	[Dual CPU] Intel Xeon X5679 @ 3.20GHz	6	9,634	1,526	115	LGA1366	Server
»	Intel Core i3-1125G4 @ 2.00GHz	4	9,628	2,482	28	FCBGA1449	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E-2244G @ 3.80GHz	4	9,624	2,691	71	FCLGA1151-2	Server
»	Intel Core i5-9600T @ 2.30GHz	6	9,623	2,425	35	FCLGA1151-2	Desktop
»	Intel Core i7-7740X @ 4.30GHz	4	9,596	2,687	112	FCLGA2066	Desktop
»	Intel Core i7-10710U @ 1.10GHz	6	9,595	2,346	15	FCBGA1528	Laptop
»	Intel Xeon E5-4620 v2 @ 2.60GHz	8	9,590	1,569	95	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E7-4850 @ 2.00GHz	10	9,571	703	130	LGA1567	Server
»	[Dual CPU] Intel Xeon E5649 @ 2.53GHz	6	9,558	1,214	80	LGA1366	Server
»	Intel Xeon Bronze 3408U	8	9,557	1,430	125	FCLGA4677	Server
»	Intel Core i5-8500 @ 3.00GHz	6	9,547	2,455	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-2651 v2 @ 1.80GHz	12	9,544	1,136	NA	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz	6	9,513	1,224	95	LGA 1356	Server
»	[Dual CPU] AMD Opteron 6328	4	9,508	1,442	115	G34	Server
»	ARM HUAWEI,Kunpeng 920 24 Core 2600 MHz	24	9,496	733	NA	Unknown	Mobile/Embedded
»	Intel Xeon Gold 5222 @ 3.80GHz	4	9,489	2,347	105	FCLGA3647	Server
»	AMD Ryzen 5 2500X	4	9,482	2,323	65	AM4	Desktop
»	Intel U300E	5	9,478	3,546	15	FCBGA1744	Mobile/Embedded
»	Intel Core i7-1265UE	10	9,471	2,582	28	FCBGA1744	Laptop, Mobile/Embedded
»	Intel Core i5-9400F @ 2.90GHz	6	9,469	2,437	65	FCLGA1151-2	Desktop, Laptop
»	ZHAOXIN KaiXian KX-7000	8	9,450	1,523	NA	Unknown	Unknown
»	Virtual @ 3.41GHz	10	9,438	2,345	NA	Unknown	Unknown
»	[Quad CPU] Intel Xeon E7540 @ 2.00GHz	6	9,409	911	105	FCLGA1567	Server
»	[Dual CPU] Intel Xeon X5687 @ 3.60GHz	4	9,406	1,658	130	LGA1366	Server
»	Intel Pentium Gold 8505	5	9,405	3,266	15	BGA1700	Laptop, Mobile/Embedded
»	Intel Xeon E5-2680 @ 2.70GHz	8	9,404	1,554	130	LGA2011	Server
»	Intel Core i7-4930K @ 3.40GHz	6	9,403	1,961	130	LGA2011	Desktop
»	Intel Xeon E5-4655 v3 @ 2.90GHz	6	9,377	1,817	135	FCLGA2011-3	Server
»	Intel Core i5-9400 @ 2.90GHz	6	9,371	2,437	65	FCLGA1151-2	Desktop
»	Apple A12Z Bionic	8	9,365	2,202	NA	Unknown	Mobile/Embedded
»	Snapdragon 8 Gen2 Mobile Platform for Galaxy	8	9,362	3,093	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3350GE	4	9,343	2,322	35	Unknown	Desktop
»	Intel Core i5-8600T @ 2.30GHz	6	9,342	2,281	35	FCLGA1151-2	Desktop
»	Intel Xeon E5-1650 v2 @ 3.50GHz	6	9,323	2,049	130	FCLGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon E5-4627 v2 @ 3.30GHz	8	9,320	1,786	130	FCLGA2011	Server
»»	Intel Xeon E-2144G @ 3.60GHz	4	9,314	2,639	71	FCLGA1151-2	Server
»»	Intel Core i3-10300 @ 3.70GHz	4	9,308	2,697	65	FCLGA1200	Desktop
»»	Intel Xeon E3-1275 v6 @ 3.80GHz	4	9,303	2,554	73	FCLGA1151	Server
»»	Intel Core i3-10305 @ 3.80GHz	4	9,291	2,815	65	FCLGA1200	Desktop
»»	AMD Ryzen 5 PRO 3350G	4	9,288	2,289	65	AM4	Desktop
»»	Intel Xeon D-1557 @ 1.50GHz	12	9,285	1,090	45	FCBGA1667	Server
»»	Intel Core i5-1245UE	10	9,283	2,476	15	FCBGA1744	Mobile/Embedded
»»	Intel Core i5-1145G7E @ 2.60GHz	4	9,279	2,468	15	FCBGA1449	Mobile/Embedded
»»	Intel Core i7-1068NG7 @ 2.30GHz	4	9,266	2,328	28	FCBGA1344	Laptop
»»	AMD Ryzen 5 3400G	4	9,264	2,334	65	AM4	Desktop
»»	[Dual CPU] AMD Opteron 4386	4	9,253	1,309	95	C32	Server
»»	AMD Ryzen 5 7520U	4	9,251	2,487	15	FP6	Laptop
»»	Intel U300	5	9,245	3,410	15	FCBGA1744	Laptop
»»	Hygon C86 3185 8-core	8	9,243	1,881	95	Unknown	Desktop
»»	[Dual CPU] AMD Opteron 6272	8	9,239	966	115	G34	Server
»»	[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz	6	9,233	986	95	LGA1356	Server
»»	Intel Core i5-8400 @ 2.80GHz	6	9,232	2,382	65	FCLGA1151-2	Desktop
»»	Intel Xeon E-2134 @ 3.50GHz	4	9,224	2,634	71	FCLGA1151-2	Server
»»	Google Tensor G4	8	9,216	3,088	NA	Unknown	Mobile/Embedded
»»	Intel Xeon E5-2620 v4 @ 2.10GHz	8	9,198	1,634	85	FCLGA2011-3	Server
»»	Intel Xeon E5-2643 v2 @ 3.50GHz	6	9,184	1,894	130	FCLGA2011	Server
»»	Intel Core i7-1160G7 @ 1.20GHz	4	9,181	2,675	NA	FCBGA1598	Laptop
»»	AMD Custom APU 0932	4	9,180	2,240	15	Unknown	Mobile/Embedded
»»	[Dual CPU] AMD Opteron 6276	8	9,168	916	115	Socket G34	Server
»»	Intel Core i5-1140G7 @ 1.10GHz	4	9,157	2,612	15	FCBGA1598	Server
»»	Intel Xeon E5-2629 v3 @ 2.40GHz	8	9,139	1,426	85	LGA2011-v3	Server
»»	Mediatek MT6983W/CZA	8	9,136	3,238	NA	Unknown	Mobile/Embedded
»»	[Dual CPU] Intel Xeon E5645 @ 2.40GHz	6	9,132	1,175	80	LGA1366	Server
»»	QTI SM8550	8	9,123	2,901	NA	Unknown	Mobile/Embedded
»»	Mediatek MT8798Z/CNZA	8	9,110	3,111	NA	Unknown	Mobile/Embedded
»»	Intel Xeon D-1715TER @ 2.40GHz	4	9,104	2,269	50	FCBGA2227	Server
»»	AMD Ryzen 5 1500X	4	9,100	2,113	65	AM4	Desktop
»»	AMD Ryzen 5 PRO 1500	4	9,099	2,129	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen 5 PRO 3400G	4	9,087	2,303	65	AM4	Desktop
»	Intel Xeon D-1548 @ 2.00GHz	8	9,075	1,647	45	FCBGA1667	Server
»	Intel Xeon E5-4648 v3 @ 1.70GHz	12	9,061	1,317	105	FCLGA2011-3	Server
»	Intel Core i9-9900B @ 3.10GHz	8	9,060	2,018	65	FCLGA1151	Desktop
»	Intel Xeon E5-2450 v2 @ 2.50GHz	8	9,041	1,609	95	LGA 1356	Server
»	Intel Xeon E3-1280 v6 @ 3.90GHz	4	9,032	2,505	72	FCLGA1151	Server
»	[Dual CPU] Intel Xeon Bronze 3204 @ 1.90GHz	6	9,019	1,116	85	FCLGA3647	Server
»	Intel Core i3-10105F @ 3.70GHz	4	8,993	2,655	65	FCLGA1200	Desktop
»	AMD Ryzen 5 3350G	4	8,989	2,263	65	AM4	Desktop
»	[Dual CPU] Intel Xeon X5677 @ 3.47GHz	4	8,971	1,623	130	LGA1366	Server
»	Intel Xeon E5-2670 @ 2.60GHz	8	8,955	1,469	115	LGA2011	Server
»	Intel Core i5-8500B @ 3.00GHz	6	8,948	2,541	65	FCBGA1440	Laptop
»	Intel Xeon E3-1270 v6 @ 3.80GHz	4	8,931	2,458	72	FCLGA1151	Server
»	Intel Core i7-6700K @ 4.00GHz	4	8,927	2,504	95	LGA1151	Desktop
»	Intel Core i5-1038NG7 @ 2.00GHz	4	8,920	2,174	28	FCBGA1344	Laptop
»	Intel Xeon Silver 4108 @ 1.80GHz	8	8,909	1,483	85	FCLGA3647	Server
»	AMD Ryzen 5 3400GE	4	8,907	2,295	35	AM4	Desktop
»	Intel Core i3-1315UE	6	8,906	3,170	15	FCBGA1744	Mobile/Embedded
»	Intel Core i5-3170K @ 3.20GHz	4	8,882	2,510	NA	Unknown	Unknown
»	AMD Ryzen 3 7320U	4	8,866	2,387	15	FP7	Laptop
»	Intel Xeon Gold 5122 @ 3.60GHz	4	8,843	2,149	105	FCLGA3647	Server
»	Intel Core i5-1145GRE @ 2.60GHz	4	8,831	2,155	15	FCBGA1449	Mobile/Embedded
»	Intel Xeon E5-2648L v2 @ 1.90GHz	10	8,828	1,194	70	FCLGA2011	Server
»	Intel Core i3-1305U	5	8,826	3,289	15	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon X5672 @ 3.20GHz	4	8,825	1,503	95	LGA1366	Server
»	Intel Xeon E3-1245 v6 @ 3.70GHz	4	8,777	2,418	73	FCLGA1151	Server
»	Intel Core i3-10100F @ 3.60GHz	4	8,766	2,593	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz	6	8,760	1,152	60	LGA 2011	Server
»	AMD Ryzen 5 2400G	4	8,728	2,147	65	AM4	Desktop
»	Intel Atom x7835RE	8	8,710	2,188	12	FCBGA1264	Mobile/Embedded
»	Intel Xeon E5-2630L v3 @ 1.80GHz	8	8,701	1,543	55	LGA2011-v3	Server
»	Intel Xeon E3-1240 v6 @ 3.70GHz	4	8,693	2,380	72	FCLGA1151	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	ARM - 32 Core 3300 MHz	32	8,684	585	NA	Unknown	Mobile/Embedded
»	ARM X-Gene 32 Core 3300 MHz	32	8,684	583	NA	Unknown	Mobile/Embedded
»	AMD EPYC 3201	8	8,672	1,564	30	SP4r2	Server
»	Intel Core i3-10100 @ 3.60GHz	4	8,654	2,616	65	FCLGA1200	Desktop
»	Intel Core i5-1130G7 @ 1.10GHz	4	8,647	2,416	15	BGA 1449	Laptop
»	Intel Core i7-7700 @ 3.60GHz	4	8,645	2,454	65	LGA1151	Desktop
»	[Dual CPU] AMD Opteron 6234	6	8,644	887	115	G34	Server
»	Intel Atom C5125	8	8,631	1,486	50	FCBGA2106	Server
»	Intel Xeon E5-4650 @ 2.70GHz	8	8,630	1,476	130	LGA2011	Server
»	AMD Ryzen 3 7320C	4	8,614	2,436	15	FT6	Laptop
»	ARM - 8 Core 2424 MHz	8	8,610	3,083	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz	6	8,595	1,110	80	LGA2011-v3	Server
»	Intel Xeon W-2223 @ 3.60GHz	4	8,573	2,176	120	FCLGA2066	Server
»	Intel Core i3-10105 @ 3.70GHz	4	8,567	2,679	65	FCLGA1200	Desktop
»	Intel Core i3-N300	8	8,561	2,042	7	FCBGA1264	Laptop
»	[Dual CPU] AMD Opteron 4284	4	8,560	1,369	95	Socket C32	Server
»	AMD Ryzen Embedded V1807B	4	8,553	2,213	45	FP5	Laptop, Mobile/Embedded
»	Intel Core i7-8809G @ 3.10GHz	4	8,550	2,387	100	BGA2270	Laptop
»	Apple A14 Bionic	6	8,548	3,393	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3970X @ 3.50GHz	6	8,541	1,850	150	LGA2011	Desktop
»	Intel Xeon E3-1285 v6 @ 4.10GHz	4	8,536	2,579	79	FCLGA1151	Server
»	Intel Xeon E5-4650L @ 2.60GHz	8	8,533	1,409	115	LGA 2011	Server
»	Intel Core i5-10400H @ 2.60GHz	4	8,520	2,633	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon X5667 @ 3.07GHz	4	8,511	1,443	95	LGA1366	Server
»	AMD Ryzen 5 PRO 2400G	4	8,508	2,155	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz	4	8,506	1,409	85	FCLGA2011-3	Server
»	Intel Xeon E3-1275 v5 @ 3.60GHz	4	8,503	2,349	80	FCLGA1151	Server
»	Intel Xeon W-11155MLE @ 1.80GHz	4	8,502	1,862	25	FCBGA1787	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz	6	8,500	899	60	FCLGA1356	Server
»	AMD Ryzen Embedded R2544	4	8,486	2,102	45	FP5	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5640 @ 2.27GHz	6	8,474	1,155	60	LGA1366	Server
»	QTI SM7675	8	8,458	2,005	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon W-2123 @ 3.60GHz	4	8,455	2,191	120	FCLGA2066	Server
»	Intel Core i5-10500TE @ 2.30GHz	6	8,449	1,688	35	FCLGA1200	Laptop, Mobile/Embedded
»	Intel Xeon E5-2628 v3 @ 2.50GHz	8	8,447	1,754	85	LGA2011-v3	Server
»	Intel Core i7-3960X @ 3.30GHz	6	8,446	1,800	130	LGA2011	Desktop
»	Mediatek MT8195	8	8,419	2,647	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-1660 @ 3.30GHz	6	8,413	1,806	130	LGA2011	Server
»	Intel Core i7-8559U @ 2.70GHz	4	8,410	2,531	28	FCBGA1528	Laptop
»	Intel Xeon E3-1585 v5 @ 3.50GHz	4	8,408	2,402	65	FCBGA1440	Server
»	Intel Xeon E3-1280 v5 @ 3.70GHz	4	8,407	2,322	80	FCLGA1151	Server
»	Intel Core i5-10300H @ 2.50GHz	4	8,380	2,560	45	FCBGA1440	Desktop, Laptop
»	AMD EPYC 3151	4	8,376	1,883	45	SP4r2	Server
»	[Dual CPU] Intel Xeon X5647 @ 2.93GHz	4	8,369	1,418	130	LGA1366	Server
»	Intel Core i3-10100E @ 3.20GHz	4	8,365	2,333	65	FCLGA1200	Desktop, Mobile/Embedded
»	Intel Core i5-9400T @ 1.80GHz	6	8,360	2,116	35	FCLGA1151-2	Desktop
»	Intel Xeon E3-1270 v5 @ 3.60GHz	4	8,355	2,314	80	FCLGA1151	Server
»	Intel Core i7-1065G7 @ 1.30GHz	4	8,299	2,319	15	FCBGA-1526	Laptop
»	Intel Xeon E5-2665 @ 2.40GHz	8	8,298	1,400	115	LGA2011	Server
»	QTI SM8635	8	8,298	2,176	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2470 @ 2.30GHz	8	8,295	1,426	95	LGA 1356	Server
»	Intel Core i7-1180G7 @ 1.30GHz	4	8,293	2,490	15	FCBGA1598	Laptop
»	AMD Opteron 6386 SE	16	8,291	1,305	140	Socket G34	Server
»	AMD Ryzen Embedded V1756B	4	8,291	2,102	45	FP5	Desktop, Mobile/Embedded
»	AMD Ryzen 5 PRO 3400GE	4	8,286	2,242	35	AM4	Desktop
»	Intel Xeon E3-1230 v6 @ 3.50GHz	4	8,271	2,207	72	FCLGA1151	Server
»	AMD Athlon Gold PRO 4150GE	4	8,259	2,384	35	FP6	Laptop
»	Intel Xeon E3-1240 v5 @ 3.50GHz	4	8,244	2,292	80	FCLGA1151	Server
»	ARM Avalanche-M2 4 Core 2424 MHz	4	8,233	3,290	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8569U @ 2.80GHz	4	8,225	2,597	28	FCBGA1528	Laptop
»	Intel Core i5-9500T @ 2.20GHz	6	8,216	2,167	35	FCLGA1151-2	Desktop
»	Intel Xeon E3-1260L v5 @ 2.90GHz	4	8,213	2,309	45	FCLGA1151	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-10810U @ 1.10GHz	6	8,210	2,289	15	FCBGA1528	Laptop
»	[Dual CPU] AMD Opteron 6238	6	8,206	1,076	115	Socket G34	Server
»	ARM X-Gene 32 Core 3000 MHz	32	8,202	608	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3930K @ 3.20GHz	6	8,202	1,747	130	LGA2011	Desktop
»	Intel Core i7-1185GRE @ 2.80GHz	4	8,179	2,286	15	FCBGA1449	Mobile/Embedded
»	Intel Xeon E-2276ME @ 2.80GHz	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
»	Intel Xeon E5-2660 @ 2.20GHz	8	8,149	1,397	95	LGA2011	Server
»	Intel Xeon E-2314 @ 2.80GHz	4	8,146	2,732	65	FCLGA1200	Server
»	Intel Core i5-1035G7 @ 1.20GHz	4	8,141	2,212	15	FCBGA1526	Laptop
»	Intel Core i3-10305T @ 3.00GHz	4	8,136	2,457	35	FCLGA1200	Desktop
»	ARM - 32 Core 2911 MHz	32	8,132	541	NA	Unknown	Mobile/Embedded
»	Google Tensor G3	9	8,130	2,415	NA	Unknown	Mobile/Embedded
»	Intel Core i5-10200H @ 2.40GHz	4	8,127	2,435	45	FCBGA1440	Laptop
»	Intel Xeon E5-1650 @ 3.20GHz	6	8,108	1,735	130	LGA2011	Server
»	AMD Ryzen 7 3750H	4	8,102	2,079	35	FP5	Laptop
»	Intel Core i7-6700 @ 3.40GHz	4	8,084	2,291	65	LGA 1151	Desktop
»	Intel Xeon E3-1585L v5 @ 3.00GHz	4	8,083	2,188	45	FCBGA1440	Server
»	[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz	6	8,079	1,054	85	FCLGA3647	Server
»	Intel Xeon E3-1285L v4 @ 3.40GHz	4	8,074	2,350	65	LGA1150	Server
»	Intel Core i7-4790K @ 4.00GHz	4	8,071	2,466	88	LGA1150	Desktop
»	CentaurHauls @2500MHz	8	8,055	1,384	NA	Unknown	Desktop
»	[Dual CPU] Intel Xeon X7560 @ 2.27GHz	8	8,028	892	130	LGA1567	Server
»	Intel Xeon E3-1245 v5 @ 3.50GHz	4	8,024	2,242	80	FCLGA1151	Server
»	Intel Xeon D-1559 @ 1.50GHz	12	8,015	1,033	45	FCBGA1667	Server
»	AMD Ryzen 7 2800H	4	8,013	2,173	45	FP5	Laptop
»	Intel Core i3-10105T @ 3.00GHz	4	7,992	2,353	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz	6	7,992	1,081	85	FCLGA2011-3	Server
»	Intel Xeon D-2712T @ 1.90GHz	4	7,990	1,956	65	FCBGA2579	Server
»	Intel Xeon E3-1575M v5 @ 3.00GHz	4	7,977	2,204	45	FCBGA1440	Server
»	Intel Core i3-10300T @ 3.00GHz	4	7,975	2,337	35	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD Opteron 6136	8	7,964	1,059	115	Socket G34	Server
»	Intel Xeon E3-1535M v6 @ 3.10GHz	4	7,954	2,297	35	FCBGA1440	Laptop, Server
»	[Dual CPU] AMD Opteron 6220	4	7,951	1,235	115	Socket G34	Server
»	Intel Core i7-8709G @ 3.10GHz	4	7,947	2,313	100	BGA2270	Laptop
»	Intel Xeon E3-1515M v5 @ 2.80GHz	4	7,938	2,148	45	FCBGA1440	Server
»	Mediatek Dimensity 9200 (MT6985)	8	7,935	2,343	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1230 v5 @ 3.40GHz	4	7,921	2,193	80	FCLGA1151	Server
»	Intel Core i5-9400H @ 2.50GHz	4	7,909	2,405	45	FCBGA1440	Laptop
»	Intel Core i7-9850HL @ 1.90GHz	6	7,897	1,723	25	FCBGA1440	Desktop, Laptop
»	Intel Core i5-1035G4 @ 1.10GHz	4	7,877	2,194	15	FCBGA1526	Laptop
»	Intel Core i5-8259U @ 2.30GHz	4	7,877	2,200	28	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon X7550 @ 2.00GHz	8	7,873	1,067	130	LGA1567	Server
»	Intel Core i7-995X @ 3.60GHz	6	7,862	1,718	NA	Unknown	Desktop
»	AMD Opteron 6348	6	7,850	1,333	115	Unknown	Server
»	[Quad CPU] Intel Xeon X7350 @ 2.93GHz	4	7,836	1,186	130	604	Server
»	[Dual CPU] AMD Opteron 6176 SE	12	7,818	963	140	G34	Server
»	Intel Xeon E3-1285 v4 @ 3.50GHz	4	7,808	2,313	95	FCLGA1150	Server
»	ARM Firestorm 4 Core 2064 MHz	4	7,804	2,941	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2620 v3 @ 2.40GHz	6	7,804	1,691	85	LGA2011-v3	Server
»	Intel Xeon E3-1545M v5 @ 2.90GHz	4	7,797	2,110	45	FCBGA1440	Laptop, Server
»	AMD Ryzen Embedded V1807F	4	7,775	1,838	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3550H	4	7,767	2,027	35	FP5	Laptop
»	AMD Ryzen 5 1400	4	7,752	1,895	65	AM4	Desktop
»	[Quad CPU] AMD Opteron 8378	4	7,726	1,044	115	F (1207)	Server
»	Mediatek MT6983Z/CZA	8	7,726	2,255	NA	Unknown	Mobile/Embedded
»	ARM Firestorm-M1 4 Core 2064 MHz	4	7,710	2,960	NA	Unknown	Mobile/Embedded
»	Intel Core i5-8500T @ 2.10GHz	6	7,710	2,010	35	FCLGA1151-2	Desktop
»	AMD Athlon Gold PRO 3150G	4	7,702	2,321	65	AM4	Desktop
»	Intel Core i3-9350K @ 4.00GHz	4	7,700	2,783	91	FCLGA1151	Desktop
»	Intel Core i7-5950HQ @ 2.90GHz	4	7,696	2,288	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Core i7-5775C @ 3.30GHz	4	7,693	2,276	65	FCLGA1150	Desktop
»»	Mediatek MT6895Z_A/TCZA	8	7,686	2,308	NA	Unknown	Mobile/Embedded
»»	AMD Ryzen 5 3550U	4	7,681	2,053	15	Unknown	Laptop
»»	Intel Core i5-8400H @ 2.50GHz	4	7,671	2,352	45	FCBGA1440	Laptop
»»	AMD Ryzen 5 2600H	4	7,670	2,060	45	FP5	Laptop
»»	Intel Core i7-8705G @ 3.10GHz	4	7,667	2,213	65	BGA2270	Laptop
»»	Intel Xeon E3-1270L v4 @ 3.00GHz	4	7,662	2,378	45	LGA1150	Server
»»	Mediatek Dimensity 8200-Ultimate (MT6896)	8	7,659	2,364	NA	Unknown	Mobile/Embedded
»»	AMD Ryzen 5 PRO 2400GE	4	7,657	2,123	35	AM4	Desktop
»»	Intel Xeon E5-2440 v2 @ 1.90GHz	8	7,655	1,139	95	LGA 1356	Server
»»	Intel Xeon E-2224G @ 3.50GHz	4	7,632	2,734	71	FCLGA1151-2	Server
»»	Intel Xeon E5-2640 v2 @ 2.00GHz	8	7,629	1,269	95	LGA 2011	Server
»»	Intel Core i7-7700T @ 2.90GHz	4	7,615	2,152	35	FCLGA1151	Desktop
»»	MediaTek MT6895	8	7,615	2,281	NA	Unknown	Mobile/Embedded
»»	Intel Core i7-5775R @ 3.30GHz	4	7,596	2,247	65	LGA1150	Desktop
»»	Intel Xeon D-1531 @ 2.20GHz	6	7,592	1,482	45	FCBGA1667	Server
»»	Intel Xeon E5-2650L v2 @ 1.70GHz	10	7,586	979	70	FCLGA2011	Server
»»	Intel Core i5-9300H @ 2.40GHz	4	7,579	2,290	45	FCBGA1440	Laptop
»»	AMD Ryzen 3 2300X	4	7,563	2,357	65	AM4	Desktop
»»	Intel Xeon E5-1630 v4 @ 3.70GHz	4	7,563	2,314	140	FCLGA2011-3	Server
»»	[Quad CPU] Intel Xeon E5-4607 v2 @ 2.60GHz	6	7,557	1,378	95	FCLGA2011	Server
»»	Intel Core i3-9350KF @ 4.00GHz	4	7,549	2,668	91	FCLGA1151-2	Desktop
»»	Intel Core i7-7820EQ @ 3.00GHz	4	7,542	2,173	45	FCBGA1440	Laptop
»»	Intel Xeon E3-1271 v3 @ 3.60GHz	4	7,540	2,278	80	FCLGA1150	Server
»»	Intel Xeon E5-2450 @ 2.10GHz	8	7,534	1,180	95	LGA 1356	Server
»»	Intel Xeon E3-1535M v5 @ 2.90GHz	4	7,522	2,119	45	FCBGA1440	Laptop, Server
»»	AMD Ryzen 5 2400GE	4	7,521	2,100	35	AM4	Desktop
»»	Intel Xeon E5-2667 @ 2.90GHz	6	7,511	1,584	130	LGA2011	Server
»»	Intel Xeon E3-1276 v3 @ 3.60GHz	4	7,508	2,283	84	FCLGA1150	Server
»»	Intel Core i5-8260U @ 1.60GHz	4	7,485	2,245	15	FCBGA1528	Laptop
»»	Intel Core i5-8257U @ 1.40GHz	4	7,481	2,271	15	FCBGA1528	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-2630 v2 @ 2.60GHz	6	7,473	1,569	80	FCLGA2011	Server
»	Intel Core i5-8300H @ 2.30GHz	4	7,468	2,279	45	FCLGA1151-2	Laptop
»	Intel Xeon E3-1505M v6 @ 3.00GHz	4	7,467	2,227	45	Unknown	Server
»	AMD Ryzen 7 PRO 3700U	4	7,456	2,023	15	FP5	Laptop
»	[Dual CPU] Intel Xeon E5640 @ 2.67GHz	4	7,455	1,252	80	LGA1366	Server
»	Intel Core i5-8279U @ 2.40GHz	4	7,452	2,290	28	FCBGA1528	Laptop
»	Intel Xeon E5-2608L v4 @ 1.60GHz	8	7,447	1,092	50	FCLGA2011-3	Server
»	Intel Core i7-8557U @ 1.70GHz	4	7,444	2,376	15	FCBGA1528	Laptop
»	Intel Xeon D-1537 @ 1.70GHz	8	7,444	1,225	35	FCBGA1667	Server
»	AMD Ryzen 3 4300U	4	7,439	2,308	15	FP6	Laptop
»	Intel Core i5-8400T @ 1.70GHz	6	7,426	1,917	35	FCLGA1151-2	Desktop
»	Intel Xeon E-2124G @ 3.40GHz	4	7,418	2,687	71	FCLGA1151-2	Server
»	Intel Xeon E3-1286 v3 @ 3.70GHz	4	7,418	2,391	84	LGA1150	Server
»	Intel Xeon E5-2637 v4 @ 3.50GHz	4	7,418	2,207	135	FCLGA2011-3	Server
»	Intel Xeon E3-1281 v3 @ 3.70GHz	4	7,414	2,325	82	LGA1150	Server
»	Mediatek MT6897	8	7,401	2,037	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1280 v3 @ 3.60GHz	4	7,393	2,275	82	LGA1150	Server
»	Intel Xeon E5-1630 v3 @ 3.70GHz	4	7,388	2,105	140	LGA2011-v3	Server
»	Intel Core i7-7820HK @ 2.90GHz	4	7,384	2,116	45	FCBGA1440	Laptop
»	Intel Core i7-7920HQ @ 3.10GHz	4	7,382	2,228	45	FCBGA1440	Laptop
»	Intel Xeon E5-1620 v4 @ 3.50GHz	4	7,382	2,226	140	FCLGA2011-3	Server
»	Intel Core i5-1035G1 @ 1.00GHz	4	7,380	2,236	15	FCBGA1526	Laptop
»	Intel Atom P5322	8	7,378	1,198	55	FCBGA2106	Server
»	Intel Xeon E5-2650 @ 2.00GHz	8	7,375	1,223	95	LGA2011	Server
»	[3-Way CPU] ARM ARMv8 rev 1 (v8I) 12 Core 2201 MHz	12	7,371	1,183	NA	Unknown	Mobile/Embedded
»	Intel Xeon @ 2.00GHz	6	7,363	939	NA	Unknown	Unknown
»	Intel Core i3-9320 @ 3.70GHz	4	7,358	2,711	62	FCLGA1151-2	Desktop
»	Intel Core i7-6920HQ @ 2.90GHz	4	7,352	2,101	45	FCBGA1440	Laptop
»	Intel Core i3-10100T @ 3.00GHz	4	7,339	2,275	35	FCLGA1200	Laptop
»	Intel Core i5-9300HF @ 2.40GHz	4	7,322	2,281	45	FCBGA1440	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E-2224 @ 3.40GHz	4	7,317	2,554	71	FCLGA1151-2	Server
»	Google GS201	8	7,313	2,263	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 3200GE	4	7,309	2,206	35	AM4	Desktop
»	QTI SM7475	8	7,307	2,002	NA	Unknown	Mobile/Embedded
»	Intel Xeon Phi 7210 @ 1.30GHz	64	7,306	460	215	SVLCLGA3647	Server
»	Mediatek MT6891Z_T/CZA	8	7,296	2,278	NA	Unknown	Mobile/Embedded
»	QTI SM8475	8	7,292	2,424	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8706G @ 3.10GHz	4	7,287	2,322	65	BGA2270	Laptop
»	Intel Xeon E3-1246 v3 @ 3.50GHz	4	7,285	2,215	84	FCLGA1150	Server
»	Intel Xeon E3-1270 v3 @ 3.50GHz	4	7,285	2,193	80	LGA1150	Server
»	AMD Opteron 6281	8	7,279	1,129	NA	Socket G34	Server
»	AMD Ryzen 5 3580U	4	7,271	1,981	15	FP5	Laptop
»	Intel Core i7-4790 @ 3.60GHz	4	7,270	2,233	84	FCLGA1150	Desktop
»	Intel Xeon E5-2637 v3 @ 3.50GHz	4	7,246	2,025	135	LGA2011-v3	Server
»	AMD Ryzen 5 Microsoft Surface Edition	4	7,243	1,815	15	FP5	Laptop
»	Intel Xeon W3690 @ 3.47GHz	6	7,241	1,614	130	LGA1366	Server
»	[Dual CPU] AMD Opteron 4238	3	7,236	1,313	95	Socket C32	Server
»	AMD Ryzen 3 PRO 1300	4	7,234	2,187	65	AM4	Desktop
»	[Quad CPU] Intel Xeon E7530 @ 1.87GHz	6	7,231	887	105	FCLGA1567	Server
»	Intel Xeon E5-4610 v3 @ 1.70GHz	10	7,229	1,027	105	FCLGA2011-3	Server
»	Mediatek MT8797Z/CNZA	8	7,223	2,281	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6700T @ 2.80GHz	4	7,220	2,073	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon L5638 @ 2.00GHz	6	7,217	944	60	LGA1366	Server
»	Intel Xeon E3-1275 v3 @ 3.50GHz	4	7,213	2,201	95	LGA1150	Server
»	AMD Ryzen 7 PRO 2700U	4	7,182	1,953	15	FP5	Laptop
»	Intel Xeon E5-2628L v2 @ 1.90GHz	8	7,181	1,106	70	LGA 2011	Server
»	Intel Xeon D-1539 @ 1.60GHz	8	7,175	1,179	35	FCBGA1667	Server
»	Intel Core i7-7820HQ @ 2.90GHz	4	7,162	2,121	45	FCBGA1440	Laptop
»	Samsung s5e8845	8	7,162	2,352	NA	Unknown	Mobile/Embedded
»	Intel 300	2	7,160	3,235	46	FCLGA1700	Desktop
»	AMD Ryzen 7 3700U	4	7,155	1,976	15	FP5	Laptop
»	AMD Ryzen 7 3700C	4	7,145	2,301	15	FP5	Laptop, Mobile/Embedded
»	Intel Core i7-4771 @ 3.50GHz	4	7,144	2,195	84	LGA1150	Desktop
»	vendor Kirin9000E	8	7,141	2,687	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E3-1241 v3 @ 3.50GHz	4	7,139	2,173	80	LGA1150	Server
»	Intel Core i3-9300 @ 3.70GHz	4	7,137	2,561	62	FCLGA1151-2	Desktop
»	AMD Ryzen 3 3200G	4	7,132	2,207	65	AM4	Desktop
»	Intel Core i7-4770K @ 3.50GHz	4	7,131	2,162	84	LGA1150	Desktop
»	[Dual CPU] AMD Opteron 6282 SE	16	7,130	517	140	Unknown	Server
»	AMD Athlon Gold 3150G	4	7,112	2,265	65	AM4	Desktop
»	Intel Core i5-8269U @ 2.60GHz	4	7,111	2,377	28	FCBGA1528	Laptop, Mobile/Embedded
»	Intel Core i7-990X @ 3.47GHz	6	7,111	1,579	130	LGA1366	Desktop
»	Intel Xeon X5679 @ 3.20GHz	6	7,095	1,547	115	LGA1366	Server
»	Intel Core i7-6770HQ @ 2.60GHz	4	7,087	1,944	45	FCBGA1440	Laptop
»	Intel Core i7-4770 @ 3.40GHz	4	7,059	2,169	84	LGA1150	Desktop
»	Intel Core i7-6820HK @ 2.70GHz	4	7,053	1,990	45	FCBGA1440	Laptop
»	Intel Xeon E3-1240 v3 @ 3.40GHz	4	7,053	2,150	80	LGA1150	Server
»	Mediatek MT6895Z_B/TCZA	8	7,044	2,204	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1231 v3 @ 3.40GHz	4	7,041	2,148	80	FCLGA1150	Server
»	Intel Xeon E5-2430 v2 @ 2.50GHz	6	7,039	1,425	80	LGA 1356	Server
»	Intel Xeon E5-4620 @ 2.20GHz	8	7,037	1,207	95	LGA 2011	Server
»	Intel Core i7-5850EQ @ 2.70GHz	4	7,036	2,119	47	FCBGA1364	Laptop
»	Intel Xeon X5690 @ 3.47GHz	6	7,034	1,637	130	LGA1366	Server
»	Intel Xeon E3-1245 v3 @ 3.40GHz	4	7,020	2,147	84	LGA1150	Server
»	Intel Core i7-4790S @ 3.20GHz	4	7,014	2,207	65	LGA1150	Desktop
»	Intel Xeon E5-4640 @ 2.40GHz	8	7,012	1,233	95	LGA2011	Server
»	AMD Ryzen 5 PRO 3500U	4	7,008	1,950	15	FP5	Laptop
»	AMD Athlon Gold PRO 3150GE	4	7,006	2,165	35	AM4	Desktop
»	Intel Core i7-6820EQ @ 2.80GHz	4	7,001	1,997	45	FCBGA1440	Laptop
»	AMD Ryzen Embedded R2514	4	6,998	1,933	15	FP5	Mobile/Embedded
»	Intel Xeon W3680 @ 3.33GHz	6	6,995	1,570	130	LGA1366	Server
»	Intel Xeon E5-1620 v3 @ 3.50GHz	4	6,992	2,012	140	LGA2011-v3	Server
»	AMD Ryzen 3 PRO 3200G	4	6,991	2,190	65	AM4	Desktop
»	Intel Xeon E5-4607 v2 @ 2.60GHz	6	6,986	1,363	95	FCLGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E3-1285 v3 @ 3.60GHz	4	6,974	2,213	84	LGA1150	Server
»	AMD Ryzen 3 1300X	4	6,970	2,125	65	AM4	Desktop
»	AMD Ryzen 7 3780U	4	6,961	1,937	15	FP5	Laptop
»	Intel Xeon E3-1265L v4 @ 2.30GHz	4	6,954	2,073	35	FCLGA1150	Server
»	Intel Core i5-8305G @ 2.80GHz	4	6,951	2,048	65	BGA2270	Laptop
»	Intel Xeon E3-1505M v5 @ 2.80GHz	4	6,949	2,003	45	FCBGA1440	Server
»	AMD Ryzen 5 3500U	4	6,944	1,948	15	FP5	Laptop
»	Intel Xeon E5-2623 v4 @ 2.60GHz	4	6,940	1,761	85	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz	6	6,937	925	85	LGA2011-v3	Server
»	Intel Core i7-980 @ 3.33GHz	6	6,930	1,539	130	LGA1366	Desktop
»	Intel Xeon E3-1286L v3 @ 3.20GHz	4	6,929	2,329	65	LGA1150	Server
»	AMD Opteron 6287 SE	16	6,925	1,091	NA	G34	Server
»	Intel Core i5-7640X @ 4.00GHz	4	6,925	2,535	112	FCLGA2066	Desktop
»	Intel Xeon E-2124 @ 3.30GHz	4	6,915	2,496	71	FCLGA1151-2	Server
»	vendor Kirin9000	8	6,914	2,592	NA	Unknown	Mobile/Embedded
»	Intel Core i7-7700HQ @ 2.80GHz	4	6,910	2,058	45	FCBGA1440	Laptop
»	Mediatek MT6878	8	6,902	2,266	NA	Unknown	Mobile/Embedded
»	Intel Core i3-9100E @ 3.10GHz	4	6,868	2,334	65	FCLGA1151	Mobile/Embedded
»	Intel Core i7-5850HQ @ 2.70GHz	4	6,866	2,219	47	FCBGA1364	Laptop
»	Intel Core i3-8350K @ 4.00GHz	4	6,863	2,476	91	FCLGA1151-2	Desktop
»	AMD Ryzen 7 2700U	4	6,855	1,813	15	FP5	Laptop
»	Intel Core i7-4940MX @ 3.10GHz	4	6,846	2,184	57	FPGA946,FPGA947	Laptop
»	[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz	4	6,844	1,383	80	LGA 2011	Server
»	Intel Xeon X5680 @ 3.33GHz	6	6,834	1,532	130	LGA1366	Server
»	Intel Core i7-6820HQ @ 2.70GHz	4	6,830	1,956	45	FCBGA1440	Laptop
»	Intel Xeon D-1528 @ 1.90GHz	6	6,823	1,487	35	FCBGA1667	Laptop, Server
»	Intel Xeon E3-1285L v3 @ 3.10GHz	4	6,819	2,164	65	LGA1150	Server
»	Intel Xeon E3-1230 v3 @ 3.30GHz	4	6,816	2,079	80	LGA1150	Server
»	AMD Ryzen 3 PRO 2200G	4	6,812	2,066	65	AM4	Desktop
»	Intel Core i7-980X @ 3.33GHz	6	6,811	1,528	130	LGA1366	Desktop
»	Intel Core i5-7600K @ 3.80GHz	4	6,808	2,549	91	FCLGA1151	Desktop
»	[Quad CPU] Intel Xeon E7330 @ 2.40GHz	4	6,792	933	80	PGA604, PPGA604	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-2623 v3 @ 3.00GHz	4	6,790	1,866	105	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5630 @ 2.53GHz	4	6,790	1,167	80	LGA1366	Server
»	AMD FX-9590 Eight-Core	4	6,787	1,812	220	AM3+	Desktop
»	ARM Firestorm 8 Core 2064 MHz	8	6,775	2,804	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2448L v2 @ 1.80GHz	10	6,774	1,235	70	LGA 1356	Server
»	Snapdragon 8cx Gen 2 @ 3.0 GHz	8	6,770	1,759	NA	Unknown	Laptop, Mobile/Embedded
»	AMD Ryzen 3 2200G	4	6,760	2,049	65	AM4	Desktop
»	Intel Core i7-4770S @ 3.10GHz	4	6,746	2,122	65	LGA1150	Desktop
»	Intel Core i3-9100F @ 3.60GHz	4	6,738	2,499	65	FCLGA1151-2	Desktop
»	Intel Pentium Gold G7400	2	6,729	2,997	46	LGA1700,BGA1700	Desktop
»	Qualcomm SM8250	8	6,729	2,447	NA	Unknown	Mobile/Embedded
»	Mediatek MT6895Z/TCZA	8	6,725	2,276	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3450U	4	6,723	1,906	15	FP5	Laptop
»	Google Tensor	8	6,720	2,290	NA	Unknown	Mobile/Embedded
»	QTI SG8175P	8	6,713	2,140	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2630L v2 @ 2.40GHz	6	6,701	1,418	60	LGA 2011	Server
»	Intel Core i7-10610U @ 1.80GHz	4	6,693	2,257	15	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz	4	6,690	995	95	LGA 2011	Server
»	AMD Opteron 6380	8	6,687	1,092	115	G34	Server
»	AMD Ryzen Embedded V1605B	4	6,677	1,908	15	FP5	Laptop, Mobile/Embedded
»	Intel Xeon D-2123IT @ 2.20GHz	4	6,676	1,725	60	FCBGA2518	Server
»	HiSilicon Kirin	8	6,669	2,246	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 PRO 3200GE	4	6,662	2,120	35	AM4	Laptop
»	Snapdragon 8cx Gen 2 @ 3.15 GHz	8	6,657	1,953	7	Unknown	Laptop, Mobile/Embedded
»	[Dual CPU] Intel Xeon W5590 @ 3.33GHz	4	6,640	1,612	130	LGA1366	Server
»	Mediatek MT8789	8	6,640	2,296	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 PRO 2500U	4	6,638	1,791	15	FP5	Laptop
»	Intel Xeon E3-1275 V2 @ 3.50GHz	4	6,631	2,120	77	LGA1155	Server
»	Intel Core i3-9100 @ 3.60GHz	4	6,621	2,482	65	FCLGA1151-2	Desktop
»	Intel Core i7-4770R @ 3.20GHz	4	6,620	2,179	65	FCBGA1364	Desktop
»	QTI SM7550	8	6,609	2,240	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8350AC	8	6,588	2,758	NA	Unknown	Mobile/Embedded
»	Intel Core i7-10510U @ 1.80GHz	4	6,585	2,289	15	FCBGA1528	Laptop
»	QTI SM8250	8	6,577	2,260	NA	Unknown	Mobile/Embedded
»	Mediatek MT6891Z/CZA	8	6,572	2,167	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	MediaTek MT6983	8	6,571	2,219	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1280 V2 @ 3.60GHz	4	6,563	2,168	69	LGA1155	Server
»	Qualcomm Technologies, Inc SA8195P	8	6,554	1,741	NA	Unknown	Mobile/Embedded
»	MT8797Z/CNZA	8	6,550	1,799	NA	Unknown	Mobile/Embedded
»	CentaurHauls @2000MHz	8	6,549	1,118	NA	Unknown	Desktop
»	Intel Core i7-970 @ 3.20GHz	6	6,547	1,467	130	LGA1366	Desktop
»	[Quad CPU] Intel Xeon E7340 @ 2.40GHz	4	6,544	960	80	PGA604	Server
»	Intel Xeon E5-1620 v2 @ 3.70GHz	4	6,541	2,020	130	FCLGA2011	Server
»	QTI SM8350	8	6,541	2,294	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 2500U	4	6,540	1,819	15	FP5	Laptop
»	Intel Core i5-7600 @ 3.50GHz	4	6,537	2,460	65	FCLGA1151	Desktop
»	Qualcomm SM8350	8	6,532	2,171	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6700HQ @ 2.60GHz	4	6,526	1,912	45	FCBGA1440	Laptop
»	Intel Xeon E3-1290 V2 @ 3.70GHz	4	6,526	2,127	87	LGA1155	Server
»	Intel Core i7-1060NG7 @ 1.20GHz	4	6,521	1,857	10	FCBGA1526	Laptop
»	Samsung s5e9925	8	6,516	2,133	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1240L v5 @ 2.10GHz	4	6,511	1,909	25	FCLGA1151	Server
»	[Dual CPU] Intel Xeon E5620 @ 2.40GHz	4	6,510	1,089	80	LGA1366	Server
»	Mediatek MT6891Z_Z/CZA	8	6,509	1,668	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4980HQ @ 2.80GHz	4	6,505	2,167	47	FCBGA1364	Laptop
»	Intel Core i7-4820K @ 3.70GHz	4	6,494	1,958	130	FCLGA2011	Desktop
»	Intel Xeon E3-1270 V2 @ 3.50GHz	4	6,485	2,079	69	LGA1155	Server
»	MT6893Z_Z/CZA	8	6,485	2,046	NA	Unknown	Mobile/Embedded
»	MT6893Z/CZA	8	6,467	2,158	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3770K @ 3.50GHz	4	6,466	2,072	77	LGA1155	Desktop
»	Intel Xeon E5-4610 @ 2.40GHz	6	6,460	1,401	95	FCLGA2011	Server
»	Intel Xeon E5-2637 v2 @ 3.50GHz	4	6,457	1,902	130	LGA 2011	Server
»	Odin based on Qualcomm Technologies, Inc SM8350	8	6,456	1,751	NA	Unknown	Mobile/Embedded
»	Microsoft SQ2 @ 3.15 GHz	8	6,449	1,916	NA	Unknown	Laptop
»	redwood based Qualcomm Technologies, Inc. SM7325	8	6,448	2,150	NA	Unknown	Mobile/Embedded
»	Intel Xeon Silver 4112 @ 2.60GHz	4	6,446	1,707	85	FCLGA3647	Server
»	Intel Xeon W3670 @ 3.20GHz	6	6,435	1,498	130	LGA1366	Server
»	Qualcomm Technologies, Inc SM7325	8	6,431	2,170	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-10310U @ 1.70GHz	4	6,430	2,199	15	FCBGA1528	Laptop
»	Mediatek MT6893Z_T/CZA	8	6,427	2,475	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8250_AC	8	6,416	2,621	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2608L v3 @ 2.00GHz	6	6,415	1,210	52	LGA2011-v3	Server
»	Mediatek MT6889	8	6,415	1,898	NA	Unknown	Mobile/Embedded
»	Mediatek MT6883Z/CZA	8	6,413	1,761	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3770 @ 3.40GHz	4	6,411	2,073	77	LGA1155	Desktop
»	Intel Xeon X5675 @ 3.07GHz	6	6,404	1,484	95	LGA1366	Server
»	AMD Ryzen 3 PRO 2200GE	4	6,398	2,056	35	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz	4	6,395	1,282	80	FCLGA1356	Server
»	QTI SM8450	8	6,386	2,430	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6282 SE	16	6,385	953	140	Unknown	Server
»	[Dual CPU] Intel Xeon W5580 @ 3.20GHz	4	6,384	1,485	130	LGA1366	Server
»	MT6893Z_B/CZA	8	6,371	1,901	NA	Unknown	Mobile/Embedded
»	taoyao based Qualcomm Technologies, Inc. Yupik IDP	8	6,359	1,818	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1240 V2 @ 3.40GHz	4	6,358	2,034	69	LGA1155	Server
»	Intel Xeon E5-2420 v2 @ 2.20GHz	6	6,356	1,386	80	FCLGA1356	Server
»	Intel Xeon E-2276ML @ 2.00GHz	6	6,353	1,222	25	FCBGA1440	Server
»	AMD Opteron 6276	8	6,348	1,033	115	Socket G34	Server
»	Intel Core i7-4930MX @ 3.00GHz	4	6,348	2,060	57	FCPGA946	Laptop
»	Intel Core i7-4960HQ @ 2.60GHz	4	6,347	2,083	47	FCBGA1364	Laptop
»	Intel Core i7-4790T @ 2.70GHz	4	6,346	2,094	45	LGA1150	Desktop
»	[Dual CPU] AMD Opteron 8439 SE	6	6,340	1,204	105	F (1207)	Server
»	[Dual CPU] AMD Opteron 6128 HE	8	6,339	883	85	Socket G34	Server
»	Intel Xeon E3-1268L v5 @ 2.40GHz	4	6,334	1,721	35	FCLGA1151	Laptop, Server
»	Intel Xeon E-2254ML @ 1.70GHz	4	6,333	2,029	25	FCBGA1440	Server
»	Intel Core i5-6600K @ 3.50GHz	4	6,327	2,328	91	FCLGA1151	Desktop
»	Intel Xeon E5-2640 @ 2.50GHz	6	6,324	1,352	95	LGA2011	Server
»	Intel Core i7-4870HQ @ 2.50GHz	4	6,317	2,054	47	FCBGA1364	Laptop
»	Mediatek MT6893	8	6,306	2,078	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1245 V2 @ 3.40GHz	4	6,305	2,025	77	LGA1155	Server
»	Intel Core i7-4760HQ @ 2.10GHz	4	6,300	1,944	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-4617 @ 2.90GHz	6	6,298	1,552	130	LGA 2011	Server
»	Intel Core i3-8300 @ 3.70GHz	4	6,296	2,261	62	FCLGA1151-2	Desktop
»	Intel Xeon E3-1275L v3 @ 2.70GHz	4	6,290	2,149	45	LGA1150	Server
»	Qualcomm Technologies, Inc KONA-IOT	8	6,282	2,510	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 1200	4	6,275	1,929	65	AM4	Desktop
»	Intel Core i7-8650U @ 1.90GHz	4	6,273	2,131	15	FC-BGA1356	Laptop
»	Intel Xeon E5-1428L v2 @ 2.20GHz	6	6,255	1,096	60	FCLGA1356	Server
»	Intel Core i7-8665U @ 1.90GHz	4	6,248	2,187	15	FCBGA1528	Laptop
»	Intel Xeon E5-2620 v2 @ 2.10GHz	6	6,246	1,290	80	FCLGA2011	Server
»	Intel Core i7-4910MQ @ 2.90GHz	4	6,245	2,025	47	FCPGA946	Laptop
»	Intel Core i7-4860HQ @ 2.40GHz	4	6,242	1,893	47	FCBGA1364	Laptop
»	[Dual CPU] Intel Xeon X5570 @ 2.93GHz	4	6,238	1,447	95	LGA1366	Server
»	Intel Core i3-10100TE @ 2.30GHz	4	6,237	1,715	35	LGA 1200	Mobile/Embedded
»	[Dual CPU] Intel Xeon E7-4807 @ 1.87GHz	6	6,223	721	95	LGA1567	Server
»	Intel Core i5-8350U @ 1.70GHz	4	6,209	2,022	15	FC-BGA1356	Laptop
»	Intel Xeon D-1622 @ 2.60GHz	4	6,205	1,875	40	FCBGA1667	Server
»	Intel Xeon E3-1265L v3 @ 2.50GHz	4	6,204	2,062	45	FCLGA1150	Server
»	Intel Core i5-10210U @ 1.60GHz	4	6,195	2,163	15	FCBGA1528	Laptop
»	Intel Xeon E3-1230 V2 @ 3.30GHz	4	6,193	1,989	69	LGA1155	Server
»	Intel Xeon E5-2650L @ 1.80GHz	8	6,192	1,083	70	LGA 2011	Server
»	Intel Xeon E5-2430L v2 @ 2.40GHz	6	6,190	1,318	60	LGA 1356	Server
»	Intel Core i7-8565UC @ 1.80GHz	4	6,187	2,527	15	FCBGA1528	Laptop
»	Intel Core i7-3770S @ 3.10GHz	4	6,185	2,042	65	LGA1155	Desktop
»	Intel Xeon E5-2630 @ 2.30GHz	6	6,183	1,286	95	LGA2011	Server
»	Intel Core i3-1025G1 @ 1.20GHz	4	6,180	2,368	NA	BGA 1526	Laptop
»	AMD FX-8370 Eight-Core	4	6,171	1,625	125	AM3+	Desktop
»	AMD FX-9370 Eight-Core	4	6,171	1,691	220	AM3+	Desktop
»	Intel Core i3-9300T @ 3.20GHz	4	6,164	2,302	35	FCLGA1151-2	Desktop
»	Intel Core i3-1215UL	6	6,161	2,046	15	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 3 PRO 1200	4	6,154	1,914	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD Opteron 6128	8	6,141	862	115	G34	Server
»	MT6893Z_C/CZA	8	6,139	1,767	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6700TE @ 2.40GHz	4	6,135	2,042	35	LGA 1151	Desktop
»	SM8350	8	6,132	2,445	NA	Unknown	Mobile/Embedded
»	vendor Kirin990	8	6,132	2,011	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4850HQ @ 2.30GHz	4	6,130	1,937	47	FCBGA1364	Laptop
»	Samsung Exynos 990	8	6,130	1,803	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4900MQ @ 2.80GHz	4	6,117	1,990	47	FCPGA946	Laptop
»	Qualcomm Technologies, Inc SM8350	8	6,117	2,163	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8100 @ 3.60GHz	4	6,108	2,217	65	FCLGA1151-2	Desktop
»	Intel Core i5-8365U @ 1.60GHz	4	6,104	2,124	15	FCBGA1528	Laptop
»	Intel Xeon X5670 @ 2.93GHz	6	6,096	1,399	95	LGA1366	Server
»	Intel Xeon E5-2440 @ 2.40GHz	6	6,091	1,304	95	LGA 1356	Server
»	Intel Core i7-5675C @ 3.10GHz	4	6,089	2,249	65	LGA1150	Desktop
»	Intel Xeon E3-1505L v6 @ 2.20GHz	4	6,088	1,848	25	FCBGA1440	Laptop, Server
»	Intel Core i7-4770HQ @ 2.20GHz	4	6,081	1,918	47	FCBGA1364	Laptop
»	Intel Core i7-8565U @ 1.80GHz	4	6,080	2,152	15	FCBGA1356	Laptop
»	Qualcomm SM7325	8	6,077	2,035	NA	Unknown	Mobile/Embedded
»	SM7325	8	6,074	2,127	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2658 @ 2.10GHz	8	6,073	1,156	95	LGA2011	Server
»	AMD Opteron 6344	6	6,069	1,231	115	Unknown	Server
»	Qualcomm QCM6490	8	6,068	1,921	NA	Unknown	Mobile/Embedded
»	Intel Core i3-1115G4 @ 3.00GHz	2	6,065	2,632	15	FCBGA1449	Laptop
»	AMD FX-8350 Eight-Core	4	6,061	1,581	125	AM3+	Desktop
»	Intel Core i7-4810MQ @ 2.80GHz	4	6,060	2,025	47	FCPGA946	Laptop
»	[Dual CPU] AMD Opteron 6134	8	6,053	898	115	G34	Server
»	AMD EPYC 3101 4-Core	4	6,050	1,787	NA	Unknown	Unknown
»	Intel Core i3-8100B @ 3.60GHz	4	6,050	2,339	65	FCBGA1440	Laptop
»	MT6893Z_A/CZA	8	6,050	2,341	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6600 @ 3.30GHz	4	6,047	2,258	65	LGA 1151	Desktop
»	Intel Core i5-7500 @ 3.40GHz	4	6,035	2,264	65	LGA1151	Desktop
»	AMD Ryzen Embedded R2314	4	6,031	1,921	NA	Unknown	Mobile/Embedded
»	Intel Core i7-5700HQ @ 2.70GHz	4	6,029	2,011	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Snapdragon 7cPlus Gen 3 @ 2.40 GHz	8	6,028	1,719	NA	Unknown	Mobile/Embedded
»	MT6891Z/CZA	8	6,025	1,668	NA	Unknown	Mobile/Embedded
»	Samsung s5e8835	8	6,024	2,016	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 2200GE	4	6,018	1,931	35	AM4	Desktop
»	Intel Xeon X5660 @ 2.80GHz	6	6,008	1,371	95	LGA1366	Server
»	AMD Ryzen Embedded V1404I	4	6,007	1,621	15	Unknown	Desktop, Mobile/Embedded
»	ARM Cortex-X1C 4 Core 2438 MHz	4	6,007	1,244	NA	Unknown	Unknown
»	Intel Xeon E3-1225 v5 @ 3.30GHz	4	5,975	2,122	80	FCLGA1151	Server
»	Intel Core i7-4770T @ 2.50GHz	4	5,973	1,931	45	LGA1150	Desktop
»	Intel Core i5-8265U @ 1.60GHz	4	5,960	2,065	15	FCBGA1528	Laptop
»	AMD Ryzen 3 PRO 3300U	4	5,950	1,931	15	FP5	Laptop
»	QTI SM7325	8	5,945	1,973	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7600T @ 2.80GHz	4	5,927	2,168	35	FCLGA1151	Desktop
»	Intel Core i7-3840QM @ 2.80GHz	4	5,923	1,940	45	rPGA988B	Laptop
»	Intel Xeon E-2104G @ 3.20GHz	4	5,913	1,956	65	FCLGA1151-2	Server
»	Intel Core i7-8550U @ 1.80GHz	4	5,911	2,051	15	FC-BGA1356	Laptop
»	[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz	4	5,891	1,151	80	LGA2011	Server
»	AMD Opteron 6378	8	5,889	1,127	115	G34	Server
»	Intel Core i3-1115G4E @ 3.00GHz	2	5,883	2,636	15	BGA 1449	Mobile/Embedded
»	Intel Xeon E5-2450L @ 1.80GHz	8	5,880	1,002	70	LGA 1356	Server
»	AMD Ryzen 3 3350U	4	5,876	1,927	15	Unknown	Laptop
»	Intel Core i5-8250U @ 1.60GHz	4	5,875	1,908	15	FC-BGA1356	Laptop
»	[Dual CPU] Intel Xeon X5560 @ 2.80GHz	4	5,864	1,390	95	LGA1366	Server
»	Intel Xeon E5-1620 @ 3.60GHz	4	5,861	1,769	130	LGA2011	Server
»	Qualcomm Technologies, Inc SM8250	8	5,857	2,244	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4710MQ @ 2.50GHz	4	5,844	1,891	47	FCPGA946	Laptop
»	Intel Core i7-3940XM @ 3.00GHz	4	5,830	1,919	55	rPGA988B	Laptop
»	Intel N97	4	5,819	2,050	12	FCBGA1264	Mobile/Embedded
»	MT6891	8	5,817	1,764	NA	Unknown	Mobile/Embedded
»	Intel Core i7-5700EQ @ 2.60GHz	4	5,803	2,092	47	FCBGA1364	Laptop
»	Intel Xeon E3-1220 v5 @ 3.00GHz	4	5,797	2,059	80	FCLGA1151	Server
»	AMD Ryzen 3 PRO 2300U	4	5,792	1,832	15	FP5	Laptop
»	AMD Opteron 4274 HE	4	5,776	1,060	65	C32	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz	2	5,775	1,654	80	FCLGA2011	Server
»	Intel Xeon E3-1268L v3 @ 2.30GHz	4	5,770	1,879	45	LGA1150	Server
»	[Dual CPU] Intel Xeon L5639 @ 2.13GHz	6	5,768	1,010	60	LGA1366	Server
»	Intel Core i7-4720HQ @ 2.60GHz	4	5,765	1,869	47	BGA1364	Laptop
»	Intel Xeon E3-1225 v6 @ 3.30GHz	4	5,765	2,038	73	FCLGA1151	Server
»	Intel Core i7-3820 @ 3.60GHz	4	5,762	1,744	130	LGA2011	Desktop
»	Intel Xeon E3-1220 v6 @ 3.00GHz	4	5,754	1,869	72	FCLGA1151	Server
»	Intel Xeon Bronze 3106 @ 1.70GHz	8	5,753	1,002	85	FCLGA3647	Server
»	Intel Core i5-1030NG7 @ 1.10GHz	4	5,751	1,764	10	BGA1526	Laptop
»	Intel Core i3-8300T @ 3.20GHz	4	5,749	1,987	25	FCLGA1151-2	Desktop
»	Spreadtrum UIS7885(prototype)	8	5,741	1,932	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G7400T	2	5,737	2,549	35	Unknown	Desktop
»	MT8195AV/ZA	8	5,735	1,840	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2700K @ 3.50GHz	4	5,728	1,818	95	LGA1155	Desktop
»	Intel Core i7-4800MQ @ 2.70GHz	4	5,716	1,910	47	rPGA946B	Laptop
»	Intel Xeon E5-1410 v2 @ 2.80GHz	4	5,715	1,656	80	LGA 1356	Server
»	Intel Xeon X5650 @ 2.67GHz	6	5,712	1,294	95	LGA1366	Server
»	Intel Core i5-7440EQ @ 2.90GHz	4	5,711	2,131	45	FCBGA1440	Laptop
»	Intel Core i5-8365UE @ 1.60GHz	4	5,711	2,188	15	FCBGA1528	Laptop
»	Intel Core i7-3920XM @ 2.90GHz	4	5,710	1,916	55	FCPGA988	Laptop
»	Microsoft SQ1 @ 3.0 GHz	8	5,708	1,832	15	Unknown	Laptop
»	MT6893Z_D/CZA	8	5,701	2,262	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 3300U	4	5,700	1,849	15	FP5	Laptop
»	Intel Core i7-3740QM @ 2.70GHz	4	5,697	1,875	45	rPGA988B	Laptop
»	Apple A13 Bionic	6	5,696	2,325	NA	Unknown	Mobile/Embedded
»	Intel Xeon D-1521 @ 2.40GHz	4	5,696	1,685	45	FCBGA1667	Server
»	Intel Core i7-4750HQ @ 2.00GHz	4	5,689	1,747	47	FCBGA1364	Laptop
»	Intel Xeon E5649 @ 2.53GHz	6	5,686	1,327	80	LGA1366	Server
»	Intel Core i5-4690K @ 3.50GHz	4	5,684	2,192	88	LGA1150	Desktop
»	AMD Ryzen 5 3500C	4	5,682	1,984	15	FP5	Laptop
»	Intel Xeon E3-1205 v6 @ 3.00GHz	4	5,682	1,875	65	FCLGA1151	Server
»	Qualcomm SM8150	8	5,673	1,826	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Platinum 8151 @ 3.40GHz	2	5,669	2,364	NA	Unknown	Server
»	Intel Core i7-3720QM @ 2.60GHz	4	5,667	1,865	45	BGA1224	Laptop
»	MT6883Z/CZA	8	5,665	1,694	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc KONA	8	5,661	2,336	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 4174 HE	6	5,656	950	65	C32	Server
»	Intel Xeon E3-1240L v3 @ 2.00GHz	4	5,655	1,739	25	FCLGA1150	Server
»	AMD Opteron 6274	8	5,643	871	115	G34	Server
»	Intel Core i7-4700HQ @ 2.40GHz	4	5,631	1,793	47	FCBGA1364	Laptop
»	Intel Core i7-3820QM @ 2.70GHz	4	5,630	1,865	45	BGA1224	Laptop
»	SM8325	8	5,629	1,945	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6238	6	5,625	1,157	115	Socket G34	Server
»	Intel Core i5-6500 @ 3.20GHz	4	5,623	2,107	65	LGA 1151	Desktop
»	Intel Core i7-4722HQ @ 2.40GHz	4	5,620	1,844	37	FCBGA1364	Laptop
»	Intel Xeon E3-1280 @ 3.50GHz	4	5,615	1,804	95	LGA1155	Server
»	AMD Opteron 6366 HE	8	5,613	1,003	85	Unknown	Server
»	Intel Core i5-6600T @ 2.70GHz	4	5,604	2,059	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon X5550 @ 2.67GHz	4	5,603	1,312	95	LGA1366	Server
»	Intel Core i7-3615QE @ 2.30GHz	4	5,601	1,802	45	BGA1224	Laptop
»	Intel Core i5-5675C @ 3.10GHz	4	5,579	2,232	65	FCLGA1150	Desktop
»	Intel Core i5-4690 @ 3.50GHz	4	5,573	2,193	84	LGA1150	Desktop
»	AMD Opteron 6376	8	5,572	1,165	115	Socket G34	Server
»	Intel Atom x7425E	4	5,570	2,040	12	FCBGA1264	Mobile/Embedded
»	QTI SM6450	8	5,569	1,895	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4670K @ 3.40GHz	4	5,561	2,144	84	LGA1150	Desktop
»	Snapdragon 7325	8	5,561	2,026	NA	Unknown	Mobile/Embedded
»	Intel Core i5-5675R @ 3.10GHz	4	5,553	2,255	65	FCBGA1364	Desktop
»	Qualcomm Technologies, Inc SDM778G	8	5,553	2,070	NA	Unknown	Mobile/Embedded
»	Intel Xeon W-2104 @ 3.20GHz	4	5,552	1,814	120	FCLGA2066	Server
»	QTI SM7450	8	5,547	1,874	NA	Unknown	Mobile/Embedded
»	Snapdragon 855 @ 2.84 GHz	8	5,547	1,556	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 2300U	4	5,544	1,748	15	FP5	Laptop
»	ARM Neoverse-N2 8 Core 2500 MHz	8	5,544	1,361	NA	Unknown	Unknown
»	Intel Xeon E3-1226 v3 @ 3.30GHz	4	5,540	2,105	84	FCLGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E5-2430L @ 2.00GHz	6	5,539	1,096	60	FCLGA1356	Server
»	Intel Core i7-4710HQ @ 2.50GHz	4	5,533	1,780	47	FCBGA1364	Laptop
»	ARM Phytium D3000 8 Core 2500 MHz	8	5,528	1,247	NA	Unknown	Unknown
»	QTI SM7435	8	5,522	1,527	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1275 @ 3.40GHz	4	5,516	1,773	95	LGA1155	Server
»	Intel Core i5-4690S @ 3.20GHz	4	5,515	2,200	65	LGA1150	Desktop
»	Intel Core i7-4785T @ 2.20GHz	4	5,504	1,755	35	FCLGA1150	Desktop
»	Intel N100	4	5,503	1,947	6	Unknown	Mobile/Embedded
»	Intel Core i7-4860EQ @ 1.80GHz	4	5,500	1,754	47	FCBGA1364	Laptop
»	QTI SM7350	8	5,499	1,877	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7440HQ @ 2.80GHz	4	5,496	2,077	45	BGA1440	Laptop
»	Intel Xeon E5-2430 @ 2.20GHz	6	5,492	1,175	95	LGA 1356	Server
»	Intel Core i5-4670 @ 3.40GHz	4	5,490	2,135	84	LGA1150	Desktop
»	Intel Core i7-2600K @ 3.40GHz	4	5,489	1,745	95	LGA1155	Desktop
»	vendor Kirin985	8	5,481	1,852	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 2100	8	5,474	2,009	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7400 @ 3.00GHz	4	5,473	2,084	65	FCLGA1151	Desktop
»	ARM Cortex-A72 16 Core 2200 MHz	16	5,470	601	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5492 @ 3.40GHz	4	5,469	1,467	150	LGA771	Server
»	Intel Core i3-9100T @ 3.10GHz	4	5,458	2,067	35	FCLGA1151-2	Desktop
»	lisa based Qualcomm Technologies, Inc. SM7325	8	5,456	1,882	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6440EQ @ 2.70GHz	4	5,445	2,045	45	FCBGA1440	Laptop
»	AMD FX-8320 Eight-Core	4	5,444	1,467	125	AM3+	Desktop
»	Intel Core i7-3770T @ 2.50GHz	4	5,444	1,830	45	LGA1155	Desktop
»	Intel Xeon E5-2609 v4 @ 1.70GHz	8	5,443	1,020	85	FCLGA2011-3	Server
»	Intel Core i5-760S @ 2.53GHz	4	5,440	1,578	NA	Unknown	Unknown
»	Intel Xeon E5-2643 @ 3.30GHz	4	5,433	1,615	130	LGA2011	Server
»	Intel Xeon E3-1290 @ 3.60GHz	4	5,429	1,834	95	LGA1155	Server
»	AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz	4	5,417	1,286	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4700EQ @ 2.40GHz	4	5,417	1,765	47	FCBGA1364	Desktop
»	Mediatek MT6891	8	5,412	1,369	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»»	Intel Xeon E3-1240 @ 3.30GHz	4	5,409	1,727	80	LGA1155	Server
»»	Venus based on Qualcomm Technologies, Inc SM8350	8	5,398	2,158	NA	Unknown	Mobile/Embedded
»»	[Quad CPU] AMD Opteron 8356	4	5,397	929	75	F (1207)	Server
»»	[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz	4	5,394	1,041	80	LGA 1356	Server
»»	Spreadtrum T820	8	5,390	1,891	NA	Unknown	Mobile/Embedded
»»	Intel Xeon E5-2418L v2 @ 2.00GHz	6	5,380	1,078	50	FCLGA1356	Server
»»	Intel Xeon E3-1270 @ 3.40GHz	4	5,374	1,750	80	LGA1155	Server
»»	Intel Core i5-6402P @ 2.80GHz	4	5,372	2,004	65	LGA 1151	Desktop
»»	Intel N95	4	5,371	1,932	15	Unknown	Laptop, Mobile/Embedded
»»	Intel Pentium Silver N6005 @ 2.00GHz	4	5,369	1,769	10	FCBGA1338	Laptop, Mobile/Embedded
»»	Intel Core i5-4590 @ 3.30GHz	4	5,366	2,084	84	LGA1150	Desktop
»»	Haydn based on Qualcomm Technologies, Inc SM8350	8	5,359	1,892	NA	Unknown	Mobile/Embedded
»»	Intel Core i7-2600 @ 3.40GHz	4	5,349	1,741	95	LGA1155	Desktop
»»	Intel Core i7-4700MQ @ 2.40GHz	4	5,347	1,759	47	rPGA946B	Laptop
»»	Intel Core i7-4712HQ @ 2.30GHz	4	5,341	1,723	37	FCBGA1364	Laptop
»»	QTI SM8150	8	5,337	1,827	NA	Unknown	Mobile/Embedded
»»	Intel Core i7-4702HQ @ 2.20GHz	4	5,334	1,627	37	FCBGA1364	Laptop
»»	Intel Xeon E3-1245 @ 3.30GHz	4	5,334	1,717	95	LGA1155	Server
»»	Intel Xeon X5687 @ 3.60GHz	4	5,309	1,636	130	LGA1366	Server
»»	AMD FX-8300 Eight-Core	4	5,308	1,493	95	AM3+	Desktop
»»	QTI QCM4490	8	5,308	2,171	NA	Unknown	Mobile/Embedded
»»	AMD FX-8370E Eight-Core	4	5,306	1,463	95	AM3+	Desktop
»»	AMD Opteron 6328	4	5,306	1,419	115	G34	Server
»»	Intel Xeon E5-2630L @ 2.00GHz	6	5,305	1,119	60	LGA 2011	Server
»»	Intel Core i7-4712MQ @ 2.30GHz	4	5,299	1,805	37	FCPGA946	Laptop
»»	Vili based on Qualcomm Technologies, Inc SM8350	8	5,296	1,592	NA	Unknown	Mobile/Embedded
»»	Intel Xeon E3-1225 v3 @ 3.20GHz	4	5,295	2,009	84	LGA1150	Server
»»	Intel Xeon E5-2620 @ 2.00GHz	6	5,291	1,109	95	LGA2011	Server
»»	Snapdragon 860 @ 2.96 GHz	8	5,291	1,545	NA	Unknown	Mobile/Embedded
»»	[Quad CPU] Intel Xeon E7320 @ 2.13GHz	4	5,286	811	80	604	Server
»»	Intel Core i3-8100T @ 3.10GHz	4	5,278	1,881	35	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon L5630 @ 2.13GHz	4	5,267	964	40	LGA1366	Server
»	Intel Xeon E5-2648L @ 1.80GHz	8	5,262	981	70	LGA 2011	Server
»	[Dual CPU] AMD Opteron 2435	6	5,260	1,122	75	F (1207)	Server
»	MT6877V/TTZA	8	5,253	2,152	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1230L v3 @ 1.80GHz	4	5,251	1,619	25	LGA1150	Server
»	Mediatek MT6875	8	5,249	1,254	NA	Unknown	Mobile/Embedded
»	vendor Kirin980	8	5,243	1,717	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6822EQ @ 2.00GHz	4	5,241	1,572	25	LGA 1151	Laptop
»	Star based on Qualcomm Technologies, Inc SM8350	8	5,241	1,962	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6272	8	5,240	753	115	G34	Server
»	AMD FX-8150 Eight-Core	4	5,238	1,429	125	AM3+	Desktop
»	Intel Core i5-4670R @ 3.00GHz	4	5,233	2,164	65	FCBGA1364	Desktop
»	Mars based on Qualcomm Technologies, Inc SM8350	8	5,230	1,984	NA	Unknown	Mobile/Embedded
»	Mediatek MT6879V_TZA	8	5,230	2,183	NA	Unknown	Mobile/Embedded
»	Snapdragon 8c @ 2.46 GHz	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Core i5-7500T @ 2.70GHz	4	5,223	1,920	35	FCLGA1151	Desktop
»	Intel Core i5-4570 @ 3.20GHz	4	5,220	2,033	84	LGA1150	Desktop
»	[Dual CPU] Intel Xeon E5530 @ 2.40GHz	4	5,214	1,155	80	LGA1366	Server
»	Intel Xeon D-1527 @ 2.20GHz	4	5,213	1,552	35	FCBGA1667	Server
»	Intel Xeon E3-1220 v3 @ 3.10GHz	4	5,212	1,969	80	LGA1150	Server
»	Intel Xeon E5-1607 v4 @ 3.10GHz	4	5,200	1,922	140	FCLGA2011-3	Server
»	Intel Pentium Gold 7505 @ 2.00GHz	2	5,198	2,263	15	FCBGA1449	Laptop
»	Intel Core i7-3615QM @ 2.30GHz	4	5,185	1,705	45	BGA1224	Laptop
»	Intel Core i7-4702MQ @ 2.20GHz	4	5,182	1,704	37	FCPGA946	Laptop
»	Intel Core i7-8665UE @ 1.70GHz	4	5,170	1,621	15	FCBGA1528	Laptop
»	Intel Core i5-6400 @ 2.70GHz	4	5,164	1,956	65	LGA 1151	Desktop
»	AMD FX-8310 Eight-Core	4	5,149	1,416	95	AM3+	Desktop
»	Intel Core i5-4670S @ 3.10GHz	4	5,148	2,089	65	FCLGA1150	Desktop
»	Intel Xeon E3-1265L V2 @ 2.50GHz	4	5,145	1,654	45	LGA1155	Server
»	Intel Core i5-4590S @ 3.00GHz	4	5,133	2,046	65	LGA1150	Desktop
»	Intel Core i7-4765T @ 2.00GHz	4	5,127	1,629	35	FCLGA1150	Desktop
»	Intel N200	4	5,126	1,912	6	FCBGA1264	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon E3-1230 @ 3.20GHz	4	5,126	1,663	80	LGA1155	Server
»	[Dual CPU] Intel Xeon X5470 @ 3.33GHz	4	5,125	1,421	120	LGA771	Server
»	Intel Core i7-3610QM @ 2.30GHz	4	5,118	1,665	45	PGA988B	Laptop
»	Intel Atom C3758R @ 2.40GHz	8	5,116	956	26	FCBGA1310	Server
»	Intel Core i7-3630QM @ 2.40GHz	4	5,114	1,685	45	rPGA988B	Laptop
»	Intel Core i5-6440HQ @ 2.60GHz	4	5,112	1,965	45	LGA 1151	Laptop
»	MT8188JV/A	8	5,104	1,878	NA	Unknown	Mobile/Embedded
»	MT6893	8	5,102	1,902	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5482 @ 3.20GHz	4	5,100	1,406	150	LGA771	Server
»	Intel Core i5-7300HQ @ 2.50GHz	4	5,094	1,957	45	Unknown	Laptop
»	AMD FX-8320E Eight-Core	4	5,086	1,433	95	AM3+	Desktop
»	Hisilicon Kirin9000	8	5,083	2,490	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1505L v5 @ 2.00GHz	4	5,083	1,548	25	FCBGA1440	Laptop, Server
»	Intel Xeon W-2102 @ 2.90GHz	4	5,079	1,691	120	FCLGA2066	Server
»	Intel Core i5-5575R @ 2.80GHz	4	5,074	2,094	65	LGA1150	Desktop
»	Intel Core i5-8265UC @ 1.60GHz	4	5,073	2,020	NA	FCBGA1528	Laptop
»	vendor Kirin820	8	5,067	1,693	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5460 @ 3.16GHz	4	5,066	1,357	120	LGA771	Server
»	Intel Xeon E3-1235 @ 3.20GHz	4	5,053	1,607	95	LGA1155	Server
»	Intel Xeon E5645 @ 2.40GHz	6	5,046	1,156	80	LGA1366	Server
»	Intel Xeon X5677 @ 3.47GHz	4	5,043	1,618	130	LGA1366	Server
»	Intel Core i5-4670K CPT @ 3.40GHz	4	5,034	2,042	84	LGA1150	Desktop
»	Snapdragon 8cx @ 2.84 GHz	8	5,032	1,715	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Xeon E5-2420 @ 1.90GHz	6	5,030	1,089	95	LGA1356	Server
»	Intel Core i7-3610QE @ 2.30GHz	4	5,026	1,582	45	rPGA988B	Laptop
»	Intel Core i5-4570S @ 2.90GHz	4	5,019	2,005	65	LGA1150	Desktop
»	[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz	4	5,017	991	80	LGA 2011	Server
»	Intel Xeon E3-1235L v5 @ 2.00GHz	4	5,013	1,761	25	FCLGA1151	Server
»	Mediatek MT6877	8	5,009	2,022	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5672 @ 3.20GHz	4	4,996	1,546	95	LGA1366	Server
»	Mediatek MT6877V/TTZA	8	4,986	2,010	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	[Dual CPU] Intel Xeon X5472 @ 3.00GHz	4	4,979	1,326	120	LGA771	Server
»»	Mediatek MT8791V/TN	8	4,972	2,216	NA	Unknown	Mobile/Embedded
»»	Apple A12 Bionic	6	4,969	1,984	NA	Unknown	Mobile/Embedded
»»	[Dual CPU] Intel Xeon E5607 @ 2.27GHz	4	4,969	1,009	80	LGA1366	Server
»»	Intel Core i3-7350K @ 4.20GHz	2	4,965	2,575	60	FCLGA1151	Desktop
»»	Intel Core i5-3570K @ 3.40GHz	4	4,954	2,048	77	LGA1155	Desktop
»»	Intel Xeon E5-1607 v3 @ 3.10GHz	4	4,950	1,815	140	LGA2011-v3	Server
»»	Intel Core i5-3570 @ 3.40GHz	4	4,929	2,046	77	LGA1155	Desktop
»»	Intel Core i7-3612QE @ 2.10GHz	4	4,929	1,678	35	BGA1224	Laptop
»»	Intel Core i3-1005G1 @ 1.20GHz	2	4,921	2,189	15	FCBGA1526	Laptop
»»	Intel Xeon D-1520 @ 2.20GHz	4	4,917	1,270	45	BGA 1667	Server
»»	Intel Xeon E5-1410 @ 2.80GHz	4	4,915	1,487	80	LGA1356	Server
»»	Intel Core i7-10510Y @ 1.20GHz	4	4,905	1,895	7	UTFCBGA1377	Laptop
»»	SM8450	8	4,896	1,278	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-4460 @ 3.20GHz	4	4,888	1,904	84	LGA1150	Desktop
»»	Intel Core i7-4770TE @ 2.30GHz	4	4,877	1,653	45	LGA1150	Desktop
»»	MT6877V/TZA	8	4,871	1,871	NA	Unknown	Mobile/Embedded
»»	Renoir based on Qualcomm Technologies, Inc SM7350	8	4,869	1,815	NA	Unknown	Mobile/Embedded
»»	AMD FX-8140 Eight-Core	4	4,860	1,273	95	AM3+	Desktop
»»	Mediatek Dimensity 7200-Pro (MT6886)	8	4,850	2,045	NA	Unknown	Mobile/Embedded
»»	Samsung Technologies, Inc Exynos E1080	8	4,846	2,029	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-7320 @ 4.10GHz	2	4,844	2,504	51	FCLGA1151	Desktop
»»	Intel Core i5-7442EQ @ 2.10GHz	4	4,834	1,819	25	FCBGA1440	Laptop
»»	Mediatek MT6877V/TZA	8	4,834	1,784	NA	Unknown	Mobile/Embedded
»»	Intel Xeon Bronze 3204 @ 1.90GHz	6	4,832	1,101	85	FCLGA3647	Server
»»	Intel Core i7-3635QM @ 2.40GHz	4	4,816	1,702	45	Unknown	Laptop
»»	[Dual CPU] Intel Xeon X5450 @ 3.00GHz	4	4,814	1,292	120	LGA771	Server
»»	Intel Core i5-3550 @ 3.30GHz	4	4,811	1,996	77	LGA1155	Desktop
»»	[Dual CPU] Intel Xeon X7460 @ 2.66GHz	6	4,803	922	130	PGA604	Server
»»	[Dual CPU] Intel Xeon E5540 @ 2.53GHz	4	4,793	1,104	80	LGA1366	Server
»»	Intel Core i5-6500T @ 2.50GHz	4	4,792	1,792	35	LGA 1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-9100TE @ 2.20GHz	4	4,791	1,676	35	FCLGA1151-2	Laptop
»	Intel Core i5-4440 @ 3.10GHz	4	4,787	1,859	84	FCLGA1150	Desktop
»	MT6877V/ZA	8	4,787	1,954	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6500TE @ 2.30GHz	4	4,772	1,837	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon E5472 @ 3.00GHz	4	4,765	1,326	80	LGA771	Server
»	Intel Core i7-2960XM @ 2.70GHz	4	4,754	1,598	55	PGA988B	Laptop
»	AMD Opteron 6220	4	4,753	1,203	115	Socket G34	Server
»	Intel Xeon E3-1225 V2 @ 3.20GHz	4	4,748	1,932	77	LGA1155	Server
»	Mediatek MT6877V/ZA	8	4,748	1,843	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4470S @ 3.00GHz	4	4,742	1,756	65	LGA1150	Desktop
»	AMD Athlon Gold 7220U	2	4,740	2,094	15	FP6	Laptop
»	Spreadtrum T760	8	4,735	1,537	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7400T @ 2.40GHz	4	4,724	1,761	35	LGA1151	Desktop
»	MT8771V/PZA	8	4,723	1,700	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5450 @ 3.00GHz	4	4,710	1,289	80	LGA771	Server
»	Intel Atom C3858 @ 2.00GHz	12	4,707	652	25	FCBGA1310	Server
»	Intel Core i5-6300HQ @ 2.30GHz	4	4,698	1,791	45	LGA 1151	Laptop
»	Intel Core i7-3632QM @ 2.20GHz	4	4,696	1,584	35	rPGA988B	Laptop
»	Intel Xeon E5-2603 v4 @ 1.70GHz	6	4,695	1,046	85	FCLGA2011-3	Server
»	Intel Xeon E5-1603 v4 @ 2.80GHz	4	4,683	1,753	140	FCLGA2011-3	Server
»	Intel Xeon E3-1220 V2 @ 3.10GHz	4	4,676	1,875	69	LGA1155	Server
»	Intel Core i5-3470 @ 3.20GHz	4	4,675	1,940	77	LGA1155	Desktop
»	Intel Xeon D-1518 @ 2.20GHz	4	4,674	1,356	35	FCBGA1667	Server
»	Intel Core i7-3612QM @ 2.10GHz	4	4,666	1,539	35	PGA988B, FCBGA12	Laptop
»	AMD Opteron 4284	4	4,665	1,181	95	Socket C32	Server
»	Intel Core i5-4430 @ 3.00GHz	4	4,659	1,799	84	LGA1150	Desktop
»	Intel Xeon X5667 @ 3.07GHz	4	4,659	1,460	95	LGA1366	Server
»	Intel Xeon L5640 @ 2.27GHz	6	4,645	1,117	60	LGA1366	Server
»	AMD FX-8120 Eight-Core	4	4,642	1,336	125	AM3+	Desktop
»	AMD Athlon Silver PRO 3125GE	2	4,633	2,074	35	AM4	Desktop
»	AMD Ryzen Embedded V1500B	4	4,633	1,211	16	BGA1140	Mobile/Embedded
»	Intel Core i7-6970HQ @ 2.80GHz	4	4,632	1,532	45	FCBGA1440	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-2600S @ 2.80GHz	4	4,628	1,733	65	LGA1155	Desktop
»	Intel Core i5-3570S @ 3.10GHz	4	4,625	1,990	65	LGA1155	Desktop
»	Intel Atom C3758 @ 2.20GHz	8	4,614	867	25	FCBGA1310	Server
»	[Dual CPU] Intel Xeon E5520 @ 2.27GHz	4	4,613	1,106	80	LGA1366	Server
»	Snapdragon 8350	8	4,608	2,484	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8150	8	4,593	1,774	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4690T @ 2.50GHz	4	4,589	1,898	45	LGA1150	Desktop
»	Samsung Exynos 980	8	4,584	1,871	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4460S @ 2.90GHz	4	4,583	1,846	65	LGA1150	Desktop
»	Intel Core i5-4570R @ 2.70GHz	4	4,579	1,813	65	FCBGA1364	Desktop
»	Mediatek Dimensity 7025 (MT6855)	8	4,570	1,875	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5520 @ 2.27GHz	4	4,561	969	60	LGA1366	Server
»	Qualcomm SC7180P	8	4,558	1,852	NA	Unknown	Mobile/Embedded
»	Intel Celeron G6900	2	4,550	2,728	46	LGA1700,BGA1700	Desktop
»	AMD FX-6350 Six-Core	3	4,548	1,559	125	AM3+	Desktop
»	MT6877T	8	4,548	1,641	NA	Unknown	Mobile/Embedded
»	AMD Athlon Silver 3050GE	2	4,545	2,016	35	AM4	Laptop
»	AMD Athlon 240GE	2	4,534	1,968	35	AM4	Desktop
»	[Dual CPU] Intel Xeon E5462 @ 2.80GHz	4	4,527	1,241	80	LGA771	Server
»	Intel Core i3-7300 @ 4.00GHz	2	4,526	2,410	51	FCLGA1151	Desktop
»	Intel Core i3-1115GRE @ 3.00GHz	2	4,524	2,125	15	FCBGA1449	Mobile/Embedded
»	Samsung s5e8535	8	4,521	1,982	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2382	4	4,516	1,157	115	F (1207)	Server
»	Intel Pentium Gold G6605 @ 4.30GHz	2	4,509	2,619	58	FCLGA1200	Desktop
»	Mediatek MT8390AV/A	8	4,509	1,979	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2860QM @ 2.50GHz	4	4,506	1,545	45	BGA1224	Laptop
»	AMD Opteron 4280	4	4,504	1,141	95	Socket C32	Server
»	MT6889Z/CZA	8	4,504	1,798	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3450 @ 3.10GHz	4	4,500	1,871	77	LGA1155	Desktop
»	[Dual CPU] AMD Opteron 2427	6	4,499	906	75	F (1207)	Server
»	Qualcomm Technologies, Inc SM8150P	8	4,495	1,914	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6442EQ @ 1.90GHz	4	4,487	1,649	25	FCBGA1440	Laptop
»	AMD Athlon 3000G	2	4,484	1,984	35	AM4	Desktop
»	Intel Core i5-10210Y @ 1.00GHz	4	4,475	1,858	7	UTFCBGA1377	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-6320 @ 3.90GHz	2	4,473	2,308	51	LGA 1151	Desktop
»	Mediatek DM700	8	4,471	1,566	NA	Unknown	Mobile/Embedded
»	Mediatek MT6833GP	8	4,462	1,655	NA	Unknown	Mobile/Embedded
»	Samsung s5e8825	8	4,460	1,913	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4670T @ 2.30GHz	4	4,441	1,771	45	FCLGA1150	Desktop
»	Intel Xeon X5647 @ 2.93GHz	4	4,441	1,363	130	LGA1366	Server
»	SM6375	8	4,441	1,956	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5440 @ 2.83GHz	4	4,440	1,241	80	LGA771	Server
»	AMD FX-6330 Six-Core	3	4,433	1,531	95	AM3+	Desktop
»	[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz	4	4,433	873	80	LGA 2011	Server
»	Intel Core i3-7101E @ 3.90GHz	2	4,430	2,407	54	FCLGA1151	Desktop
»	Intel Xeon E5-2609 v3 @ 1.90GHz	6	4,430	1,097	80	LGA2011-v3	Server
»	Mediatek MT6833G	8	4,430	1,119	NA	Unknown	Mobile/Embedded
»	AMD Athlon 220GE	2	4,424	1,959	35	AM4	Laptop
»	Intel Pentium 6805 @ 1.10GHz	2	4,424	1,834	15	FCBGA1526	Laptop
»	Intel Xeon Bronze 3104 @ 1.70GHz	6	4,424	1,011	85	FCLGA3647	Server
»	Rockchip RK3588	8	4,424	1,447	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3550S @ 3.00GHz	4	4,422	1,961	65	LGA1155	Desktop
»	Intel Xeon L5639 @ 2.13GHz	6	4,419	1,102	60	LGA1366	Server
»	Intel Xeon E5-1603 v3 @ 2.80GHz	4	4,416	1,615	140	LGA2011-v3	Server
»	Mediatek MT8771V/PZA	8	4,414	1,425	NA	Unknown	Mobile/Embedded
»	Apple A11 Bionic	6	4,413	1,320	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4440S @ 2.80GHz	4	4,396	1,801	65	LGA1150	Desktop
»	MT6875	8	4,393	1,187	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8121U @ 2.20GHz	2	4,388	1,942	15	Unknown	Laptop
»	Intel Core i5-3470S @ 2.90GHz	4	4,387	1,890	65	LGA1155	Desktop
»	Intel Core i7-2820QM @ 2.30GHz	4	4,385	1,488	45	BGA1224	Laptop
»	AMD Athlon 320GE	2	4,382	1,922	35	AM4	Desktop
»	Qualcomm SDM845	8	4,381	1,446	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4386	4	4,378	1,012	95	C32	Server
»	Intel Core i5-3450S @ 2.80GHz	4	4,375	1,873	65	LGA1155	Desktop
»	Mediatek MT8781V/NA	8	4,375	1,554	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin980	8	4,373	1,741	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2760QM @ 2.40GHz	4	4,371	1,534	45	BGA1224	Laptop
»	Intel Pentium Gold G6505 @ 4.20GHz	2	4,371	2,649	58	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD FX-6130 Six-Core	3	4,353	1,390	125	AM3+	Desktop
»	[Dual CPU] Intel Xeon X5365 @ 3.00GHz	4	4,350	1,215	150	LGA771	Server
»	Qualcomm Technologies, Inc SDM750G	8	4,350	1,869	NA	Unknown	Mobile/Embedded
»	Intel Celeron J6413 @ 1.80GHz	4	4,349	1,515	10	FCBGA1296	Mobile/Embedded
»	Intel Core i3-6300 @ 3.80GHz	2	4,343	2,280	51	LGA 1151	Desktop
»	Intel Core i5-4430S @ 2.70GHz	4	4,335	1,767	65	LGA1150	Desktop
»	Mediatek MT6879V/ZA	8	4,334	1,849	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7100 @ 3.90GHz	2	4,326	2,303	51	FCLGA1151	Desktop
»	Intel Core i3-8100H @ 3.00GHz	4	4,310	1,823	45	FCBGA1440	Mobile/Embedded
»	QTI SM7250	8	4,304	1,892	NA	Unknown	Mobile/Embedded
»	AMD Athlon PRO 300GE	2	4,303	1,912	35	AM4	Desktop
»	Mediatek MT6833V/ZA	8	4,303	1,460	NA	Unknown	Mobile/Embedded
»	Mediatek MT8789V/T	8	4,293	1,475	NA	Unknown	Mobile/Embedded
»	QTI SM7225	8	4,293	1,813	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3350P @ 3.10GHz	4	4,288	1,794	69	LGA1155	Desktop
»	[Dual CPU] Intel Xeon E5430 @ 2.66GHz	4	4,287	1,161	80	LGA771	Server
»	Intel Core i5-6400T @ 2.20GHz	4	4,280	1,637	35	LGA 1151	Desktop
»	AMD Athlon 300GE	2	4,273	1,869	35	AM4	Desktop
»	Intel Pentium Gold G6600 @ 4.20GHz	2	4,273	2,507	58	FCLGA1200	Desktop
»	Intel Pentium Gold G5620 @ 4.00GHz	2	4,272	2,461	54	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon L5430 @ 2.66GHz	4	4,269	1,131	50	LGA771	Server
»	Mediatek MT6789V/CD	8	4,269	1,505	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM6375	8	4,266	1,889	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3475S @ 2.90GHz	4	4,264	1,832	65	LGA1155	Desktop
»	Intel Core i3-8109U @ 3.00GHz	2	4,262	2,122	28	FCBGA1528	Laptop
»	天玑900	8	4,259	1,567	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5606 @ 2.13GHz	4	4,258	882	80	LGA1366	Server
»	[Dual CPU] Intel Xeon E5507 @ 2.27GHz	4	4,256	1,026	80	LGA1366	Server
»	Intel Core i5-6350HQ @ 2.30GHz	4	4,255	1,420	45	LGA 1151	Laptop
»	Intel Pentium Gold G6405 @ 4.10GHz	2	4,251	2,524	58	FCLGA1200	Desktop
»	Intel Core i7-2920XM @ 2.50GHz	4	4,240	1,426	55	FCPGA988	Laptop
»	Intel Core i3-1110G4 @ 1.80GHz	2	4,236	2,206	NA	FCBGA1598	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-8140U @ 2.10GHz	2	4,227	2,135	15	FCBGA1528	Laptop
»	Intel Core i5-3340 @ 3.10GHz	4	4,227	1,769	77	LGA1155	Desktop
»	[Dual CPU] Intel Xeon L5420 @ 2.50GHz	4	4,221	1,100	50	LGA771	Server
»	MediaTek G99 Ultimate (MT6789)	8	4,221	1,527	NA	Unknown	Mobile/Embedded
»	vendor Kirin810	8	4,213	1,564	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7300T @ 3.50GHz	2	4,211	2,136	35	FCLGA1151	Desktop
»	AMD FX-6300 Six-Core	3	4,210	1,489	95	AM3+	Desktop
»	Intel Core i5-2450P @ 3.20GHz	4	4,203	1,679	95	LGA1155	Desktop
»	Qualcomm Technologies, Inc SM8150_Plus	8	4,201	1,528	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 4130	4	4,200	1,086	95	F (1207)	Server
»	Intel Pentium J6426 @ 2.00GHz	4	4,180	1,565	10	FCBGA1493	Mobile/Embedded
»	Intel Xeon E5-1607 v2 @ 3.00GHz	4	4,173	1,636	130	LGA 2011	Server
»	QTI SM6375	8	4,170	1,860	NA	Unknown	Mobile/Embedded
»	MT6833V/PNZA	8	4,164	1,522	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin985	8	4,162	1,823	NA	Unknown	Mobile/Embedded
»	MT6833P	8	4,158	1,377	NA	Unknown	Mobile/Embedded
»	Mediatek MT6781V/CDZAMB-H	8	4,155	1,461	NA	Unknown	Mobile/Embedded
»	QTI SM6350	8	4,152	1,694	NA	Unknown	Mobile/Embedded
»	AMD Ryzen Embedded R1606G	2	4,144	1,894	15	FP5	Desktop, Mobile/Embedded
»	Mediatek MT8781V/CA	8	4,143	1,524	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6100 @ 3.70GHz	2	4,142	2,189	51	LGA 1151	Desktop
»	Intel Pentium Gold G6500 @ 4.10GHz	2	4,140	2,488	58	FCLGA1200	Desktop
»	AMD Opteron 3380	8	4,134	1,107	65	Unknown	Server
»	Intel Core i5-2550K @ 3.40GHz	4	4,134	1,755	95	LGA1155	Desktop
»	Qualcomm SM7150	8	4,126	1,516	NA	Unknown	Mobile/Embedded
»	Mediatek MT6853V/TNZA	8	4,125	1,506	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G5600F @ 3.90GHz	2	4,124	2,255	54	FCLGA1151-2	Desktop
»	Intel Pentium Gold G6400 @ 4.00GHz	2	4,122	2,467	58	FCLGA1200	Desktop
»	MT8789V/CT	8	4,119	1,441	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2500 @ 3.30GHz	4	4,118	1,705	95	LGA1155	Desktop
»	Intel Core i5-2500K @ 3.30GHz	4	4,117	1,698	95	LGA1155	Desktop
»	AMD Athlon 200GE	2	4,115	1,803	35	AM4	Desktop
»	Intel Celeron N5095A @ 2.00GHz	4	4,115	1,513	15	FCBGA1338	Desktop
»	Mediatek MT8370AV/A	6	4,107	1,798	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD FX-6200 Six-Core	3	4,106	1,408	125	AM3+	Desktop
»	[Dual CPU] AMD Opteron 2387	4	4,105	1,107	75	F (1207)	Server
»	MT6833V/ZA	8	4,104	1,462	NA	Unknown	Mobile/Embedded
»	MT8789V/T	8	4,104	1,466	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3330 @ 3.00GHz	4	4,101	1,722	77	LGA1155	Desktop
»	Intel Core i3-8145UE @ 2.20GHz	2	4,099	2,335	15	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon E5420 @ 2.50GHz	4	4,099	1,087	80	LGA771	Server
»	AMD Opteron 3365	4	4,091	1,123	65	AM3+	Server
»	MediaTek MT6873	8	4,087	1,322	NA	Unknown	Mobile/Embedded
»	Intel Celeron N5095 @ 2.00GHz	4	4,083	1,503	15	FCBGA1338	Desktop
»	AMD Athlon PRO 300U	2	4,080	1,931	15	FP5	Laptop
»	ARM - 8 Core 1766 MHz	8	4,080	1,205	NA	Unknown	Mobile/Embedded
»	Intel Core i7-7660U @ 2.50GHz	2	4,074	2,152	15	BGA1356	Laptop
»	Mediatek MT6833V/PNZA	8	4,073	1,475	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6234	6	4,072	547	115	G34	Server
»	Intel Core i5-4590T @ 2.00GHz	4	4,069	1,653	35	LGA1150	Desktop
»	Intel Core i7-7567U @ 3.50GHz	2	4,064	2,190	28	BGA1356	Laptop
»	Intel Xeon E3-1260L @ 2.40GHz	4	4,063	1,455	45	LGA1155	Server
»	AMD Ryzen 3 PRO 2100GE	2	4,062	1,809	35	AM4	Desktop
»	Intel Celeron N5105 @ 2.00GHz	4	4,055	1,510	10	FCBGA1338	Mobile/Embedded
»	Mediatek MT6853V/NZA	8	4,049	1,219	NA	Unknown	Mobile/Embedded
»	AMD FX-8100 Eight-Core	4	4,046	1,137	95	AM3+	Desktop
»	Intel Core i7-2710QE @ 2.10GHz	4	4,044	1,393	45	PGA988B	Laptop
»	[Dual CPU] Intel Xeon L5506 @ 2.13GHz	4	4,019	967	60	LGA1366	Server
»	Intel Core i3-6098P @ 3.60GHz	2	4,017	2,113	54	LGA 1151	Desktop
»	Mediatek MT6833	8	4,017	1,383	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6212	4	4,007	1,085	115	Socket G34	Server
»	QTI QCM5430	6	4,006	1,910	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2720QM @ 2.20GHz	4	4,005	1,371	45	BGA1224	Laptop
»	Intel Celeron G6900T	2	4,003	2,343	35	FCLGA1700	Desktop
»	Intel Core i3-6300T @ 3.30GHz	2	4,002	2,018	35	LGA 1151	Desktop
»	AMD Athlon Gold 3150U	2	3,992	1,764	15	FP5	Laptop
»	Intel Core i5-7260U @ 2.20GHz	2	3,987	1,987	15	BGA1356	Laptop
»	Qualcomm SC7180	8	3,978	1,583	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5410 @ 2.33GHz	4	3,974	1,009	50	LGA771	Server
»	Intel Core i5-4470 @ 3.30GHz	4	3,971	1,475	84	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	MT6781V/CD	8	3,969	1,477	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin 990	8	3,965	1,658	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3570T @ 2.30GHz	4	3,962	1,695	45	LGA1155	Desktop
»	Intel Core i3-7101TE @ 3.40GHz	2	3,957	2,020	35	FCLGA1151	Desktop
»	AMD Opteron 4334	3	3,949	1,269	95	Socket C32	Server
»	Mediatek MT8789V/CT	8	3,946	1,477	NA	Unknown	Mobile/Embedded
»	MT8186	8	3,941	1,492	NA	Unknown	Mobile/Embedded
»	QTI SM4375	8	3,939	1,776	NA	Unknown	Mobile/Embedded
»	AMD A9-9820	8	3,938	800	NA	Unknown	Desktop
»	Samsung Exynos 9820	8	3,930	1,660	NA	Unknown	Mobile/Embedded
»	Intel Atom C3958 @ 2.00GHz	16	3,929	737	31	FCBGA1310	Server
»	Intel Core i5-3340S @ 2.80GHz	4	3,928	1,752	65	LGA1155	Desktop
»	Intel Core i7-985 @ 3.47GHz	4	3,928	1,579	NA	LGA1366	Unknown
»	AMD Athlon 300U	2	3,923	1,799	15	FP5	Laptop
»	AMD Opteron 4332 HE	6	3,911	1,362	65	Socket C32	Server
»	ARM Kunpeng-920 8 Core 2600 MHz	8	3,910	735	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1225 @ 3.10GHz	4	3,909	1,581	95	LGA1155	Server
»	Intel Pentium Gold G6400E @ 3.80GHz	2	3,908	2,384	58	FCLGA1200	Mobile/Embedded
»	Intel Atom x6413E @ 1.50GHz	4	3,903	1,509	9	FCBGA1493	Mobile/Embedded
»	Intel Core i3-10110U @ 2.10GHz	2	3,903	2,200	15	FCBGA1528	Laptop
»	Intel Xeon E3-1220 @ 3.10GHz	4	3,897	1,548	80	LGA1155	Server
»	QTI SM7125	8	3,897	1,571	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin820	8	3,893	1,402	NA	Unknown	Mobile/Embedded
»	AMD FX-6120 Six-Core	3	3,887	1,409	95	AM3+	Desktop
»	Qualcomm Technologies, Inc	8	3,887	1,468	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3335S @ 2.70GHz	4	3,886	1,770	65	LGA1155	Desktop
»	Rockchip RK3576	8	3,885	1,050	NA	Unknown	Mobile/Embedded
»	Intel Atom x6425E @ 2.00GHz	4	3,882	1,519	12	FCBGA1493	Mobile/Embedded
»	Intel Core i5-3330S @ 2.70GHz	4	3,882	1,706	65	LGA1155	Desktop
»	QTI SM4450	8	3,876	1,638	NA	Unknown	Mobile/Embedded
»	MT6781	8	3,875	1,356	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G6500T @ 3.50GHz	2	3,874	2,238	35	FCLGA1200	Desktop
»	Qualcomm SM7250	8	3,872	1,570	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-8870	4	3,869	1,782	65	AM4	Desktop
»	Intel Celeron J6412 @ 2.00GHz	4	3,867	1,382	10	FCBGA1493	Mobile/Embedded
»	Intel Core i5-2400 @ 3.10GHz	4	3,867	1,580	95	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Ryzen Embedded R2312	2	3,865	1,943	25	FP5	Mobile/Embedded
»	Intel Core i3-4370 @ 3.80GHz	2	3,857	2,156	54	LGA1150	Desktop
»	AMD Phenom II X6 1100T	6	3,856	1,499	125	AM3	Desktop
»	Intel Core i5-7360U @ 2.30GHz	2	3,854	2,104	15	FCBGA1356	Laptop
»	AMD Ryzen Embedded R1505G	2	3,853	1,836	15	FP5	Laptop, Mobile/Embedded
»	Snapdragon 7c Gen 2 @ 2.55 GHz	8	3,844	1,482	7	Unknown	Laptop, Mobile/Embedded
»	Intel Core i7-2840QM @ 2.40GHz	4	3,842	1,493	NA	rPGA988B	Laptop
»	AMD Ryzen 3 3250U	2	3,830	1,779	15	FP5	Laptop
»	[Dual CPU] Intel Xeon E5410 @ 2.33GHz	4	3,829	1,013	80	LGA771	Server
»	Intel Core i7-2675QM @ 2.20GHz	4	3,828	1,288	45	BGA1224	Laptop
»	Samsung Exynos 9825	8	3,828	1,604	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G5600 @ 3.90GHz	2	3,825	2,276	54	FCLGA1151-2	Desktop
»	Intel Core i5-6287U @ 3.10GHz	2	3,823	1,995	28	FCBGA1356	Laptop
»	Intel Pentium Gold G5500 @ 3.80GHz	2	3,823	2,247	54	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon X5355 @ 2.66GHz	4	3,819	1,055	120	LGA771	Server
»	Intel Xeon E5-2603 v3 @ 1.60GHz	6	3,817	930	85	LGA2011-v3	Server
»	AMD Athlon X4 970	4	3,811	1,700	65	AM4	Desktop
»	AMD Ryzen 3 3200U	2	3,801	1,806	15	FP5	Laptop
»	Qualcomm SM6225	8	3,801	1,202	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 845	2	3,797	1,680	65	FM2+	Desktop
»	Intel Core i5-2380P @ 3.10GHz	4	3,797	1,607	95	LGA1155	Desktop
»	AMD Athlon PRO 200GE	2	3,793	1,807	35	AM4	Desktop
»	Intel Xeon E5630 @ 2.53GHz	4	3,790	1,186	80	LGA1366	Server
»	Intel Core i3-8145U @ 2.10GHz	2	3,788	2,097	15	FCBGA1528	Laptop
»	MT6833	8	3,784	1,390	NA	Unknown	Mobile/Embedded
»	Intel Core i7-7560U @ 2.40GHz	2	3,780	1,980	15	BGA1356	Laptop
»	Mediatek MT6781	8	3,779	1,279	NA	Unknown	Mobile/Embedded
»	Virtual @ 2.56GHz	8	3,778	1,058	NA	Unknown	Unknown
»	QTI SM7150	8	3,771	1,437	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A57 8 Core 1766 MHz	8	3,766	1,153	NA	Unknown	Mobile/Embedded
»	Mediatek MT6785	8	3,761	1,378	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X6 1090T	6	3,760	1,454	125	AM3	Desktop
»	QTI QCS5430	6	3,760	1,892	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7100T @ 3.40GHz	2	3,758	1,944	35	FCLGA1151	Desktop
»	Samsung Exynos 9810	8	3,757	1,303	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Pentium G4620 @ 3.70GHz	2	3,754	2,249	51	FCLGA1151	Desktop
»»	AMD PRO A10-8850B	2	3,752	1,611	95	FM2+	Desktop
»»	Mediatek MT6781V/CD	8	3,746	1,456	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-7287U @ 3.30GHz	2	3,743	2,157	28	Unknown	Laptop
»»	Intel Pentium Gold G5400 @ 3.70GHz	2	3,737	2,199	54	FCLGA1151-2	Desktop
»»	Intel Core i7-2670QM @ 2.20GHz	4	3,736	1,311	45	PGA988B	Laptop
»»	Intel Xeon E5-1607 @ 3.00GHz	4	3,731	1,438	130	LGA2011	Server
»»	Intel Xeon E3-1265L @ 2.40GHz	4	3,726	1,395	45	LGA1155	Server
»»	AMD Opteron 3280	8	3,723	1,036	65	AM3+	Server
»»	Intel Pentium Gold G5420 @ 3.80GHz	2	3,720	2,245	54	FCLGA1151-2	Desktop
»»	Qualcomm SM7125	8	3,719	1,525	NA	Unknown	Mobile/Embedded
»»	Snapdragon 7c @ 1.96 GHz	8	3,712	1,519	NA	Unknown	Laptop, Mobile/Embedded
»»	[Dual CPU] Intel Xeon E5506 @ 2.13GHz	4	3,710	911	80	LGA1366	Server
»»	Intel Core i7-7600U @ 2.80GHz	2	3,707	2,023	15	FCBGA1356	Laptop
»»	Intel Xeon L5638 @ 2.00GHz	6	3,707	862	60	LGA1366	Server
»»	QTI SM4350	8	3,706	1,472	NA	Unknown	Mobile/Embedded
»»	AMD PRO A12-9800	4	3,705	1,686	65	AM4	Desktop
»»	Intel Xeon E5640 @ 2.67GHz	4	3,702	1,157	80	LGA1366	Server
»»	Intel Pentium Gold G6505T @ 3.60GHz	2	3,698	2,271	35	FCLGA1200	Desktop
»»	AMD Opteron 6174	12	3,697	488	115	Socket G34	Server
»»	ZHAOXIN KaiXian KX-U6780@2.7GHz	8	3,693	851	NA	Unknown	Unknown
»»	AMD Ryzen 3 2200U	2	3,690	1,675	15	FP5	Laptop
»»	AMD FX-6100 Six-Core	3	3,684	1,316	95	AM3+	Desktop
»»	Intel Core i7-6567U @ 3.30GHz	2	3,676	2,082	28	FCBGA1356	Laptop
»»	[Dual CPU] AMD Opteron 2374 HE	4	3,667	915	55	F (1207)	Server
»»	Intel Core i5-2320 @ 3.00GHz	4	3,663	1,519	95	LGA1155	Desktop
»»	AMD Athlon X4 880K	2	3,659	1,633	95	FM2+	Desktop
»»	Intel Core i3-6100T @ 3.20GHz	2	3,656	1,869	35	LGA 1151	Desktop
»»	AMD PRO A10-9700	2	3,652	1,644	65	AM4	Desktop
»»	Intel Core i5-2310 @ 2.90GHz	4	3,652	1,490	95	LGA1155	Desktop
»»	Intel Core i5-7300U @ 2.60GHz	2	3,652	1,903	15	FCBGA1356	Laptop
»»	MediaTek MT6785V/CD	8	3,648	1,308	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-4360 @ 3.70GHz	2	3,647	2,091	54	FCLGA1150	Desktop
»»	Intel Core i5-4460T @ 1.90GHz	4	3,647	1,487	35	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-7500U @ 2.70GHz	2	3,644	1,923	15	FCBGA1356	Laptop
»	ZHAOXIN KaiXian KX-U6780A@2.7GHz	8	3,643	776	NA	Unknown	Unknown
»	MT6833V/NZA	8	3,641	1,419	NA	Unknown	Mobile/Embedded
»	Mediatek MT6833P	8	3,640	1,236	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7267U @ 3.10GHz	2	3,639	1,974	28	BGA1356	Laptop
»	MediaTek Kompanio 520/528 (MT8186/MT8186T)	8	3,638	1,342	4	Unknown	Mobile/Embedded
»	DG1301SML87HY	8	3,624	727	NA	Unknown	Unknown
»	MT6853V/TNZA	8	3,616	1,532	NA	Unknown	Mobile/Embedded
»	Intel Pentium G4600 @ 3.60GHz	2	3,609	2,169	51	FCLGA1151	Desktop
»	Intel Xeon W3580 @ 3.33GHz	4	3,609	1,557	130	LGA1366	Server
»	Intel Core i7-6650U @ 2.20GHz	2	3,605	1,807	15	FCBGA1356	Laptop
»	Intel Pentium Gold G5600T @ 3.30GHz	2	3,601	2,025	35	FCLGA1151	Desktop
»	AMD A12-9800	2	3,597	1,668	65	AM4	Desktop
»	Intel Xeon E5620 @ 2.40GHz	4	3,592	1,103	80	LGA1366	Server
»	AMD Athlon X4 950	4	3,591	1,640	65	AM4	Desktop
»	Mediatek MT6833V/NZA	8	3,590	1,327	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4170 @ 3.70GHz	2	3,582	2,053	54	LGA1150	Desktop
»	Intel Core i7-6660U @ 2.40GHz	2	3,577	1,925	15	FCBGA1356	Laptop
»	Qualcomm SM4350	8	3,575	1,451	NA	Unknown	Mobile/Embedded
»	AMD PRO A10-8770	4	3,572	1,599	65	AM4	Desktop
»	Intel Core i3-1000NG4 @ 1.10GHz	2	3,571	1,765	9	BGA1526	Laptop
»	AMD Opteron 6176 SE	12	3,564	507	140	G34	Server
»	MT6785	8	3,555	1,321	NA	Unknown	Mobile/Embedded
»	AMD A10-9700	4	3,551	1,618	65	AM4	Desktop
»	Intel Core i3-8130U @ 2.20GHz	2	3,551	1,885	15	FCBGA1356	Laptop
»	Intel Core i7-2630QM @ 2.00GHz	4	3,551	1,226	45	PGA988B	Laptop
»	[Dual CPU] Intel Xeon E5603 @ 1.60GHz	4	3,548	710	80	LGA1366	Server
»	Intel Core i3-4330 @ 3.50GHz	2	3,542	1,973	54	LGA1150	Desktop
»	Intel Pentium Gold G6400T @ 3.40GHz	2	3,541	2,101	35	FCLGA1200	Desktop
»	AMD A8-7680	4	3,537	1,618	45	FM2+	Laptop
»	Intel Pentium G4560 @ 3.50GHz	2	3,532	2,093	54	FCLGA1151	Desktop
»	Intel Pentium N6415 @ 1.20GHz	4	3,532	1,539	6.5	FCBGA1493	Mobile/Embedded
»	Intel Core i3-4350 @ 3.60GHz	2	3,527	1,961	54	LGA1150	Desktop
»	Snapdragon 835 @ 2.45 GHz	8	3,524	954	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm Technologies, Inc SDMMAGPIEP	8	3,523	1,523	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2373 EE	4	3,521	865	60	F (1207)	Server
»	QTI SM6225	8	3,520	1,164	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4160 @ 3.60GHz	2	3,519	1,997	54	FCLGA1150	Desktop
»	Intel Xeon E5-2418L @ 2.00GHz	4	3,518	977	50	LGA 1356	Server
»	AMD Ryzen Embedded V1202B	2	3,512	1,624	15	FP5	Laptop, Mobile/Embedded
»	MT6853V/ZA	8	3,505	1,247	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2407 v2 @ 2.40GHz	4	3,504	1,068	80	FCLGA1356	Server
»	Intel Core i7-975 @ 3.33GHz	4	3,493	1,499	130	LGA1366	Desktop
»	AMD A10-7890K	2	3,491	1,562	95	FM2+	Desktop
»	AMD Opteron 4365 EE	4	3,485	958	40	Socket C32	Server
»	Qualcomm MSM8998	8	3,480	1,074	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6164 HE	12	3,478	399	85	Socket G34	Server
»	[3-Way CPU] ARM ARMv8 rev 0 (v8I) 6 Core 1907 MHz	6	3,477	697	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc ATOLL-AB	8	3,472	1,589	NA	Unknown	Mobile/Embedded
»	AMD A12-9800E	4	3,471	1,617	35	AM4	Desktop
»	Intel Xeon E5-1603 @ 2.80GHz	4	3,463	1,338	130	LGA2011	Server
»	Intel Core i3-4340 @ 3.60GHz	2	3,460	1,979	54	LGA1150	Desktop
»	Qualcomm Technologies, Inc SM7250	8	3,459	1,557	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5345 @ 2.33GHz	4	3,458	946	80	LGA771	Server
»	Intel Core i7-6498DU @ 2.50GHz	2	3,454	1,808	15	BGA1356	Laptop
»	AMD A10 PRO-7850B APU	2	3,453	1,572	95	FM2+	Desktop
»	Intel Pentium Gold G5420T @ 3.20GHz	2	3,452	1,956	35	FCLGA1151-2	Desktop
»	Intel Xeon X5698 @ 4.40GHz	2	3,447	1,922	130	LGA1366	Server
»	Snapdragon 845 @ 2.8 GHz	8	3,446	1,349	NA	Unknown	Mobile/Embedded
»	Mediatek MT6779	8	3,443	1,112	NA	Unknown	Mobile/Embedded
»	AMD Opteron X3421 APU	4	3,440	1,515	35	Unknown	Server
»	AMD A10-8850	2	3,438	1,608	NA	Unknown	Desktop
»	AMD A10-7870K	2	3,436	1,503	95	FM2+	Desktop
»	Intel Core i7-6600U @ 2.60GHz	2	3,434	1,798	15	FCBGA1356	Laptop
»	Intel Core i3-7100H @ 3.00GHz	2	3,430	1,668	35	FCBGA1440	Laptop
»	AMD Athlon X4 860K	2	3,428	1,527	95	FM2+	Desktop
»	Intel Core i5-2300 @ 2.80GHz	4	3,428	1,428	95	LGA1155	Desktop
»	Intel Core i5-L16G7 @ 1.40GHz	5	3,428	1,635	7	FC-CSP1016	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	AMD Embedded R-Series RX-418GD Radeon R6	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
»»	AMD A8-7500	2	3,425	1,403	65	FM2+	Desktop
»»	MediaTek MT6853T	8	3,425	1,473	NA	Unknown	Mobile/Embedded
»»	Qualcomm Technologies, Inc SDM765G 5G	8	3,425	1,638	NA	Unknown	Mobile/Embedded
»»	Intel Core i7-965 @ 3.20GHz	4	3,424	1,475	130	LGA1366	Desktop
»»	AMD Phenom II X6 1075T	6	3,423	1,379	125	AM3	Desktop
»»	Qualcomm Technologies, Inc LAGOON	8	3,412	1,639	NA	Unknown	Mobile/Embedded
»»	AMD Athlon X4 870K	2	3,410	1,558	95	FM2+	Desktop
»»	Intel Core i7-2635QM @ 2.00GHz	4	3,406	1,206	45	BGA1224	Laptop
»»	Qualcomm Technologies, Inc KHAJE	8	3,405	1,149	NA	Unknown	Mobile/Embedded
»»	Intel Pentium Silver N5020 @ 1.10GHz	4	3,404	1,307	6	FCBGA1090	Laptop
»»	[Dual CPU] Intel Xeon E5405 @ 2.00GHz	4	3,402	875	80	LGA771	Server
»»	AMD Opteron 4226	3	3,400	1,157	95	Socket C32	Server
»»	Intel Core i3-4150 @ 3.50GHz	2	3,399	1,941	54	FCLGA1150	Desktop
»»	MediaTek MT6785V/CC	8	3,399	1,246	NA	Unknown	Mobile/Embedded
»»	Snapdragon 7c @ 2.40 GHz	8	3,395	1,225	9	Unknown	Laptop, Mobile/Embedded
»»	AMD A10-7850K APU	2	3,392	1,498	95	FM2+	Desktop
»»	Intel Core i5-2500S @ 2.70GHz	4	3,391	1,644	65	LGA1155	Desktop
»»	Intel Xeon E5-4603 @ 2.00GHz	4	3,391	953	95	LGA 2011	Server
»»	Qualcomm Technologies, Inc SM7225	8	3,390	1,768	NA	Unknown	Mobile/Embedded
»»	AMD Phenom II X6 1065T	6	3,387	1,362	95	AM3	Desktop
»»	Intel Core i5-7200U @ 2.50GHz	2	3,387	1,751	15	FCBGA1356	Laptop
»»	QTI SM6150	8	3,385	1,345	NA	Unknown	Mobile/Embedded
»»	Qualcomm Technologies, Inc SDM730G AIE	8	3,384	1,463	NA	Unknown	Mobile/Embedded
»»	AMD Opteron 6136	8	3,381	549	115	Socket G34	Server
»»	Intel Core i5-6267U @ 2.90GHz	2	3,381	1,843	28	FCBGA1356	Laptop
»»	Intel Core i5-4340M @ 2.90GHz	2	3,376	2,036	37	Unknown	Laptop
»»	AMD FX-B4150 Quad-Core	2	3,369	1,425	95	AM3+	Desktop
»»	Qualcomm Technologies, Inc SDM845	8	3,369	1,345	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-7167U @ 2.80GHz	2	3,368	1,705	28	Unknown	Laptop
»»	Intel Xeon W5580 @ 3.20GHz	4	3,368	1,499	130	LGA1366	Server
»»	Mediatek MT8786V/CT	8	3,368	1,175	NA	Unknown	Mobile/Embedded
»»	Mediatek MT8788	8	3,367	941	NA	Unknown	Mobile/Embedded
»»	AMD Athlon X4 850	4	3,366	1,575	65	FM2+	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon W3565 @ 3.20GHz	4	3,366	1,504	130	LGA1366	Server
»»	AMD Ryzen Embedded R1600	2	3,365	1,779	25	FC-BGA1140	Mobile/Embedded
»»	Qualcomm Technologies, Inc SM7125	8	3,363	1,580	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-4370T @ 3.30GHz	2	3,361	1,911	35	FCLGA1150	Desktop
»»	Intel Core i7-6560U @ 2.20GHz	2	3,351	1,694	15	Unknown	Laptop
»»	Intel Core i7-960 @ 3.20GHz	4	3,345	1,458	130	LGA1366	Desktop
»»	Intel Xeon E5-2609 v2 @ 2.50GHz	4	3,343	1,353	80	LGA 2011	Server
»»	Intel Xeon Platinum 8575C	1	3,342	2,593	NA	Unknown	Server
»»	Intel Xeon W5590 @ 3.33GHz	4	3,342	1,564	130	LGA1366	Server
»»	Intel Pentium Gold G6405T @ 3.50GHz	2	3,341	1,936	35	FCLGA1200	Desktop
»»	AMD Phenom II X6 1405T	6	3,335	1,247	95	AM2+,AM3	Desktop
»»	Qualcomm Technologies, Inc LITO	8	3,335	1,568	NA	Unknown	Mobile/Embedded
»»	MT6853V/NZA	8	3,330	1,258	NA	Unknown	Mobile/Embedded
»»	AMD FX-4150 Quad-Core	4	3,327	1,465	125	AM3+	Desktop
»»	Snapdragon 850 @ 2.96 GHz	8	3,326	1,424	5	Unknown	Laptop, Mobile/Embedded
»»	AMD PRO A8-9600	2	3,322	1,513	65	AM4	Desktop
»»	AMD Phenom II X6 1055T	6	3,320	1,328	125	AM3	Desktop
»»	AMD A10 PRO-7800B APU	2	3,319	1,493	65	FM2+	Desktop
»»	AMD Athlon X4 840	2	3,319	1,488	65	FM2+	Desktop
»»	Intel Core i7-880 @ 3.07GHz	4	3,319	1,442	95	LGA1156	Desktop
»»	AMD FX-9830P	4	3,316	1,572	35	FP4	Laptop
»»	Intel Core i3-6100E @ 2.70GHz	2	3,315	1,688	35	LGA 1151	Laptop
»»	Intel Celeron N5100 @ 1.10GHz	4	3,313	1,390	6	FCBGA1338	Laptop
»»	Intel Core i3-4130 @ 3.40GHz	2	3,312	1,882	54	LGA1150	Desktop
»»	Intel Pentium Gold G5500T @ 3.20GHz	2	3,311	1,951	35	FCLGA1151-2	Desktop
»»	AMD FX-4350 Quad-Core	2	3,310	1,617	125	AM3+	Desktop
»»	[Dual CPU] Intel Xeon E5504 @ 2.00GHz	4	3,305	870	80	LGA1366	Server
»»	AMD A8-9600	4	3,304	1,487	65	AM4	Desktop
»»	AMD Embedded R-Series RX-421BD	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
»»	Intel Xeon L5609 @ 1.87GHz	4	3,298	1,160	40	LGA1366	Server
»»	Intel Core i3-10110Y @ 1.00GHz	2	3,297	2,020	7	UTFCBGA1377	Laptop
»»	Intel Xeon X5570 @ 2.93GHz	4	3,294	1,392	95	LGA1366	Server
»»	AMD Athlon Gold 3150C	2	3,292	1,706	15	FP5	Laptop, Mobile/Embedded
»»	ARM - 8 Core 1800 MHz	8	3,292	1,016	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Celeron 6600HE @ 2.60GHz	2	3,286	1,764	35	FCBGA1787	Mobile/Embedded
»	Intel Core i3-4360T @ 3.20GHz	2	3,286	1,873	35	LGA1150	Desktop
»	Qualcomm Technologies, Inc SDM720G	8	3,285	1,620	NA	Unknown	Mobile/Embedded
»	AMD A10-7860K	2	3,281	1,498	65	FM2+	Desktop
»	Intel Xeon Platinum 8475B	1	3,280	2,581	NA	Unknown	Server
»	Intel Core i7-6500U @ 2.50GHz	2	3,273	1,693	15	FCBGA1356	Laptop
»	Intel Xeon X3480 @ 3.07GHz	4	3,273	1,409	95	LGA1156	Server
»	Intel Xeon W3570 @ 3.20GHz	4	3,267	1,466	130	LGA1366	Server
»	Intel Xeon X3470 @ 2.93GHz	4	3,264	1,400	95	LGA1156	Server
»	Qualcomm Technologies, Inc SM7150	8	3,264	1,415	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6167U @ 2.70GHz	2	3,255	1,636	28	FCBGA1356	Laptop
»	Intel Pentium Silver J5040 @ 2.00GHz	4	3,252	1,347	10	FCBGA1090	Desktop
»	Intel Core i5-4400E @ 2.70GHz	2	3,251	1,804	37	BGA1364	Desktop
»	Intel Core i3-4570T @ 2.90GHz	2	3,244	1,693	35	FCLGA1150	Desktop
»	[Dual CPU] AMD Opteron 2354	4	3,242	899	115	F (1207)	Server
»	Intel Pentium D1508 @ 2.20GHz	2	3,240	1,760	25	FCBGA1667	Server
»	MT6833GP	8	3,238	1,425	NA	Unknown	Mobile/Embedded
»	BCM2712	4	3,236	1,400	NA	Unknown	Mobile/Embedded
»	Mediatek MT6768G	8	3,232	1,212	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6300U @ 2.40GHz	2	3,230	1,658	15	FCBGA1356	Laptop
»	MT8667	8	3,230	1,160	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc TRINKET-IOT	8	3,230	966	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM670	8	3,229	1,144	NA	Unknown	Mobile/Embedded
»	AMD A10-8750	2	3,228	1,516	65	FM2+	Desktop
»	Intel Core i5-4570T @ 2.90GHz	2	3,227	1,914	35	LGA1150	Desktop
»	ZHAOXIN KaiXian KX-U6580@2.5GHz	8	3,227	745	NA	Unknown	Unknown
»	Intel Core i7-2715QE @ 2.10GHz	4	3,221	1,287	45	BGA1023	Laptop
»	AMD A8-7600 APU	2	3,220	1,447	65	FM2+	Desktop
»	Intel Core i5-4330M @ 2.80GHz	2	3,219	1,878	37	Unknown	Laptop
»	Intel Core i3-4170T @ 3.20GHz	2	3,218	1,824	35	LGA1150	Desktop
»	Intel Core i7-950 @ 3.07GHz	4	3,214	1,379	130	LGA1366	Desktop
»	Intel Xeon W3550 @ 3.07GHz	4	3,214	1,407	130	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-4610M @ 3.00GHz	2	3,213	1,872	37	FPGA946,FPGA947	Laptop
»	AMD A10-9700E	4	3,211	1,493	35	AM4	Desktop
»	AMD PRO A8-8650B	4	3,211	1,490	65	FM2+	Desktop
»	AMD A10-7800 APU	2	3,208	1,463	65	FM2+	Desktop
»	Intel Core i5-6260U @ 1.80GHz	2	3,207	1,651	15	FCBGA1356	Laptop
»	AMD A10-7700K APU	2	3,201	1,434	95	FM2+	Desktop
»	AMD Phenom II X6 1045T	6	3,200	1,282	95	AM3	Desktop
»	Intel Atom x6427FE @ 1.90GHz	4	3,196	1,016	12	FCBGA1493	Mobile/Embedded
»	AMD A8-7670K	4	3,192	1,485	95	FM2+	Desktop
»	AMD A10-6800K APU	2	3,188	1,595	100	FM2	Desktop
»	Intel Core i7-4600M @ 2.90GHz	2	3,186	1,857	37	PGA946	Laptop
»	AMD FX-870K Quad Core	2	3,183	1,455	NA	Unknown	Unknown
»	QTI SM611	8	3,180	999	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-9800E	4	3,171	1,518	35	AM4	Desktop
»	Intel Atom C1110	4	3,170	1,233	13	Unknown	Mobile/Embedded
»	Samsung "Exynos 9610"	8	3,168	1,012	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G5400T @ 3.10GHz	2	3,165	1,815	35	FCLGA1151-2	Server
»	Qualcomm Technologies, Inc SDMMAGPIE	8	3,159	1,435	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2405S @ 2.50GHz	4	3,157	1,434	65	LGA1155	Desktop
»	Intel Core i5-2400S @ 2.50GHz	4	3,156	1,473	65	LGA1155	Desktop
»	Intel Xeon Gold 6262V @ 1.90GHz	3	3,155	1,486	135	FCLGA3647	Server
»	AMD Ryzen 3 3250C	2	3,153	1,911	15	FP5	Laptop, Mobile/Embedded
»	Intel Core i3-6100TE @ 2.70GHz	2	3,152	1,636	35	LGA 1151	Desktop
»	Mediatek MT8786V/N	8	3,152	1,150	NA	Unknown	Mobile/Embedded
»	Unisoc T616	8	3,152	1,189	NA	Unknown	Mobile/Embedded
»	MediaTek MT8188	8	3,144	1,883	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4350T @ 3.10GHz	2	3,142	1,762	35	LGA1150	Laptop
»	AMD FX-4320	2	3,140	1,564	95	AM3+	Desktop
»	ARM Cortex-A76 4 Core 1800 MHz	4	3,139	997	NA	Unknown	Mobile/Embedded
»	AMD Athlon Silver 7120U	2	3,137	1,944	15	FP6	Laptop
»	MT8786V/CA	8	3,137	1,160	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 8895	8	3,137	989	NA	Unknown	Mobile/Embedded
»	AMD A8-7650K	2	3,130	1,405	65	FM2+	Desktop
»	Intel Core i7-870 @ 2.93GHz	4	3,128	1,383	95	LGA1156	Desktop
»	Qualcomm Technologies, Inc BENGALP-IOT	8	3,127	968	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5560 @ 2.80GHz	4	3,124	1,384	95	LGA1366	Server
»	AMD FX-4200 Quad-Core	4	3,119	1,313	125	AM3+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i5-6198DU @ 2.30GHz	2	3,118	1,644	15	BGA1356	Laptop
»	Spreadtrum T612	8	3,116	1,107	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4330T @ 3.00GHz	2	3,115	1,726	35	LGA1150	Desktop
»	Intel Core i3-4160T @ 3.10GHz	2	3,112	1,748	35	LGA1150	Desktop
»	Intel Core i5-4310M @ 2.70GHz	2	3,110	1,810	37	Unknown	Laptop
»	[Dual CPU] ARM Cortex-A76 4 Core 1800 MHz	4	3,108	980	NA	Unknown	Mobile/Embedded
»	Qualcomm SM6115	8	3,107	973	NA	Unknown	Mobile/Embedded
»	AMD A10-6800B APU	2	3,106	1,654	100	FM2	Desktop
»	AMD A10-6700 APU	4	3,104	1,604	65	FM2	Desktop
»	Intel Core i5-6360U @ 2.00GHz	2	3,104	1,735	15	FCBGA1356	Laptop
»	Intel Core i7-5557U @ 3.10GHz	2	3,102	1,921	28	FCBGA1168	Laptop
»	Intel Pentium Silver J5005 @ 1.50GHz	4	3,102	1,206	10	FCBGA1090	Desktop
»	Intel Core i5-5287U @ 2.90GHz	2	3,101	1,941	28	FCBGA1168	Laptop
»	AMD FX-4330	2	3,098	1,559	95	AM3+	Desktop
»	Intel Core i7-4578U @ 3.00GHz	2	3,097	1,931	28	FCBGA1168	Laptop
»	Intel Core i7-875K @ 2.93GHz	4	3,090	1,352	95	LGA1156	Desktop
»	MediaTek MT6779V/CE	8	3,087	1,244	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM4350	8	3,087	1,348	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4200H @ 2.80GHz	2	3,085	1,790	47	BGA1364	Desktop
»	MT6771V/CL	8	3,079	924	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4570TE @ 2.70GHz	2	3,074	1,622	35	LGA1150	Desktop
»	AMD A10-6790K APU	2	3,071	1,551	100	FM2	Desktop
»	[Dual CPU] Intel Xeon E5335 @ 2.00GHz	4	3,069	815	80	LGA771	Server
»	Intel Xeon W3530 @ 2.80GHz	4	3,068	1,338	130	LGA1366	Server
»	Intel Core i3-9100HL @ 1.60GHz	4	3,065	1,008	25	FCBGA1440	Mobile/Embedded
»	[Quad CPU] Intel Xeon E5-2420 @ 1.90GHz	6	3,065	1,108	95	LGA1356	Server
»	Intel Xeon W3540 @ 2.93GHz	4	3,064	1,288	130	LGA1366	Server
»	vendor Kirin970	8	3,063	903	NA	Unknown	Mobile/Embedded
»	Intel Pentium G4600T @ 3.00GHz	2	3,062	1,775	35	FCLGA1151	Desktop
»	AMD Opteron 2435	6	3,061	593	75	F (1207)	Server
»	Intel Core i5-24050S @ 2.50GHz	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
»	Intel Core i5-4210H @ 2.90GHz	2	3,058	1,775	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Pentium Silver N6000 @ 1.10GHz	4	3,058	1,409	6	FCBGA1338	Mobile/Embedded
»	Mediatek MT6769	8	3,044	1,151	NA	Unknown	Mobile/Embedded
»	AMD Opteron X3418 APU	4	3,043	1,427	25	Unknown	Server
»	AMD PRO A12-8870E	4	3,043	1,440	35	AM4	Desktop
»	Intel Core i3-6100H @ 2.70GHz	2	3,041	1,543	35	LGA 1151	Laptop
»	Intel Core i7-5600U @ 2.60GHz	2	3,039	1,777	15	FCBGA1168	Laptop
»	AMD PRO A10-8770E	4	3,036	1,446	35	AM4	Desktop
»	AMD A10-5800B APU	2	3,034	1,579	100	FM2	Desktop
»	AMD FX-4170 Quad-Core	2	3,034	1,464	125	AM3+	Desktop
»	Intel Xeon X5550 @ 2.67GHz	4	3,027	1,270	95	LGA1366	Server
»	AMD Embedded R-Series RX-421ND	4	3,024	1,337	35	FP4	Mobile/Embedded
»	Intel Core i3-7130U @ 2.70GHz	2	3,022	1,565	15	FCBGA1356	Laptop
»	Intel Xeon L5630 @ 2.13GHz	4	3,018	1,033	40	LGA1366	Server
»	ARM Cortex-A78 4 Core 2000 MHz	4	3,016	1,121	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Pentium GOLD 6500Y @ 1.10GHz	2	3,016	1,758	5	Unknown	Mobile/Embedded
»	ARM Cortex-A55 8 Core 1800 MHz	8	3,013	959	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2356	4	3,009	894	75	F (1207)	Server
»	AMD A8-6600K APU	2	3,007	1,538	100	FM2	Desktop
»	Intel Core i7-5650U @ 2.20GHz	2	3,007	1,896	15	FCBGA1168	Laptop
»	SMDK4x12	8	3,006	1,271	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4558U @ 2.80GHz	2	3,005	1,840	28	BGA1168	Laptop
»	Intel Core i5-3470T @ 2.90GHz	2	3,002	1,838	35	LGA1155	Desktop
»	AMD Phenom II X6 1035T	6	3,000	1,226	95	AM3	Desktop
»	AMD A8-8650	4	2,996	1,483	65	FM2+	Desktop
»	Intel Core i5-6200U @ 2.30GHz	2	2,994	1,552	15	FCBGA1356	Laptop
»	Intel Core i7-860 @ 2.80GHz	4	2,994	1,329	95	LGA1156	Desktop
»	AMD Athlon Silver 3050U	2	2,993	1,705	15	FP5	Laptop
»	MT8786V/N	8	2,992	1,165	NA	Unknown	Mobile/Embedded
»	Intel Atom x6425RE @ 1.90GHz	4	2,990	1,020	12	FCBGA1493	Mobile/Embedded
»	AMD PRO A8-8670E	4	2,989	1,382	35	AM4	Desktop
»	Qualcomm SM6150	8	2,989	1,111	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4174 HE	6	2,986	1,035	65	C32	Server
»	AMD FX-4300 Quad-Core	2	2,985	1,481	95	AM3+	Desktop
»	AMD PRO A10-9700E	2	2,985	1,418	35	AM4	Desktop
»	AMD A12-9730P	4	2,980	1,386	35	FP4	Laptop
»	AMD FX-670K Quad-Core	2	2,980	1,578	65	FM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD FX-770K Quad-Core	2	2,978	1,449	65	FM2+	Desktop
»	Intel Core i7-3540M @ 3.00GHz	2	2,978	1,792	35	rPGA988B	Laptop
»	Intel Xeon E5-2637 @ 3.00GHz	2	2,978	1,526	80	FCLGA2011	Server
»	Intel Pentium G4560T @ 2.90GHz	2	2,974	1,708	35	FCLGA1151	Desktop
»	Intel Core i5-4300M @ 2.60GHz	2	2,968	1,730	37	PGA946	Laptop
»	Spreadtrum T618	8	2,965	1,141	NA	Unknown	Mobile/Embedded
»	AMD A10-5800K APU	2	2,964	1,494	100	FM2	Desktop
»	AMD A8 PRO-7600B APU	4	2,962	1,387	65	FM2+	Desktop
»	Intel Core i7-930 @ 2.80GHz	4	2,962	1,270	130	LGA1366	Desktop
»	Intel Xeon X3460 @ 2.80GHz	4	2,957	1,250	95	LGA1156	Server
»	Intel Celeron J4125 @ 2.00GHz	4	2,956	1,161	10	FCBGA1090	Desktop
»	Spreadtrum T616	8	2,955	1,072	NA	Unknown	Mobile/Embedded
»	AMD Ryzen Embedded R1305G	2	2,953	1,587	8	FP5	Laptop, Mobile/Embedded
»	AMD Athlon Silver 3050e	2	2,952	1,448	6	Unknown	Laptop
»	AMD Athlon X4 760K Quad Core	2	2,951	1,526	100	FM2	Desktop
»	Intel Core i7-4560U @ 1.60GHz	2	2,950	1,782	NA	Unknown	Laptop
»	Intel Core i7-940 @ 2.93GHz	4	2,947	1,310	130	LGA1366	Desktop
»	Snapdragon 850 @ 2.40 GHz	8	2,946	1,198	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin810	8	2,945	1,515	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4308U @ 2.80GHz	2	2,940	1,824	28	FCBGA1364	Laptop
»	AMD Opteron 2431	6	2,936	570	75	F (1207)	Server
»	Hisilicon Kirin 955	8	2,936	756	NA	Unknown	Mobile/Embedded
»	Intel Xeon W3520 @ 2.67GHz	4	2,935	1,276	130	LGA1366	Server
»	AMD Opteron 6128 HE	8	2,932	823	85	Socket G34	Server
»	Mediatek MT6769V/CZ	8	2,932	1,095	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM6150	8	2,931	1,283	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2500T @ 2.30GHz	4	2,929	1,485	45	LGA1155	Desktop
»	Rockchip RK3399	8	2,925	979	NA	Unknown	Mobile/Embedded
»	Unisoc ums9230H	8	2,924	1,086	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3380M @ 2.90GHz	2	2,916	1,775	35	FCPGA988, FCBGA1	Laptop
»	Qualcomm SM6125	8	2,916	992	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5492 @ 3.40GHz	4	2,912	1,464	150	LGA771	Server
»	[Dual CPU] Intel Xeon E5320 @ 1.86GHz	4	2,911	762	80	LGA771	Server
»	AMD A10-9630P	4	2,909	1,397	35	FP4	Laptop
»	HiSilicon Kirin 970	8	2,908	1,110	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron J4105 @ 1.50GHz	4	2,907	1,093	10	FCBGA1090	Desktop
»»	Intel N50	2	2,907	1,790	6	FCBGA1264	Mobile/Embedded
»»	Intel Core i3-10100Y @ 1.30GHz	2	2,905	1,647	5	BGA 1528	Mobile/Embedded
»»	AMD Athlon X4 830	2	2,901	1,292	65	FM2+	Desktop
»»	Intel Xeon X5470 @ 3.33GHz	4	2,901	1,400	120	LGA771	Server
»»	Intel Core i5-4210M @ 2.60GHz	2	2,889	1,694	37	FCPGA946	Laptop
»»	QTI SM6115	8	2,888	944	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-4130T @ 2.90GHz	2	2,885	1,623	35	LGA1150	Desktop
»»	AMD Athlon Silver 3050C	2	2,879	1,809	15	FP5	Laptop
»»	AMD PRO A10-8750B	2	2,879	1,303	65	FM2+	Desktop
»»	AMD A8-6500B APU	2	2,876	1,500	65	FM2	Desktop
»»	Intel Core m3-8100Y @ 1.10GHz	2	2,874	1,717	5	FCBGA1515	Laptop
»»	Intel Xeon E5-2403 v2 @ 1.80GHz	4	2,873	991	80	FCLGA1356	Server
»»	AMD Opteron 4184	6	2,872	630	95	C32	Server
»»	Unisoc ums9230T	8	2,872	1,091	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-3360M @ 2.80GHz	2	2,871	1,754	35	BGA1023	Laptop
»»	QTI SM6125	8	2,871	963	NA	Unknown	Mobile/Embedded
»»	Intel Core i7-3520M @ 2.90GHz	2	2,867	1,743	35	BGA1023	Laptop
»»	Intel Core i7-5550U @ 2.00GHz	2	2,864	1,703	15	FCBGA1168	Laptop
»»	AMD Athlon X4 750K Quad Core	2	2,861	1,465	100	FM2	Unknown
»»	AMD FX-7600P APU	4	2,856	1,436	35	FP3	Laptop
»»	Intel Core i3-4150T @ 3.00GHz	2	2,856	1,586	35	FCLGA1150	Desktop
»»	AMD A8-5600K APU	4	2,854	1,430	100	FM2	Desktop
»»	Intel Xeon X3450 @ 2.67GHz	4	2,853	1,221	95	LGA1156	Server
»»	AMD FX-8800P	2	2,851	1,380	35	FP4	Laptop
»»	QTI SDM660	8	2,850	968	NA	Unknown	Mobile/Embedded
»»	Intel Celeron G5925 @ 3.60GHz	2	2,849	2,229	58	FCLGA1200	Desktop
»»	AMD Phenom II X4 980	4	2,839	1,511	125	AM3	Desktop
»»	Intel Core i7-920 @ 2.67GHz	4	2,838	1,217	130	LGA1366	Desktop
»»	MT6768G	8	2,838	1,172	NA	Unknown	Mobile/Embedded
»»	Qualcomm Technologies, Inc SDA660	8	2,836	988	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-4278U @ 2.60GHz	2	2,827	1,712	28	FCBGA1168	Laptop
»»	AMD Opteron 6128	8	2,826	447	115	G34	Server
»»	T606	8	2,824	989	NA	Unknown	Mobile/Embedded
»»	Intel Xeon E5-2609 @ 2.40GHz	4	2,823	1,114	80	LGA2011	Server
»»	AMD A8-6500 APU	2	2,822	1,473	65	FM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Qualcomm Technologies, Inc MSM8998	8	2,822	1,046	NA	Unknown	Mobile/Embedded
»	Unisoc T610	8	2,819	1,073	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM450	8	2,816	837	NA	Unknown	Mobile/Embedded
»	Intel Core i5-5257U @ 2.70GHz	2	2,814	1,727	23	FCBGA1168	Laptop
»	Mediatek MT6769H	8	2,814	1,013	NA	Unknown	Mobile/Embedded
»	vendor Kirin710	8	2,814	944	NA	Unknown	Mobile/Embedded
»	HiSilicon Kirin 960	8	2,809	1,093	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4200M @ 2.50GHz	2	2,809	1,623	37	PGA946	Laptop
»	Intel Celeron G5905 @ 3.50GHz	2	2,803	2,178	58	FCLGA1200	Desktop
»	ARM Cortex-A76 8 Core 1800 MHz	8	2,792	994	NA	Unknown	Mobile/Embedded
»	Intel Atom C2750 @ 2.40GHz	8	2,789	694	20	FCBGA1283	Server
»	AMD RX-427BB	4	2,788	1,301	35	FP3	Laptop
»	Intel Core i7-5500U @ 2.40GHz	2	2,784	1,653	15	FCBGA1168	Laptop
»	Intel Xeon E5540 @ 2.53GHz	4	2,783	1,203	80	LGA1366	Server
»	T610S-Unisoc	8	2,781	1,191	NA	Unknown	Mobile/Embedded
»	Intel Core2 Extreme X9775 @ 3.20GHz	4	2,780	1,451	150	LGA771	Desktop
»	Intel Pentium G4500 @ 3.50GHz	2	2,776	2,152	51	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc QCM6125	8	2,775	979	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3440 @ 2.53GHz	4	2,773	1,147	95	LGA1156	Server
»	Spreadtrum T606	8	2,771	969	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6157U @ 2.40GHz	2	2,767	1,435	28	BGA1356	Laptop
»	Intel Core i5-8210Y @ 1.60GHz	2	2,767	1,677	7	FCBGA1515	Laptop
»	MT6769V/CZ	8	2,766	1,109	NA	Unknown	Mobile/Embedded
»	Intel Core i7-870S @ 2.67GHz	4	2,765	1,493	82	LGA1156	Desktop
»	T618	8	2,760	1,178	NA	Unknown	Mobile/Embedded
»	Mediatek MT6768	8	2,758	953	NA	Unknown	Mobile/Embedded
»	MT8788	8	2,756	859	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5482 @ 3.20GHz	4	2,755	1,400	150	LGA771	Server
»	Intel Core 860 @ 2.80GHz	4	2,754	1,142	NA	Unknown	Unknown
»	Spreadtrum T610	8	2,747	1,113	NA	Unknown	Mobile/Embedded
»	AMD A10-5700 APU	2	2,741	1,430	65	FM2	Desktop
»	AMD Phenom II X4 970	4	2,739	1,417	125	AM3	Desktop
»	Intel Xeon E5-2603 v2 @ 1.80GHz	4	2,735	993	80	LGA 2011	Server
»	Intel Core m3-7Y32 @ 1.10GHz	2	2,734	1,630	4.5	FCBGA1515	Laptop
»	Intel Core i5-5300U @ 2.30GHz	2	2,732	1,632	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD 3015e	2	2,724	1,353	6	Unknown	Laptop
»	Intel Core i3-7100U @ 2.40GHz	2	2,722	1,385	15	FCBGA1356	Laptop
»	ARM Phytium,FT-2000/4 8 Core 2300 MHz	8	2,720	603	NA	Unknown	Mobile/Embedded
»	AMD A6-9400	2	2,717	1,664	10	FT4	Laptop
»	Intel Celeron G4950 @ 3.30GHz	2	2,714	2,041	54	FCLGA1151	Desktop
»	MediaTek MT6779V/CV	8	2,712	1,098	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4600U @ 2.10GHz	2	2,711	1,652	15	FCBGA1168	Laptop
»	Intel Pentium G4520 @ 3.60GHz	2	2,707	2,008	51	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc SDM710	8	2,701	1,179	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3350 HE	4	2,699	1,263	45	Unknown	Server
»	Intel Core i5-3340M @ 2.70GHz	2	2,697	1,650	35	BGA1023	Laptop
»	[Quad CPU] AMD Opteron 885	2	2,696	NA	95	949	Server
»	MediaTek MT6769V/CU	8	2,696	1,085	NA	Unknown	Mobile/Embedded
»	MT6769H	8	2,696	1,054	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM6225	8	2,692	1,067	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-9800B	4	2,691	1,392	15	FP4	Laptop
»	AMD Phenom II X4 B65	4	2,690	1,370	NA	AM2+/AM3	Desktop
»	Intel Xeon E5530 @ 2.40GHz	4	2,690	1,144	80	LGA1366	Server
»	Intel Core2 Extreme X9770 @ 3.20GHz	4	2,689	1,395	136	LGA775	Desktop
»	Intel Celeron J4115 @ 1.80GHz	4	2,687	1,068	NA	Unknown	Desktop
»	AMD FX-4130 Quad-Core	2	2,686	1,336	125	AM3+	Desktop
»	Intel Xeon E5607 @ 2.27GHz	4	2,686	1,002	80	LGA1366	Server
»	Hisilicon Kirin970	8	2,681	919	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4402E @ 1.60GHz	2	2,681	1,510	25	FCBGA1364	Laptop
»	MediaTek MT6771V/C	8	2,681	893	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4110M @ 2.60GHz	2	2,678	1,389	37	FCPGA946	Laptop
»	ARM D2000/8 8 Core 2300 MHz	8	2,674	589	NA	Unknown	Mobile/Embedded
»	ARM Phytium,D2000/8 8 Core 2300 MHz	8	2,671	591	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3320M @ 2.60GHz	2	2,667	1,620	35	BGA1023	Laptop
»	Intel Core i5-3610ME @ 2.70GHz	2	2,666	1,579	35	BGA1023	Laptop
»	QTI SDM845	8	2,666	986	NA	Unknown	Mobile/Embedded
»	Unisoc T606	8	2,663	988	NA	Unknown	Mobile/Embedded
»	AMD A12-9720P	4	2,659	1,318	15	FP4	Laptop
»	Intel Xeon E5-2407 @ 2.20GHz	4	2,658	940	80	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	MediaTek MT6771V/CT	8	2,654	909	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-3250T @ 3.00GHz	2	2,650	1,684	35	FCLGA1155	Desktop
»»	AMD RX-425BB	4	2,648	1,192	35	FP3	Mobile/Embedded
»»	Intel Core i5-7Y54 @ 1.20GHz	2	2,647	1,517	4.5	FCBGA1515	Laptop
»»	Intel Core i7-3687U @ 2.10GHz	2	2,645	1,598	17	BGA1023	Laptop
»»	Intel Celeron G5900 @ 3.40GHz	2	2,643	2,107	58	FCLGA1200	Desktop
»»	Intel Core i7-7Y75 @ 1.30GHz	2	2,637	1,583	4.5	FCBGA1515	Desktop, Laptop
»»	Intel Core i5-4288U @ 2.60GHz	2	2,635	1,631	28	FCBGA1168	Laptop
»»	Intel Core i3-6100U @ 2.30GHz	2	2,634	1,333	15	FCBGA1356	Laptop
»»	Intel Core i5-4258U @ 2.40GHz	2	2,634	1,583	28	FCBGA1168	Laptop
»»	AMD Phenom II X4 965	4	2,632	1,363	125	AM3	Desktop
»»	Unisoc T612	8	2,632	1,061	NA	Unknown	Mobile/Embedded
»»	Unisoc T700	8	2,630	1,067	NA	Unknown	Mobile/Embedded
»»	[Dual CPU] Intel Xeon E5310 @ 1.60GHz	4	2,629	641	80	LGA771	Server
»»	Intel Core i5-760 @ 2.80GHz	4	2,628	1,291	95	LGA1156	Desktop
»»	AMD Phenom II X4 B60	4	2,627	1,346	NA	Unknown	Desktop
»»	AMD Athlon X4 740 Quad Core	2	2,626	1,355	65	FM2	Desktop
»»	AMD Athlon X4 750 Quad Core	4	2,625	1,497	65	FM2	Desktop
»»	MediaTek MT6779V/CU	8	2,622	1,173	NA	Unknown	Mobile/Embedded
»»	AMD Athlon PRO 3045B	2	2,618	1,493	15	FP5	Laptop
»»	Intel Core i5-680 @ 3.60GHz	2	2,618	1,580	73	LGA1156	Desktop
»»	AMD A8-5500B APU	2	2,616	1,327	65	FM2	Desktop
»»	AMD Opteron 6172	12	2,615	564	115	G34	Server
»»	Qualcomm Technologies, Inc BENGALP	8	2,614	940	NA	Unknown	Mobile/Embedded
»»	AMD FX-7600P	4	2,611	1,265	35	FP3	Laptop
»»	AMD FX-4100 Quad-Core	2	2,610	1,286	95	AM3+	Desktop
»»	ARM Cortex-A76 4 Core 3100 MHz	4	2,610	1,328	NA	Unknown	Unknown
»»	AMD A8-5500 APU	2	2,608	1,335	65	FM2	Desktop
»»	Unisoc ums512	8	2,608	1,113	NA	Unknown	Mobile/Embedded
»»	Intel Pentium Silver N5000 @ 1.10GHz	4	2,603	1,134	6	FCBGA1090	Laptop
»»	AMD Athlon II X4 559	4	2,602	1,399	NA	Unknown	Desktop
»»	Unisoc UIS7862S	8	2,601	1,082	NA	Unknown	Mobile/Embedded
»»	Samsung Exynos 8890	8	2,596	931	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-5157U @ 2.50GHz	2	2,593	1,392	28	FCBGA1168	Laptop
»»	Intel Celeron G4930 @ 3.20GHz	2	2,591	1,987	54	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i7-4510U @ 2.00GHz	2	2,590	1,537	15	FCBGA1168	Laptop
»	Intel Core i5-7Y57 @ 1.20GHz	2	2,588	1,618	4.5	FCBGA1515	Laptop
»	Qualcomm SM4250	8	2,587	799	NA	Unknown	Mobile/Embedded
»	Intel Core m3-7Y30 @ 1.00GHz	2	2,586	1,409	4.5	FCBGA1515	Laptop
»	Intel Pentium G4400 @ 3.30GHz	2	2,582	2,005	54	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc SDM712	8	2,581	1,218	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-8800B	2	2,580	1,315	15	FP4	Laptop
»	ARM Cortex-A76 4 Core 3400 MHz	4	2,580	1,282	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7020U @ 2.30GHz	2	2,580	1,321	15	FCBGA1356	Laptop
»	ARM Cortex-A76 4 Core 3200 MHz	4	2,579	1,291	NA	Unknown	Mobile/Embedded
»	Intel Celeron G5920 @ 3.50GHz	2	2,577	2,123	58	FCLGA1200	Desktop
»	Intel Xeon E5450 @ 3.00GHz	4	2,576	1,286	80	LGA771	Server
»	Intel Pentium Silver N5030 @ 1.10GHz	4	2,574	1,238	6	FCBGA1090	Laptop
»	Intel Core i5-5350U @ 1.80GHz	2	2,570	1,645	15	FCBGA1168	Laptop
»	Samsung Exynos 9611	8	2,570	989	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5460 @ 3.16GHz	4	2,569	1,349	120	LGA771	Server
»	Intel Xeon X3380 @ 3.16GHz	4	2,568	1,357	95	LGA775	Server
»	AMD Athlon II X4 557	4	2,567	1,345	160	AM3	Desktop
»	Intel Core i5-3230M @ 2.60GHz	2	2,563	1,579	35	PGA988	Laptop
»	Unisoc T618	8	2,563	1,163	NA	Unknown	Mobile/Embedded
»	MediaTek MT6769Z	8	2,561	1,092	NA	Unknown	Mobile/Embedded
»	MediaTek MT6769T	8	2,560	1,100	NA	Unknown	Mobile/Embedded
»	UIS7862A	8	2,557	1,062	NA	Unknown	Mobile/Embedded
»	ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz	6	2,550	807	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 3000 MHz	4	2,547	1,298	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM670	8	2,547	1,097	NA	Unknown	Mobile/Embedded
»	AMD PRO A10-9700B	4	2,545	1,294	15	FP4	Laptop
»	MediaTek MT8183	8	2,545	899	NA	Unknown	Mobile/Embedded
»	AMD FX-9800P	4	2,543	1,228	15	Unknown	Laptop
»	Mediatek MT6769V/CT	8	2,543	1,019	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 B97	4	2,539	1,320	95	AM2+/AM3	Desktop
»	T610-Unisoc	8	2,539	1,067	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 975	4	2,536	1,350	125	AM3	Desktop
»	AMD Phenom II X4 B99	4	2,536	1,377	95	Unknown	Desktop
»	Intel Core i5-750 @ 2.67GHz	4	2,536	1,232	95	LGA1156	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i5-4310U @ 2.00GHz	2	2,533	1,513	15	FCBGA1168	Laptop
»	Intel Core i5-670 @ 3.47GHz	2	2,533	1,530	73	LGA1156	Desktop
»	AMD A10-9620P	4	2,531	1,260	15	Unknown	Laptop
»	ARM Kryo-4XX-Gold 8 Core 1804 MHz	8	2,531	1,128	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 555	4	2,526	1,244	NA	Unknown	Desktop
»	Intel Xeon E5520 @ 2.27GHz	4	2,524	1,053	80	LGA1366	Server
»	Intel Xeon L5530 @ 2.40GHz	4	2,522	1,169	60	LGA1366	Server
»	Intel Core i3-7102E @ 2.10GHz	2	2,521	1,292	25	FCBGA1440	Laptop
»	AMD PRO A12-8830B	4	2,517	1,321	15	BGA (FP4)	Laptop
»	Apple A9X	2	2,515	1,510	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4100M @ 2.50GHz	2	2,515	1,400	37	FCPGA946	Laptop
»	QTI QCM4290	8	2,512	798	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 955	4	2,506	1,292	125	AM3	Desktop
»	AMD Athlon II X4 651 Quad-Core	4	2,500	1,287	100	FM1	Desktop
»	Intel Celeron G4920 @ 3.20GHz	2	2,500	1,960	54	FCLGA1151-2	Desktop
»	Intel Core i5-5200U @ 2.20GHz	2	2,500	1,498	15	FCBGA1168	Laptop
»	samsung exynos7885	8	2,498	1,019	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4300U @ 1.90GHz	2	2,497	1,485	15	FCBGA1168	Laptop
»	Intel Xeon L7455 @ 2.13GHz	6	2,494	601	65	PGA604	Server
»	ARM Cortex-A76 4 Core 3300 MHz	4	2,493	1,288	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2390T @ 2.70GHz	2	2,493	1,516	35	LGA1155	Desktop
»	Intel Celeron N4120 @ 1.10GHz	4	2,484	1,089	6	FCBGA1090	Laptop
»	Intel Core i7-4500U @ 1.80GHz	2	2,484	1,491	15	BGA1168	Laptop
»	AMD Phenom II X4 B55	4	2,483	1,322	NA	AM2+/AM3	Desktop
»	AMD Opteron 8439 SE	6	2,479	590	105	F (1207)	Server
»	MT6769V/CT	8	2,477	1,061	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q9650 @ 3.00GHz	4	2,473	1,283	95	LGA775	Desktop
»	Intel Core i7-8500Y @ 1.50GHz	2	2,472	1,454	5	FCBGA1515	Laptop
»	ARM Phytium,D2000/8 E8C 8 Core 2300 MHz	8	2,470	590	NA	Unknown	Mobile/Embedded
»	Intel Xeon L3426 @ 1.87GHz	4	2,470	1,231	45	LGA1156	Server
»	Intel Core i5-661 @ 3.33GHz	2	2,469	1,446	87	LGA1156	Desktop
»	Intel Core i5-3210M @ 2.50GHz	2	2,468	1,527	35	PGA988B	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	ARM Cortex-A76 4 Core 2900 MHz	4	2,465	1,342	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3370 @ 3.00GHz	4	2,465	1,253	95	LGA775	Server
»	Intel Core i7-2640M @ 2.80GHz	2	2,463	1,494	35	BGA1023	Laptop
»	ARM Cortex-A76 4 Core 2800 MHz	4	2,460	1,207	NA	Unknown	Mobile/Embedded
»	Intel Xeon D-1602 @ 2.50GHz	2	2,459	1,435	27	FCBGA1667	Server
»	HiSilicon Kirin 950	8	2,457	857	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4100 @ 1.10GHz	4	2,454	1,008	6	FCBGA1090	Laptop
»	Samsung A04S EUR OPEN REV03C board based on EXYNOS	8	2,452	688	NA	Unknown	Mobile/Embedded
»	Intel Celeron 7305	5	2,451	812	15	FCBGA1744	Laptop
»	Intel Core i7-4650U @ 1.70GHz	2	2,451	1,568	15	BGA1168	Laptop
»	Intel Core i5-5250U @ 1.60GHz	2	2,448	1,519	15	FCBGA1168	Laptop
»	AMD 3020e	2	2,447	1,415	6	Unknown	Laptop
»	Qualcomm Technologies, Inc TRINKET	8	2,447	900	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4610Y @ 1.70GHz	2	2,446	1,583	11.5	BGA1168	Desktop
»	MediaTek MT6771V/W	8	2,445	878	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM660	8	2,444	795	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3250 @ 3.50GHz	2	2,442	1,837	55	LGA1155	Desktop
»	Qualcomm Technologies, Inc BENGAL	8	2,442	883	NA	Unknown	Mobile/Embedded
»	AMD A12-9700P	4	2,437	1,214	15	FP4	Laptop
»	Hisilicon Kirin710	8	2,436	943	NA	Unknown	Mobile/Embedded
»	Snapdragon 662	8	2,431	908	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM660	8	2,429	965	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3470 @ 3.60GHz	2	2,428	2,089	53	LGA1150	Desktop
»	AMD Athlon II X4 650	4	2,426	1,305	95	Unknown	Desktop
»	Intel Atom C3558 @ 2.20GHz	4	2,426	855	16	FCBGA1310	Server
»	Intel Core i7-2620M @ 2.70GHz	2	2,426	1,461	35	BGA1023	Laptop
»	Intel Core i5-4350U @ 1.40GHz	2	2,425	1,585	15	BGA1168	Laptop
»	Samsung Exynos	8	2,423	868	NA	Unknown	Mobile/Embedded
»	MediaTek MT6769V/CB	8	2,419	1,122	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 553	4	2,418	1,204	NA	Unknown	Desktop
»	Intel Core i7-3667U @ 2.00GHz	2	2,416	1,509	17	BGA1023	Laptop
»	Intel Xeon L3360 @ 2.83GHz	4	2,412	1,224	65	LGA775	Server
»	MT8395AV/ZA	8	2,410	1,200	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	ARM Phytium,D2000/8 8 Core 2000 MHz	8	2,409	513	NA	Unknown	Mobile/Embedded
»	Intel Pentium J4205 @ 1.50GHz	4	2,406	916	10	FCBGA1296	Desktop
»	Intel Celeron 7305E	5	2,404	805	15	FCBGA1744	Mobile/Embedded
»	Intel Core2 Extreme X9650 @ 3.00GHz	4	2,404	1,258	130	LGA775	Desktop
»	AMD Phenom II X4 B95	4	2,401	1,242	95	AM3	Desktop
»	AMD Phenom II X4 850	4	2,400	1,230	95	AM2+/AM3	Desktop
»	AMD Phenom II X4 840	4	2,399	1,297	95	AM2+/AM3	Desktop
»	Intel Pentium G4500T @ 3.00GHz	2	2,399	1,865	35	FCLGA1151	Desktop
»	Intel Xeon X3360 @ 2.83GHz	4	2,398	1,237	95	LGA775	Server
»	Intel Atom C2758 @ 2.40GHz	8	2,397	576	20	BGA 1283	Laptop, Mobile/Embedded
»	Intel Core i5-2560M @ 2.70GHz	2	2,397	1,437	NA	Unknown	Laptop
»	T700-Unisoc	8	2,396	1,008	NA	Unknown	Mobile/Embedded
»	Intel Celeron G4900 @ 3.10GHz	2	2,391	1,835	54	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon X5260 @ 3.33GHz	2	2,389	NA	80	LGA771	Server
»	Intel Xeon X5450 @ 3.00GHz	4	2,389	1,256	120	LGA771	Server
»	Qualcomm SDM630	8	2,388	636	NA	Unknown	Mobile/Embedded
»	Intel Core i5-660 @ 3.33GHz	2	2,387	1,420	73	LGA1156	Desktop
»	AArch64 rev 2 (aarch64)	8	2,383	901	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 945	4	2,383	1,232	125	AM3	Desktop
»	AMD Opteron 4170 HE	6	2,382	476	65	C32	Server
»	Mediatek MT8768N	8	2,382	669	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM665	8	2,381	899	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 B50	4	2,379	1,281	NA	AM2+/AM3	Desktop
»	Intel Core i3-3245 @ 3.40GHz	2	2,379	1,791	55	LGA1155	Desktop
»	AMD Phenom II X4 977	4	2,377	1,368	95	Unknown	Desktop
»	MediaTek MT6771V/WT	8	2,377	898	NA	Unknown	Mobile/Embedded
»	Apple A8X	3	2,376	934	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 2700 MHz	4	2,375	1,168	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5440 @ 2.83GHz	4	2,374	1,228	80	LGA771	Server
»	Intel Celeron G6900TE	2	2,373	1,393	35	FCLGA1700	Mobile/Embedded
»	Intel Xeon E5606 @ 2.13GHz	4	2,365	942	80	LGA1366	Server
»	Intel Atom T5700 @ 1.70GHz	4	2,363	906	NA	Unknown	Laptop
»	AMD A8-3850 APU	4	2,361	1,212	100	FM1	Desktop
»	[Dual CPU] Intel Xeon 5160 @ 3.00GHz	2	2,361	1,198	80	LGA771	Server
»	Intel Core i5-2540M @ 2.60GHz	2	2,359	1,405	35	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Celeron G3920 @ 2.90GHz	2	2,358	1,781	51	FCLGA1151	Desktop
»	Intel Xeon X3363 @ 2.83GHz	4	2,358	1,240	80	LGA771	Server
»	Intel Pentium 6405U @ 2.40GHz	2	2,356	1,378	15	FCBGA1528	Laptop
»	AMD Phenom II X4 960T	4	2,353	1,299	95	AM3	Desktop
»	Intel Core m5-6Y57 @ 1.10GHz	2	2,352	1,339	7	FCBGA1515	Laptop
»	Intel Core i3-6102E @ 1.90GHz	2	2,349	1,068	25	FCBGA1440	Laptop
»	Intel Core2 Extreme X9750 @ 3.16GHz	4	2,348	1,352	NA	Unknown	Desktop
»	AMD Opteron 4130	4	2,347	1,149	95	F (1207)	Server
»	Intel Xeon E5-2403 @ 1.80GHz	4	2,346	789	80	LGA 1356	Server
»	AMD Phenom II X4 940	4	2,345	1,212	125	AM2+	Desktop
»	Intel Core2 Quad Q9550 @ 2.83GHz	4	2,345	1,221	95	LGA775	Desktop
»	Intel Pentium G4400T @ 2.90GHz	2	2,345	1,757	35	FCLGA1151	Desktop
»	AMD PRO A10-8730B	4	2,344	1,185	15	FP4	Laptop
»	AMD Athlon II X4 645	4	2,340	1,255	95	AM3	Desktop
»	AMD A10-9600P	4	2,339	1,148	15	FP4	Laptop
»	Intel Core i7-3537U @ 2.00GHz	2	2,336	1,443	17	BGA1023	Laptop
»	Intel Xeon X5365 @ 3.00GHz	4	2,331	1,223	150	LGA771	Server
»	AMD Phenom II X4 840T	4	2,330	1,264	95	AM2+/AM3	Desktop
»	Intel Core m7-6Y75 @ 1.20GHz	2	2,326	1,355	7	FCBGA1515	Laptop
»	MediaTek MT6768V/CA	8	2,323	1,054	NA	Unknown	Mobile/Embedded
»	Intel Celeron G3950 @ 3.00GHz	2	2,322	1,851	51	FCLGA1151	Desktop
»	ARM Cortex-A76 4 Core 2600 MHz	4	2,320	1,129	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3517UE @ 1.70GHz	2	2,320	1,366	17	BGA1023	Laptop
»	AMD A8-3870K APU	4	2,319	1,210	100	FM1	Desktop
»	AMD Phenom II X4 B35	4	2,319	1,182	NA	AM2+/AM3	Desktop
»	Intel Core i3-3240 @ 3.40GHz	2	2,319	1,785	55	LGA1155	Desktop
»	Intel Xeon E5-2603 @ 1.80GHz	4	2,319	871	80	LGA 2011	Server
»	AMD Athlon II X4 641 Quad-Core	4	2,313	1,189	100	FM1	Desktop
»	Intel Core i5-4210U @ 1.70GHz	2	2,310	1,379	15	FCBGA1168	Laptop
»	Intel Core i3-2140 @ 3.50GHz	2	2,307	1,535	65	Unknown	Unknown
»	Intel Core i5-4260U @ 1.40GHz	2	2,307	1,456	15	FCBGA1168	Laptop
»	Intel Core2 Extreme Q6850 @ 3.00GHz	4	2,304	1,231	130	LGA775	Desktop
»	AMD Phenom II X4 B70	4	2,303	1,209	65	AM2+ (938-pin)	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i5-3437U @ 1.90GHz	2	2,301	1,424	17	BGA1023	Laptop
»	AMD A10-6700T APU	2	2,299	1,290	45	FM2	Desktop
»	MT6771V/WL	8	2,299	886	NA	Unknown	Mobile/Embedded
»	Allwinner A527	8	2,297	678	NA	Unknown	Mobile/Embedded
»	Intel Celeron G4930T @ 3.00GHz	2	2,297	1,769	35	FCLGA1151	Desktop
»	Intel Xeon E3-1220L @ 2.20GHz	2	2,295	1,604	20	LGA1155	Server
»	Unisoc ums9230	8	2,293	907	NA	Unknown	Mobile/Embedded
»	AMD PRO A8-9600B	4	2,292	1,194	15	FP4	Laptop
»	Intel Xeon E5472 @ 3.00GHz	4	2,286	1,211	80	LGA771	Server
»	Intel Xeon X3430 @ 2.40GHz	4	2,286	1,024	95	LGA1156	Server
»	Intel Pentium 1403 v2 @ 2.60GHz	2	2,284	1,391	80	Unknown	Server
»	AMD Opteron 3260 HE	2	2,283	900	45	AM3+	Server
»	Intel Core i3-6006U @ 2.00GHz	2	2,282	1,161	15	FCBGA1356	Laptop
»	Intel Core i7-860S @ 2.53GHz	4	2,280	1,093	82	LGA1156	Desktop
»	AMD Athlon X4 730	2	2,278	937	65	FM2	Desktop
»	Intel Xeon L5520 @ 2.27GHz	4	2,274	1,001	60	LGA1366	Server
»	Mediatek MT8768CX	8	2,274	643	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4550U @ 1.50GHz	2	2,272	1,290	15	BGA1168	Laptop
»	AMD Phenom II X4 925	4	2,271	1,151	95	AM3	Desktop
»	ARM - 8 Core 2208 MHz	8	2,270	607	NA	Unknown	Unknown
»	AMD Phenom II X4 B45	4	2,267	1,235	NA	Unknown	Desktop
»	Intel Celeron N4505 @ 2.00GHz	2	2,266	1,509	10	FCBGA1338	Mobile/Embedded
»	Intel Core i3-3220 @ 3.30GHz	2	2,265	1,728	55	LGA1155	Desktop
»	Intel Core m5-6Y54 @ 1.10GHz	2	2,265	1,303	7	FCBGA1515	Laptop
»	Intel Core i5-3427U @ 1.80GHz	2	2,264	1,367	17	BGA1023	Laptop
»	Intel Xeon X3350 @ 2.66GHz	4	2,263	1,158	95	LGA775	Server
»	Intel Pentium 5405U @ 2.30GHz	2	2,262	1,312	15	FCBGA1528	Laptop
»	Samsung Exynos 9610	8	2,261	954	NA	Unknown	Mobile/Embedded
»	Intel Xeon L5430 @ 2.66GHz	4	2,260	1,154	50	LGA771	Server
»	Qualcomm Technologies, Inc SM6125	8	2,258	879	NA	Unknown	Mobile/Embedded
»	Intel Celeron J3455 @ 1.50GHz	4	2,254	812	10	FCBGA1296	Desktop
»	mt6779	8	2,251	674	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 638 Quad-Core	4	2,250	1,163	65	FM1	Desktop
»	Intel Celeron G3930 @ 2.90GHz	2	2,249	1,780	51	FCLGA1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon E3-1220L V2 @ 2.30GHz	2	2,248	1,505	17	LGA1155	Server
»»	Intel Core i5-650 @ 3.20GHz	2	2,247	1,368	73	LGA1156	Desktop
»»	Intel Celeron N6211 @ 1.20GHz	2	2,245	1,586	6.5	FCBGA1493	Mobile/Embedded
»»	Intel Pentium 4417U @ 2.30GHz	2	2,245	1,297	15	FCBGA1356	Laptop
»»	AMD Athlon II X4 640	4	2,244	1,212	95	AM3	Desktop
»»	AMD A8-8600P	2	2,240	1,103	15	FP4	Laptop
»»	Intel Celeron G4900T @ 2.90GHz	2	2,239	1,737	35	FCLGA1151-2	Desktop
»»	Intel Core i5-2520M @ 2.50GHz	2	2,239	1,356	35	PGA988B	Laptop
»»	AMD Phenom II X4 B40	4	2,238	1,231	NA	Unknown	Desktop
»»	Intel Core i7-3555LE @ 2.50GHz	2	2,238	1,336	25	BGA1023	Laptop
»»	AMD A10-8700P	2	2,237	1,143	35	FP4	Laptop
»»	AMD Athlon II X4 635	4	2,237	1,168	95	AM3	Desktop
»»	Qualcomm Technologies, Inc SDM662	8	2,237	938	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-3225 @ 3.30GHz	2	2,236	1,698	55	LGA1155	Desktop
»»	Intel Xeon E5430 @ 2.66GHz	4	2,233	1,158	80	LGA771	Server
»»	Intel Pentium 4415U @ 2.30GHz	2	2,231	1,281	15	BGA1356	Laptop
»»	Intel Pentium G3460 @ 3.50GHz	2	2,231	1,986	53	LGA1150	Desktop
»»	Intel Xeon X3353 @ 2.66GHz	4	2,229	1,173	80	LGA775	Server
»»	MT6769V	8	2,229	1,060	NA	Unknown	Mobile/Embedded
»»	MT6969T	8	2,228	1,125	NA	Unknown	Mobile/Embedded
»»	MediaTek MT6771V/WM	8	2,225	805	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-3210 @ 3.20GHz	2	2,224	1,704	55	LGA1155	Desktop
»»	Intel Core2 Quad Q9500 @ 2.83GHz	4	2,224	1,215	95	LGA775	Desktop
»»	ARM Kryo-3XX-Gold 4 Core 1766 MHz	4	2,222	877	NA	Unknown	Unknown
»»	Intel Celeron G3930TE @ 2.70GHz	2	2,218	1,706	35	FCLGA1151	Desktop
»»	Intel Core i5-8200Y @ 1.30GHz	2	2,213	1,437	5	FCBGA1515	Laptop
»»	AMD PRO A10-8700B	2	2,212	1,122	15	BGA (FP4)	Laptop
»»	MediaTek MT6797X	10	2,212	581	NA	Unknown	Mobile/Embedded
»»	Snapdragon 835	8	2,211	1,035	9	Unknown	Laptop, Mobile/Embedded
»»	AMD Phenom II X4 920	4	2,209	1,132	125	AM2+	Desktop
»»	Intel Celeron G5905T @ 3.30GHz	2	2,206	1,809	35	FCLGA1200	Desktop
»»	AMD Phenom II X4 973	4	2,204	1,180	NA	Unknown	Desktop
»»	Intel Core i3-5020U @ 2.20GHz	2	2,203	1,247	15	FCBGA1168	Laptop
»»	Intel Pentium G3440 @ 3.30GHz	2	2,202	1,917	53	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon X5472 @ 3.00GHz	4	2,197	1,220	120	LGA771	Server
»»	Mediatek MT6765V/WA	8	2,195	676	NA	Unknown	Mobile/Embedded
»»	Qualcomm SDM439	8	2,195	613	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-5010U @ 2.10GHz	2	2,194	1,235	15	FCBGA1168	Laptop
»»	Intel Celeron J3455E @ 1.50GHz	4	2,193	846	10	FCBGA1296	Desktop
»»	Intel Core i3-21050 @ 3.10GHz	2	2,193	1,429	NA	Unknown	Unknown
»»	MediaTek MT6769V/WB	8	2,192	1,118	NA	Unknown	Mobile/Embedded
»»	AMD PRO A8-8600B	4	2,190	1,090	15	BGA (FP4)	Laptop
»»	Intel Pentium G4400TE @ 2.40GHz	2	2,190	1,481	35	FCLGA1151	Laptop
»»	Intel Core2 Quad Q9450 @ 2.66GHz	4	2,189	1,128	95	LGA775	Desktop
»»	Intel Core i7-940XM @ 2.13GHz	4	2,187	1,122	55	PGA988	Laptop
»»	ARM Cortex-A72 4 Core 2016 MHz	4	2,186	614	NA	Unknown	Unknown
»»	Intel Core i5-4200U @ 1.60GHz	2	2,181	1,288	15	BGA1168	Laptop
»»	Qualcomm Technologies, Inc SDM636	8	2,180	818	NA	Unknown	Mobile/Embedded
»»	AMD A8-3820 APU	4	2,174	1,131	65	FM1	Desktop
»»	Intel Atom C2750 @ 2.41GHz	8	2,174	291	20	BGA 1283	Server
»»	AMD A6-3670 APU	4	2,171	1,144	100	FM1	Desktop
»»	Intel Pentium N4200 @ 1.10GHz	4	2,171	858	6	FCBGA1296	Laptop
»»	Intel Pentium G3450 @ 3.40GHz	2	2,167	1,887	53	FCLGA1150	Desktop
»»	[Quad CPU] Intel Xeon @ 2.20GHz	1	2,167	1,177	61	PPGA603	Server
»»	Intel Celeron G3900 @ 2.80GHz	2	2,165	1,706	51	FCLGA1151	Desktop
»»	Intel Core m3-6Y30 @ 0.90GHz	2	2,165	1,169	4.5	FCBGA1515	Laptop
»»	Samsung Exynos 7420	8	2,164	833	NA	Unknown	Mobile/Embedded
»»	AMD Phenom II X4 B93	4	2,159	1,142	95	AM3	Desktop
»»	AMD A8-7690K	4	2,157	1,441	95	FM2+	Desktop
»»	Intel Core2 Quad Q9505 @ 2.83GHz	4	2,156	1,184	95	LGA775	Desktop
»»	Intel Celeron G5900T @ 3.20GHz	2	2,155	1,640	35	FCLGA1200	Desktop
»»	AMD A8-7200P	4	2,154	1,054	35	FP3	Laptop
»»	AMD FirePro A320 APU	4	2,153	1,193	100	FM2	Desktop
»»	AMD Athlon II X4 630	4	2,151	1,128	95	AM3	Desktop
»»	Intel Core i5-4250U @ 1.30GHz	2	2,151	1,339	15	BGA1168	Laptop
»»	Qualcomm Technologies, Inc APQ8053	8	2,149	567	NA	Unknown	Mobile/Embedded
»»	Intel Xeon E5462 @ 2.80GHz	4	2,146	1,148	80	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Cortex-A76 4 Core 2400 MHz	4	2,145	1,051	NA	Unknown	Mobile/Embedded
»	Intel Core2 Extreme Q6800 @ 2.93GHz	4	2,145	1,124	75	LGA775	Desktop
»	Intel Xeon L5420 @ 2.50GHz	4	2,143	1,100	50	LGA771	Server
»	AMD Athlon II X4 631 Quad-Core	4	2,142	1,119	100	FM1	Desktop
»	QTI MSM8937	8	2,142	606	NA	Unknown	Mobile/Embedded
»	MT6765H	8	2,132	639	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 910e	4	2,131	1,082	65	AM3	Desktop
»	MediaTek MT6763V/CE	8	2,130	1,104	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q9400 @ 2.66GHz	4	2,128	1,139	95	LGA775	Desktop
»	Intel Pentium G3430 @ 3.30GHz	2	2,127	1,912	54	FCLGA1150	Desktop
»	Qualcomm MSM8956	6	2,127	853	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM4250	8	2,120	733	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 640	4	2,115	1,224	95	Unknown	Unknown
»	Hardkernel ODROID-N2Plus	6	2,115	888	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4405U @ 2.10GHz	2	2,115	1,201	15	FCBGA1356	Laptop
»	Intel Xeon X3330 @ 2.66GHz	4	2,111	1,152	95	LGA775	Server
»	AMD Phenom II X4 B25	4	2,108	1,040	NA	AM2+/AM3	Desktop
»	Intel Pentium G3440T @ 2.80GHz	2	2,107	1,615	35	LGA1150	Desktop
»	Intel Core i5-2435M @ 2.40GHz	2	2,101	1,328	35	BGA1023	Laptop
»	MT6797M	10	2,099	887	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2222	2	2,098	964	95	F (1207)	Server
»	Mediatek MT6765H	8	2,097	629	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 820	4	2,096	1,121	95	AM3	Desktop
»	Intel Atom x7-E3950 @ 1.60GHz	4	2,096	742	12	BGA1296	Laptop
»	Qualcomm Technologies, Inc SDM632	8	2,096	772	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q6700 @ 2.66GHz	4	2,093	1,077	105	LGA775	Desktop
»	Samsung Exynos7870	8	2,093	507	NA	Unknown	Mobile/Embedded
»	Intel Pentium G2140 @ 3.30GHz	2	2,092	1,842	55	LGA1155	Desktop
»	Intel Pentium G3260 @ 3.30GHz	2	2,090	1,867	53	LGA1150	Desktop
»	Samsung Exynos 850	8	2,089	593	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3337U @ 1.80GHz	2	2,088	1,281	17	BGA1023	Laptop
»	AMD 3015Ce	2	2,086	1,334	6	FT5	Mobile/Embedded
»	Intel Core i3-2125 @ 3.30GHz	2	2,083	1,570	65	LGA1155	Desktop
»	AMD Opteron 1389	4	2,079	1,102	75	AM2	Server
»	AMD A10-7400P	4	2,078	1,033	35	FP3	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Athlon II X4 655	4	2,078	1,473	95	AM2+ (940-pin)	Desktop
»	Intel Core i7-3517U @ 1.90GHz	2	2,077	1,325	17	BGA1023	Laptop
»	Intel Core i7-640M @ 2.80GHz	2	2,077	1,375	35	BGA1288	Laptop
»	Intel Pentium G3258 @ 3.20GHz	2	2,076	1,857	53	FCLGA1150	Desktop
»	Intel Celeron 6305 @ 1.80GHz	2	2,075	1,194	NA	FCBGA1449	Laptop
»	AMD Opteron 2384	4	2,074	1,074	75	F (1207)	Server
»	Intel Core i5-2450M @ 2.50GHz	2	2,074	1,283	35	BGA1023	Laptop
»	Intel Core i7-610E @ 2.53GHz	2	2,071	1,420	35	BGA1288	Laptop
»	AMD A6-3650 APU	4	2,070	1,038	100	FM1	Desktop
»	AMD Phenom II X4 830	4	2,070	1,084	95	AM2+/AM3	Desktop
»	Apple A9	2	2,068	1,188	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q8400 @ 2.66GHz	4	2,067	1,144	95	LGA775	Desktop
»	QTI MSM8953	8	2,065	613	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3250 HE	2	2,061	1,003	45	AM3+	Server
»	AMD Opteron 4162 EE	6	2,058	382	35	F (1207)	Server
»	Qualcomm Technologies, Inc MSM8976SG	8	2,057	746	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3230 @ 2.66GHz	4	2,052	1,091	95	LGA775	Server
»	AMD A8-3800 APU	4	2,049	1,068	65	FM1	Desktop
»	SAMSUNG Exynos7420	8	2,047	717	NA	Unknown	Mobile/Embedded
»	AMD A10-5750M APU	4	2,044	1,161	35	FS1r2	Laptop
»	[Dual CPU] Intel Xeon 5150 @ 2.66GHz	2	2,043	1,065	65	LGA771	Server
»	Qualcomm Technologies, Inc SDM460	8	2,041	743	NA	Unknown	Mobile/Embedded
»	Intel Celeron G3930T @ 2.70GHz	2	2,040	1,657	35	FCLGA1151	Desktop
»	Intel Core i3-2130 @ 3.40GHz	2	2,040	1,562	65	LGA1155	Desktop
»	Intel Core M-5Y71 @ 1.20GHz	2	2,037	1,281	4.5	FCBGA1234	Laptop
»	Intel Celeron G3900E @ 2.40GHz	2	2,034	1,499	35	FCBGA1440	Laptop
»	MediaTek MT8768CT	8	2,031	620	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2102 @ 3.10GHz	2	2,029	1,400	65	FCLGA1155	Desktop
»	Intel Xeon E7- 2830 @ 2.13GHz	4	2,027	559	105	LGA1567	Server
»	Intel Core i3-3240T @ 2.90GHz	2	2,025	1,543	35	LGA1155	Desktop
»	Giada JHS558 (Android)	6	2,022	835	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4330TE @ 2.40GHz	2	2,022	1,327	35	LGA1150	Desktop
»	Intel Core i3-5005U @ 2.00GHz	2	2,022	1,145	15	FCBGA1168	Laptop
»	Intel Xeon E5420 @ 2.50GHz	4	2,022	1,060	80	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron G3900T @ 2.60GHz	2	2,020	1,560	35	Unknown	Desktop
»»	Intel Core i5-3317U @ 1.70GHz	2	2,017	1,255	17	BGA1023	Laptop
»»	Intel Core i5-655K @ 3.20GHz	2	2,017	1,446	73	LGA1156	Desktop
»»	Intel Pentium G3450T @ 2.90GHz	2	2,016	1,135	35	LGA1150	Desktop
»»	AMD Athlon II X4 620	4	2,015	1,063	95	AM3	Desktop
»»	Intel Core2 Extreme Q9200 @ 2.40GHz	4	2,011	1,080	NA	Unknown	Desktop
»»	AMD Athlon II X3 460	3	2,008	1,395	95	AM3	Desktop
»»	Intel Celeron 6305E @ 1.80GHz	2	2,008	1,176	15	FCBGA1449	Mobile/Embedded
»»	Intel Xeon E5410 @ 2.33GHz	4	2,007	1,023	80	LGA771	Server
»»	AMD Phenom II X4 810	4	2,003	1,047	95	AM3	Desktop
»»	Intel Core i5-2430M @ 2.40GHz	2	2,002	1,239	35	PGA988B	Laptop
»»	AMD Athlon II X4 615e	4	2,000	1,037	45	AM3	Desktop
»»	Intel Core i7-2655LE @ 2.20GHz	2	1,999	1,231	25	BGA1023	Desktop
»»	MediaTek MT8768WT	8	1,999	624	NA	Unknown	Mobile/Embedded
»»	AMD A10-5757M APU	4	1,998	1,151	35	FP2	Laptop
»»	AMD Opteron 2427	6	1,995	386	75	F (1207)	Server
»»	Intel Celeron N6210 @ 1.20GHz	2	1,995	1,360	6.5	Unknown	Mobile/Embedded
»»	[Dual CPU] AMD Opteron 2218	2	1,994	964	95	F (1207)	Server
»»	Intel Core M-5Y51 @ 1.10GHz	2	1,992	1,297	4.5	FCBGA1234	Laptop
»»	Intel Pentium G3250 @ 3.20GHz	2	1,986	1,803	53	LGA1150	Desktop
»»	Intel Xeon X3320 @ 2.50GHz	4	1,986	1,097	95	LGA775	Server
»»	Intel Core i7-620M @ 2.67GHz	2	1,980	1,287	35	BGA1288	Laptop
»»	Intel Celeron N3450 @ 1.10GHz	4	1,979	766	6	FCBGA1296	Laptop
»»	Intel Xeon X5355 @ 2.66GHz	4	1,979	1,060	120	LGA771	Server
»»	Qualcomm Technologies, Inc 450	8	1,978	459	NA	Unknown	Mobile/Embedded
»»	AMD FX-7500 APU	4	1,977	976	19	FP3	Laptop
»»	Intel Core2 Quad Q9300 @ 2.50GHz	4	1,977	1,080	95	LGA775	Desktop
»»	Intel Xeon X3220 @ 2.40GHz	4	1,973	926	105	LGA775	Server
»»	Intel Celeron N4500 @ 1.10GHz	2	1,972	1,376	6	FCBGA1338	Mobile/Embedded
»»	Intel Core i7-3689Y @ 1.50GHz	2	1,967	1,209	13	FCBGA1023	Laptop
»»	Intel Core2 Extreme Q9300 @ 2.53GHz	4	1,966	1,081	45	PGA478	Desktop
»»	AMD Athlon II X4 610e	4	1,964	1,037	45	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Athlon II X4 605e	4	1,963	986	45	AM3	Desktop
»	Intel Core i5-2415M @ 2.30GHz	2	1,962	1,206	35	BGA1023	Desktop
»	MT8169A	6	1,962	661	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 805	4	1,959	1,017	95	AM3	Desktop
»	Intel Core i3-4025U @ 1.90GHz	2	1,959	1,091	15	FCBGA1168	Laptop
»	Intel Core i3-2120 @ 3.30GHz	2	1,957	1,511	65	LGA1155	Desktop
»	Intel Atom E3900 @ 1.60GHz	4	1,953	675	NA	Unknown	Laptop
»	Intel Core i5-580M @ 2.67GHz	2	1,951	1,284	35	BGA1288	Laptop
»	Intel Core i7-920XM @ 2.00GHz	4	1,950	1,022	55	PGA988B	Laptop
»	Qualcomm Technologies, Inc QCS610	8	1,949	1,407	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4120U @ 2.00GHz	2	1,948	1,177	15	FCBGA1168	Laptop
»	AMD Phenom 9850B Quad-Core	4	1,946	992	95	Unknown	Desktop
»	Intel Core i7-840QM @ 1.87GHz	4	1,945	1,132	45	PGA988A	Laptop
»	Intel Core i5-2410M @ 2.30GHz	2	1,944	1,204	35	FCBGA1023, PPG	Laptop
»	Intel Xeon E5506 @ 2.13GHz	4	1,944	928	80	LGA1366	Server
»	Intel Atom x5-E3940 @ 1.60GHz	4	1,941	672	9.5	BGA1296	Laptop
»	MT6757W	8	1,941	606	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3220T @ 2.80GHz	2	1,940	1,489	35	LGA1155	Desktop
»	Intel Pentium G3240 @ 3.10GHz	2	1,940	1,747	53	FCLGA1150	Desktop
»	Intel Xeon L5410 @ 2.33GHz	4	1,940	1,029	50	LGA771	Server
»	AMD A10-4600M APU	2	1,938	1,080	35	FS1r2	Laptop
»	AMD Phenom II X4 905e	4	1,936	1,012	65	AM3	Desktop
»	Intel Xeon X6550 @ 2.00GHz	4	1,936	390	130	LGA1567	Server
»	Intel Xeon E5603 @ 1.60GHz	4	1,935	712	80	LGA1366	Server
»	Intel Pentium G3420 @ 3.20GHz	2	1,933	1,753	54	FCLGA1150	Desktop
»	AMD A8-6500T APU	2	1,929	1,111	45	FM2	Desktop
»	Allwinner A523	8	1,928	588	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5507 @ 2.27GHz	4	1,928	997	80	LGA1366	Server
»	Intel Pentium G2130 @ 3.20GHz	2	1,926	1,748	55	FCLGA1155	Desktop
»	AMD A10 PRO-7350B APU	4	1,921	921	19	FP3	Laptop
»	Intel Core i3-4158U @ 2.00GHz	2	1,921	1,075	28	FCBGA1168	Laptop
»	Qualcomm Technologies, Inc SDM630	8	1,921	607	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Opteron 3320 EE	2	1,918	838	25	AM3+	Server
»	Intel Celeron G1850 @ 2.90GHz	2	1,915	1,692	54	FCLGA1150	Desktop
»	Intel Core2 Quad Q9100 @ 2.26GHz	4	1,915	986	45	PGA478	Laptop
»	Intel Core i7-2677M @ 1.80GHz	2	1,912	1,260	17	BGA1023	Laptop
»	Intel Pentium G3420T @ 2.70GHz	2	1,912	1,570	35	LGA1150	Desktop
»	MT8768CA	10	1,912	545	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc BENGAL-IOT	8	1,912	727	NA	Unknown	Mobile/Embedded
»	AMD Opteron X2170 APU	4	1,911	832	25	FT3	Server
»	P22	8	1,908	537	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3439Y @ 1.50GHz	2	1,907	1,197	13	BGA1023	Desktop
»	Intel Core i5-4422E @ 1.80GHz	2	1,907	1,048	25	FCBGA1364	Laptop
»	AMD Phenom II X4 B05e	4	1,906	974	NA	Unknown	Desktop
»	AMD PRO A6-8570	2	1,906	1,646	65	AM4	Desktop
»	Intel Core M-5Y10a @ 0.80GHz	2	1,905	993	4.5	FCBGA1234	Laptop
»	MediaTek MT6797	10	1,903	799	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2419 EE	6	1,902	396	60	F (1207)	Server
»	Intel Core i5-560M @ 2.67GHz	2	1,901	1,238	35	BGA1288	Laptop
»	Intel Core i3-3130M @ 2.60GHz	2	1,900	1,285	35	BGA1023	Laptop
»	Intel Core M-5Y10c @ 0.80GHz	2	1,899	1,121	4.5	FCBGA1234	Laptop
»	Intel Core M-5Y31 @ 0.90GHz	2	1,899	1,241	4.5	FCBGA1234	Laptop
»	AMD Opteron 1385	4	1,898	1,035	115	AM2+,AM3	Server
»	Intel Pentium G3220 @ 3.00GHz	2	1,895	1,702	54	FCLGA1150	Desktop
»	HiSilicon Kirin 659	8	1,893	670	NA	Unknown	Mobile/Embedded
»	Intel Pentium G2120 @ 3.10GHz	2	1,892	1,715	55	FCLGA1155	Desktop
»	MT6765V/WB	8	1,891	613	NA	Unknown	Mobile/Embedded
»	Intel Atom C3538 @ 2.10GHz	4	1,889	744	15	FCBGA1310	Server
»	Intel Core i5-2510E @ 2.50GHz	2	1,889	1,183	35	PGA988B	Laptop
»	Intel Core2 Quad Q8300 @ 2.50GHz	4	1,889	1,060	95	LGA775	Desktop
»	AMD Phenom 9950 Quad-Core	4	1,884	1,027	125	AM2+	Desktop
»	AMD PRO A6-8550B	1	1,882	1,631	65	FM2+	Desktop
»	Intel Core i5-2515E @ 2.50GHz	2	1,882	1,189	35	BGA1023	Desktop
»	MediaTek MT6765V/CB	8	1,882	601	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X3 455	3	1,879	1,332	95	AM3	Desktop
»	Intel Core i3-4030U @ 1.90GHz	2	1,872	1,023	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD A6-9500	2	1,869	1,624	65	AM4	Desktop
»	Intel Core i3-5015U @ 2.10GHz	2	1,869	1,036	15	FCBGA1168	Laptop
»	Intel Xeon E5345 @ 2.33GHz	4	1,868	954	80	LGA771	Server
»	AMD Athlon 5370 APU	4	1,867	755	25	AM1,FS1B	Desktop
»	AMD Opteron 2378	4	1,864	936	75	F (1207)	Server
»	AMD A8-5550M APU	4	1,862	1,036	35	FS1r2	Laptop
»	Rockchip RK3399 EVB IND LPDDR4 Board lvs (Android	6	1,862	832	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4110U @ 1.90GHz	2	1,860	1,055	NA	Unknown	Laptop
»	Intel Core i3-2100 @ 3.10GHz	2	1,854	1,421	65	LGA1155	Desktop
»	Intel Core i7-2637M @ 1.70GHz	2	1,854	1,144	17	BGA1023	Laptop
»	Intel Core i5-4230U @ 1.90GHz	2	1,853	1,620	15	FCBGA1364	Laptop
»	[Dual CPU] Intel Xeon E5502 @ 1.87GHz	2	1,853	825	80	LGA1366	Server
»	AMD A6-3620 APU	4	1,851	985	65	FM1	Desktop
»	ARM Cortex-A53 6 Core 1896 MHz	6	1,851	751	NA	Unknown	Mobile/Embedded
»	Intel Pentium 1403 @ 2.60GHz	2	1,851	990	80	LGA1356	Server
»	Intel Celeron G3900TE @ 2.30GHz	2	1,850	1,402	35	FCLGA1151	Laptop
»	Intel Core i3-4100E @ 2.40GHz	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
»	AMD Athlon II X3 450	3	1,847	1,301	95	AM3	Desktop
»	MediaTek MT6757V	8	1,846	596	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2310E @ 2.10GHz	2	1,845	733	35	FCBGA1023	Laptop
»	AMD Phenom II X3 B77	3	1,844	1,310	95	AM2+/AM3	Desktop
»	AMD Phenom 9750 Quad-Core	4	1,843	949	125	AM2+	Desktop
»	MediaTek MT6765V/CA	8	1,840	616	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2105 @ 3.10GHz	2	1,837	1,415	65	LGA1155	Desktop
»	Intel Pentium G3260T @ 2.90GHz	2	1,837	1,609	35	LGA1150	Desktop
»	Intel Xeon X3323 @ 2.50GHz	4	1,837	1,059	80	LGA775	Server
»	AMD A6-7480	2	1,836	1,558	65	FM2+	Desktop
»	Intel Atom x6211E @ 1.30GHz	2	1,833	1,208	6	FCBGA1493	Mobile/Embedded
»	Samsung Exynos 7885	8	1,832	863	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 7904	8	1,829	754	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 B15e	4	1,825	1,069	NA	AM2+/AM3	Desktop
»	MT6765	8	1,825	615	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X3 445	3	1,823	1,274	95	AM3	Desktop
»	Intel Core i3-2330E @ 2.20GHz	2	1,823	1,063	35	rPGA988	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core M-5Y70 @ 1.10GHz	2	1,823	1,081	4.5	BGA1234	Laptop
»	AMD Phenom 9600B Quad-Core	4	1,822	934	95	AM2+	Desktop
»	Intel Core i7-740QM @ 1.73GHz	4	1,821	1,009	45	PGA988A	Laptop
»	ARM Cortex-A73 4 Core 1989 MHz	4	1,820	556	NA	Unknown	Mobile/Embedded
»	MT6765V/WA	8	1,820	617	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8953	8	1,818	531	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q6600 @ 2.40GHz	4	1,815	952	105	LGA775	Desktop
»	AMD A8-7410 APU	4	1,814	804	25	Unknown	Laptop
»	AArch64 rev 4 (aarch64)	8	1,813	588	NA	Unknown	Mobile/Embedded
»	Snapdragon 8cx Gen 3 @ 3.0	1	1,811	2,463	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 620	4	1,810	1,033	95	Unknown	Unknown
»	Intel Pentium G3250T @ 2.80GHz	2	1,809	1,594	35	LGA1150	Desktop
»	Intel Celeron 4305U @ 2.20GHz	2	1,807	1,365	15	FCBGA1528	Mobile/Embedded
»	AMD PRO A4-3350B APU	4	1,805	795	15	FT3b	Laptop
»	Intel Core i5-540M @ 2.53GHz	2	1,805	1,158	35	BGA1288	Laptop
»	Samsung Exynos 7880	8	1,805	467	NA	Unknown	Mobile/Embedded
»	AMD A8-5557M APU	4	1,801	1,037	35	FP2	Laptop
»	AMD A6-7470K	1	1,799	1,576	65	FM2+	Desktop
»	AMD Opteron 1381	4	1,797	1,011	75	AM3	Server
»	AMD Phenom II X940 Quad-Core	4	1,797	785	45	S1	Laptop
»	AMD GX-420MC SOC	4	1,796	695	17.5	FTB3b	Laptop
»	AMD GX-424CC SOC	4	1,796	802	25	FT3b	Laptop
»	Intel Atom C3508 @ 1.60GHz	4	1,796	636	11.5	FCBGA1310	Server
»	AMD Athlon II X4 600e	4	1,795	913	45	AM3	Desktop
»	MT6763V/CT	8	1,794	443	NA	Unknown	Mobile/Embedded
»	Mediatek MT6762	8	1,790	534	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8976	8	1,788	719	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5503 @ 2.00GHz	2	1,787	783	80	LGA1366	Server
»	AMD Athlon X4 530	4	1,786	690	25	AM1	Desktop
»	[Dual CPU] Intel Xeon 5140 @ 2.33GHz	2	1,786	921	65	LGA771	Server
»	Mediatek MT8768WE	8	1,785	552	NA	Unknown	Mobile/Embedded
»	AMD Phenom X4 Quad-Core GP-9730	4	1,784	957	NA	AM2+ (940-pin)	Desktop
»	AMD Athlon X3 455	3	1,783	1,227	95	AM2+/AM3	Unknown
»	Intel Core i3-4000M @ 2.40GHz	2	1,783	1,266	37	FCPGA946	Laptop
»	AMD Athlon X3 435	3	1,781	1,192	95	Unknown	Unknown
»	AMD Phenom II X3 B75	3	1,781	1,256	95	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⌵	AMD GX-420CA SOC	4	1,780	676	25	FT3 (769-BGA)	Laptop
⌵	AMD Athlon 5350 APU	4	1,779	699	25	AM1,FS1B	Desktop
⌵	Intel Celeron G1840 @ 2.80GHz	2	1,778	1,582	53	FCLGA1150	Desktop
⌵	Intel Core2 Quad Q8200 @ 2.33GHz	4	1,777	999	95	LGA775	Desktop
⌵	AMD Phenom II X4 910	4	1,776	988	95	AM3	Desktop
⌵	AMD A10-5745M APU	4	1,775	949	25	FP2	Laptop
⌵	Intel Core i7-820QM @ 1.73GHz	4	1,774	1,022	45	PGA988A	Laptop
⌵	AMD R-464L APU	4	1,773	1,123	35	FS1r2	Laptop, Mobile/Embedded
⌵	AMD A8-6410 APU	4	1,771	783	15	BGA769 (FT3b)	Laptop
⌵	[Dual CPU] AMD Opteron 2216	2	1,771	865	95	F (1207)	Server
⌵	ASUS Tinker Board 2/2S	6	1,771	910	NA	Unknown	Mobile/Embedded
⌵	Mediatek MT6765V/WB	8	1,771	607	NA	Unknown	Mobile/Embedded
⌵	MT6757WD	8	1,771	632	NA	Unknown	Mobile/Embedded
⌵	AMD PRO A6-9500	2	1,770	1,520	65	AM4	Desktop
⌵	Intel Xeon L5408 @ 2.13GHz	4	1,769	936	40	LGA771	Server
⌵	AMD Phenom II N830 3+1	4	1,768	935	35	S1	Laptop
⌵	MediaTek MT6757CD	8	1,761	645	NA	Unknown	Mobile/Embedded
⌵	AMD A10-4657M APU	4	1,759	940	35	FP2	Laptop
⌵	Spreadtrum T603	8	1,759	538	NA	Unknown	Mobile/Embedded
⌵	AMD A6-9500E	2	1,756	1,347	35	AM4	Desktop
⌵	Intel Pentium G2030 @ 3.00GHz	2	1,747	1,606	55	FCLGA1155	Desktop
⌵	AMD Opteron 2373 EE	4	1,744	876	60	F (1207)	Server
⌵	HP Hexa-Core 2.0GHz	4	1,741	804	NA	Unknown	Unknown
⌵	AMD A10-7300 APU	4	1,739	861	19	FP3	Laptop
⌵	MT6752M	8	1,735	398	NA	Unknown	Mobile/Embedded
⌵	MT6762	8	1,735	579	NA	Unknown	Mobile/Embedded
⌵	AMD Opteron 2356	4	1,733	849	75	F (1207)	Server
⌵	MT6752	8	1,728	486	NA	Unknown	Mobile/Embedded
⌵	Intel Celeron 3965U @ 2.20GHz	2	1,726	1,336	15	FCBGA1356	Laptop
⌵	Mediatek MT6765	8	1,724	593	NA	Unknown	Mobile/Embedded
⌵	AMD A6-7310 APU	4	1,722	775	25	Unknown	Laptop
⌵	AMD Phenom X2 Dual-Core GE-6060	2	1,722	1,160	NA	Unknown	Desktop
⌵	Intel Core i5-520M @ 2.40GHz	2	1,722	1,095	35	BGA1288	Laptop
⌵	Intel Xeon L5335 @ 2.00GHz	4	1,720	825	50	LGA771	Server
⌵	Intel Xeon E5405 @ 2.00GHz	4	1,718	877	80	LGA771	Server
⌵	AMD Phenom 9650 Quad-Core	4	1,713	904	95	AM2+	Desktop
⌵	Intel Core i5-2557M @ 1.70GHz	2	1,713	1,081	17	BGA1023	Laptop
⌵	AMD Athlon II X3 440	3	1,712	1,194	95	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Phenom 9850 Quad-Core	4	1,712	938	125	AM2+	Desktop
»	Intel Celeron G1820 @ 2.70GHz	2	1,712	1,539	53	FCLGA1150	Desktop
»	Qualcomm Technologies, Inc APQ8096	4	1,708	1,039	NA	Unknown	Mobile/Embedded
»	Intel Celeron G1630 @ 2.80GHz	2	1,707	1,553	55	FCLGA1155	Desktop
»	Unisoc UIS8581A	8	1,704	507	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1356	4	1,703	918	75	AM2	Server
»	Intel Pentium 4425Y @ 1.70GHz	2	1,701	957	6	FCBGA1515	Laptop
»	AMD Phenom FX-5200 Quad-Core	4	1,699	919	65	AM3	Desktop
»	Intel Celeron 4305UE @ 2.00GHz	2	1,699	1,163	15	FCBGA1528	Laptop, Mobile/Embedded
»	QTI SDM450	8	1,699	547	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3120M @ 2.50GHz	2	1,698	1,283	35	PGA988	Laptop
»	AMD A6-3600 APU	4	1,697	909	65	FM1	Desktop
»	AMD A6 PRO-7400B	1	1,696	1,505	65	FM2+	Desktop
»	Intel Atom x6211E @ 1.20GHz	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
»	Intel Pentium G2100T @ 2.60GHz	2	1,691	1,460	35	LGA1155	Desktop
»	MediaTek MT8768WA	8	1,688	537	NA	Unknown	Mobile/Embedded
»	AMD A8-3550MX APU	4	1,687	962	45	FS1	Laptop
»	AMD Phenom II N970 Quad-Core	4	1,687	904	35	S1	Laptop
»	Intel Core i7-2617M @ 1.50GHz	2	1,687	1,092	17	BGA1023	Laptop
»	Intel Pentium G2020 @ 2.90GHz	2	1,686	1,555	55	FCLGA1155	Desktop
»	AMD A8-4500M APU	2	1,679	917	35	FS1r2	Laptop
»	AMD A6-6310 APU	4	1,673	741	15	FT3	Laptop
»	Qualcomm Technologies, Inc APQ8076	8	1,673	585	NA	Unknown	Mobile/Embedded
»	Spreadtrum SC9863A Board	8	1,671	519	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X920 Quad-Core	4	1,669	944	45	S1	Laptop
»	AMD A6-5200 APU	4	1,665	664	25	FT3	Laptop
»	AMD PRO A6-9500E	2	1,662	1,493	35	AM4	Desktop
»	Intel Core i3-4005U @ 1.70GHz	2	1,662	912	15	FCBGA1168	Laptop
»	Intel Core i3-560 @ 3.33GHz	2	1,662	1,359	73	LGA1156	Desktop
»	AMD A4-7210 APU	4	1,661	725	25	BGA	Laptop
»	[Dual CPU] Intel Xeon 5130 @ 2.00GHz	2	1,660	818	65	LGA771	Server
»	AMD A10-4655M APU	2	1,658	909	25	FP2	Laptop
»	AMD A9-9430	2	1,658	1,427	NA	Unknown	Desktop
»	Qualcomm MSM8996PRO-AB	4	1,658	944	NA	Unknown	Mobile/Embedded
»	AMD A4-6250J APU	4	1,656	698	25	Unknown	Laptop, Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Phenom 9550 Quad-Core	4	1,656	862	95	AM2+	Desktop
»	Intel Core i3-4010U @ 1.70GHz	2	1,654	901	15	BGA1168	Laptop
»	Intel Core i3-4030Y @ 1.60GHz	2	1,654	901	11.5	FCBGA1168	Laptop
»	Intel Core i7-720QM @ 1.60GHz	4	1,653	924	45	PGA988A	Laptop
»	ARM Falkor V1/Kryo 8 Core 1900 MHz	8	1,652	542	NA	Unknown	Mobile/Embedded
»	AMD PRO A4-8350B	1	1,651	1,433	65	FM2+	Desktop
»	AMD Phenom X4 Quad-Core GP-9600	4	1,649	764	95	AM2+	Desktop
»	AMD A4 PRO-3340B	4	1,645	676	25	BGA769 (FT3)	Laptop
»	AMD Athlon II X3 435	3	1,644	1,171	95	AM3	Desktop
»	MediaTek MT6765G	8	1,643	563	NA	Unknown	Mobile/Embedded
»	AMD PRO A6-8570E	2	1,642	1,349	35	Unknown	Desktop
»	AMD A8-7100 APU	4	1,638	840	19	FP3	Laptop
»	Intel Core i3-3110M @ 2.40GHz	2	1,635	1,239	35	BGA1023	Laptop
»	Nvidia Tegra T210	4	1,635	722	NA	Unknown	Mobile/Embedded
»	AMD A6-7400K APU	2	1,634	1,440	65	FM2+	Desktop
»	Intel Celeron G1820T @ 2.40GHz	2	1,631	1,394	35	LGA1150	Desktop
»	Intel Pentium G3240T @ 2.70GHz	2	1,630	1,473	35	LGA1150	Desktop
»	AMD Embedded R-Series RX-216GD	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
»	Intel Core M-5Y10 @ 0.80GHz	2	1,628	955	4.5	Unknown	Laptop
»	AMD Athlon X3 445	3	1,626	1,270	95	Unknown	Unknown
»	Intel Core i5 E 520 @ 2.40GHz	2	1,619	1,032	35	BGA1288	Desktop
»	AMD A6-6400B APU	1	1,616	1,608	65	FM2	Desktop
»	MediaTek MT6762V/CB	8	1,615	525	NA	Unknown	Mobile/Embedded
»	AMD A8-3510MX APU	4	1,614	890	45	FS1	Laptop
»	Intel Pentium G2120T @ 2.70GHz	2	1,613	1,493	35	FCLGA1155	Desktop
»	High Performance Datacenter v	1	1,610	1,595	NA	Unknown	Unknown
»	Intel Pentium G3220T @ 2.60GHz	2	1,609	1,466	35	LGA1150	Desktop
»	AMD A8-3530MX APU	4	1,608	938	45	FS1	Laptop
»	Intel Core i3-550 @ 3.20GHz	2	1,608	1,339	73	LGA1156	Desktop
»	MT6755V/W	8	1,608	555	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2000E @ 2.20GHz	2	1,607	1,282	37	FCBGA1364	Laptop
»	MediaTek MT6797T	10	1,605	523	NA	Unknown	Mobile/Embedded
»	AMD A6-8550	2	1,604	1,474	65	FM2+	Desktop
»	AMD GX-416RA SOC	4	1,604	561	NA	FT3	Mobile/Embedded
»	AMD PRO A6-8500B	2	1,601	1,340	15	FP4	Laptop
»	AMD Phenom FX-5000 Quad-Core	4	1,599	826	65	AM2+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Hisilicon Kirin 935	8	1,599	352	NA	Unknown	Mobile/Embedded
»	Z3-6540M@2.1GHz	4	1,599	788	NA	Unknown	Unknown
»	AMD Phenom 9600 Quad-Core	4	1,597	887	95	AM2+	Desktop
»	ZHAOXIN KaiXian KX-6640MA@2.1+GHz	4	1,597	784	NA	Unknown	Desktop
»	Intel Core i5-4220Y @ 1.60GHz	2	1,591	952	11.5	FCBGA1364	Laptop
»	AMD Phenom 9350e Quad-Core	4	1,590	795	65	AM2+	Desktop
»	Intel Core i5-3339Y @ 1.50GHz	2	1,589	905	13	BGA1023	Desktop
»	Qualcomm MSM8953	8	1,589	486	NA	Unknown	Mobile/Embedded
»	AMD Embedded G-Series GX-420GI Radeon R7E	4	1,587	834	16.1	FP4	Laptop, Mobile/Embedded
»	AMD Phenom II N950 Quad-Core	4	1,587	859	35	S1	Laptop
»	Intel Pentium G2010 @ 2.80GHz	2	1,586	1,497	55	FCLGA1155	Desktop
»	MediaTek MT6763V/V	8	1,585	547	NA	Unknown	Mobile/Embedded
»	Spreadtrum T310	4	1,585	1,185	NA	Unknown	Mobile/Embedded
»	AMD Phenom II N930 Quad-Core	4	1,584	817	35	S1	Laptop
»	Intel Pentium 4415Y @ 1.60GHz	2	1,584	868	6	FCBGA1515	Laptop
»	Intel Pentium G2030T @ 2.60GHz	2	1,581	1,442	35	LGA1155	Desktop
»	ARM phytium FT1500a 4 Core 2000 MHz	4	1,579	716	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4210Y @ 1.50GHz	2	1,577	980	11	BGA1168	Desktop
»	AMD A6-6420K APU	2	1,576	1,553	65	FM2	Desktop
»	AMD Athlon II X3 425	3	1,576	1,084	95	AM3	Desktop
»	Intel Celeron G1840T @ 2.50GHz	2	1,576	1,431	35	LGA1150	Desktop
»	Intel Core2 Quad Q9000 @ 2.00GHz	4	1,575	881	45	PGA478	Laptop
»	Mediatek MT6765V/XBA	8	1,574	588	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3320TE @ 2.30GHz	2	1,570	1,312	35	FCLGA1150	Desktop
»	MediaTek MT6762V/WD	8	1,569	484	NA	Unknown	Mobile/Embedded
»	QTI SDM439	8	1,568	556	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8996pro	4	1,568	808	NA	Unknown	Mobile/Embedded
»	AMD Phenom X2 Dual-Core GE-5060	2	1,566	1,053	NA	Unknown	Desktop
»	Qualcomm Technologies, Inc APQ8094	8	1,564	552	NA	Unknown	Mobile/Embedded
»	AMD A8-5545M APU	4	1,563	826	19	FP2	Laptop
»	ZHAOXIN KaiXian KX-6640MA@2.2+GHz	4	1,561	733	70	Unknown	Unknown
»	Intel Celeron G1620 @ 2.70GHz	2	1,560	1,451	55	FCLGA1155	Desktop
»	Intel Celeron G1830 @ 2.80GHz	2	1,560	1,513	53	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Core i5-4200Y @ 1.40GHz	2	1,558	944	11.5	BGA1168	Desktop
»»	AMD Athlon II X3 420e	3	1,557	1,058	45	AM3	Desktop
»»	AMD Phenom II X3 720	3	1,554	1,103	95	AM3	Desktop
»»	MT6755V/C	8	1,554	409	NA	Unknown	Mobile/Embedded
»»	Samsung Exynos 7884	8	1,554	652	NA	Unknown	Mobile/Embedded
»»	Intel Celeron N4020 @ 1.10GHz	2	1,552	1,149	6	FCBGA1090	Laptop
»»	AMD Phenom II X3 710	3	1,551	1,070	95	AM3	Desktop
»»	AMD A6-6420B APU	1	1,550	1,629	65	FM2	Desktop
»»	Intel Celeron J4005 @ 2.00GHz	2	1,550	1,082	10	FCBGA1090	Desktop
»»	AMD Phenom 9500 Quad-Core	4	1,549	861	95	AM2+	Desktop
»»	Intel Xeon E5335 @ 2.00GHz	4	1,549	817	80	LGA771	Server
»»	AMD Opteron 1352	4	1,547	857	75	AM2	Server
»»	ARM Cortex-A73 4 Core 1900 MHz	4	1,547	610	NA	Unknown	Mobile/Embedded
»»	ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz	4	1,547	556	NA	Unknown	Unknown
»»	MediaTek MT6762V/WR	8	1,545	523	NA	Unknown	Mobile/Embedded
»»	AMD A4 PRO-7350B	1	1,544	1,438	65	FM2+	Desktop
»»	Intel Atom x6414RE @ 1.50GHz	4	1,544	608	9	FCBGA1493	Mobile/Embedded
»»	MT6763V/B	8	1,544	552	NA	Unknown	Mobile/Embedded
»»	Intel Celeron G1620T @ 2.40GHz	2	1,541	1,332	35	LGA1155	Desktop
»»	AMD Phenom II X3 B73	3	1,538	1,056	95	AM3	Desktop
»»	AMD R-460L APU	4	1,538	928	25	BGA827 (FP2)	Laptop
»»	Intel Pentium G870 @ 3.10GHz	2	1,537	1,465	65	FCLGA1155	Desktop
»»	Intel Core i3-540 @ 3.07GHz	2	1,534	1,271	73	LGA1156	Desktop
»»	[Dual CPU] AMD Opteron 2220	2	1,533	1,013	95	F (1207)	Server
»»	Rockchip RK3399 Excavator Board edp avb (Android)	6	1,533	839	NA	Unknown	Mobile/Embedded
»»	Intel Celeron N4020C @ 1.10GHz	2	1,532	1,117	6	FCBGA1090	Laptop, Mobile/Embedded
»»	AMD A4-6320 APU	1	1,530	1,529	65	FM2	Desktop
»»	AMD A4-7300 APU	1	1,529	1,477	65	FM2	Desktop
»»	AMD A8 PRO-7150B APU	4	1,528	763	19	FP3	Laptop
»»	Samsung A13 USA SINGLE REV02B board based on EXYNO	8	1,528	459	NA	Unknown	Mobile/Embedded
»»	Intel Pentium 4405Y @ 1.50GHz	2	1,526	886	6	FCBGA1515	Laptop
»»	Intel Core i3-2120T @ 2.60GHz	2	1,524	1,162	35	LGA1155	Desktop
»»	Intel Xeon X5270 @ 3.50GHz	2	1,524	1,485	80	LGA771	Server
»»	Mediatek MT8768A	8	1,524	454	NA	Unknown	Mobile/Embedded
»»	AMD A9-9410	2	1,520	1,335	25	FP4	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Phenom 9750B Quad-Core	4	1,520	913	95	AM2+	Desktop
»	Intel Xeon E5504 @ 2.00GHz	4	1,519	825	80	LGA1366	Server
»	Intel Celeron G1610 @ 2.60GHz	2	1,518	1,376	55	FCLGA1155	Desktop
»	Qualcomm Technologies, Inc SDA450	8	1,518	469	NA	Unknown	Mobile/Embedded
»	AMD Athlon X3 425	3	1,516	845	95	Unknown	Unknown
»	Intel Core i5-4302Y @ 1.60GHz	2	1,516	920	11.5	FCBGA1168	Desktop
»	AMD E2-7110 APU	4	1,515	611	15	FP4 BGA	Laptop
»	Qualcomm Technologies, Inc MSM8956	6	1,515	744	NA	Unknown	Mobile/Embedded
»	Apple A8	2	1,513	914	NA	Unknown	Mobile/Embedded
»	Intel Core i7-640LM @ 2.13GHz	2	1,513	1,043	25	BGA1288	Laptop
»	Intel Core i5-4202Y @ 1.60GHz	2	1,511	966	11.5	FCBGA1168	Desktop
»	[Dual CPU] Intel Xeon 3.73GHz	2	1,511	776	NA	Unknown	Server
»	AMD A9-9425	2	1,510	1,316	15	BGA (FT4)	Laptop
»	AMD Opteron 2354	4	1,509	857	115	F (1207)	Server
»	Intel Celeron 3955U @ 2.00GHz	2	1,507	1,204	15	FCBGA1356	Laptop
»	AMD Phenom II X4 900e	4	1,505	917	65	AM3	Desktop
»	Intel Core i5-4300Y @ 1.60GHz	2	1,505	1,008	11.5	BGA1168	Desktop
»	AMD Athlon X2 370K Dual Core	1	1,504	1,514	65	Unknown	Unknown
»	AMD A6-6400K APU	1	1,501	1,449	65	FM2	Desktop
»	AMD A9-9420	2	1,501	1,296	15	Unknown	Laptop
»	Intel Celeron 2970M @ 2.20GHz	2	1,501	1,245	37	FCPGA946	Laptop
»	Intel Core i3-2100T @ 2.50GHz	2	1,501	1,100	35	LGA1155	Desktop
»	Intel Core i3-530 @ 2.93GHz	2	1,500	1,168	73	LGA1156	Desktop
»	AMD A4-6210 APU	4	1,497	610	15	FT3b	Laptop
»	ZHAOXIN KaiXian ZX-D D4600@2.0GHz	4	1,492	602	NA	Unknown	Unknown
»	ARM Cortex-A76 4 Core 1500 MHz	4	1,488	649	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon 5120 @ 1.86GHz	2	1,486	770	65	LGA771	Server
»	Qualcomm Technologies, Inc SDM439	8	1,476	516	NA	Unknown	Mobile/Embedded
»	AMD Opteron X3216 APU	2	1,475	1,264	15	Unknown	Server
»	Intel Core m5-7Y54 @ 1.20GHz	2	1,475	746	NA	Unknown	Mobile/Embedded
»	Pentium Dual-Core E6000 @ 3.46GHz	2	1,472	1,542	NA	Unknown	Unknown
»	MediaTek MT6762V/WA	8	1,470	485	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5320 @ 1.86GHz	4	1,469	770	80	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Xeon E7320 @ 2.13GHz	4	1,469	776	80	604	Server
»»	Intel Celeron 3867U @ 1.80GHz	2	1,467	1,092	15	FCBGA1356	Laptop
»»	Intel Celeron J4025 @ 2.00GHz	2	1,467	1,139	10	FCBGA1090	Desktop
»»	AMD Phenom 8600B Triple-Core	3	1,464	969	95	AM2+	Desktop
»»	Intel Core i3-4020Y @ 1.50GHz	2	1,462	788	11.5	BGA1168	Desktop
»»	AMD A6-5400B APU	1	1,459	1,408	65	FM2	Desktop
»»	Intel Pentium G860 @ 3.00GHz	2	1,459	1,393	65	FCLGA1155	Desktop
»»	AMD A4 PRO-7300B APU	1	1,458	1,445	65	Unknown	Desktop
»»	Rockchip RK3399 Board (Android)	6	1,456	810	NA	Unknown	Mobile/Embedded
»»	AMD Phenom 9450e Quad-Core	4	1,455	841	65	AM2+	Desktop
»»	Intel Pentium J3710 @ 1.60GHz	4	1,455	709	6.5	Unknown	Desktop
»»	AMD Phenom II X3 700e	3	1,451	961	65	AM3	Desktop
»»	Intel Xeon X5272 @ 3.40GHz	2	1,451	1,411	80	LGA771	Server
»»	AMD Opteron 1354	4	1,449	859	75	AM2	Server
»»	AMD A6-3430MX APU	4	1,448	822	45	FS1	Laptop
»»	AMD A8-3520M APU	4	1,448	845	35	FS1	Laptop
»»	Intel Xeon E5240 @ 3.00GHz	2	1,448	1,312	65	LGA771	Server
»»	AMD A6-8500P	2	1,445	1,253	15	BGA (FP4)	Laptop
»»	AMD Phenom 8750 Triple-Core	3	1,445	976	95	AM2+	Desktop
»»	ARM Cortex-A73 6 Core 2016 MHz	6	1,445	605	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-2467M @ 1.60GHz	2	1,444	847	17	BGA1023	Laptop
»»	AMD Phenom II X2 565	2	1,442	1,376	80	AM2+/AM3	Desktop
»»	MediaTek MT6762V/WB	8	1,442	494	NA	Unknown	Mobile/Embedded
»»	AMD Athlon II X3 415e	3	1,441	1,028	45	AM3	Desktop
»»	[Dual CPU] AMD Opteron 285	2	1,441	989	95	940	Server
»»	Spreadtrum SC9863A	8	1,440	459	NA	Unknown	Mobile/Embedded
»»	AMD Athlon X3 440	3	1,438	1,129	95	Unknown	Unknown
»»	Intel Pentium G850 @ 2.90GHz	2	1,435	1,349	65	FCLGA1155	Desktop
»»	Intel Pentium G6960 @ 2.93GHz	2	1,433	1,279	73	LGA1156	Desktop
»»	AMD Phenom II X2 B59	2	1,431	1,395	80	AM2+/AM3	Desktop
»»	[Dual CPU] AMD Opteron 290	2	1,430	1,046	95	940	Server
»»	Intel Pentium G2020T @ 2.50GHz	2	1,430	1,298	35	FCLGA1155	Desktop
»»	Intel Xeon E3113 @ 3.00GHz	2	1,429	1,282	65	LGA775	Server
»»	Unisoc SC9863a	8	1,428	486	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Celeron 5205U @ 1.90GHz	2	1,427	1,102	15	FCBGA1528	Laptop
»	AMD A10 Micro-6700T APU	4	1,426	722	5	FT3b	Laptop
»	AMD A4-6300 APU	1	1,426	1,403	65	FM2	Desktop
»	Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP	8	1,426	404	NA	Unknown	Mobile/Embedded
»	Samsung M13 EUR OPEN REV02 board based on EXYNOS85	8	1,425	516	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X3 740	3	1,424	982	95	Unknown	Desktop
»	Intel Atom C2558 @ 2.40GHz	4	1,424	512	15	BGA 1283	Laptop, Mobile/Embedded
»	Qualcomm MSM8996	4	1,424	734	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4000 @ 1.10GHz	2	1,423	1,037	6	FCBGA1090	Laptop
»	Qualcomm Technologies, Inc MSM8996	4	1,423	859	NA	Unknown	Mobile/Embedded
»	Intel Atom C2550 @ 2.40GHz	4	1,422	554	14	FCBGA1283	Server
»	AMD A6-3500 APU	3	1,420	963	65	FM1	Desktop
»	Unisoc T310	4	1,420	1,098	NA	Unknown	Mobile/Embedded
»	Intel Pentium G645 @ 2.90GHz	2	1,418	1,337	65	LGA1155	Desktop
»	Hisilicon Kirin 930	8	1,415	430	NA	Unknown	Mobile/Embedded
»	AMD GX-415GA SOC	4	1,414	515	15	FT3 (769-BGA)	Laptop
»	AMD Phenom 9150e Quad-Core	4	1,414	721	65	AM2+	Desktop
»	Intel Pentium 2030M @ 2.50GHz	2	1,413	1,222	35	FCPGA988	Laptop
»	Intel Core i7-2610UE @ 1.50GHz	2	1,409	972	17	BGA1023	Laptop
»	MT6750V/C	8	1,409	406	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E8290 @ 2.83GHz	2	1,408	1,302	65	LGA775	Desktop
»	Intel Xeon E3120 @ 3.16GHz	2	1,408	1,370	65	LGA775	Server
»	Intel Xeon E3-1220L v3 @ 1.10GHz	2	1,407	777	13	LGA1150	Server
»	Intel Celeron 1020E @ 2.20GHz	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
»	Intel Celeron N4000C @ 1.10GHz	2	1,406	1,004	6	FCBGA1090	Laptop
»	MT8176	6	1,406	1,033	NA	Unknown	Mobile/Embedded
»	AMD A8-3500M APU	4	1,400	813	35	FS1	Laptop
»	Intel Core i7-620LM @ 2.00GHz	2	1,399	1,006	25	rPGA988A	Laptop
»	Intel Pentium 3825U @ 1.90GHz	2	1,399	1,103	15	FCBGA1168	Laptop
»	Unisoc SC9863A1	8	1,399	455	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 570	2	1,395	1,412	80	AM3	Desktop
»	Intel Pentium N3710 @ 1.60GHz	4	1,389	687	6	FCBGA1170	Laptop
»	MT6755V/WS	8	1,389	538	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5150 APU	4	1,388	546	25	AM1,FS1b	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Celeron G555 @ 2.70GHz	2	1,388	1,289	65	LGA1155	Desktop
»	AMD Phenom II P960 Quad-Core	4	1,386	737	35	S1	Laptop
»	AMD E1-6050J APU	2	1,385	787	10	Unknown	Unknown
»	Intel Xeon L5310 @ 1.60GHz	4	1,385	662	50	LGA771	Server
»	Intel Pentium 4410Y @ 1.50GHz	2	1,384	755	6	FCBGA1515	Laptop
»	Intel Pentium G6951 @ 2.80GHz	2	1,383	1,173	73	LGA1156	Desktop
»	Samsung EXYNOS5430	8	1,380	595	NA	Unknown	Mobile/Embedded
»	Intel Pentium 2020M @ 2.40GHz	2	1,379	1,272	35	FCPGA988	Laptop
»	ZHAOXIN Z3-6540M@2.1+GHz	4	1,378	690	NA	Unknown	Desktop
»	Intel Core2 Duo E8600 @ 3.33GHz	2	1,376	1,401	65	LGA775	Desktop
»	AMD Phenom II X2 560	2	1,375	1,389	80	AM2+/AM3	Desktop
»	MT6763V/WT	8	1,375	624	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 521	2	1,374	1,409	65	AM2+/AM3	Desktop
»	[Dual CPU] Intel Xeon 5110 @ 1.60GHz	2	1,373	652	65	LGA771	Server
»	AMD PRO A6-9500B	2	1,371	1,235	15	FP4	Laptop
»	Intel Celeron 4205U @ 1.80GHz	2	1,371	1,040	15	FCBGA1528	Laptop
»	ARM Cortex-A73 4 Core 1844 MHz	4	1,368	656	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2370M @ 2.40GHz	2	1,368	1,051	35	PGA988B	Laptop
»	AMD A4-5300 APU	2	1,365	1,336	65	FM2	Desktop
»	AMD A9-9400	2	1,363	1,230	10	FP4	Laptop
»	Intel Core i3-3217UE @ 1.60GHz	2	1,362	711	17	BGA1023	Laptop
»	Intel Core i3-4010Y @ 1.30GHz	2	1,358	748	11.5	BGA1168	Desktop
»	AMD Athlon II X2 280	2	1,355	1,462	65	AM3	Desktop
»	Intel Pentium G640 @ 2.80GHz	2	1,355	1,305	65	LGA1155	Desktop
»	Qualcomm	8	1,354	358	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2332M @ 2.20GHz	2	1,353	936	35	rPGA988B	Laptop
»	VIA QuadCore C4650@2.0GHz	4	1,352	559	NA	Unknown	Unknown
»	Qualcomm Technologies, Inc SDM450	8	1,347	429	NA	Unknown	Mobile/Embedded
»	AMD A4-5100 APU	4	1,346	540	15	FT3	Laptop
»	Intel Pentium 3560M @ 2.40GHz	2	1,345	1,221	37	FCPGA946	Laptop
»	Intel Xeon L3110 @ 3.00GHz	2	1,338	1,279	45	LGA775	Server
»	Intel Xeon L5240 @ 3.00GHz	2	1,337	1,299	40	LGA771	Server
»	Intel Pentium G630 @ 2.70GHz	2	1,334	1,245	65	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⏏	AMD A8-4555M APU	2	1,331	789	19	FP2	Laptop
⏏	AMD Athlon II X3 405e	3	1,331	973	45	AM3	Desktop
⏏	Intel Pentium 3550M @ 2.30GHz	2	1,330	1,184	37	FCPGA946	Laptop
⏏	AMD A6-9225	2	1,329	1,157	15	BGA (FT4)	Laptop
⏏	AMD A4-5050 APU	4	1,328	538	13.5	FT3	Laptop
⏏	AMD A4-6300B APU	1	1,328	1,373	65	Unknown	Desktop
⏏	Intel Atom x7-Z8700 @ 1.60GHz	4	1,328	650	4	BGA1380	Laptop
⏏	AMD Athlon X2 280	2	1,327	1,258	65	AM3	Unknown
⏏	Intel Celeron G1610T @ 2.30GHz	2	1,327	1,207	35	LGA1155	Desktop
⏏	Intel Core i5 750S @ 2.40GHz	4	1,326	1,039	82	LGA1156	Desktop
⏏	AMD Phenom II N870 Triple-Core	3	1,324	900	35	S1	Laptop
⏏	Intel Core i5-480M @ 2.67GHz	2	1,324	1,156	35	BGA1288	Laptop
⏏	Intel Xeon @ 2.20GHz	1	1,324	1,383	61	PPGA603	Server
⏏	MT8768WE	8	1,323	518	NA	Unknown	Mobile/Embedded
⏏	Intel Celeron 3865U @ 1.80GHz	2	1,321	1,034	15	BGA1356	Laptop
⏏	AMD Athlon II X3 400e	3	1,320	908	45	AM3	Desktop
⏏	AMD Phenom II P940 Quad-Core	4	1,319	679	35	S1	Laptop
⏏	AMD Opteron 2393 SE	2	1,317	1,237	105	F (1207)	Server
⏏	Qualcomm Snapdragon 810	8	1,316	667	NA	Unknown	Mobile/Embedded
⏏	ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz	4	1,312	632	NA	Unknown	Mobile/Embedded
⏏	ARM Cortex-A73 6 Core 1992 MHz	6	1,311	479	NA	Unknown	Mobile/Embedded
⏏	AMD Athlon X2 340 Dual Core	2	1,307	1,296	65	FM2	Desktop
⏏	Intel Xeon E5310 @ 1.60GHz	4	1,306	640	80	LGA771	Server
⏏	ARM Cortex-A15 4 Core 1500 MHz	4	1,304	594	NA	Unknown	Mobile/Embedded
⏏	AMD A6-9230	2	1,303	1,124	15	Unknown	Desktop
⏏	AMD Athlon II X2 270	2	1,301	1,360	65	AM3	Desktop
⏏	Intel Core i5-460M @ 2.53GHz	2	1,299	1,127	35	BGA1288	Laptop
⏏	AMD Phenom II N850 Triple-Core	3	1,298	895	35	S1	Laptop
⏏	AMD A4-5000 APU	4	1,297	508	15	FT3	Laptop
⏏	AMD Phenom X4 Quad-Core GP-9500	4	1,297	711	95	AM2+	Desktop
⏏	AMD Athlon X2 450	2	1,295	878	65	FM2+	Desktop
⏏	ARM Cortex-A72 4 Core 2400 MHz	4	1,295	830	NA	Unknown	Mobile/Embedded
⏏	AMD A6-3420M APU	4	1,294	773	35	FS1	Laptop
⏏	AMD Phenom II X2 555	2	1,294	1,307	80	AM2+/AM3	Desktop
⏏	Intel Xeon X3210 @ 2.13GHz	4	1,293	816	105	LGA775	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-3227U @ 1.90GHz	2	1,290	950	17	BGA1023	Laptop
»	MT6795	8	1,290	461	NA	Unknown	Mobile/Embedded
»	Intel Atom x7-Z8750 @ 1.60GHz	4	1,289	679	4	UTFCBGA1380	Laptop
»	Intel Core i7-660UM @ 1.33GHz	2	1,284	925	18	BGA1288	Laptop
»	AMD Phenom 8850B Triple-Core	3	1,281	972	95	Unknown	Desktop
»	AMD Phenom 9100e Quad-Core	4	1,279	734	65	AM2+	Desktop
»	Intel Core i3-2348M @ 2.30GHz	2	1,279	1,008	35	rPGA988B	Laptop
»	Unisoc UIS8581E	8	1,279	498	NA	Unknown	Mobile/Embedded
»	AMD Sempron 240	2	1,278	1,300	65	FM2	Desktop
»	Intel Core i3-4012Y @ 1.50GHz	2	1,278	726	11.5	FCBGA1168	Laptop
»	MT6755	8	1,278	536	NA	Unknown	Mobile/Embedded
»	Mediatek MT8365	4	1,276	576	NA	Unknown	Mobile/Embedded
»	AMD A6-9220	2	1,275	1,130	15	Unknown	Laptop
»	Intel Celeron 1020M @ 2.10GHz	2	1,275	1,176	35	FCPGA988	Laptop
»	Intel Celeron 3855U @ 1.60GHz	2	1,275	950	15	FCBGA1356	Laptop
»	Intel Core i3-390M @ 2.67GHz	2	1,275	1,084	35	BGA1288	Laptop
»	AMD Embedded G-Series GX-224IJ Radeon R4E	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
»	MT6750V/DN	8	1,271	437	NA	Unknown	Mobile/Embedded
»	AMD A6-5400K APU	1	1,270	1,272	65	FM2	Desktop
»	AMD Athlon II X2 B28	2	1,269	1,350	65	AM3	Desktop
»	Samsung M13 SWA INS 00 board based on EXYNOS850	8	1,269	492	NA	Unknown	Mobile/Embedded
»	AMD A4-4020 APU	2	1,268	1,220	65	FM2	Desktop
»	Intel Core2 Duo E8500 @ 3.16GHz	2	1,268	1,322	65	LGA775	Desktop
»	AMD Athlon II X2 265	2	1,267	1,336	65	AM3	Desktop
»	Intel Celeron J3160 @ 1.60GHz	4	1,266	603	6	BGA1170	Desktop
»	AMD Phenom II X2 511	2	1,265	1,295	65	AM2+/AM3	Desktop
»	AMD A6-3410MX APU	4	1,263	732	45	FS1	Laptop
»	AMD Phenom II X620 Dual-Core	2	1,262	1,339	45	S1	Laptop
»	Intel Core i3-330E @ 2.13GHz	2	1,260	934	35	BGA1288	Laptop
»	Intel Celeron G550 @ 2.60GHz	2	1,259	1,210	65	LGA1155	Desktop
»	Intel Core i3-2350M @ 2.30GHz	2	1,259	974	35	PGA988B	Laptop
»	MediaTek MT6762V/CA	8	1,259	447	NA	Unknown	Mobile/Embedded
»	AMD Phenom 8450e Triple-Core	3	1,257	826	65	AM2+	Desktop
»	Qualcomm MSM8992	6	1,255	431	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	AMD Phenom 8650 Triple-Core	3	1,254	878	95	AM2+	Desktop
»»	ARM Cortex-A72 4 Core 2394 MHz	4	1,254	800	NA	Unknown	Mobile/Embedded
»»	Intel Pentium G840 @ 2.80GHz	2	1,253	1,271	65	FCLGA1155	Desktop
»»	Intel Pentium J2900 @ 2.41GHz	4	1,253	734	10	FCBGA1170	Desktop
»»	Intel Celeron 3765U @ 1.90GHz	2	1,252	1,171	15	FCBGA1168	Laptop
»»	Intel Pentium N3700 @ 1.60GHz	4	1,251	631	6	FCBGA1170	Laptop
»»	AMD Phenom II P860 Triple-Core	3	1,250	831	35	S1	Laptop
»»	Intel Pentium A1020 @ 2.41GHz	4	1,249	726	10	FCBGA1170	Laptop
»»	AMD Phenom II X2 B57	2	1,247	1,273	80	Unknown	Desktop
»»	Rockchip RK	8	1,246	654	NA	Unknown	Mobile/Embedded
»»	AMD A4-5300B APU	2	1,243	1,233	65	FM2	Desktop
»»	ARM Cortex-A73 6 Core 1896 MHz	6	1,242	483	NA	Unknown	Unknown
»»	Intel Xeon E3110 @ 3.00GHz	2	1,242	1,331	65	LGA775	Server
»»	BCM2835	4	1,239	700	NA	Unknown	Mobile/Embedded
»»	Intel Pentium G6950 @ 2.80GHz	2	1,238	1,109	73	LGA1156	Desktop
»»	Intel Xeon X5260 @ 3.33GHz	2	1,238	1,406	80	LGA771	Server
»»	Intel Celeron 2950M @ 2.00GHz	2	1,237	1,150	37	FCPGA946	Laptop
»»	Intel Core i3-2328M @ 2.20GHz	2	1,237	980	35	PGA988	Laptop
»»	Intel Core i5-450M @ 2.40GHz	2	1,237	1,043	35	PGA988A	Laptop
»»	Intel Atom x5-Z8500 @ 1.44GHz	4	1,236	631	4	UTFCBGA1380	Laptop
»»	AMD A6-9210	2	1,230	1,076	15	FP4	Laptop
»»	MediaTek MT6762G	8	1,230	492	NA	Unknown	Mobile/Embedded
»»	Samsung A13 EUR OPEN REV02B board based on EXYNOS8	8	1,230	470	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A57 4 Core 2014 MHz	4	1,229	431	NA	Unknown	Mobile/Embedded
»»	MT6755M	8	1,229	501	NA	Unknown	Mobile/Embedded
»»	AMD Phenom X4 Quad-Core GP-9530	4	1,228	417	NA	AM2+ (940-pin)	Desktop
»»	Intel Pentium G645T @ 2.50GHz	2	1,228	1,131	35	LGA1155	Desktop
»»	Intel Core i3-2330M @ 2.20GHz	2	1,226	963	35	BGA1023	Laptop
»»	Intel Core i3-3217U @ 1.80GHz	2	1,226	913	17	BGA1023	Laptop
»»	AMD A4-9120	2	1,225	1,043	15	BGA	Laptop
»»	AMD A6-5350M APU	2	1,224	1,233	35	FS1r2	Laptop
»»	Nvidia Tegra T132	2	1,224	1,051	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i5-2537M @ 1.40GHz	2	1,223	954	17	BGA1023	Laptop
»	AMD Phenom II N830 Triple-Core	3	1,222	823	35	S1	Laptop
»	AMD Phenom II X2 545	2	1,222	1,183	80	AM2+/AM3	Desktop
»	AMD Phenom II X3 705e	3	1,222	962	65	AM3	Desktop
»	Intel Core i3-2310M @ 2.10GHz	2	1,221	944	35	BGA1023	Laptop
»	MT6755V/BM	8	1,219	520	NA	Unknown	Mobile/Embedded
»	AMD PRO A6-7350B	2	1,218	1,154	15	FMA4	Laptop
»	AMD Phenom 8450 Triple-Core	3	1,216	835	95	AM2+	Desktop
»	Intel Core2 Duo T9800 @ 2.93GHz	2	1,216	1,236	35	BGA479	Laptop
»	Intel Pentium G620 @ 2.60GHz	2	1,216	1,184	65	LGA1155	Desktop
»	AMD R-272F APU	2	1,215	1,087	35	FS1	Desktop, Laptop
»	AMD Phenom 8600 Triple-Core	3	1,210	898	95	AM2+	Desktop
»	Intel Pentium A1018 @ 2.10GHz	2	1,210	1,085	35	FCPGA988	Laptop
»	AMD A4-9125	2	1,208	1,040	15	BGA (FT4)	Laptop
»	AMD Athlon II X2 B26	2	1,206	1,266	65	Unknown	Unknown
»	Intel Core2 Duo E8400 @ 3.00GHz	2	1,202	1,237	65	LGA775	Desktop
»	Intel Core i5-430M @ 2.27GHz	2	1,201	979	35	BGA1288	Laptop
»	Intel Pentium N3540 @ 2.16GHz	4	1,201	707	7.5	FCBGA1170	Laptop
»	Intel Core i3-380M @ 2.53GHz	2	1,199	1,021	35	PGA988A	Laptop
»	MT8175B	4	1,199	554	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2222	2	1,198	618	95	F (1207)	Server
»	Intel Celeron J3355 @ 2.00GHz	2	1,197	826	10	FCBGA1296	Desktop, Laptop
»	ROC-RK3568-PC HDMI (Android)	4	1,197	551	NA	Unknown	Mobile/Embedded
»	Intel Core i7-680UM @ 1.47GHz	2	1,196	911	18	BGA1288	Laptop
»	Intel Celeron 3965Y @ 1.50GHz	2	1,194	901	6	FCBGA1515	Laptop
»	AMD A6-3400M APU	4	1,191	691	35	FS1	Laptop
»	Intel Celeron N3150 @ 1.60GHz	4	1,191	568	6	FCBGA1170	Laptop
»	Mediatek MT8766B	4	1,190	566	NA	Unknown	Mobile/Embedded
»	AMD Phenom 8750B Triple-Core	3	1,188	901	95	AM2+	Desktop
»	Intel Atom Z3795 @ 1.60GHz	4	1,188	640	4	UTFCBGA1380	Laptop
»	Intel Core2 Duo T9900 @ 3.06GHz	2	1,188	1,181	35	BGA479,PGA478	Laptop
»	Intel Pentium N3530 @ 2.16GHz	4	1,187	698	7.5	FCBGA1170	Laptop
»	MediaTek MT6750T	8	1,187	468	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	ARM Cortex-A73 4 Core 2100 MHz	4	1,185	570	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 B55	2	1,183	1,201	80	AM3	Desktop
»	ARM Cortex-A72 6 Core 1512 MHz	6	1,183	533	NA	Unknown	Mobile/Embedded
»	Intel Core i7-640UM @ 1.20GHz	2	1,183	879	18	BGA1288	Laptop
»	Intel Celeron 3755U @ 1.70GHz	2	1,182	1,022	15	FCBGA1168	Laptop
»	Intel Celeron N3160 @ 1.60GHz	4	1,182	560	6	FCBGA1170	Laptop
»	Intel Pentium E6700 @ 3.20GHz	2	1,182	1,311	65	LGA775	Desktop
»	Intel Pentium 3805U @ 1.90GHz	2	1,180	1,099	15	FCBGA1168	Laptop
»	Qualcomm MSM8939	8	1,180	415	NA	Unknown	Mobile/Embedded
»	Samsung EXYNOS5433	8	1,176	515	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 255	2	1,175	1,234	65	AM3	Desktop
»	Mediatek t50	4	1,174	821	NA	Unknown	Mobile/Embedded
»	Intel Celeron G540 @ 2.50GHz	2	1,172	1,144	65	LGA1155	Desktop
»	Intel Pentium E6500 @ 2.93GHz	2	1,172	1,244	65	LGA775	Desktop
»	AMD Athlon II X2 245e	2	1,171	1,182	45	AM3	Desktop
»	AMD Athlon II X2 260	2	1,171	1,253	65	AM3	Desktop
»	Intel Core2 Extreme X9100 @ 3.06GHz	2	1,171	1,178	44	PGA478	Laptop
»	ARM Cortex-A57 4 Core 1734 MHz	4	1,170	387	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A57 4 Core 2091 MHz	4	1,170	413	NA	Unknown	Mobile/Embedded
»	Mediatek MT6761	4	1,166	531	NA	Unknown	Mobile/Embedded
»	AMD A6-5357M APU	2	1,165	1,243	35	FP2	Laptop
»	AMD Phenom II X640 Dual-Core	2	1,165	1,142	45	S1	Desktop
»	Intel Pentium E5800 @ 3.20GHz	2	1,165	1,270	65	LGA775	Desktop
»	AMD Phenom 8400 Triple-Core	3	1,164	819	95	AM2+	Desktop
»	Intel Core2 Duo E7600 @ 3.06GHz	2	1,164	1,261	65	LGA775	Desktop
»	Intel Pentium E6800 @ 3.33GHz	2	1,164	1,301	65	LGA775	Desktop
»	Intel Xeon W3505 @ 2.53GHz	2	1,161	1,106	130	LGA1366	Server
»	MT6757WH	8	1,161	419	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A15 8 Core 1400 MHz	8	1,160	563	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 550	2	1,158	1,228	80	AM2+/AM3	Desktop
»	MTK6757	8	1,158	709	NA	Unknown	Mobile/Embedded
»	Intel Atom x5-Z8550 @ 1.44GHz	4	1,156	667	4	UTFCBGA1380	Laptop, Mobile/Embedded
»	AMD Athlon II X2 250e	2	1,155	1,201	45	AM3	Desktop
»	AMD QC-4000	4	1,155	449	15	FT3	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Core i3-370M @ 2.40GHz	2	1,155	974	35	PGA988A	Laptop
»»	Intel Celeron J1900 @ 1.99GHz	4	1,154	653	10	FCBGA1170	Desktop
»»	MediaTek MT6750V/WT	8	1,153	403	NA	Unknown	Mobile/Embedded
»»	AMD A8-7050	2	1,152	945	15	Unknown	Laptop
»»	AMD E2-3800 APU	4	1,152	436	15	FT3	Laptop
»»	AMD Sempron 3850 APU	4	1,150	448	25	AM1,FS1b	Desktop
»»	Intel Core2 Duo P9700 @ 2.80GHz	2	1,149	1,157	28	PGA478	Laptop
»»	MediaTek MT6753T	8	1,149	416	NA	Unknown	Mobile/Embedded
»»	AMD A6 Micro-6500T APU	4	1,146	630	NA	Unknown	Laptop
»»	Intel Pentium N3520 @ 2.16GHz	4	1,145	663	7.5	FCBGA1170	Laptop
»»	AMD A4-4000 APU	1	1,143	1,134	65	FM2	Desktop
»»	AMD Phenom 8850 Triple-Core	3	1,142	982	95	AM2+	Desktop
»»	ARM Cortex-A15 4 Core 1400 MHz	4	1,141	543	NA	Unknown	Mobile/Embedded
»»	Intel Pentium G640T @ 2.40GHz	2	1,139	1,102	35	LGA1155	Desktop
»»	AMD Athlon II X2 250	2	1,138	1,177	65	AM3	Desktop
»»	Intel Core2 Extreme X7800 @ 2.60GHz	2	1,138	1,077	44	PGA478	Laptop
»»	AMD Phenom II X2 B53	2	1,137	1,161	80	AM3	Desktop
»»	Intel Celeron G540T @ 2.10GHz	2	1,137	995	35	LGA1155	Desktop
»»	Intel Core2 Duo E7500 @ 2.93GHz	2	1,136	1,206	65	LGA775	Desktop
»»	AMD PRO A4-4350B	2	1,134	952	15	FT4	Laptop
»»	Intel Core2 Duo E6850 @ 3.00GHz	2	1,130	1,183	65	LGA775	Desktop
»»	AMD E2-6110 APU	4	1,128	474	15	AM1,FT3b	Laptop
»»	Intel Core i3-2312M @ 2.10GHz	2	1,128	893	35	PGA988B	Laptop
»»	AMD PRO A6-8530B	2	1,127	1,149	15	FP4	Laptop
»»	mocha	4	1,125	722	NA	Unknown	Mobile/Embedded
»»	Intel Celeron G530 @ 2.40GHz	2	1,123	1,099	65	LGA1155	Desktop
»»	Qualcomm Technologies, Inc SCUBAPIOT	4	1,123	522	NA	Unknown	Mobile/Embedded
»»	AMD A6-5345M APU	2	1,122	1,094	17	FP2	Laptop
»»	MT8768WD	8	1,122	448	NA	Unknown	Mobile/Embedded
»»	Intel Pentium E6600 @ 3.06GHz	2	1,121	1,192	65	LGA775	Desktop
»»	AMD Athlon II X2 B24	2	1,120	1,206	65	AM3	Desktop
»»	Intel Xeon L5320 @ 1.86GHz	4	1,118	281	50	LGA771	Server
»»	Intel Xeon W3503 @ 2.40GHz	2	1,118	1,025	130	LGA1366	Server
»»	AMD A6-9200	2	1,116	970	10	BGA	Laptop
»»	AMD Phenom 8250 Triple-Core	3	1,114	752	65	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core2 Duo E8135 @ 2.66GHz	2	1,112	1,127	NA	Socket P	Laptop
»	Intel Atom x6214RE @ 1.40GHz	2	1,109	754	6	FCBGA1493	Mobile/Embedded
»	AMD Athlon II X2 245	2	1,108	1,149	65	AM2+/AM3	Desktop
»	Intel Core2 Duo E8200 @ 2.66GHz	2	1,108	1,144	65	LGA775	Desktop
»	AMD Opteron 2220	2	1,106	553	95	F (1207)	Server
»	Intel Celeron 1005M @ 1.90GHz	2	1,106	1,015	35	FCPGA988	Laptop
»	Rockchip RK3568 EVB7 DDR4 V10 Board	4	1,106	508	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 210e	2	1,105	1,105	45	AM3	Desktop
»	Intel Celeron N3350 @ 1.10GHz	2	1,105	800	6	FCBGA1296	Laptop
»	AMD A9-9420e	2	1,104	957	NA	Unknown	Laptop
»	Intel Core2 Duo E8435 @ 3.06GHz	2	1,104	1,223	NA	Socket P	Laptop
»	Intel Core2 Extreme X7900 @ 2.80GHz	2	1,104	1,085	44	PGA478	Laptop
»	UGOOS UT8 Board	4	1,100	548	NA	Unknown	Mobile/Embedded
»	Intel Core2 Extreme X9000 @ 2.80GHz	2	1,099	1,098	44	PGA478	Laptop
»	Qualcomm Technologies, Inc MSM8937	8	1,099	377	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3075 @ 2.66GHz	2	1,096	1,096	NA	Unknown	Server
»	Intel Core2 Extreme X6800 @ 2.93GHz	2	1,095	1,107	75	PLGA775	Desktop
»	AMD E2-9010	2	1,093	909	15	FP4	Laptop
»	Intel Celeron 2002E @ 1.50GHz	2	1,091	871	25	FCBGA1364	Laptop
»	AMD GX-412HC	4	1,090	414	7	FT3b	Laptop
»	Intel Pentium G630T @ 2.30GHz	2	1,090	1,058	35	LGA1155	Desktop
»	MT6755V/WM	8	1,090	361	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1222	2	1,089	1,128	103	AM2	Server
»	Intel Core2 Duo P9600 @ 2.66GHz	2	1,088	1,120	25	PGA478	Laptop
»	Intel Pentium B970 @ 2.30GHz	2	1,088	1,031	35	PGA988	Laptop
»	Qualcomm MSM 8939 HUAWEI KIW-L21	8	1,088	351	NA	Unknown	Mobile/Embedded
»	Intel Celeron G1101 @ 2.27GHz	2	1,086	929	73	FCLGA1156	Desktop
»	Intel Core i3-350M @ 2.27GHz	2	1,085	877	35	BGA1288	Laptop
»	Qualcomm MSM 8939 HUAWEI TEXAS-A1	8	1,085	383	NA	Unknown	Mobile/Embedded
»	AMD Phenom 8250e Triple-Core	3	1,084	729	65	940	Desktop
»	Intel Pentium E5700 @ 3.00GHz	2	1,084	1,197	65	LGA775	Desktop
»	Rockchip RK3568 EVB1 DDR4 V10 Board	4	1,084	498	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Phenom II N660 Dual-Core	2	1,083	1,093	35	S1	Laptop
»	Intel Celeron 3215U @ 1.70GHz	2	1,083	1,015	15	FCBGA1168	Laptop
»	AMD A4 Micro-6400T APU	4	1,082	540	4.5	FT3b	Laptop
»	Intel Pentium B980 @ 2.40GHz	2	1,082	1,047	35	FCPGA988	Laptop
»	AMD A4-3400 APU	2	1,081	1,081	65	FM1	Desktop
»	MT8732T	4	1,081	399	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 235e	2	1,079	1,098	45	AM3	Desktop
»	AMD Phenom II P840 Triple-Core	3	1,079	760	35	S1	Laptop
»	AMD Phenom X3 8550	3	1,079	835	95	AM2/AM2+	Desktop
»	Rockchip RK3566 BOX DEMO V10 ANDROID Board	4	1,079	518	NA	Unknown	Mobile/Embedded
»	XTRONS_IX	8	1,079	459	NA	Unknown	Mobile/Embedded
»	Grandstream GXV3480 Video Phone	4	1,078	503	NA	Unknown	Mobile/Embedded
»	Intel Celeron G550T @ 2.20GHz	2	1,074	1,018	35	LGA1155	Desktop
»	Intel Core2 Duo T9600 @ 2.80GHz	2	1,074	1,120	35	BGA479	Laptop
»	MT8768WB	4	1,074	480	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1000M @ 1.80GHz	2	1,072	975	35	FCPGA988	Laptop
»	DO-Regular	1	1,070	1,277	NA	Unknown	Unknown
»	Intel Xeon 3085 @ 3.00GHz	2	1,070	1,124	65	LGA775	Server
»	MT6755BM	8	1,070	520	NA	Unknown	Mobile/Embedded
»	AMD Phenom II P820 Triple-Core	3	1,068	717	25	S1	Laptop
»	ARM Cortex-A72 6 Core 1416 MHz	6	1,065	462	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM 8939 HUAWEI KIW-L24	8	1,065	344	NA	Unknown	Mobile/Embedded
»	AMD Embedded G-Series GX-215JJ Radeon R2E	2	1,064	861	10	FP4	Laptop, Mobile/Embedded
»	Intel Pentium 2127U @ 1.90GHz	2	1,064	969	17	FCBGA1023	Laptop
»	AMD Phenom X4 Quad-Core GS-6560	4	1,063	282	NA	Unknown	Desktop
»	AMD Athlon 7850 Dual-Core	2	1,058	1,118	95	AM2+	Desktop
»	Intel Pentium 3556U @ 1.70GHz	2	1,058	951	15	BGA1168	Laptop
»	Intel Core2 Duo E8335 @ 2.66GHz	2	1,057	1,157	NA	Socket P	Laptop
»	Snapdragon 435	8	1,057	347	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2980U @ 1.60GHz	2	1,056	929	15	FCBGA1168	Laptop
»	Intel Celeron G530T @ 2.00GHz	2	1,056	962	35	LGA1155	Desktop
»	Mediatek MT6761V/CAB	4	1,056	554	NA	Unknown	Mobile/Embedded
»	MT6592T	8	1,056	354	NA	Unknown	Mobile/Embedded
»	Rockchip RK3562	4	1,055	521	NA	Unknown	Mobile/Embedded
»	AMD A4-3420 APU	2	1,054	1,113	65	FM1	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD A6-9220C	2	1,053	995	6	FT4	Laptop
»	AMD Athlon II X2 B22	2	1,053	1,129	65	AM3	Desktop
»	Hisilicon Kirin 925	8	1,053	398	NA	Unknown	Mobile/Embedded
»	Intel Atom E3845 @ 1.91GHz	4	1,052	536	10	FCBGA1170	Desktop
»	MT8168B	4	1,050	538	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8994	8	1,049	507	NA	Unknown	Mobile/Embedded
»	MediaTek MT6750	8	1,047	372	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T9500 @ 2.60GHz	2	1,046	1,074	35	BGA479	Laptop
»	AMD A6-1450 APU	4	1,045	458	8	FT3	Laptop
»	AMD GX-222GC SOC	2	1,044	783	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
»	Qualcomm MSM8937	8	1,043	350	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 220	2	1,041	1,092	65	AM3	Desktop
»	Intel Celeron N2940 @ 1.83GHz	4	1,041	606	7.5	FCBGA1170	Laptop
»	Intel Core2 Duo P9600 @ 2.53GHz	2	1,040	1,082	25	PGA478	Laptop
»	JLQ JR510	8	1,039	582	NA	Unknown	Mobile/Embedded
»	MT8783	8	1,039	353	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 240	2	1,037	1,078	65	AM3	Desktop
»	Intel Pentium E5500 @ 2.80GHz	2	1,037	1,133	65	LGA775	Desktop
»	AMD Opteron 1220	2	1,036	1,077	103	AM2	Server
»	AMD Opteron 2218	2	1,036	491	95	F (1207)	Server
»	Intel Pentium 3558U @ 1.70GHz	2	1,036	946	15	FCBGA1168	Laptop
»	AMD Turion II Ultra Dual-Core Mobile M640	2	1,034	1,067	35	S1	Laptop
»	Intel Core2 Duo E7400 @ 2.80GHz	2	1,033	1,117	65	LGA775	Desktop
»	Intel Pentium E6300 @ 2.80GHz	2	1,032	1,143	65	LGA775	Desktop
»	MediaTek MT8168	4	1,029	492	NA	Unknown	Mobile/Embedded
»	Intel Atom C3338 @ 1.50GHz	2	1,028	806	8.5	FCBGA1310	Server, Mobile/Embedded
»	Intel Celeron U1900 @ 1.99GHz	4	1,028	527	NA	Unknown	Unknown
»	Samsung Exynos 7870	8	1,028	338	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2981U @ 1.60GHz	2	1,027	892	15	BGA1168	Laptop
»	tn8	4	1,027	630	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3070 @ 2.66GHz	2	1,025	1,024	65	LGA775	Server
»	Intel Core i3-330M @ 2.13GHz	2	1,023	815	35	BGA1288	Laptop
»	ARM Cortex-A57 8 Core 1500 MHz	8	1,022	346	NA	Unknown	Mobile/Embedded
»	MT6762V/CR	8	1,022	406	NA	Unknown	Mobile/Embedded
»	AMD Turion II P540 Dual-Core	2	1,021	957	35	S1	Laptop
»	Intel Pentium 2117U @ 1.80GHz	2	1,021	930	17	FCBGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron G1820TE @ 2.20GHz	2	1,020	978	35	LGA1150	Desktop
»»	Intel Core2 Duo E8235 @ 2.80GHz	2	1,020	1,112	NA	Socket P	Laptop
»»	nxp IMX8MP	4	1,020	477	NA	Unknown	Mobile/Embedded
»»	Intel Celeron N2930 @ 1.83GHz	4	1,018	584	7.5	FCBGA1170	Laptop
»»	MediaTek MT6753	8	1,018	337	NA	Unknown	Mobile/Embedded
»»	Intel Pentium J2850 @ 2.41GHz	4	1,016	646	10	FCBGA1170	Desktop
»»	AMD Athlon X2 240e	2	1,015	1,092	45	Unknown	Unknown
»»	Intel Celeron B840 @ 1.90GHz	2	1,015	918	35	PGA988B	Laptop
»»	Intel Core i5-560UM @ 1.33GHz	2	1,015	898	18	BGA1288	Laptop
»»	AMD Phenom II N620 Dual-Core	2	1,014	1,088	35	S1	Laptop
»»	Intel Core2 Duo E6750 @ 2.66GHz	2	1,013	1,028	65	LGA775	Desktop
»»	AMD Turion II Ultra Dual-Core Mobile M660	2	1,011	1,103	35	S1	Laptop
»»	AMD A6-4400M APU	1	1,010	1,027	35	FS1r2	Laptop
»»	AMD A6-7000	2	1,010	857	17	FP3	Laptop
»»	AMD Phenom X2 Dual-Core GE-7060	2	1,010	1,332	NA	Unknown	Desktop
»»	Intel Core i7-620UM @ 1.07GHz	2	1,010	820	18	BGA1288	Laptop
»»	Rockchip RK3566 RK817 TABLET LP4X Board	4	1,010	492	NA	Unknown	Mobile/Embedded
»»	AMD A6 PRO-7050B APU	2	1,009	875	17	FP3	Laptop
»»	Intel Core i3-3229Y @ 1.40GHz	2	1,008	692	13	BGA1023	Desktop
»»	Qualcomm Technologies, Inc SDM429	4	1,008	547	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A57 4 Core 1912 MHz	4	1,007	388	NA	Unknown	Mobile/Embedded
»»	AMD Phenom II P920 Quad-Core	4	1,006	597	25	S1	Laptop
»»	Intel Core2 Duo T9400 @ 2.53GHz	2	1,006	1,045	35	BGA479	Laptop
»»	Intel Core i5-540UM @ 1.20GHz	2	1,002	818	18	BGA1288	Laptop
»»	Intel Core2 Duo E8335 @ 2.93GHz	2	1,002	1,132	NA	Socket P	Laptop
»»	AMD A4-4300M APU	1	1,000	1,014	35	FS1	Laptop
»»	AMD Athlon 64 X2 Dual Core 6400+	2	998	1,141	125	AM2	Desktop
»»	Intel Celeron 1037U @ 1.80GHz	2	998	936	17	FCBGA1023	Laptop
»»	Intel Pentium B950 @ 2.10GHz	2	998	941	35	PGA988	Laptop
»»	Intel Core2 Duo E8300 @ 2.83GHz	2	997	1,075	65	LGA775	Desktop
»»	AMD Athlon X2 215	2	996	1,107	65	Unknown	Unknown
»»	Intel Core2 Duo E7200 @ 2.53GHz	2	996	1,059	65	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Rockchip RK3566 EVB3 DDR3 V10 Board	4	994	498	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 FX-62 Dual Core	2	993	1,022	125	AM2	Desktop
»	Intel Core2 Duo P9500 @ 2.53GHz	2	993	1,057	25	BGA479	Laptop
»	AC8259V/WAB	8	990	512	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 4300e	2	990	1,074	13	Unknown	Desktop
»	Intel Core2 Duo E6700 @ 2.66GHz	2	990	1,023	65	LGA775	Desktop
»	AMD Athlon 7750 Dual-Core	2	987	1,043	95	AM2+	Desktop
»	AMD Athlon II X2 240e	2	987	1,091	45	AM3	Desktop
»	Intel Pentium Extreme Edition 965 @ 3.73GHz	2	987	818	130	PLGA775	Desktop
»	ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz	4	984	593	NA	Unknown	Mobile/Embedded
»	AMD E2-9030	2	983	860	NA	BGA (FT4)	Desktop
»	Intel Xeon 3060 @ 2.40GHz	2	983	957	65	LGA775	Server
»	Rockchip RK3566	4	980	522	NA	Unknown	Mobile/Embedded
»	AMD E2-9000	2	979	827	10	Unknown	Laptop
»	AMD Opteron 1218 HE	2	979	940	65	AM2	Server
»	Intel Core2 Duo T9300 @ 2.50GHz	2	979	1,025	35	BGA479	Laptop
»	Mediatek MT8766A	4	979	551	NA	Unknown	Mobile/Embedded
»	AMD A6-9220e	2	977	863	NA	Unknown	Laptop
»	Intel Pentium E5400 @ 2.70GHz	2	977	1,083	65	LGA775	Desktop
»	Intel Core i3-2340UE @ 1.30GHz	2	976	620	17	BGA-1023	Laptop
»	Intel Pentium B960 @ 2.20GHz	2	974	967	35	PGA988	Laptop
»	AMD Athlon II X2 215	2	973	1,023	65	AM3	Desktop
»	Intel Core2 Duo E8135 @ 2.40GHz	2	973	1,028	NA	Unknown	Desktop
»	AMD Athlon 64 FX-74	2	972	617	125	F (1207)	Desktop
»	Amlogic AMLT982	4	972	531	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T9550 @ 2.66GHz	2	972	1,068	35	BGA479	Laptop
»	Unisoc ums312	4	972	1,078	NA	Unknown	Mobile/Embedded
»	AMD E2-3200 APU	2	968	971	65	FM1	Desktop
»	MT6795M	8	968	377	NA	Unknown	Mobile/Embedded
»	AMD Phenom II N640 Dual-Core	2	965	1,039	35	S1	Laptop
»	Intel Xeon 5160 @ 3.00GHz	2	963	1,134	80	LGA771	Server
»	Intel Atom x5-E8000 @ 1.04GHz	4	962	509	5	FCBGA1170	Laptop
»	Intel Atom C2538 @ 2.40GHz	4	960	491	15	FCBGA1283	Laptop
»	Qualcomm Technologies, Inc MSM8939	8	959	352	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo P8700 @ 2.53GHz	2	958	1,022	25	BGA479	Laptop
»	AMD Opteron 285	2	956	509	95	940	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MT8766A	4	956	467	NA	Unknown	Mobile/Embedded
»	AMD Turion II Ultra Dual-Core Mobile M600	2	955	987	35	S1	Laptop
»	MT6750V/CS	8	955	384	NA	Unknown	Mobile/Embedded
»	AMD R-260H APU	2	954	902	17	BGA827 (FP2)	Laptop
»	MediaTek MT8166B	4	953	527	NA	Unknown	Mobile/Embedded
»	AMD Opteron 290	2	952	570	95	940	Server
»	Intel Core2 Duo P9300 @ 2.26GHz	2	952	950	NA	Unknown	Laptop
»	ARM Cortex-A57 4 Core 1479 MHz	4	951	356	NA	Unknown	Mobile/Embedded
»	Rockchip RK3566 EVB2 LP4X V10 Board	4	951	480	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2920 @ 1.86GHz	4	950	552	7.5	FCBGA1170	Laptop
»	MT8165	4	950	498	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T7700 @ 2.40GHz	2	948	969	35	BGA479	Laptop
»	Intel Celeron 3205U @ 1.50GHz	2	947	907	15	FCBGA1168	Laptop
»	AMD Athlon II X2 4400e	2	944	1,063	37	Unknown	Desktop
»	AMD A4-3300 APU	2	942	973	65	FM1	Desktop
»	Intel Celeron J1850 @ 1.99GHz	4	942	455	10	FCBGA1170	Desktop
»	Intel Core2 Duo E7300 @ 2.66GHz	2	942	1,065	65	LGA775	Desktop
»	Intel Core2 Duo E6600 @ 2.40GHz	2	940	946	65	PLGA775	Desktop
»	AMD Athlon X2 255	2	938	1,095	65	AM2+/AM3	Unknown
»	Intel Celeron E3500 @ 2.70GHz	2	935	1,154	65	LGA775	Desktop
»	Intel Core2 Duo P8800 @ 2.66GHz	2	935	1,070	25	BGA479	Laptop
»	AMD Athlon 64 X2 Dual Core 6000+	2	934	1,036	89	AM2	Desktop
»	MT6750V/WS	8	934	383	NA	Unknown	Mobile/Embedded
»	AMD Phenom II P650 Dual-Core	2	933	985	35	S1	Laptop
»	Intel Core2 Duo T7800 @ 2.60GHz	2	932	945	35	BGA479	Laptop
»	Pentium Dual-Core T4500 @ 2.30GHz	2	932	915	NA	Unknown	Unknown
»	Intel Pentium E5200 @ 2.50GHz	2	931	1,002	65	LGA775	Desktop
»	AMD Sempron X2 198 Dual-Core	2	930	1,070	65	FM1	Desktop
»	Intel Atom x5-E3930 @ 1.30GHz	2	928	642	6.5	BGA1296	Laptop
»	Intel Xeon L3406 @ 2.27GHz	2	928	647	30	LGA1156	Server
»	Samsung J7 Max LTE SWA board based on MT6757V/WL	8	928	282	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 1416 MHz	4	927	491	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm Technologies, Inc SCUBAIIOT	4	926	462	NA	Unknown	Mobile/Embedded
»	Intel Xeon 5150 @ 2.66GHz	2	924	1,023	65	LGA771	Server
»	ARM Cortex-A15 4 Core 2000 MHz	4	923	524	NA	Unknown	Mobile/Embedded
»	AMD Athlon X2 240	2	921	1,017	65	Unknown	Unknown
»	ARM Cortex-A72 4 Core 2300 MHz	4	915	669	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5400B	2	914	985	65	AM2	Desktop
»	AMD Turion II Dual-Core Mobile M540	2	912	967	35	S1	Laptop
»	Intel Xeon 5148 @ 2.33GHz	2	912	868	40	LGA771	Server
»	AMD A4-1350 APU	4	911	345	8	FT3	Laptop
»	AMD Opteron 1218	2	910	962	103	AM2	Server
»	MT6761V/CBB	4	910	522	NA	Unknown	Mobile/Embedded
»	SAMSUNG Exynos7580	8	910	271	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2220 SE	2	909	519	119	F (1207)	Server
»	Intel Core i5-520UM @ 1.07GHz	2	908	699	18	BGA1288	Laptop
»	Intel Core2 Duo E4700 @ 2.60GHz	2	908	990	65	LGA775	Desktop
»	AMD Athlon 64 X2 Dual Core 5400+	2	907	999	65	AM2	Desktop
»	AMD Athlon 64 X2 Dual Core 5600+	2	907	1,024	89	AM2	Desktop
»	Qualcomm Technologies, Inc MSM8952	8	907	362	NA	Unknown	Mobile/Embedded
»	Intel Pentium P6200 @ 2.13GHz	2	906	856	35	PGA988	Laptop
»	VIA Eden X4 C4250 @ 1.2+GHz	4	904	482	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2375M @ 1.50GHz	2	903	693	17	BGA1023	Laptop
»	Intel Xeon 3.73GHz	2	901	734	NA	Unknown	Server
»	Pentium Dual-Core T4300 @ 2.10GHz	2	901	883	NA	Unknown	Unknown
»	AMD Athlon 7550 Dual-Core	2	900	934	95	AM2+	Desktop
»	AMD Athlon II N370 Dual-Core	2	899	913	35	S1g4	Laptop
»	Intel Pentium E5300 @ 2.60GHz	2	899	1,012	65	LGA775	Desktop
»	Intel Core2 Duo T8300 @ 2.40GHz	2	896	970	35	BGA479	Laptop
»	Intel Pentium G620T @ 2.20GHz	2	896	961	35	LGA1155	Desktop
»	Intel Core2 Duo E6550 @ 2.33GHz	2	895	910	65	LGA775	Desktop
»	Rockchip RK3568 EVB2 LP4X V10 Board	4	895	518	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1017U @ 1.60GHz	2	893	810	17	FCBGA1023	Laptop
»	AMD RX-225FB	2	892	794	NA	FP3	Mobile/Embedded
»	Intel Atom x5-Z8350 @ 1.44GHz	4	891	471	4	UTFCBGA592	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	MT8365	4	889	489	NA	Unknown	Mobile/Embedded
»	Rockchip RK3528 DEMO4 DDR4 V10 Board	4	888	435	NA	Unknown	Mobile/Embedded
»	Intel Xeon 5133 @ 2.20GHz	2	887	838	40	LGA771	Server
»	AMD E2-9000e	2	884	747	6	Unknown	Laptop
»	AMD Phenom X2 Dual-Core GP-7730	2	884	1,047	NA	Unknown	Desktop
»	ARM FT-2000/4 4 Core 2200 MHz	4	881	565	NA	Unknown	Mobile/Embedded
»	Intel Pentium P6100 @ 2.00GHz	2	880	831	35	PGA988	Laptop
»	AMD Sempron X2 190	2	879	977	45	AM2+/AM3	Unknown
»	AMD Turion II P560 Dual- Core	2	878	1,001	25	S1	Laptop
»	Intel Pentium N3510 @ 1.99GHz	4	878	534	7.5	FCBGA1170	Laptop
»	Qualcomm Technologies, Inc MSM8992	6	878	552	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 7580	8	878	308	NA	Unknown	Mobile/Embedded
»	AMD Turion II N550 Dual- Core	2	877	891	35	S1	Laptop
»	Intel Celeron 2955U @ 1.40GHz	2	877	781	15	FCBGA1168	Laptop
»	Athlon 64 Dual Core 5600+	2	875	993	65	AM2	Desktop
»	QTI QCM2290	4	875	532	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5000 Dual-Core	2	872	898	65	AM2,AM2+	Desktop
»	rockchip,rk3368	8	870	347	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5200 Dual-Core	2	869	915	75	AM2	Desktop
»	Intel Celeron E3400 @ 2.60GHz	2	869	1,001	65	LGA775	Desktop
»	MT8168M	4	868	486	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 4450e	2	867	1,066	45	AM2	Desktop
»	Intel Xeon 3065 @ 2.33GHz	2	867	836	65	LGA775	Server
»	AMD Turion 64 X2 Mobile TL-68	2	866	882	35	S1	Laptop
»	Intel Core2 Duo E4600 @ 2.40GHz	2	864	925	65	LGA775	Desktop
»	Intel Core2 Duo SP9400 @ 2.40GHz	2	863	929	25	BGA956	Laptop
»	Synaptics VS640	4	862	550	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2957U @ 1.40GHz	2	858	781	15	FCBGA1168	Laptop
»	Intel Celeron B830 @ 1.80GHz	2	858	831	35	rPGA988B	Laptop
»	Intel Xeon 5140 @ 2.33GHz	2	857	870	65	LGA771	Server
»	MT8161AA	4	857	419	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5000B	2	856	942	65	AM2	Desktop
»	Intel Core2 Duo P7550 @ 2.26GHz	2	856	969	25	PGA478	Laptop
»	AMD Athlon X2 250	2	855	1,099	65	Unknown	Unknown
»	AMD Turion II N530 Dual- Core	2	855	968	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Turion II Neo N54L Dual-Core	2	853	894	25	BGA812	Laptop
»	AMD A4-9120C	2	852	891	6	FT4	Laptop
»	BCM2711	4	852	607	NA	Unknown	Mobile/Embedded
»	Athlon 64 Dual Core 5000+	2	850	924	89	Unknown	Desktop
»	AMD A4-9120e	2	849	743	NA	FT4	Laptop
»	Intel Core2 Duo P8400 @ 2.26GHz	2	849	921	25	BGA479	Laptop
»	Intel Pentium 3560Y @ 1.20GHz	2	849	700	11.5	BGA1168	Laptop
»	Intel Pentium B940 @ 2.00GHz	2	849	849	35	PGA988	Laptop
»	Intel Celeron P4500 @ 1.87GHz	2	848	747	35	PGA988A	Laptop
»	Intel Core i3-2367M @ 1.40GHz	2	847	621	17	BGA1023	Laptop
»	AMD Athlon 64 X2 Dual Core 5200+	2	846	932	65	AM2	Desktop
»	AMD Athlon Dual Core 5050e	2	846	917	45	AM2	Desktop
»	Intel Celeron P4600 @ 2.00GHz	2	846	784	35	PGA988A	Laptop
»	Intel Core2 Duo P7570 @ 2.26GHz	2	845	930	25	PGA478	Laptop
»	MT6750V/W	8	845	342	NA	Unknown	Mobile/Embedded
»	MT9950	4	845	653	NA	Unknown	Mobile/Embedded
»	AMD Turion II Dual-Core Mobile M520	2	844	923	35	S1	Laptop
»	Intel Core2 Duo P8600 @ 2.40GHz	2	844	943	25	BGA479	Laptop
»	ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz	4	843	487	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon 3.40GHz	1	843	723	103	PPGA604	Server
»	Intel Pentium E2220 @ 2.40GHz	2	842	915	65	LGA775	Desktop
»	MTK8257	8	842	404	NA	Unknown	Mobile/Embedded
»	AMD TurionX2 Ultra DualCore Mobile ZM-85	2	841	686	35	S1	Laptop
»	Intel Celeron E1600 @ 2.40GHz	2	840	916	65	LGA775	Desktop
»	AMD Opteron 275	2	839	445	95	940	Server
»	Intel Celeron E3200 @ 2.40GHz	2	839	970	65	LGA775	Desktop
»	Thor	6	839	387	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5205 @ 1.86GHz	2	838	788	65	LGA771	Server
»	Intel Celeron 1007U @ 1.50GHz	2	837	772	17	FCBGA1023	Laptop
»	Intel Xeon E5502 @ 1.87GHz	2	837	799	80	LGA1366	Server
»	Intel Pentium P6300 @ 2.27GHz	2	834	772	35	PGA988	Laptop
»	AArch64	4	833	368	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-2377M @ 1.50GHz	2	833	613	17	BGA1023	Laptop
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-85	2	828	864	35	S1	Laptop
»	Intel Core2 Duo T7500 @ 2.20GHz	2	828	863	35	BGA479	Laptop
»	Amlogic AMLS905X4	4	827	555	NA	Unknown	Mobile/Embedded
»	Rockchip RK3368	8	827	329	NA	Unknown	Mobile/Embedded
»	AMD Sempron X2 180	2	826	865	45	Unknown	Unknown
»	Intel Core2 Duo T7600 @ 2.33GHz	2	824	874	34	PBGA479, PPGA478	Laptop
»	Intel Pentium T4500 @ 2.30GHz	2	824	904	35	PGA478	Laptop
»	AMD Athlon Dual Core 5200B	2	823	966	65	AM2	Desktop
»	MT8766B	4	822	509	NA	Unknown	Mobile/Embedded
»	Intel Celeron B820 @ 1.70GHz	2	820	762	35	PGA988B	Laptop
»	Intel Core i3-2365M @ 1.40GHz	2	820	608	17	BGA1023	Laptop
»	Intel Core2 Duo T6670 @ 2.20GHz	2	818	881	35	PGA478	Laptop
»	Intel Xeon 3050 @ 2.13GHz	2	818	711	65	LGA775	Server
»	MT8161A	4	818	344	NA	Unknown	Mobile/Embedded
»	MT6761V/CAB	4	816	515	NA	Unknown	Mobile/Embedded
»	MT6761V/WAB	4	816	487	NA	Unknown	Mobile/Embedded
»	Amlogic AMLS905D3	4	815	493	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 2200 MHz	4	815	603	NA	Unknown	Mobile/Embedded
»	AMD Turion II Ultra Dual-Core Mobile M620	2	814	945	35	S1	Laptop
»	Intel Atom x5-Z8300 @ 1.44GHz	4	814	455	4	UTFCBGA592	Laptop, Mobile/Embedded
»	Intel Pentium P6000 @ 1.87GHz	2	810	735	35	PGA988	Laptop
»	Intel Atom x5-Z8330 @ 1.44GHz	4	809	458	4	Unknown	Laptop
»	Intel Pentium 997 @ 1.60GHz	2	809	746	17	BGA-1023	Desktop
»	Intel Core2 Duo E6540 @ 2.33GHz	2	808	969	65	LGA775	Desktop
»	AMD Athlon II Dual-Core M340	2	807	858	35	Unknown	Laptop
»	Intel Pentium D 960 @ 3.60GHz	2	807	782	130	PLGA775	Desktop
»	AMD A4-4355M APU	2	806	813	17	FP2	Laptop
»	AMD Opteron 1214 HE	2	806	811	65	AM2	Server
»	Intel Xeon E5503 @ 2.00GHz	2	804	845	80	LGA1366	Server
»	MT8173	4	804	597	NA	Unknown	Mobile/Embedded
»	AMD Athlon64 X2 Dual Core 4600+	2	803	755	110	AM2	Desktop
»	nxp IMX8MQ	4	803	389	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-84	2	802	787	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Atom Z3580 @ 1.33GHz	4	802	587	NA	Unknown	Laptop, Mobile/Embedded
»	AMD Turion II P520 Dual-Core	2	801	875	25	S1	Laptop
»	AMD Turion X2 Dual-Core Mobile RM-76	2	799	761	35	S1	Laptop
»	hi6210sft	8	796	269	NA	Unknown	Mobile/Embedded
»	Intel Celeron E3300 @ 2.50GHz	2	795	967	65	LGA775	Desktop
»	Intel Xeon 5130 @ 2.00GHz	2	795	796	65	LGA771	Server
»	Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	4	795	508	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3775D @ 1.49GHz	4	794	646	4.4	UTFCBGA1380	Laptop
»	AMD A6-4455M APU	1	793	786	17	FP2	Laptop
»	AMD GX-217GA SOC	2	793	564	15	FT3 (769-BGA)	Laptop
»	Intel Core2 Duo T6600 @ 2.20GHz	2	791	859	35	PGA478	Laptop
»	Intel Core2 Duo P7370 @ 2.00GHz	2	790	793	25	PGA478	Laptop
»	Intel Xeon 3040 @ 1.86GHz	2	790	621	65	LGA775	Server
»	AMD Athlon 7450 Dual-Core	2	789	853	95	AM2+	Desktop
»	AC8257V/WAB	8	788	485	NA	Unknown	Unknown
»	Intel Core i3-2357M @ 1.30GHz	2	788	601	17	Unknown	Laptop
»	Intel Core2 Duo L9600 @ 2.13GHz	2	788	849	17	BGA956	Laptop
»	[Dual CPU] Intel Xeon 3.20GHz	1	786	673	103	PPGA604	Server
»	AMD Athlon 64 X2 Dual Core 5000+	2	785	897	65	AM2	Desktop
»	Qualcomm MSM8994	8	785	412	NA	Unknown	Mobile/Embedded
»	Mediatek MT8168B	4	784	501	NA	Unknown	Mobile/Embedded
»	MT6761V/CD	4	784	488	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 4850e	2	783	903	45	AM2	Desktop
»	Intel Core2 Duo P7450 @ 2.13GHz	2	783	837	25	PGA478	Laptop
»	AMD A4-3310MX APU	2	782	832	45	FS1	Laptop
»	AMD Opteron 1216	2	781	810	103	AM2	Server
»	ARM Cortex-A17 4 Core 1800 MHz	4	781	490	NA	Unknown	Mobile/Embedded
»	MediaTek MT6761V/WBB	4	780	480	NA	Unknown	Mobile/Embedded
»	Intel Core i5-470UM @ 1.33GHz	2	778	727	18	BGA1288	Laptop
»	ARM ARMv7 rev 1 (v7l) 4 Core 1608 MHz	4	776	445	NA	Unknown	Unknown
»	Intel Core2 Duo E6400 @ 2.13GHz	2	776	824	65	LGA775	Desktop
»	Intel Celeron B810 @ 1.60GHz	2	775	754	35	PGA988B	Laptop
»	Pentium Dual-Core T4200 @ 2.00GHz	2	775	824	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2910 @ 1.60GHz	4	773	447	7.5	FCBGA1170	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	VIA QuadCore L4700 @ 1.2+ GHz	4	773	355	27.5	Unknown	Laptop
»	ARM Cortex-A72 4 Core 2000 MHz	4	772	575	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3735G @ 1.33GHz	4	772	476	4.4	Unknown	Laptop
»	AMD Opteron 1212 HE	2	771	731	65	AM2	Server
»	Athlon Dual Core 4850e	2	769	861	45	AM2	Desktop
»	Intel Pentium T4400 @ 2.20GHz	2	769	842	35	PGA478	Laptop
»	Intel Core2 Duo T8100 @ 2.10GHz	2	768	833	35	BGA479	Laptop
»	AMD Athlon II N350 Dual-Core	2	767	945	35	Unknown	Laptop
»	AMD A4-5150M APU	2	765	800	35	FS1r2	Laptop
»	AMD Opteron 280	2	765	430	95	940	Server
»	Intel Xeon 5120 @ 1.86GHz	2	763	748	65	LGA771	Server
»	Intel Core2 Duo T7400 @ 2.16GHz	2	761	757	34	BGA479	Laptop
»	rockchip,rk3328	4	761	356	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6420 @ 2.13GHz	2	760	785	65	PLGA775	Desktop
»	Intel Pentium T4300 @ 2.10GHz	2	760	814	35	PGA478	Laptop
»	M7221	4	760	646	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo SL9400 @ 1.86GHz	2	759	786	17	BGA956	Laptop
»	AMD A4-3305M APU	2	758	837	35	FS1	Laptop
»	MT6797D	10	758	326	NA	Unknown	Mobile/Embedded
»	MediaTek MT6761V/WE	4	757	446	NA	Unknown	Mobile/Embedded
»	AMD A4-3330MX APU	2	756	908	45	FS1 uPGA	Laptop
»	AMD Turion II Dual-Core Mobile M500	2	756	847	35	S1	Laptop
»	Celeron Dual-Core T3500 @ 2.10GHz	2	756	862	35	PGA478	Laptop
»	ARM Cortex-A55 4 Core 2016 MHz	4	755	327	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1900 MHz	4	755	562	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T6570 @ 2.10GHz	2	755	842	35	PGA478	Laptop
»	AMD GX-218GL SOC	2	754	627	15	BGA769 (FT3b)	Laptop
»	Intel Celeron 887 @ 1.50GHz	2	754	703	17	BGA1023	Laptop
»	Rockchip RK3566 EVB1 DDR4 V10 Board	4	751	466	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3560 @ 1.00GHz	4	749	486	NA	Unknown	Mobile/Embedded
»	Dual-Core AMD Opteron 1220 SE	2	748	900	103	AM2	Server
»	Intel Celeron 1047UE @ 1.40GHz	2	748	526	17	FCBGA1023	Desktop
»	Intel Core2 Duo P7350 @ 2.00GHz	2	748	796	25	BGA479	Laptop
»	Spreadtrum SC9853I-IA	8	748	467	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Opteron 180	2	746	874	110	939	Server
»	Intel Core i3-380UM @ 1.33GHz	2	745	581	18	BGA1288	Laptop
»	Intel Pentium Dual T2390 @ 1.86GHz	2	745	712	35	PPGA478	Laptop
»	Mediatek MT6761V/WD	4	744	482	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Dual-Core M320	2	743	850	35	Unknown	Laptop
»	ARM Cortex-A55 4 Core 2124 MHz	4	742	336	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T6500 @ 2.10GHz	2	742	835	35	PGA478	Laptop
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-87	2	741	730	35	S1	Laptop
»	Mediatek MT8696	4	740	542	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E4500 @ 2.20GHz	2	739	813	65	LGA775	Desktop
»	Intel Core2 Duo T7200 @ 2.00GHz	2	738	743	34	PBGA479, PPGA478	Laptop
»	MT8696	4	738	535	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5600B	2	737	1,003	65	AM2+	Desktop
»	AMD Opteron 270	2	736	587	95	940	Server
»	Athlon 64 Dual Core 3800+	2	736	653	35	Unknown	Unknown
»	Intel Atom Z3770 @ 1.46GHz	4	736	539	4	UTFCBGA1380	Laptop
»	Intel Pentium D 3.40GHz	2	736	723	NA	Unknown	Desktop
»	Intel Celeron E1400 @ 2.00GHz	2	735	758	65	LGA775	Desktop
»	ARM Cortex-A72 6 Core 1008 MHz	6	734	394	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-82	2	733	770	35	S1	Laptop
»	AMD Athlon II P360 Dual-Core	2	730	861	25	S1g4	Laptop
»	Intel Pentium E2200 @ 2.20GHz	2	730	819	65	LGA775	Desktop
»	Qualcomm Technologies, Inc APQ8096pro	4	730	435	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T6400 @ 2.00GHz	2	729	798	35	PGA478	Laptop
»	AMD Athlon Dual Core 4850B	2	727	887	45	AM2+	Desktop
»	AMD Opteron 1216 HE	2	727	847	65	AM2	Server
»	Intel Celeron B815 @ 1.60GHz	2	727	703	35	PGA988B	Laptop
»	AMD E2-3000 APU	2	726	547	15	FT3	Laptop
»	MT3561S	4	723	335	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 4200+	2	722	803	89	AM2	Desktop
»	AMD Athlon 64 X2 Dual Core 4600+	2	720	835	65	AM2	Desktop
»	Qualcomm MSM8974	4	719	431	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6320 @ 1.86GHz	2	717	712	65	PLGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Qualcomm Technologies, Inc SDA429W	4	715	516	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 260u	2	713	716	25	AM3	Desktop
»	Intel Pentium T4200 @ 2.00GHz	2	712	778	35	PGA478	Laptop
»	MediaTek MT8168A	4	712	448	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 4450B	2	711	792	45	AM2+	Desktop
»	AMD A4-3300M APU	2	710	788	65	FM1	Laptop
»	AMD Athlon 64 FX-60 Dual Core	2	709	912	110	939	Desktop
»	AMD Turion X2 Dual-Core Mobile RM-75	2	708	770	35	S1	Laptop
»	Intel Core2 Duo T7250 @ 2.00GHz	2	708	771	35	BGA479	Laptop
»	Rockchip RK3288	4	708	766	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1908 MHz	4	707	311	NA	Unknown	Unknown
»	AMD Athlon Dual Core 4450e	2	705	801	45	AM2	Desktop
»	Intel Atom E3840 @ 1.91GHz	4	704	477	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3735D @ 1.33GHz	4	704	544	4.4	Unknown	Laptop
»	Intel Atom Z3775 @ 1.46GHz	4	704	505	4	UTFCBGA1380	Laptop
»	MT8735T	4	704	356	NA	Unknown	Mobile/Embedded
»	AMD Athlon II P320 Dual-Core	2	702	820	25	Unknown	Laptop
»	Intel Pentium E2210 @ 2.20GHz	2	702	946	65	LGA775	Desktop
»	MT5893	4	702	641	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5870 @ 2.00GHz	2	698	740	35	PPGA478, Socket	Laptop
»	AMD Athlon II P340 Dual-Core	2	697	840	25	S1g4	Laptop
»	AMD Opteron 1214	2	696	830	103	AM2	Server
»	AMD Turion 64 X2 Mobile TL-66	2	696	846	35	S1	Laptop
»	ARM Cortex-A72 4 Core 1800 MHz	4	696	513	NA	Unknown	Mobile/Embedded
»	AMD Opteron 185	2	695	884	110	939	Server
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-86	2	695	820	35	S1	Laptop
»	Mediatek MT6739	4	695	370	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5750 @ 2.00GHz	2	693	741	35	Socket P	Laptop
»	Samsung EXYNOS5420	4	693	464	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 4000+	2	692	737	65	AM2	Desktop
»	Intel Celeron 877 @ 1.40GHz	2	692	645	17	BGA1023	Laptop
»	MT6738	8	692	430	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Dual Core Mobile RM-76	2	691	729	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Atom Z3560 @ 1.83GHz	4	690	476	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo L9300 @ 1.60GHz	2	690	703	17	BGA956	Laptop
»	Intel Celeron P4505 @ 1.87GHz	2	689	820	35	BGA1288	Laptop
»	MediaTek MT6737T	4	689	397	NA	Unknown	Mobile/Embedded
»	Celeron Dual-Core T3000 @ 1.80GHz	2	687	748	35	PGA478	Laptop
»	Intel Core2 Duo T5850 @ 2.16GHz	2	687	787	NA	Socket P	Laptop
»	Intel Core2 Duo E4400 @ 2.00GHz	2	686	775	65	LGA775	Desktop
»	Qualcomm MSM8974PRO-AB	4	686	371	NA	Unknown	Mobile/Embedded
»	Rockchip RK3566 RK817 TABLET RKG11 LP4 Board	8	686	314	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1992 MHz	4	685	313	NA	Unknown	Mobile/Embedded
»	AMD Turion II Neo K685 Dual-Core	2	684	729	15	BGA812	Laptop
»	Intel Celeron 2961Y @ 1.10GHz	2	684	634	11.5	Unknown	Laptop
»	Intel Pentium E2180 @ 2.00GHz	2	683	736	65	LGA775	Desktop
»	Qualcomm APQ 8084 (Flattened Device Tree)	4	683	439	NA	Unknown	Mobile/Embedded
»	AMD Opteron 175	2	682	773	110	939	Server
»	ARM Cortex-A53 8 Core 1512 MHz	8	681	165	NA	Unknown	Mobile/Embedded
»	Athlon Dual Core 4450e	2	681	792	45	AM2	Desktop
»	Intel Pentium D 950 @ 3.40GHz	2	681	695	130	PLGA775	Desktop
»	Intel Core2 Duo L7800 @ 2.00GHz	2	680	622	NA	Unknown	Unknown
»	Intel Core2 Duo T7300 @ 2.00GHz	2	680	762	35	BGA479	Laptop
»	AMD Athlon 64 X2 Dual Core 4800+	2	679	876	65	AM2	Desktop
»	Allwinner A133	4	677	410	NA	Unknown	Mobile/Embedded
»	Intel Celeron J3060 @ 1.60GHz	2	676	635	6	BGA1170	Desktop
»	AMD Athlon 64 X2 Dual Core 4400+	2	675	764	65	AM2	Desktop
»	AMD Athlon II X2 270u	2	675	791	25	AM3	Desktop
»	AMD Turion 64 X2 Mobile TL-64	2	675	702	35	S1	Laptop
»	AMD Athlon Dual Core 4050e	2	674	751	45	AM2	Desktop
»	AMD Athlon X2 Dual Core BE-2400	2	674	749	18	FT1	Desktop
»	ARM Cortex-A72 4 Core 2100 MHz	4	674	545	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8974PRO-AA	4	672	390	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Athlon II Dual-Core M300	2	670	776	35	Unknown	Laptop
»	Athlon Dual Core 4050e	2	670	744	45	AM2	Desktop
»	AMD A4-3320M APU	2	668	708	35	FS1	Laptop
»	AMD E2-3000M APU	2	668	731	35	FS1	Laptop
»	ARM Cortex-A72 4 Core 1600 MHz	4	667	429	NA	Unknown	Mobile/Embedded
»	Rockchip (Device Tree)	4	666	487	NA	Unknown	Mobile/Embedded
»	VIA QuadCore U4650 @ 1.0+ GHz	4	666	296	27.5	Unknown	Desktop
»	AMD Athlon II N330 Dual-Core	2	665	813	35	Unknown	Laptop
»	Intel Celeron N3060 @ 1.60GHz	2	664	630	6	Unknown	Laptop
»	ARM Cortex-A55 4 Core 2100 MHz	4	663	306	NA	Unknown	Mobile/Embedded
»	AMD E2-7015 APU	2	662	507	NA	Unknown	Laptop
»	Intel Core2 Duo T5600 @ 1.83GHz	2	662	687	34	PGA478	Laptop
»	AMD Turion Dual-Core RM-75	2	659	444	35	S1	Laptop
»	Broadcom STB (Flattened Device Tree)	4	659	412	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo L7500 @ 1.60GHz	2	657	664	17	BGA479	Laptop
»	Intel Pentium 987 @ 1.50GHz	2	657	625	17	FCBGA1023	Laptop
»	Qualcomm MSM8917	4	656	369	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Dual-Core Mobile RM-74	2	655	738	35	S1	Laptop
»	MT8735A	4	655	334	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 5800+	2	653	746	89	Unknown	Desktop
»	AMD Turion X2 Dual-Core Mobile RM-72	2	653	756	35	S1	Laptop
»	Intel Pentium T3400 @ 2.16GHz	2	653	732	35	PPGA478	Laptop
»	AMD Athlon 64 X2 QL-60	2	652	654	35	S1	Laptop
»	Intel Celeron B800 @ 1.50GHz	2	652	637	35	PGA988B	Laptop
»	Intel Core2 Duo T5900 @ 2.20GHz	2	652	768	NA	Socket P	Laptop
»	AMD GX-412TC SOC	4	650	250	6	FT3b	Mobile/Embedded
»	AMD Turion 64 X2 Mobile TL-62	2	649	724	35	S1	Laptop
»	AMD Turion Dual-Core RM-72	2	649	725	35	S1	Laptop
»	AMD Opteron 170	2	648	715	110	939	Server
»	AMD GX-212JC SOC	2	646	452	6	FT3b	Laptop
»	Intel Pentium 967 @ 1.30GHz	2	643	616	17	FCBGA1023	Laptop
»	Intel Pentium E2160 @ 1.80GHz	2	643	680	65	LGA775	Desktop
»	Qualcomm MSM8974PRO-AC	4	643	378	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Athlon 64 X2 QL-66	2	641	751	35	S1	Laptop
»	AMD Turion 64 X2 Mobile TL-60	2	639	703	31	S1	Laptop
»	ARM Cortex-A53 4 Core 1908 MHz	4	638	274	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 QL-65	2	637	681	35	S1	Laptop
»	AMD E2-7015	2	637	491	NA	Unknown	Laptop
»	Intel Core2 Duo T5550 @ 1.83GHz	2	637	680	35	PGA478	Laptop
»	Amlogic	4	634	456	NA	Unknown	Unknown
»	Intel Atom Z3740 @ 1.33GHz	4	634	419	4	UTFCBGA1380	Laptop
»	Intel Core2 Duo E6300 @ 1.86GHz	2	634	690	65	LGA775, PLGA775	Desktop
»	AMD Athlon 64 X2 Dual Core 3600+	2	633	666	65	AM2	Desktop
»	Celeron Dual-Core T3300 @ 2.00GHz	2	633	711	35	î¼FCPGA-478	Laptop
»	Generic DT based system	4	632	459	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 1500 MHz	4	631	450	NA	Unknown	Mobile/Embedded
»	Intel Pentium T3200 @ 2.00GHz	2	631	711	35	PPGA478	Laptop
»	AMD Athlon 64 X2 Dual Core 3800+	2	629	718	89	AM2	Desktop
»	Intel Core2 Duo T5800 @ 2.00GHz	2	628	725	35	PGA478	Laptop
»	Intel Core i5-430UM @ 1.20GHz	2	627	481	18	BGA1288	Laptop
»	Intel Celeron E1500 @ 2.20GHz	2	626	764	65	LGA775	Desktop
»	ARM Cortex-A55 4 Core 1800 MHz	4	625	288	NA	Unknown	Mobile/Embedded
»	Intel Pentium U5600 @ 1.33GHz	2	624	588	18	BGA1288	Laptop
»	Intel Pentium 957 @ 1.20GHz	2	622	574	17	FCBGA1023	Laptop
»	Intel Atom Z3745 @ 1.33GHz	4	621	435	4	UTFCBGA1380	Laptop
»	AMD Athlon 64 X2 Dual-Core TK-57	2	620	626	31	Unknown	Desktop
»	AMD Turion II Neo K625 Dual-Core	2	618	631	15	S1	Laptop
»	MT6795MM	8	618	567	NA	Unknown	Mobile/Embedded
»	Allwinner H618	4	617	395	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 QL-64	2	617	728	35	S1	Laptop
»	AMD Turion II Neo N40L Dual-Core	2	617	635	15	BGA812	Laptop
»	Intel Celeron N3000 @ 1.04GHz	2	616	566	4	FCBGA1170	Laptop
»	Intel Atom Z3740D @ 1.33GHz	4	614	459	4.4	UTFCBGA1380	Laptop
»	AMD Turion X2 Dual-Core Mobile RM-70	2	612	672	31	S1	Laptop
»	MediaTek MT6762V/CN	4	611	421	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel U4100 @ 1.30GHz	2	610	554	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1000 MHz	4	608	354	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo L7700 @ 1.80GHz	2	607	748	17	Unknown	Laptop
»	MediaTek MT8163	4	606	345	NA	Unknown	Mobile/Embedded
»	Intel Celeron N3010 @ 1.04GHz	2	605	588	4	FCBGA1170	Laptop
»	Intel Core2 Duo T7100 @ 1.80GHz	2	604	688	35	BGA479	Laptop
»	AMD Turion X2 Dual Core L510	2	603	593	20	ASB1	Laptop
»	Qualcomm APQ8084	4	603	357	NA	Unknown	Mobile/Embedded
»	AMD E1 Micro-6200T APU	2	600	498	3.95	FT3b	Laptop
»	AMD TurionX2 Ultra DualCore Mobile ZM-87	2	599	770	35	S1	Mobile/Embedded
»	Celeron Dual-Core T3100 @ 1.90GHz	2	599	637	35	BGA479	Laptop
»	Intel Atom Z3745D @ 1.33GHz	4	599	415	4.4	Unknown	Laptop
»	Samsung GrandPrimePlus LTE LTN DTV rev04 board bas	4	599	336	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 250u	2	597	638	25	AM3	Desktop
»	AMD Sempron 150	1	597	1,117	45	AM3	Desktop
»	Intel Celeron J1750 @ 2.41GHz	2	595	659	10	FCBGA1170	Desktop
»	rk3566	4	595	460	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core BE-2300	2	594	624	45	AM2	Desktop
»	AMD Opteron 1212	2	593	729	103	AM2	Server
»	Intel Core2 Duo E4300 @ 1.80GHz	2	593	662	65	LGA775	Desktop
»	AMD E1-7010 APU	2	592	484	10	BGA769 (FT3b)	Laptop
»	Mediatek MT8175B	4	592	446	NA	Unknown	Mobile/Embedded
»	AMD Athlon X2 Dual Core BE-2350	2	591	705	45	AM2	Desktop
»	AMD E1-2500 APU	2	591	453	15	FT3	Laptop
»	Intel Core2 Duo T5470 @ 1.60GHz	2	590	636	35	PGA478	Laptop
»	AMD Turion Dual-Core RM-74	2	588	595	35	S1	Laptop
»	Intel Celeron N2840 @ 2.16GHz	2	588	671	7	FCBGA1170	Laptop
»	Intel Celeron N3050 @ 1.60GHz	2	587	552	6	FCBGA1170	Laptop
»	Intel Core2 Duo T5670 @ 1.80GHz	2	587	664	35	Socket P	Laptop
»	Intel Pentium 2129Y @ 1.10GHz	2	587	564	10	FCBGA1023	Laptop
»	Intel Atom C2338 @ 1.74GHz	2	584	233	7	FCBGA1283	Laptop
»	Intel Celeron 847E @ 1.10GHz	2	584	520	17	FCBGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core2 Duo T5450 @ 1.66GHz	2	583	592	35	PGA478	Laptop
»	AMD Athlon 64 X2 QL-67	2	582	515	35	S1	Laptop
»	Intel Xeon MV 3.20GHz	2	582	378	90	mPGA604	Server
»	MT6761V/WD	4	580	430	NA	Unknown	Mobile/Embedded
»	Intel Celeron U3600 @ 1.20GHz	2	579	523	18	BGA1288	Laptop
»	Intel Atom C2358 @ 1.74GHz	2	578	391	7	FCBGA1283	Laptop
»	AMD Athlon 64 X2 Dual-Core TK-42	2	577	537	20	Unknown	Desktop
»	ARM Cortex-A72 4 Core 1700 MHz	4	577	455	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo U9600 @ 1.60GHz	2	577	659	10	BGA956	Laptop
»	MediaTek MT6735	4	577	321	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1019Y @ 1.00GHz	2	576	521	10	FCBGA1023	Desktop
»	Intel Celeron J1800 @ 2.41GHz	2	575	660	10	FCBGA1170	Desktop
»	AMD Athlon 64 X2 Dual Core BE-2350	2	573	674	45	AM2	Desktop
»	Intel Celeron @ 1.30GHz	1	572	610	NA	Unknown	Unknown
»	MT8735P	4	572	242	NA	Unknown	Mobile/Embedded
»	AMD E1-6015 APU	2	571	448	NA	BGA769 (FT3b)	Laptop
»	AMD Athlon X2 Dual Core BE-2300	2	570	644	45	AM2	Desktop
»	Intel Celeron G470 @ 2.00GHz	1	570	837	35	LGA1155	Desktop
»	Intel Celeron 857 @ 1.20GHz	2	569	476	17	BGA1023	Laptop
»	Intel Pentium T2390 @ 1.86GHz	2	568	651	35	PPGA478	Laptop
»	MT8765WA	4	567	334	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 3800+	2	566	745	89	939	Desktop
»	Intel Pentium T2410 @ 2.00GHz	2	566	712	NA	Unknown	Unknown
»	Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre	4	566	219	NA	Unknown	Mobile/Embedded
»	ap201	4	565	385	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3530 @ 1.33GHz	4	565	368	NA	FC-MB5T1064	Mobile/Embedded
»	AMD Athlon X2 Dual Core 6850e	2	564	623	22	Unknown	Unknown
»	Mediatek MT8765WA	4	564	371	NA	Unknown	Mobile/Embedded
»	AMD Sempron Dual Core 2200	2	563	649	65	Unknown	Unknown
»	AMD Turion X2 Dual-Core Mobile RM-77	2	562	735	35	S1	Laptop
»	Intel Celeron 867 @ 1.30GHz	2	562	584	17	BGA1023	Laptop
»	AMD Turion Dual-Core RM-70	2	561	548	31	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core2 Duo T5250 @ 1.50GHz	2	560	572	35	PGA478	Laptop
»	Qualcomm Technologies, Inc MSM8929	8	560	252	NA	Unknown	Mobile/Embedded
»	sun50iw1p1	4	559	280	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual-Core TK-53	2	558	602	31	Unknown	Desktop
»	Intel Pentium T2370 @ 1.73GHz	2	558	594	35	PPGA478	Laptop
»	Intel Atom Z3735E @ 1.33GHz	4	557	478	4.4	UTFCBGA1380	Laptop
»	AMD Athlon Neo X2 Dual Core L325	2	556	567	18	Unknown	Unknown
»	ARM Cortex-A53 4 Core 1704 MHz	4	556	244	NA	Unknown	Mobile/Embedded
»	Intel Pentium D 830 @ 3.00GHz	2	556	571	95	PLGA775	Desktop
»	AMD Sempron Dual Core 2300	2	555	697	65	Unknown	Unknown
»	Intel Core i3-330UM @ 1.20GHz	2	555	392	18	BGA1288	Laptop
»	QCT APQ8064 FLO	4	553	311	NA	Unknown	Mobile/Embedded
»	Intel Pentium D 940 @ 3.20GHz	2	552	609	130	PLGA775	Desktop
»	Intel Pentium U5400 @ 1.20GHz	2	552	501	18	BGA1288	Laptop
»	AMD Sempron 2650 APU	2	551	477	25	AM1,FSB1	Desktop
»	Intel Celeron T1600 @ 1.66GHz	2	551	629	35	Unknown	Laptop
»	Intel Celeron N2830 @ 2.16GHz	2	550	626	7.5	FCBGA1170	Laptop
»	Intel T1400 @ 1.73GHz	2	548	648	NA	Unknown	Unknown
»	Intel T1500 @ 1.86GHz	2	548	661	NA	Unknown	Unknown
»	Intel Celeron G465 @ 1.90GHz	1	547	819	35	LGA1155	Desktop
»	Intel Core2 Duo T5500 @ 1.66GHz	2	543	605	34	PGA478	Laptop
»	Intel Atom Z3735F @ 1.33GHz	4	541	387	4.4	UTFCBGA592	Laptop
»	Intel Pentium E2140 @ 1.60GHz	2	539	599	65	LGA775, PLGA775	Desktop
»	Intel Pentium T2330 @ 1.60GHz	2	538	572	35	PPGA478	Laptop
»	mt6762m	4	538	350	NA	Unknown	Mobile/Embedded
»	SAMSUNG JF	4	537	328	NA	Unknown	Mobile/Embedded
»	AMD TurionX2 Dual Core Mobile RM-70	2	536	674	31	S1	Laptop
»	Intel Core2 Duo L7300 @ 1.40GHz	2	536	551	17	BGA479	Laptop
»	AMD E1-6010 APU	2	535	425	10	FT3b	Laptop
»	AMD Turion 64 X2 Mobile TL-52	2	534	564	31	S1	Laptop
»	AMD Sempron Dual Core 2100	2	533	596	65	Unknown	Unknown
»	[Dual CPU] Intel Xeon 3.06GHz	1	533	600	NA	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	MT6739CH	4	533	305	NA	Unknown	Mobile/Embedded
»	MT8167D	4	532	316	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 3400+	2	531	505	89	754	Desktop
»	AMD Opteron 165	2	531	638	110	939	Server
»	Intel Pentium T2310 @ 1.46GHz	2	531	559	35	PPGA478	Laptop
»	Spreadtrum SC9832E	4	531	298	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5300 @ 1.73GHz	2	530	533	34	PGA478	Laptop
»	AMD Athlon Neo X2 Dual Core L335	2	529	570	18	Unknown	Unknown
»	MT6737H	8	528	319	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Neo K345 Dual-Core	2	527	552	12	Unknown	Laptop
»	Intel Atom S1260 @ 2.00GHz	2	526	313	8.5	FCBGA1283	Server
»	AMD Athlon 64 X2 QL-62	2	525	623	35	S1	Laptop
»	Qualcomm Technologies, Inc MSM8917	4	525	311	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo U7300 @ 1.30GHz	2	522	531	10	BGA956	Laptop
»	MT6592	8	521	211	NA	Unknown	Mobile/Embedded
»	Intel Atom C2350 @ 1.74GHz	2	520	493	6	FCBGA1283	Server
»	Qualcomm Technologies, Inc APQ8017	4	520	329	NA	Unknown	Mobile/Embedded
»	AMD Turion 64 X2 Mobile TL-56	2	519	586	31	S1	Laptop
»	AMD Athlon 64 X2 Dual-Core TK-55	2	518	609	35	Unknown	Desktop
»	AMD Sempron 145	1	518	1,015	45	AM3	Desktop
»	AMD Athlon 64 FX-57	1	517	552	104	939	Desktop
»	Intel Celeron E1200 @ 1.60GHz	2	516	580	65	LGA775	Desktop
»	Intel Celeron U3400 @ 1.07GHz	2	516	456	18	BGA1288	Laptop
»	Intel Core2 Duo L7400 @ 1.50GHz	2	516	555	17	BGA479	Laptop
»	Intel T2050 @ 2.00GHz	2	516	611	31	PPGA478	Unknown
»	ARM Cortex-A53 4 Core 1800 MHz	4	513	237	NA	Unknown	Mobile/Embedded
»	AMD Sempron 130	1	511	1,059	45	AM2+/AM3	Unknown
»	Intel Atom D2701 @ 2.13GHz	2	511	384	10	BGA559	Laptop
»	Intel Celeron N2808 @ 1.58GHz	2	510	586	4.5	FCBGA1170	Laptop
»	MT8161P	4	508	261	NA	Unknown	Mobile/Embedded
»	Rockchip RK3288 (Flattened Device Tree)	4	508	403	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-80	2	506	618	32	S1	Laptop
»	Intel Core2 Duo SU9400 @ 1.40GHz	2	503	583	10	BGA956	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Celeron N2820 @ 2.13GHz	2	502	602	7.5	FCBGA1170	Laptop
»	ARM Cortex-A53 4 Core 2016 MHz	4	500	220	NA	Unknown	Mobile/Embedded
»	Intel Core Duo T2700 @ 2.33GHz	2	498	652	31	BGA479	Laptop
»	sun50iw6	4	498	339	NA	Unknown	Mobile/Embedded
»	Unisoc SC9832e	4	498	316	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Dual Core Mobile RM-70	2	497	504	31	S1	Laptop
»	AMD E2-2000 APU	2	496	538	18	BGA413,FT1	Laptop
»	Intel Atom Z3736F @ 1.33GHz	4	496	423	4.4	UTFCBGA592	Laptop
»	Intel Celeron N2815 @ 1.86GHz	2	495	560	7.5	FCBGA1170	Laptop
»	MT8735	4	495	299	NA	Unknown	Mobile/Embedded
»	Intel Pentium SU4100 @ 1.30GHz	2	492	524	10	BGA956	Laptop
»	Rockchip RK3328 box liantong avb	4	491	239	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1416 MHz	4	489	237	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2806 @ 1.60GHz	2	489	537	4.5	FCBGA1170	Laptop
»	Intel Atom Z3770D @ 1.49GHz	4	488	361	4.4	BGA1380	Laptop
»	AMD Athlon II Neo N36L Dual-Core	2	487	524	12	Unknown	Laptop
»	AMD E-350D APU	2	486	523	18	Unknown	Laptop, Mobile/Embedded
»	AMD Sempron 140	1	486	1,037	45	AM3	Desktop
»	Intel Celeron N2807 @ 1.58GHz	2	486	565	4.3	FCBGA1170	Laptop
»	AMD Athlon 64 3100+	1	484	600	89	754	Desktop
»	AMD G-T56N	2	484	528	18	FT1	Laptop
»	Intel Celeron 847 @ 1.10GHz	2	484	476	17	BGA1023	Laptop
»	AMD Turion 64 X2 Mobile TL-58	2	483	574	31	S1	Laptop
»	Intel Celeron SU2300 @ 1.20GHz	2	482	507	10	BGA956	Laptop
»	Qualcomm Technologies, Inc MSM8920	4	480	295	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3.20GHz	1	478	696	103	PPGA604	Server
»	MT8167A	4	478	285	NA	Unknown	Mobile/Embedded
»	Intel Celeron 925 @ 2.30GHz	1	477	910	35	Unknown	Laptop
»	AMD E1-2200 APU	2	474	368	9	FT3	Laptop
»	AMD Turion 64 X2 Mobile TL-50	2	474	541	31	S1	Laptop
»	AMD TurionX2 Dual Core Mobile RM-72	2	471	392	35	S1	Laptop
»	ARM Cortex-A53 4 Core 1512 MHz	4	471	213	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5200 @ 1.60GHz	2	470	592	34	Socket M	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron G460 @ 1.80GHz	1	469	699	35	LGA1155	Desktop
»»	Intel Pentium Extreme Edition 955 @ 3.46GHz	2	469	515	130	PLGA775	Desktop
»»	Intel Atom D2700 @ 2.13GHz	2	467	378	10	BGA559	Desktop
»»	Intel Core2 Duo L7100 @ 1.20GHz	2	467	484	NA	BGA956	Laptop
»»	AMD Athlon 64 FX-59	1	465	575	NA	939	Desktop
»»	Intel Pentium D 915 @ 2.80GHz	2	465	532	95	PLGA775	Desktop
»»	MediaTek MT6737	4	465	270	NA	Unknown	Mobile/Embedded
»»	Samsung Exynos 7570	4	465	305	NA	Unknown	Mobile/Embedded
»»	Intel Atom E3827 @ 1.74GHz	2	463	468	8	FCBGA1170	Laptop
»»	Rockchip rk3326 evb board	4	463	335	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A53 4 Core 1608 MHz	4	462	218	NA	Unknown	Mobile/Embedded
»»	Intel Core Duo T2600 @ 2.16GHz	2	460	667	31	BGA479	Laptop
»»	AMD Opteron 154	1	457	534	104	939	Server
»»	AMD Athlon Neo X2 Dual Core 6850e	2	456	566	22	Unknown	Unknown
»»	Qualcomm Technologies, Inc QM215	4	454	308	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A53 4 Core 1600 MHz	4	453	210	NA	Unknown	Mobile/Embedded
»»	QCT APQ8064 DEB	4	453	278	NA	Unknown	Mobile/Embedded
»»	AMD Opteron 254	1	451	578	68	940	Server
»»	AMD E2-1800 APU	2	447	525	18	FT1	Desktop
»»	ARM Cortex-A53 4 Core 1300 MHz	4	447	289	NA	Unknown	Mobile/Embedded
»»	Intel Atom N2800 @ 1.86GHz	2	444	319	6.5	BGA559	Laptop
»»	AMD G-T56E	2	442	522	18	FT1	Laptop
»»	Intel Core2 Duo U9300 @ 1.20GHz	2	440	502	10	BGA956	Laptop
»»	MediaTek MT6739WW	4	438	293	NA	Unknown	Mobile/Embedded
»»	AMD E-450 APU	2	435	498	18	FT1	Laptop
»»	Intel Atom D2560 @ 2.00GHz	2	433	353	10	Unknown	Desktop
»»	AMD Turion Neo X2 Dual Core L625	2	432	486	18	ASB1	Laptop
»»	AMD Athlon LE-1640	1	430	489	45	AM2	Desktop
»»	AMD G-T48E	2	429	458	18	FT1	Laptop
»»	Intel Core2 Duo U7700 @ 1.33GHz	2	429	442	10	Unknown	Laptop
»»	MT8127	4	429	253	NA	Unknown	Mobile/Embedded
»»	AMD Opteron 152	1	428	487	104	939	Server
»»	Sony Mobile fusion3	4	428	234	NA	Unknown	Unknown
»»	Intel Core2 Duo T5270 @ 1.40GHz	2	427	535	35	PGA478	Laptop
»»	MediaTek MT6737M	4	427	222	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron G440 @ 1.60GHz	1	425	743	35	LGA1155	Desktop
»»	Intel Xeon 3.00GHz	1	425	607	103	PPGA604	Server
»»	Qualcomm MSM8916	4	424	314	NA	Unknown	Mobile/Embedded
»»	AMD E-350 APU	2	423	490	18	FT1 BGA	Desktop, Laptop
»»	Rockchip RK3326	4	422	272	NA	Unknown	Mobile/Embedded
»»	AMD Athlon LE-1620	1	421	475	45	AM2	Desktop
»»	AMD E-350	2	421	485	18	FT1	Desktop, Laptop
»»	Intel Celeron N2810 @ 2.00GHz	2	420	512	7.5	FCBGA1170	Laptop
»»	MT8765WB	4	419	249	NA	Unknown	Mobile/Embedded
»»	MediaTek MT8735B	4	418	225	NA	Unknown	Mobile/Embedded
»»	AMD Athlon II Neo K325 Dual-Core	2	417	486	12	Unknown	Laptop
»»	AMD Sempron LE-1300	1	417	614	45	AM2	Desktop
»»	ARM Cortex-A53 4 Core 1392 MHz	4	417	193	NA	Unknown	Mobile/Embedded
»»	AMD Athlon LE-1660	1	416	428	45	AM2	Desktop
»»	AMD V140	1	416	850	25	S1	Laptop
»»	ARM Cortex-A53 4 Core 1296 MHz	4	416	183	NA	Unknown	Mobile/Embedded
»»	Intel Celeron 450 @ 2.20GHz	1	415	713	35	LGA775	Desktop
»»	Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	4	415	179	NA	Unknown	Mobile/Embedded
»»	AMD Athlon 1640B	1	412	462	45	AM2	Desktop
»»	AMD Athlon LE-1600	1	412	430	45	AM2	Desktop
»»	Intel Core Duo T2450 @ 2.00GHz	2	411	608	31	PGA478	Laptop
»»	Intel Atom D2550 @ 1.86GHz	2	409	322	10	BGA559	Desktop
»»	Qualcomm Technologies, Inc QCM2150	4	409	295	NA	Unknown	Mobile/Embedded
»»	Intel Core Duo T2500 @ 2.00GHz	2	408	613	31	BGA479	Laptop
»»	ARM Cortex-A53 4 Core 1199 MHz	4	407	178	NA	Unknown	Mobile/Embedded
»»	AMD A4-1250 APU	2	406	329	8	FT3	Laptop
»»	Intel Atom D510 @ 1.66GHz	2	406	293	13	BGA559	Desktop
»»	Intel Atom E3805 @ 1.33GHz	2	406	376	3	FCBGA1170	Mobile/Embedded
»»	AMD E1-2100 APU	2	405	322	9	FT3	Laptop
»»	Intel Xeon 5110 @ 1.60GHz	2	405	423	65	LGA771	Server
»»	AMD Athlon 64 FX-55	1	404	505	104	939	Desktop
»»	Intel Core Duo L2500 @ 1.83GHz	2	404	578	15	BGA479	Laptop
»»	Qualcomm Technologies, Inc APQ8016	4	404	247	NA	Unknown	Mobile/Embedded
»»	Qualcomm Technologies, Inc MSM8916	4	404	252	NA	Unknown	Mobile/Embedded
»»	ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz	4	403	272	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron 900 @ 2.20GHz	1	403	824	34.8	PGA478	Laptop
»»	Intel Xeon 3.60GHz	1	403	643	110	PPGA604	Server
»»	MediaTek MT8167B	4	403	271	NA	Unknown	Mobile/Embedded
»»	Intel Atom D525 @ 1.80GHz	2	402	306	13	BGA559	Desktop
»»	MediaTek MT6739WA	4	401	259	NA	Unknown	Mobile/Embedded
»»	AMD Geode NX 2400+	1	400	634	NA	Unknown	Unknown
»»	AMD Turion 64 Mobile ML-42	1	400	455	35	754	Laptop
»»	Intel Core i7-2630UM @ 1.60GHz	2	400	221	NA	Unknown	Laptop
»»	VIA Nano X2 U4025 @ 1.2 GHz	2	400	298	NA	BGA400	Laptop
»»	ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz	4	399	273	NA	Unknown	Mobile/Embedded
»»	QCT APQ8064 MAKO	4	399	254	NA	Unknown	Unknown
»»	AMD E1-1500 APU	2	398	458	18	FT1	Laptop
»»	AMD Athlon 64 3700+	1	394	435	89	939	Desktop
»»	AMD Opteron 150	1	393	471	85.3	939	Server
»»	Intel Xeon 3.80GHz	1	393	594	110	PPGA604	Server
»»	AMD Opteron 148	1	392	443	85.3	939	Server
»»	Intel Celeron 807 @ 1.50GHz	1	392	608	17	BGA-1023	Laptop
»»	Intel Core2 Duo U7500 @ 1.06GHz	2	392	393	10	BGA479	Laptop
»»	QCT APQ8064 MTP	4	389	330	NA	Unknown	Mobile/Embedded
»»	MT8735M	4	388	244	NA	Unknown	Mobile/Embedded
»»	Intel Core Duo L2300 @ 1.50GHz	2	387	442	15	BGA479	Desktop
»»	ARM Cortex-A53 4 Core 1368 MHz	4	385	166	NA	Unknown	Mobile/Embedded
»»	Intel Core Duo T2350 @ 1.86GHz	2	385	576	31	PGA478	Laptop
»»	Intel Pentium 4 3.73GHz	1	385	572	115	Unknown	Desktop
»»	AMD Turion 64 Mobile ML-44	1	384	469	35	754	Laptop
»»	Intel Pentium T2130 @ 1.86GHz	2	382	583	31	PGA478	Laptop
»»	QCT APQ8064 AWIFI	4	382	276	NA	Unknown	Mobile/Embedded
»»	AMD E1-1200 APU	2	379	430	18	FT1	Laptop
»»	Intel Atom E3825 @ 1.33GHz	2	378	309	6	FCBGA1170	Desktop
»»	Qualcomm MSM8212	4	378	247	NA	Unknown	Mobile/Embedded
»»	AMD Athlon 64 3500+	1	377	576	45	AM2	Desktop
»»	AMD Athlon 64 3300+	1	375	477	NA	Unknown	Desktop
»»	Intel Xeon 3.40GHz	1	375	519	103	PPGA604	Server
»»	Intel Pentium D 805 @ 2.66GHz	2	374	497	95	PLGA775	Desktop
»»	MT6735P	4	374	224	NA	Unknown	Mobile/Embedded
»»	Intel Celeron D 360 @ 3.46GHz	1	372	712	65	PLGA775	Desktop
»»	Intel Celeron 827E @ 1.40GHz	1	371	674	17	FCBGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD A4-1200 APU	2	369	303	3.9	FT3	Laptop
»	Intel Celeron 440 @ 2.00GHz	1	368	444	35	LGA775	Desktop
»	Qualcomm MSM8928	4	367	226	NA	Unknown	Mobile/Embedded
»	Rockchip rk3326 863 rkisp1 board	4	365	300	NA	Unknown	Mobile/Embedded
»	AMD Sempron 3600+	1	364	377	62	AM2	Desktop
»	Intel Atom 330 @ 1.60GHz	2	363	255	8	BGA437	Desktop
»	AMD Turion 64 Mobile MK-38	1	362	801	31	S1	Laptop
»	Intel Core Duo T2400 @ 1.83GHz	2	362	527	31	BGA479	Laptop
»	AMD Sempron 3800+	1	360	422	62	AM2	Desktop
»	Intel Atom N2600 @ 1.60GHz	2	360	289	3.5	BGA559	Laptop
»	AMD Athlon II 160u	1	358	717	20	Unknown	Desktop
»	Intel Pentium 4 3.80GHz	1	358	671	65	Unknown	Desktop
»	AMD Athlon X2 Dual Core 3250e	2	357	458	22	Unknown	Unknown
»	Manta	2	356	426	NA	Unknown	Mobile/Embedded
»	Mobile AMD Athlon 64 3700+	1	356	485	81.5	Unknown	Laptop
»	ARM Cortex-A7 4 Core 1368 MHz	4	354	266	NA	Unknown	Mobile/Embedded
»	Nakamichi	4	353	238	NA	Unknown	Mobile/Embedded
»	AMD V120	1	352	806	25	S1	Laptop
»	Intel Core Duo T2250 @ 1.73GHz	2	350	530	31	PGA478	Laptop
»	AMD Sempron LE-1200	1	349	551	45	AM2	Desktop
»	Intel Core Duo L2400 @ 1.66GHz	2	348	501	15	BGA479	Laptop
»	Intel Core2 Duo U7600 @ 1.20GHz	2	347	429	10	BGA479	Laptop
»	AMD Opteron 146	1	346	400	67	939	Server
»	Intel Celeron 570 @ 2.26GHz	1	344	431	31	PGA478	Laptop
»	Mobile Intel Pentium 4 3.33GHz	1	344	552	NA	Unknown	Laptop
»	ARM Cortex-A7 4 Core 1300 MHz	4	343	247	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A53 4 Core 1152 MHz	4	342	151	NA	Unknown	Mobile/Embedded
»	Intel 2.80GHz	2	341	456	NA	Unknown	Unknown
»	Intel Atom N570 @ 1.66GHz	2	341	273	8.5	BGA559	Laptop
»	Intel Pentium T2080 @ 1.73GHz	2	341	528	31	PGA478	Laptop
»	AMD Athlon 64 4000+	1	340	565	62	AM2	Desktop
»	AMD Athlon II 170u	1	340	719	20	AM2+,AM3	Desktop
»	ARM Cortex-A53 4 Core 1500 MHz	4	340	197	NA	Unknown	Mobile/Embedded
»	AMD E-300 APU	2	339	394	18	FT1	Laptop
»	Intel Celeron 560 @ 2.13GHz	1	339	632	31	PGA478	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Qualcomm Technologies, Inc APQ8009	4	339	209	NA	Unknown	Mobile/Embedded
»	AMD Athlon TF-36	1	338	349	25	Unknown	Unknown
»	AMD Sempron M100	1	338	587	NA	Unknown	Unknown
»	MT6739WM	4	338	236	NA	Unknown	Mobile/Embedded
»	Unisoc SC7731e	4	338	241	NA	Unknown	Mobile/Embedded
»	AMD V160	1	337	838	25	S1	Laptop
»	AMD Turion 64 Mobile ML-40	1	336	662	35	754	Laptop
»	ARM Cortex-A72 4 Core 1750 MHz	4	335	463	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2805 @ 1.46GHz	2	335	394	4.3	FCBGA1170	Laptop
»	Mobile AMD Sempron 3800+	1	335	735	NA	S1	Laptop
»	sun8iw11p1	4	335	243	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3000+	1	334	615	89	Socket 754	Desktop
»	AMD Turion 64 Mobile MK-36	1	334	735	31	S1	Laptop
»	AMD Turion 64 Mobile ML-37	1	334	510	35	754	Laptop
»	ARM Cortex-A35 4 Core 1296 MHz	4	334	166	NA	Unknown	Mobile/Embedded
»	Intel Celeron 550 @ 2.00GHz	1	334	662	31	BGA479	Laptop
»	AMD Athlon 2850e	1	333	337	22	AM2	Desktop
»	Intel Core Duo T2050 @ 1.60GHz	2	333	498	31	PGA478	Desktop
»	Mobile AMD Athlon 64 3400+	1	333	432	81.5	Unknown	Laptop
»	Qualcomm APQ8026	4	332	224	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8228	4	332	214	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4 3.20GHz	1	330	547	82	PGA478	Desktop
»	Intel Pentium T2060 @ 1.60GHz	2	330	490	31	PGA478	Laptop
»	AMD Athlon X2 Dual Core L310	2	329	395	13	S1	Laptop
»	ARM Cortex-A35 4 Core 1200 MHz	4	329	157	NA	Unknown	Mobile/Embedded
»	VIA Eden X2 U4200 @ 1.0+ GHz	2	327	293	NA	Unknown	Mobile/Embedded
»	Mobile AMD Athlon 64 3200+	1	326	400	81.5	Unknown	Laptop
»	ARM ARMv7 rev 5 (v7l) 4 Core 1200 MHz	4	325	232	NA	Unknown	Unknown
»	Qualcomm MSM8226	4	322	224	NA	Unknown	Mobile/Embedded
»	AMD Turion 64 Mobile ML-34	1	319	526	35	754	Laptop
»	Rockchip RK3328	4	319	204	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A57 2 Core 1479 MHz	2	318	207	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3400+	1	317	547	89	754	Desktop
»	Intel Core Duo T2300 @ 1.66GHz	2	317	507	31	BGA479	Laptop
»	Intel Pentium 4 3.00GHz	1	317	537	81.9	PGA478	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⌵	AMD Opteron 144	1	316	376	67	939	Server
⌵	AMD Athlon II Neo K125	1	315	616	12	S1	Laptop
⌵	AMD C-70 APU	2	315	364	9	Unknown	Laptop, Mobile/Embedded
⌵	AMD Sempron 3300+	1	315	394	62	754	Desktop
⌵	AMD Sempron LE-1100	1	315	509	45	AM2	Desktop
⌵	Intel Pentium 4 3.60GHz	1	315	447	115	Unknown	Desktop
⌵	ARM Cortex-A72 4 Core 2800 MHz	4	314	243	NA	Unknown	Mobile/Embedded
⌵	Intel Celeron D 420 @ 1.60GHz	1	313	388	35	LGA775	Desktop
⌵	Mobile AMD Athlon 64 4000+	1	313	338	62	Unknown	Laptop
⌵	AMD C-60 APU	2	312	355	9	Unknown	Laptop, Mobile/Embedded
⌵	Samsung GrandPrimePlus LTE CIS rev04 board based o	4	312	213	NA	Unknown	Mobile/Embedded
⌵	ARM Cortex-A53 4 Core 1008 MHz	4	310	132	NA	Unknown	Mobile/Embedded
⌵	Spreadtrum SC7731e	4	310	211	NA	Unknown	Unknown
⌵	MT6735M	4	308	190	NA	Unknown	Mobile/Embedded
⌵	Intel Celeron 3.06GHz	1	307	544	NA	Unknown	Unknown
⌵	msm8960dt	2	306	324	NA	Unknown	Mobile/Embedded
⌵	UNIVERSAL3475	4	306	197	NA	Unknown	Mobile/Embedded
⌵	AMD Athlon 64 3200+	1	305	621	62	AM2	Desktop
⌵	AMD Z-01	2	305	294	NA	Unknown	Unknown
⌵	Intel Celeron 540 @ 1.86GHz	1	305	550	30	PGA478	Laptop
⌵	Intel Atom E3826 @ 1.46GHz	2	304	395	7	FCBGA1170	Laptop
⌵	ARM Cortex-A53 4 Core 1400 MHz	4	302	230	NA	Unknown	Mobile/Embedded
⌵	Intel Celeron M 530 @ 1.73GHz	1	302	578	30	PBGA479, PPGA478	Laptop
⌵	AMD Sempron LE-1250	1	301	508	45	AM2	Desktop
⌵	Intel Pentium 4 3.40GHz	1	301	660	89	PGA478	Desktop
⌵	AMD G-T40N	2	299	323	9	FT1	Laptop
⌵	AMD Athlon II Neo K145	1	298	592	12	S1	Laptop
⌵	AMD Sempron 3100+	1	298	383	62	754	Desktop
⌵	Intel Atom Z2760 @ 1.80GHz	2	298	206	NA	FC-MB4760	Laptop
⌵	AMD Athlon 64 2800+	1	295	375	89	754	Desktop
⌵	Intel Pentium 4 3.46GHz	1	295	512	110.7	Unknown	Desktop
⌵	Mobile AMD Sempron 3300+	1	294	391	NA	Socket 754	Laptop
⌵	Qualcomm MSM8626	4	294	185	NA	Unknown	Mobile/Embedded
⌵	AMD Athlon 64 3800+	1	292	461	45	AM2	Desktop
⌵	AMD Sempron 3400+	1	292	346	62	AM2	Desktop
⌵	Intel Pentium M 2.10GHz	1	292	353	21	H-PBGA479, PPGA4	Laptop
⌵	Qualcomm Technologies, Inc MSM8216	4	292	155	NA	Unknown	Mobile/Embedded
⌵	AMD Athlon 2800+	1	291	439	89	754	Desktop
⌵	ARM Cortex-A53 4 Core 1200 MHz	4	291	205	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD C-60	2	290	354	9	Unknown	Unknown
»	AMD G-T40E	2	289	313	6.4	FT1	Laptop
»	Qualcomm Technologies, Inc MSM8909	4	289	190	NA	Unknown	Mobile/Embedded
»	AMD Sempron SI-40	1	288	631	25	S1	Laptop
»	AMD Sempron 3000+	1	286	462	62	AM2	Desktop
»	AMD Turion 64 Mobile MT-32	1	286	367	24	754	Laptop
»	Qualcomm MSM8926	4	286	182	NA	Unknown	Mobile/Embedded
»	AMD Turion 64 Mobile ML-32	1	285	321	35	754	Laptop
»	Mobile AMD Sempron 3600+	1	284	618	25	S1	Laptop
»	Intel Atom N550 @ 1.50GHz	2	283	239	8.5	BGA559	Laptop
»	AMD Athlon XP 3100+	1	282	431	NA	Unknown	Unknown
»	AMD Athlon XP 3200+	1	281	430	62	AM2	Unknown
»	Intel Celeron 430 @ 1.80GHz	1	280	615	35	LGA775	Desktop
»	Intel Pentium M 1.80GHz	1	280	389	21	H-PBGA479, PPGA4	Laptop
»	AMD Turion 64 Mobile MT-34	1	279	328	24	754	Laptop
»	ARM Cortex-A72 4 Core 800 MHz	4	279	214	NA	Unknown	Mobile/Embedded
»	VIA Nano L2100@1800MHz	1	279	182	25	BGA400	Laptop
»	ARM Cortex-A7 4 Core 1000 MHz	4	278	194	NA	Unknown	Mobile/Embedded
»	AMD Turion 64 Mobile ML-30	1	277	314	35	754	Laptop
»	Mobile AMD Sempron 3100+	1	277	359	NA	Socket 754	Laptop
»	AMD Athlon XP 2900+	1	276	410	NA	Unknown	Unknown
»	AMD Athlon Neo MV-40	1	275	485	15	Unknown	Unknown
»	Intel Celeron 743 @ 1.30GHz	1	275	496	10	BGA956	Laptop
»	AMD Athlon 2650e	1	274	304	15	AM2	Desktop
»	AMD Turion 64 Mobile MT-37	1	274	501	25	754	Laptop
»	Intel Celeron D 352 @ 3.20GHz	1	274	576	86	PLGA775	Desktop
»	Intel Pentium M 2.00GHz	1	270	363	21	H-PBGA479, PPGA4	Laptop
»	ARM Cortex-A7 4 Core 1008 MHz	4	269	198	NA	Unknown	Mobile/Embedded
»	Mobile AMD Sempron 3000+	1	269	350	NA	Socket 754	Laptop
»	Mobile AMD Sempron 3400+	1	269	489	25	Socket S1 (S1g1)	Laptop
»	Intel Celeron 530 @ 1.73GHz	1	268	468	27	PGA478	Laptop
»	AMD Sempron 210U	1	267	299	15	Unknown	Unknown
»	Intel Celeron 3.20GHz	1	267	599	NA	Unknown	Unknown
»	Intel Celeron M 723 @ 1.20GHz	1	267	507	10	BGA956	Laptop
»	AMD Athlon TF-20	1	265	454	15	Unknown	Unknown
»	AMD C-50	2	265	312	9	FT1	Laptop
»	Intel Celeron 3.33GHz	1	263	528	NA	Unknown	Unknown
»	VIA Eden C1050@1.06GHz	1	263	283	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⏏	AMD Athlon XP 3000+	1	262	396	62	Socket A	Desktop
⏏	AMD Z-60 APU	2	262	318	4.5	FT1	Laptop
⏏	ARM Cortex-A7 4 Core 1200 MHz	4	262	198	NA	Unknown	Mobile/Embedded
⏏	AMD Athlon XP 2800+	1	260	408	89	754	Unknown
⏏	Intel Xeon 2.80GHz	1	260	384	103	PPGA604	Server
⏏	Mobile AMD Sempron 3500+	1	259	535	NA	S1	Laptop
⏏	AMD Athlon XP 2700+	1	256	398	NA	Unknown	Unknown
⏏	Mobile AMD Sempron 2600+	1	256	316	NA	Socket 754	Laptop
⏏	Intel Core Duo U2400 @ 1.06GHz	2	255	342	9	BGA479	Laptop
⏏	AMD Turion 64 Mobile ML-28	1	254	314	25	754	Laptop
⏏	AMD Sempron 2600+	1	253	325	NA	Socket A	Desktop
⏏	Intel Core Solo T1400 @ 1.83GHz	1	253	525	27	PGA478	Laptop
⏏	Intel Celeron M 1.70GHz	1	252	370	NA	Unknown	Laptop
⏏	Intel Core2 Solo U3500 @ 1.40GHz	1	252	546	5.5	BGA956	Laptop
⏏	AMD Sempron 3200+	1	251	456	62	AM2	Desktop
⏏	AMD Sempron LE-1150	1	251	477	45	AM2	Desktop
⏏	Intel Celeron D 356 @ 3.33GHz	1	251	619	86	PLGA775	Desktop
⏏	Intel Pentium 4 3.06GHz	1	249	551	81.8	PGA478	Desktop
⏏	AMD GX-210JA SOC	2	248	231	6	FT3 (769-BGA)	Laptop
⏏	AMD Sempron M120	1	247	559	25	S1	Laptop
⏏	AMD Turion 64 Mobile MT-30	1	246	294	25	754	Laptop
⏏	Intel Atom D2500 @ 1.86GHz	2	246	326	10	BGA559	Desktop
⏏	AMD Sempron SI-42	1	245	637	25	S1	Laptop
⏏	Mobile AMD Sempron 3200+	1	245	525	NA	S1	Laptop
⏏	Rockchip RK3229	4	244	165	NA	Unknown	Mobile/Embedded
⏏	AMD Athlon 64 2600+	1	243	292	15	Unknown	Desktop
⏏	AMD Athlon XP2400+	1	243	390	NA	Unknown	Unknown
⏏	AMD Sempron 2800+	1	243	408	62	AM2	Desktop
⏏	AMD Athlon XP 2600+	1	242	380	NA	Unknown	Unknown
⏏	Intel Celeron 807UE @ 1.00GHz	1	241	421	10	BGA-1023	Laptop
⏏	Mobile AMD Athlon 2500+	1	241	365	NA	Unknown	Laptop
⏏	Mobile AMD Athlon XP-M 2600+	1	241	375	NA	Unknown	Laptop
⏏	Intel Pentium M 1.50GHz	1	240	323	24.5	H-PBGA479, PPG	Laptop
⏏	Intel Celeron M 520 @ 1.60GHz	1	239	505	30	PPGA478	Laptop
⏏	Intel Pentium M 1.70GHz	1	239	318	24.5	H-PBGA479, PPG	Laptop
⏏	SAMSUNG SERRANO	2	239	330	NA	Unknown	Mobile/Embedded
⏏	Mobile AMD Athlon XP-M 2800+	1	238	385	NA	Unknown	Laptop
⏏	Mobile AMD Athlon XP-M 3000+	1	238	365	NA	Unknown	Laptop
⏏	VIA Nano L2007@1600MHz	1	238	273	25	BGA400	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Pentium 4 2.80GHz	1	237	509	69.7	PGA478	Desktop
»	Intel Pentium M 1700MHz	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
»	Mobile AMD Athlon XP-M 2200+	1	237	363	NA	Unknown	Laptop
»	Mobile AMD Sempron 2800+	1	237	299	NA	Socket 754	Laptop
»	Intel Celeron 420 @ 1.60GHz	1	235	471	35	LGA775	Desktop
»	AMD Athlon XP 2400+	1	234	375	NA	Unknown	Unknown
»	Intel Pentium M 2.13GHz	1	234	472	27	H-PBGA479, PPGA4	Laptop
»	Intel Core2 Solo U2100 @ 1.06GHz	1	233	258	5.5	Unknown	Laptop
»	Mobile AMD Athlon 4 2400+	1	233	358	NA	Unknown	Laptop
»	SAMSUNG EXPRESS2	2	233	239	NA	Unknown	Mobile/Embedded
»	AMD Sempron 3500+	1	232	264	62	AM2	Desktop
»	Intel Celeron D 347 @ 3.06GHz	1	232	565	86	PLGA775	Desktop
»	Mobile Intel Pentium 4 3.20GHz	1	232	468	82	PGA478	Desktop
»	AMD Athlon XP 2500+	1	231	353	NA	Unknown	Unknown
»	Intel Celeron 2.93GHz	1	230	396	NA	Unknown	Unknown
»	Intel Celeron M 450 @ 2.00GHz	1	230	598	27	PPGA478	Laptop
»	ARM Cortex-A7 4 Core 900 MHz	4	228	163	NA	Unknown	Mobile/Embedded
»	Intel Pentium SU2700 @ 1.30GHz	1	228	480	10	Unknown	Laptop
»	Intel Pentium M 2.26GHz	1	227	508	27	H-PBGA479, PPGA4	Laptop
»	Mobile AMD Athlon XP-M 2500+	1	226	355	NA	Unknown	Laptop
»	ARM Cortex-A7 4 Core 1296 MHz	4	225	162	NA	Unknown	Mobile/Embedded
»	Intel Pentium M 1.40GHz	1	225	264	22	H-PBGA479, PPG	Laptop
»	Mobile AMD Athlon XP-M 2400+	1	225	355	NA	Unknown	Laptop
»	Intel Atom N470 @ 1.83GHz	1	224	308	6.5	BGA559	Laptop
»	Intel Core Duo U2500 @ 1.20GHz	2	223	361	9	BGA479	Laptop
»	Intel Celeron 2.53GHz	1	222	396	NA	Unknown	Unknown
»	Intel Pentium M 1.86GHz	1	222	499	27	H-PBGA479, PPGA4	Laptop
»	Intel Celeron M 360 1.40GHz	1	221	305	21	H-PBGA479, PPGA4	Laptop
»	ARM Cortex-A53 4 Core 600 MHz	4	220	137	NA	Unknown	Mobile/Embedded
»	Mobile Intel Pentium 4 3.06GHz	1	220	423	81.8	PGA478	Desktop
»	Intel Celeron M 1500MHz	1	217	297	NA	Unknown	Laptop
»	ARM Cortex-A53 4 Core 1000 MHz	4	215	169	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4 2.60GHz	1	215	494	69	PGA478	Desktop
»	AMD Athlon XP 2200+	1	214	335	NA	Unknown	Unknown
»	ARM Cortex-A53 4 Core 1536 MHz	4	213	198	NA	Unknown	Mobile/Embedded
»	Intel Celeron 723 @ 1.20GHz	1	213	460	10	BGA956	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
⌵	AMD Athlon XP 2100+	1	210	327	NA	Unknown	Unknown
⌵	Intel Core Solo T1300 @ 1.66GHz	1	210	518	27	PGA478	Laptop
⌵	Intel Celeron 220 @ 1.20GHz	1	209	255	19	BGA479	Desktop
⌵	Intel Pentium M 1400MHz	1	208	282	22	H-PBGA479, PPGA4	Laptop
⌵	AMD Sempron 2300+	1	207	314	NA	Socket A	Desktop
⌵	AMD Sempron 2500+	1	207	405	NA	Socket A	Desktop
⌵	ARM Cortex-A53 4 Core 1333 MHz	4	207	196	NA	Unknown	Mobile/Embedded
⌵	AMD Sempron 2400+	1	205	321	NA	Socket A	Desktop
⌵	Intel Celeron M 1.30GHz	1	205	284	NA	Unknown	Laptop
⌵	Intel Pentium M 1.73GHz	1	205	494	27	H-PBGA479, PPGA4	Laptop
⌵	Mobile Intel Pentium 4 2.80GHz	1	205	397	69.7	PGA478	Desktop
⌵	AMD Athlon XP 1900+	1	203	312	NA	Unknown	Unknown
⌵	Intel Atom N450 @ 1.66GHz	1	203	277	5.5	BGA559	Laptop
⌵	ARM Cortex-A72 4 Core 1850 MHz	4	199	343	NA	Unknown	Mobile/Embedded
⌵	Intel Atom D425 @ 1.80GHz	1	199	267	10	BGA559	Desktop
⌵	Intel Pentium M 1.20GHz	1	199	262	NA	Unknown	Laptop
⌵	VIA Nano U2500@1200MHz	1	199	184	7	BGA400	Laptop
⌵	RK30board	4	198	226	NA	Unknown	Mobile/Embedded
⌵	AMD Athlon L110	1	197	223	13	Unknown	Unknown
⌵	Intel Celeron M 1300MHz	1	197	274	NA	Unknown	Laptop
⌵	Intel Pentium M 1300MHz	1	197	271	22	H-PBGA479, PPGA4	Laptop
⌵	Intel Pentium M 1.30GHz	1	196	250	22	H-PBGA479, PPG	Laptop
⌵	Mobile AMD Athlon XP-M 2000+	1	196	301	NA	Unknown	Laptop
⌵	AMD Athlon XP 1800+	1	195	301	66	Socket A	Desktop
⌵	AMD Athlon XP 2000+	1	195	311	70	Socket A	Desktop
⌵	AMD E-240	1	195	403	18	FT1	Laptop
⌵	Intel Core Solo T1350 @ 1.86GHz	1	194	413	31	Unknown	Laptop
⌵	Intel Pentium III 1400S @ 1400MHz	1	194	278	32.2	Socket 370	Desktop
⌵	Intel Pentium M 1.60GHz	1	194	427	24.5	H-PBGA479, PPG	Laptop
⌵	Intel Atom N455 @ 1.66GHz	1	193	266	6.5	BGA559	Laptop
⌵	Intel Pentium III 1400 @ 1400MHz	1	193	272	31.2	Socket 370	Desktop
⌵	Intel Pentium M 1600MHz	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
⌵	Mobile AMD Athlon XP-M 1800+	1	193	291	45	Socket A	Laptop
⌵	Intel Celeron M 1.50GHz	1	192	374	21	PPGA478, H-PBGA4	Laptop
⌵	Mobile AMD Athlon MP-M 2400+	1	192	314	NA	Unknown	Laptop
⌵	AMD Athlon 1500+	1	191	275	NA	Unknown	Desktop
⌵	Intel Celeron 2.80GHz	1	190	425	68.4	PPGA478	Desktop
⌵	Intel Celeron M 1.60GHz	1	190	433	NA	Unknown	Laptop
⌵	Intel Atom N2100 @ 1.60GHz	1	188	310	NA	BGA559	Laptop
⌵	Intel Pentium M 1500MHz	1	188	251	24.5	H-PBGA479, PPGA4	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Google R11 BtWifi Evt1.1	2	187	240	NA	Unknown	Mobile/Embedded
»	VIA Nano U2250 (1.6GHz Capable)	1	187	256	8	BGA400	Laptop
»	AMD Sempron 2200+	1	184	279	NA	Socket A	Desktop
»	AMD V105	1	184	452	9	BGA812	Laptop
»	Intel Atom E3815 @ 1.46GHz	1	184	266	5	FCBGA1170	Desktop
»	Intel Pentium M 1.10GHz	1	184	218	NA	Unknown	Laptop
»	VIA Nano U3500@1000MHz	1	184	286	5	BGA400	Laptop
»	AMD Athlon XP1600+	1	183	272	NA	Unknown	Unknown
»	Intel Atom Z530 @ 1.60GHz	1	183	161	2	BGA441	Laptop
»	Mobile Intel Celeron 1333MHz	1	183	248	NA	Unknown	Laptop
»	Intel Celeron 2.26GHz	1	182	382	NA	Unknown	Unknown
»	Mobile Intel Pentium 4 2.66GHz	1	182	425	66.1	PGA478	Desktop
»	Intel Atom D410 @ 1.66GHz	1	180	241	10	BGA559	Desktop
»	Intel Xeon 2.40GHz	1	180	387	NA	Unknown	Server
»	Intel Atom N475 @ 1.83GHz	1	179	281	6.5	BGA559	Laptop
»	VIA Nano U2250@1300+MHz	1	179	156	10	BGA400	Laptop
»	AMD C-30	1	178	375	9	FT1	Laptop
»	AMD G-T52R	1	177	381	18	FT1	Laptop
»	AMD Athlon XP 1700+	1	176	272	64	Socket A (462)	Desktop
»	AMD Athlon XP 1600+	1	174	265	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1200 MHz	4	174	178	NA	Unknown	Mobile/Embedded
»	Intel Celeron 215 @ 1.33GHz	1	174	440	27	BGA479	Laptop
»	Mobile AMD Athlon MP-M 1800+	1	173	262	35	Unknown	Laptop
»	Intel Atom 230 @ 1.60GHz	1	169	185	4	BGA437	Desktop
»	Intel Celeron M 430 @ 1.73GHz	1	169	466	27	PPGA478	Laptop
»	Intel Celeron M 440 @ 1.86GHz	1	169	485	27	PBGA479, PPGA478	Laptop
»	Mobile AMD Athlon XP-M 1600+	1	169	274	NA	Unknown	Laptop
»	AMD Athlon XP 1500+	1	167	251	NA	Unknown	Unknown
»	Intel Celeron 2.13GHz	1	166	361	NA	Unknown	Unknown
»	VIA Nano L2207@1600MHz	1	165	191	17	BGA400	Laptop
»	Intel Celeron 2.50GHz	1	164	431	NA	Unknown	Unknown
»	Intel Core Solo U1500 @ 1.33GHz	1	164	375	5.5	Unknown	Laptop
»	Intel Pentium III Mobile 1133MHz	1	164	218	NA	Unknown	Laptop
»	Intel XEON 2.20GHz	1	164	351	NA	Unknown	Server
»	Mobile AMD Sempron 2100+	1	164	203	8	S1	Laptop, Mobile/Embedded
»	Intel Pentium 4 2.53GHz	1	162	442	61.5	PGA478	Desktop
»	Intel Pentium 4 2.50GHz	1	160	385	61	PGA478	Desktop
»	Intel Pentium III Mobile 1066MHz	1	160	210	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron 1200MHz	1	159	212	NA	Unknown	Unknown
»»	Intel Celeron 2.70GHz	1	159	386	NA	Unknown	Unknown
»»	Intel Atom Z670 @ 1.50GHz	1	158	95	3	BGA518	Laptop
»»	Intel Atom N280 @ 1.66GHz	1	157	234	2.5	BGA437	Laptop
»»	Intel Pentium 4 2.20GHz	1	157	379	57.1	PGA478	Desktop
»»	Intel Pentium 4 2.66GHz	1	157	431	66.1	PGA478	Desktop
»»	Intel Pentium III Mobile 1200MHz	1	156	216	NA	Unknown	Laptop
»»	Intel Pentium M 1000MHz	1	156	222	7	Unknown	Laptop
»»	Intel Pentium M 1200MHz	1	155	166	12	Unknown	Laptop
»»	AMD Athlon 64 2000+	1	154	173	8	Unknown	Desktop
»»	Intel Pentium 4 3.83GHz	1	154	237	NA	Unknown	Desktop
»»	Mobile Intel Celeron 2.40GHz	1	154	376	NA	Unknown	Laptop
»»	Intel Atom N435 @ 1.33GHz	1	153	220	NA	Unknown	Unknown
»»	Intel Xeon 2.00GHz	1	152	259	NA	Unknown	Server
»»	Intel Pentium 4 2.26GHz	1	151	409	58	PGA478	Desktop
»»	Intel Pentium 4 2.93GHz	1	150	269	NA	Unknown	Desktop
»»	VIA C7-D 1800MHz	1	150	147	20	BGA400	Desktop
»»	Intel Celeron M 1.00GHz	1	149	197	NA	Unknown	Laptop
»»	Intel Celeron 2.30GHz	1	148	364	NA	Unknown	Unknown
»»	Mobile Intel Celeron 2.20GHz	1	147	355	NA	Unknown	Laptop
»»	Mobile Intel Pentium III - M 1200MHz	1	146	185	22	BGA2, microPGA2	Laptop
»»	VIA C7-M 6300MHz	1	145	121	NA	Unknown	Laptop
»»	Intel Celeron 2.40GHz	1	143	397	NA	Unknown	Unknown
»»	Intel Celeron 2.60GHz	1	143	353	NA	Unknown	Unknown
»»	Mobile Intel Pentium 4 - M 2.20GHz	1	143	388	NA	Unknown	Laptop
»»	ARM Cortex-A7 2 Core 1080 MHz	2	142	200	NA	Unknown	Mobile/Embedded
»»	Intel Pentium M 900MHz	1	141	200	7	Unknown	Laptop
»»	Intel Celeron 1000MHz	1	139	174	NA	Unknown	Unknown
»»	Intel Celeron 2.20GHz	1	139	349	NA	Unknown	Unknown
»»	Intel Celeron M 420 @ 1.60GHz	1	139	391	27	PPGA478	Laptop
»»	Mobile Intel Pentium 4 - M 2.40GHz	1	139	317	NA	Unknown	Laptop
»»	ARM Cortex-A7 2 Core 996 MHz	2	138	192	NA	Unknown	Mobile/Embedded
»»	Mobile Intel Pentium 4 - M 2.00GHz	1	138	345	NA	Unknown	Laptop
»»	Intel Atom N270 @ 1.60GHz	1	136	174	2.5	BGA437	Laptop
»»	Intel Pentium 4 Mobile 1.90GHz	1	136	282	NA	Unknown	Laptop
»»	VIA Esther 1500MHz	1	135	112	NA	Unknown	Unknown
»»	Intel Pentium 4 2.00GHz	1	133	349	54.3	PGA478	Desktop
»»	Mobile Intel Celeron 2.00GHz	1	133	290	NA	Unknown	Laptop
»»	Intel Pentium 4 Mobile 2.00GHz	1	132	310	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	Intel Celeron 2.66GHz	1	131	359	NA	Unknown	Unknown
»»	Intel Pentium 4 2.40GHz	1	131	360	59.8	PGA478	Desktop
»»	Intel Core Solo U1400 @ 1.20GHz	1	130	365	5.5	PBGA479	Laptop
»»	Mobile Intel Pentium III - M 933MHz	1	130	177	20.1	BGA2, microPGA2	Laptop
»»	Intel Core Solo U1300 @ 1.06GHz	1	127	340	6	PBGA479	Laptop
»»	AMD Sempron 200U	1	125	311	8	Unknown	Unknown
»»	Intel Celeron 2.00GHz	1	125	338	52.8	PPGA478	Desktop
»»	Intel Celeron M 443 @ 1.20GHz	1	125	288	5.5	PBGA479	Laptop
»»	Intel Celeron M 410 @ 1.46GHz	1	123	301	27	PPGA478	Laptop
»»	Intel Celeron M 900MHz	1	123	155	NA	Unknown	Laptop
»»	Intel Atom Z520 @ 1.33GHz	1	122	151	2	BGA441	Laptop
»»	Mobile Intel Celeron 1.80GHz	1	121	280	66.1	PPGA478	Laptop
»»	Mobile Intel Pentium 4 - M 1.70GHz	1	121	297	NA	Unknown	Laptop
»»	AMD G-T40R	1	120	327	5.5	FT1	Laptop
»»	AMD G-T44R	1	120	302	9	FT1	Laptop
»»	Intel Pentium III Mobile 800MHz	1	119	155	NA	Unknown	Laptop
»»	Mobile Intel Pentium 4 - M 1.80GHz	1	119	297	NA	Unknown	Laptop
»»	Mobile Intel Celeron 1.70GHz	1	118	254	NA	Unknown	Laptop
»»	Intel Pentium 4 Mobile 1.60GHz	1	116	254	NA	Unknown	Laptop
»»	VIA C7-M 1600MHz	1	116	124	15	BGA400	Laptop
»»	Intel Pentium 4 1.80GHz	1	115	318	68.1	PGA478	Desktop
»»	Intel Pentium 4 1800MHz	1	114	317	68.1	PGA478	Desktop
»»	Intel Pentium 4 Mobile 1.80GHz	1	114	195	NA	Unknown	Laptop
»»	Intel Celeron 1100MHz	1	113	183	NA	Unknown	Unknown
»»	VIA C7-M 1200MHz	1	112	93	NA	Unknown	Laptop
»»	ARM Cortex-A7 2 Core 960 MHz	2	111	160	NA	Unknown	Mobile/Embedded
»»	Intel Celeron B710 @ 1.60GHz	1	106	101	35	rPGA988B	Laptop
»»	Intel Pentium 4 1.90GHz	1	104	292	69.2	PGA423	Desktop
»»	Intel Celeron 1.70GHz	1	101	190	NA	Unknown	Unknown
»»	VIA Nehemiah	1	101	75	NA	Unknown	Unknown
»»	Intel Pentium 4 1700MHz	1	100	266	64	PGA423	Desktop
»»	Intel Pentium III Mobile 866MHz	1	99	132	NA	Unknown	Laptop
»»	OMAP4 Espresso board	2	98	222	NA	Unknown	Mobile/Embedded
»»	Intel Celeron 1.80GHz	1	96	307	66.1	PPGA478	Desktop
»»	VIA Esther 1000MHz	1	95	82	NA	Unknown	Unknown
»»	VIA Eden 1200MHz	1	93	97	7	NanoBGA2	Laptop
»»	Intel Pentium 4 1.50GHz	1	86	228	57.8	PGA423	Desktop
»»	Intel Pentium 4 1.70GHz	1	86	254	64	PGA423	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
≡	Intel Pentium 4 1.60GHz	1	84	225	38	PGA478	Desktop
≡	Intel Pentium 4 1400MHz	1	83	180	54.7	PGA423	Desktop
≡	Intel Pentium 4 1500MHz	1	81	223	57.8	PGA423	Desktop
≡	VIA Eden 1000MHz	1	80	83	5	NanoBGA2	Laptop
≡	Intel Pentium 4 1300MHz	1	77	203	51.6	PGA423	Desktop

Showing 1 to 5,391 of 5,391 entries

[Previous](#) **1** [Next](#)

Notes:

- ¹ Price is obtained from our affiliates. '**' after the price denotes the last seen price for products that are no longer available.
- ² CPU Value is calculated by taking CPU Mark / Price.
- ³ Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- ⁴ Power Performance is calculated by taking CPU Mark / TDP.
- ⁵ Test Date is the date of our first benchmark submission.