

Last Updated: 17th of June 2026

Columns

	CPU Name <input type="text" value="Search..."/>	Cores		CPU Mark		Thread Mark		TDP (W)		Socket <input type="text" value="Type or select"/>	Category <input type="text" value=""/>
		Min...	Max...	Min...	Max...	Min...	Max...	Min...	Max...		
⌵	<a href="#">[Dual CPU] AMD EPYC 9J45</a>	128		201,335		3,488		NA		Unknown	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9575F</a>	64		194,627		4,249		400		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9K65</a>	192		187,923		3,176		NA		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9655</a>	96		185,733		3,539		400		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9755</a>	128		182,900		3,195		500		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9555</a>	64		182,471		3,743		360		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9965</a>	192		181,514		3,113		500		SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6980P</a>	128		181,257		3,284		500		FCLGA7529	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9745</a>	128		173,717		3,157		400		SP5	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 9995WX</a>	96		170,935		4,544		350		sTR5	Desktop, Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9475F</a>	48		166,467		3,846		400		SP5	Server
⌵	<a href="#">AMD EPYC 9755</a>	128		166,328		3,503		500		SP5	Server
⌵	<a href="#">AMD EPYC Embedded 9755</a>	128		164,010		3,508		500		Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD EPYC 9845</a>	160		163,334		3,023		390		SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6960P</a>	72		160,785		3,164		500		FCLGA7529	Server
⌵	<a href="#">AMD EPYC 9965</a>	192		160,542		3,176		500		SP5	Server
⌵	<a href="#">AMD EPYC 9655P</a>	96		160,490		3,849		400		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9645</a>	96		159,591		3,165		320		SP5	Server
⌵	<a href="#">AMD EPYC 9B45</a>	32		158,790		3,540		390		SP5	Server
⌵	<a href="#">[Quad CPU] Intel Xeon Platinum 8490H</a>	60		157,156		2,925		350		FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6767P</a>	64		156,758		3,298		350		FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9655</a>	96		156,110		3,847		400		SP5	Server
⌵	<a href="#">[Quad CPU] Intel Xeon Platinum 8460H</a>	40		155,786		3,167		330		FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6760P</a>	64		153,187		3,214		330		FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9845</a>	160		152,985		3,144		390		SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9684X</a>	96		152,240		2,889		400		SP5	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 9985WX</a>	64		151,322		4,480		350		sTR5	Desktop, Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6787P</a>	86		148,896		3,137		350		FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9575F</a>	64		147,998		4,173		400		SP5	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] AMD EPYC 9474F</a>	48	147,947	3,215	360	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9B14</a>	96	145,397	2,859	NA	Unknown	Server
⌵	<a href="#">AMD Ryzen Threadripper 9980X</a>	64	142,812	4,532	350	sTR5	Desktop
⌵	<a href="#">[Dual CPU] AMD EPYC 9634</a>	84	142,281	2,863	290	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6747P</a>	48	142,257	3,227	330	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9654</a>	96	142,015	2,762	360	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9554</a>	64	141,075	2,947	360	SP5	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 7995WX</a>	96	141,050	3,830	350	sTR5	Desktop, Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8570</a>	56	137,588	3,224	350	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9555P</a>	64	135,990	3,743	360	SP5	Server
⌵	<a href="#">AMD Ryzen Threadripper 7980X</a>	64	135,650	4,024	350	sTR5	Desktop
⌵	<a href="#">[Dual CPU] AMD EPYC 9275F</a>	24	135,300	4,134	320	SP5	Server
⌵	<a href="#">AMD EPYC 9565</a>	72	135,221	3,696	400	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9534</a>	64	135,059	2,882	280	SP5	Server
⌵	<a href="#">AMD EPYC 9555 Emb</a>	64	133,832	3,757	360	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8558P</a>	48	133,223	3,217	350	FCLGA4677	Server
⌵	<a href="#">[Quad CPU] AMD Instinct MI300A Accelerator</a>	24	132,020	2,926	550	Unknown	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 7985WX</a>	64	131,837	3,960	350	sTR5	Desktop, Server
⌵	<a href="#">AMD EPYC 9745</a>	128	130,698	2,806	400	SP5	Server
⌵	<a href="#">Intel Xeon 6960P</a>	72	130,659	3,287	500	FCLGA7529	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9754</a>	128	130,346	2,364	360	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9734</a>	112	130,034	2,369	340	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9454</a>	48	129,701	2,982	290	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8488C</a>	48	127,207	3,096	385	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8568Y+</a>	48	127,172	3,033	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6737P</a>	32	127,075	3,366	270	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6736P</a>	36	125,444	3,445	205	FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9J14</a>	96	124,637	2,903	NA	SP5	Server
⌵	<a href="#">[Quad CPU] Intel Xeon Gold 6448H</a>	32	123,361	2,664	250	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon 6740P</a>	48	123,062	2,987	270	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9335</a>	32	122,875	3,407	210	SP5	Server
⌵	<a href="#">AMD EPYC 9475F</a>	48	122,476	3,779	400	SP5	Server
⌵	<a href="#">AMD EPYC 9684X</a>	96	122,017	2,892	400	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9384X</a>	32	121,560	3,085	320	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8468</a>	48	121,473	2,977	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9374F</a>	32	121,404	3,135	320	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6530P</a>	32	120,018	3,330	225	FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9B14</a>	96	119,505	2,886	NA	Unknown	Server
⌵	<a href="#">AMD EPYC 9654</a>	96	119,259	2,898	360	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8480+</a>	56	119,182	2,900	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7J13</a>	64	119,134	2,594	NA	Unknown	Server
⌵	<a href="#">Intel Xeon 6781P</a>	80	117,946	3,152	350	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8559C</a>	48	117,672	2,590	NA	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9654P</a>	96	117,647	2,760	360	SP5	Server
⌵	<a href="#">AMD EPYC 9V74</a>	80	117,606	2,888	400	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6730P</a>	32	117,335	3,152	250	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8458P</a>	44	117,136	2,841	350	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9455P</a>	48	116,927	3,745	300	SP5	Server
⌵	<a href="#">AMD EPYC Embedded 9654P</a>	96	116,927	2,901	NA	Unknown	Server
⌵	<a href="#">AMD EPYC 9R14</a>	96	116,475	2,920	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Max 9480</a>	56	116,237	2,689	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7T83</a>	64	115,522	2,540	280	SP3	Server
⌵	<a href="#">AMD EPYC 9754 Emb</a>	128	115,016	2,403	360	SP5	Server
⌵	<a href="#">AMD EPYC 9535</a>	64	114,528	3,720	300	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8580</a>	60	114,407	2,402	350	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9D25</a>	126	114,275	2,481	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3995WX</a>	64	113,693	2,559	280	sWRX8	Desktop, Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9354</a>	32	113,665	2,939	280	SP5	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇄	<a href="#">[Dual CPU] AMD EPYC 7763</a>	64	112,810	2,450	280	SP3	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7663</a>	56	111,586	2,633	240	SP3	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 9274F</a>	24	111,349	3,290	NA	SP5	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8462Y+</a>	32	111,234	3,054	300	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7B13</a>	64	110,944	2,461	240	Unknown	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7773X</a>	64	110,931	2,439	280	SP3	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Gold 6554S</a>	36	110,835	3,267	270	FCLGA4677	Server
⇄	<a href="#">AMD EPYC 9455 Emb</a>	48	110,697	3,783	NA	SP5	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8457C</a>	48	109,905	2,564	NA	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 9334</a>	32	109,616	3,041	NA	SP5	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8470</a>	52	109,610	2,485	350	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7R13</a>	48	109,348	2,438	NA	Unknown	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7713</a>	64	109,207	2,454	225	SP3	Server
⇄	<a href="#">[Dual CPU] Intel Xeon 6527P</a>	24	109,054	3,494	255	FCLGA4710	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8592+</a>	64	108,721	2,388	350	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7Y83</a>	64	108,281	2,622	280	SP3	Mobile/Embedded
⇄	<a href="#">AMD EPYC 9634</a>	84	107,944	2,924	290	SP5	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8558</a>	48	107,838	2,621	330	FCLGA4677	Server
⇄	<a href="#">AMD Ryzen Threadripper 9970X</a>	32	107,255	4,522	350	sTR5	Desktop
⇄	<a href="#">AMD Ryzen Threadripper PRO 9975WX</a>	32	105,072	4,417	350	sTR5	Desktop, Server
⇄	<a href="#">Intel Xeon 696X</a>	64	104,974	3,742	350	FCLGA4710	Server
⇄	<a href="#">AMD EPYC 9554P</a>	64	104,920	2,737	360	SP5	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8562Y+</a>	32	104,056	2,938	300	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7573X</a>	32	103,466	2,665	280	SP3	Server
⇄	<a href="#">AMD EPYC 9554</a>	64	102,607	2,839	360	SP5	Server
⇄	<a href="#">[8-Way CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	102,411	2,211	165	LGA2011-v3	Server
⇄	<a href="#">AMD EPYC 9734</a>	112	102,286	2,310	340	SP5	Server
⇄	<a href="#">AMD EPYC 9474F</a>	48	102,255	3,155	360	SP5	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] AMD EPYC 7K83</a>	64	102,053	2,458	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6548Y+</a>	32	101,960	3,160	205	FCLGA4677	Server
⌵	<a href="#">Intel Xeon 6747P</a>	48	101,685	3,236	330	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 75F3</a>	32	101,429	2,664	280	SP3	Server
⌵	<a href="#">Intel Xeon 6741P</a>	48	100,660	3,195	300	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6448Y</a>	32	100,642	3,065	225	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7V13</a>	64	100,318	2,171	240	SP3	Server
⌵	<a href="#">AMD Ryzen Threadripper 7970X</a>	32	99,260	4,171	350	sTR5	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon 6740E</a>	96	99,184	2,016	250	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3975WX</a>	32	98,811	2,676	280	sWRX8	Desktop, Server
⌵	<a href="#">Intel Xeon w9-3595X</a>	60	98,476	3,706	385	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9754</a>	128	98,450	2,308	360	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7543</a>	32	98,031	2,688	240	SP3	Server
⌵	<a href="#">Intel Xeon 678X</a>	48	97,699	3,780	300	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9255</a>	24	96,899	3,693	200	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8469C</a>	48	96,642	3,064	350	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9355P</a>	32	96,603	3,747	280	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7643</a>	48	96,440	2,189	225	SP3	Server
⌵	<a href="#">AMD EPYC 9375F</a>	32	95,768	3,762	320	SP5	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 7975WX</a>	32	95,489	3,983	350	sTR5	Desktop, Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6548N</a>	32	95,381	2,908	250	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 9254</a>	24	95,370	3,103	200	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 74F3</a>	24	95,023	2,976	240	SP3	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	94,943	3,216	280	sWRX8	Desktop, Server
⌵	<a href="#">AMD EPYC 9454P</a>	48	94,689	2,988	290	SP5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6438Y+</a>	32	94,596	3,279	205	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7V73X</a>	64	94,451	2,277	280	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6520P</a>	24	93,834	3,194	210	FCLGA4710	Server
⌵	<a href="#">Intel Xeon Platinum 8570</a>	56	93,722	3,256	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7742</a>	64	93,664	2,018	225	SP3	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7513</a>	32	93,312	2,727	200	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon 6776P</a>	64	93,165	1,944	350	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7R12</a>	48	92,961	2,142	200	SP3	Server
⇓	<a href="#">AMD Ryzen Threadripper PRO 9965WX</a>	24	92,678	4,544	350	sTR5	Desktop, Server
⇓	<a href="#">AMD Ryzen Threadripper 9960X 24-Cores</a>	24	92,579	4,576	350	sTR5	Desktop
⇓	<a href="#">[Dual CPU] AMD EPYC 7B12</a>	64	92,508	2,046	240	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6438M</a>	32	91,911	3,113	205	FCLGA4677	Server
⇓	<a href="#">Intel Xeon Platinum 8558P</a>	48	91,879	3,236	350	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7V12</a>	64	91,701	2,042	240	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6442Y</a>	24	91,118	3,081	225	FCLGA4677	Server
⇓	<a href="#">Intel Xeon w9-3495X</a>	56	90,454	3,430	350	FCLGA4677	Server
⇓	<a href="#">Intel Xeon 676X</a>	32	90,312	3,967	275	FCLGA4710	Server
⇓	<a href="#">AMD EPYC 7773X</a>	64	90,279	2,531	280	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6542Y</a>	24	90,002	2,822	250	FCLGA4677	Server
⇓	<a href="#">Intel Xeon Platinum 8470 @2.00GHz</a>	52	89,850	3,153	350	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7702</a>	64	89,599	1,979	200	SP3	Server
⇓	<a href="#">AMD EPYC 9534</a>	64	89,492	2,797	280	SP5	Server
⇓	<a href="#">Intel Xeon Platinum 8488C</a>	48	88,667	3,113	385	Unknown	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz</a>	28	88,102	2,379	165	FCLGA3647	Server
⇓	<a href="#">Intel Xeon 6740P</a>	48	88,061	2,975	270	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz</a>	38	88,038	2,345	270	FCLGA4189	Server
⇓	<a href="#">AMD EPYC 9454</a>	48	87,961	2,807	290	SP5	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7K62</a>	48	87,706	2,104	NA	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8369B @ 2.90GHz</a>	32	87,459	2,499	270	FCLGA4189	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8450H</a>	28	87,103	2,902	250	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6530</a>	32	87,071	2,827	270	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6538Y+</a>	32	86,952	2,598	225	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8370C @ 2.80GHz</a>	32	86,883	2,467	270	FCLGA4189	Server
⇓	<a href="#">Intel Xeon 6780E</a>	144	86,734	1,923	330	FCLGA4710	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇄	<a href="#">[Dual CPU] AMD EPYC 7H12</a>	64	86,680	2,083	280	SP3	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 7C13</a>	64	86,643	2,133	NA	Unknown	Server
⇄	<a href="#">[Dual CPU] Intel Xeon 6710E</a>	64	86,642	1,987	205	FCLGA4710	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	86,393	2,463	300	FCLGA4189	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Gold 6428N</a>	32	86,030	2,672	185	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	85,937	2,189	270	FCLGA4189	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Gold 6454S</a>	32	85,725	2,355	270	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 9135</a>	16	85,694	3,326	200	SP5	Server
⇄	<a href="#">Intel Xeon w9-3575X</a>	44	84,959	3,756	340	FCLGA4677	Server
⇄	<a href="#">AMD EPYC 7J13</a>	64	84,786	2,450	NA	Unknown	Server
⇄	<a href="#">AMD EPYC 9275F</a>	24	84,620	3,810	320	SP5	Server
⇄	<a href="#">Intel Xeon 674X</a>	28	84,536	4,006	270	FCLGA4710	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Gold 6418H</a>	24	84,526	2,901	185	FCLGA4677	Server
⇄	<a href="#">AMD EPYC 7763</a>	64	84,492	2,517	280	SP3	Server
⇄	<a href="#">Intel Xeon 6745P</a>	32	84,210	3,450	300	FCLGA4710	Server
⇄	<a href="#">Intel Xeon Platinum 8592+</a>	64	84,013	2,411	350	FCLGA4677	Server
⇄	<a href="#">[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	83,793	2,297	165	FCLGA3647	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Gold 5420+</a>	28	83,732	2,939	205	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 9224</a>	24	83,623	2,601	200	SP5	Server
⇄	<a href="#">[Dual CPU] AMD EPYC 9V94</a>	128	83,538	1,902	NA	SP5	Server
⇄	<a href="#">AMD EPYC 7R43</a>	64	83,535	2,551	280	SP3	Server
⇄	<a href="#">AMD Ryzen Threadripper 7960X</a>	24	83,409	4,123	350	sTR5	Desktop
⇄	<a href="#">[Dual CPU] AMD EPYC 9175F</a>	16	83,406	3,108	320	SP5	Server
⇄	<a href="#">[Quad CPU] Intel Xeon Gold 5320H @ 2.40GHz</a>	20	83,263	2,571	150	FCLGA4189	Server
⇄	<a href="#">AMD EPYC 7713</a>	64	83,018	2,647	225	SP3	Server
⇄	<a href="#">Intel Xeon Max 9480</a>	56	82,913	2,674	350	FCLGA4677	Server
⇄	<a href="#">[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	82,893	2,349	250	FCLGA4189	Server
⇄	<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	82,482	2,586	280	sWRX8	Desktop, Server
⇄	<a href="#">AMD Ryzen Threadripper PRO 7965WX</a>	24	82,190	4,011	350	sTR5	Desktop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz</a>	32	82,052	2,378	240	FCLGA4189	Server
⏏	<a href="#">AMD EPYC 9374F</a>	32	82,009	3,135	320	SP5	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Platinum 8338C @ 2.60GHz</a>	32	81,817	2,439	250	FCLGA4189	Server
⏏	<a href="#">AMD EPYC 7V13</a>	64	81,764	2,708	240	SP3	Server
⏏	<a href="#">AMD EPYC 7T83</a>	64	81,757	2,462	280	SP3	Server
⏏	<a href="#">AMD EPYC 7663P</a>	56	81,725	2,623	225	SP3	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 6430</a>	32	81,564	2,576	NA	Unknown	Server
⏏	<a href="#">AMD EPYC 7713P</a>	64	81,542	2,626	225	SP3	Server
⏏	<a href="#">AMD EPYC 7A23</a>	48	81,296	2,755	NA	SP3	Server
⏏	<a href="#">AMD EPYC 7663</a>	56	81,283	2,575	240	SP3	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7473X</a>	24	81,282	2,201	240	SP3	Server
⏏	<a href="#">AMD EPYC 7K23</a>	48	81,183	2,788	NA	Unknown	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 9174F</a>	16	81,093	3,064	320	SP5	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7453</a>	28	80,327	2,371	225	SP3	Server
⏏	<a href="#">AMD EPYC 7B13</a>	64	80,293	2,554	240	Unknown	Server
⏏	<a href="#">AMD EPYC 7V73X</a>	64	79,738	2,349	280	Unknown	Server
⏏	<a href="#">AMD Ryzen Threadripper 3990X</a>	64	79,684	2,560	280	sTRX4	Desktop
⏏	<a href="#">Intel Xeon Platinum 8568Y+</a>	48	79,683	2,741	350	FCLGA4677	Server
⏏	<a href="#">Intel Xeon 6737P</a>	32	79,634	3,048	270	FCLGA4710	Server
⏏	<a href="#">AMD EPYC 7R13</a>	48	79,420	2,606	NA	Unknown	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 9184X</a>	16	78,921	2,896	320	SP5	Server
⏏	<a href="#">[Dual CPU] Intel Xeon 6517P</a>	16	78,866	3,383	190	FCLGA4710	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 9115</a>	16	78,740	3,516	125	SP5	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 5418Y</a>	24	78,569	2,871	185	FCLGA4677	Server
⏏	<a href="#">[8-Way CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	78,087	1,861	150	LGA2011-1	Server
⏏	<a href="#">AMD EPYC 7643P</a>	48	77,307	2,655	225	SP3	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7502</a>	32	77,213	2,103	180	SP3	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7532</a>	32	76,949	2,029	200	SP3	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7662</a>	64	76,889	1,658	225	SP3	Server
⏏	<a href="#">AMD EPYC 9255</a>	24	76,580	3,655	200	SP5	Server
⏏	<a href="#">[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	76,542	2,681	205	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] AMD EPYC 7413</a>	24	76,434	2,313	180	SP3	Server
⌵	<a href="#">AMD EPYC 7C13</a>	64	76,392	2,608	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz</a>	28	76,376	2,368	235	FCLGA4189	Server
⌵	<a href="#">AMD EPYC 7643</a>	48	76,259	2,690	225	SP3	Server
⌵	<a href="#">Intel Xeon 6740E</a>	96	76,167	1,997	250	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6544Y</a>	16	75,445	3,006	270	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5418N</a>	24	75,373	2,876	165	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 73F3</a>	16	75,182	2,916	240	SP3	Server
⌵	<a href="#">Intel Xeon Platinum 8461V</a>	48	74,982	2,855	300	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6515P</a>	16	74,937	2,988	150	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8336C</a>	32	74,875	2,054	230	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	74,864	3,319	280	sWRX8	Desktop, Server
⌵	<a href="#">Intel Xeon 6732P</a>	32	74,849	2,506	350	FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9354P</a>	32	74,813	2,775	280	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7373X</a>	16	74,709	2,761	240	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 6724P</a>	16	74,670	2,497	210	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6444Y</a>	16	74,635	3,271	270	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7R32</a>	48	74,520	1,918	NA	Unknown	Server
⌵	<a href="#">Intel Xeon 6980P</a>	128	74,324	1,681	500	FCLGA7529	Server
⌵	<a href="#">Intel Xeon 6730P</a>	32	74,113	2,995	250	FCLGA4710	Server
⌵	<a href="#">AMD EPYC 9274F</a>	24	73,982	3,373	NA	SP5	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7642</a>	48	73,920	2,034	225	SP3	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7542</a>	32	73,758	2,011	225	SP3	Server
⌵	<a href="#">Intel Xeon Gold 6548Y+</a>	32	73,387	3,165	205	FCLGA4677	Server
⌵	<a href="#">Intel Xeon Platinum 8480C</a>	56	73,247	2,370	350	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 9354</a>	32	73,240	2,766	280	SP5	Server
⌵	<a href="#">Apple M3 Ultra 32 Core</a>	32	72,912	5,054	NA	Unknown	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	72,905	2,379	150	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7343</a>	16	72,650	2,832	190	SP3	Server
⌵	<a href="#">AMD Ryzen 9 9950X3D2</a>	16	72,396	4,686	200	AM5	Desktop
⌵	<a href="#">AMD EPYC 7662</a>	64	72,298	2,102	225	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 6148 @ 2.40GHz</a>	20	72,249	2,181	150	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7552</a>	48	72,235	1,527	200	SP3	Server
⇓	<a href="#">AMD EPYC 9384X</a>	32	72,121	3,006	320	SP5	Server
⇓	<a href="#">Ampere Altra Max</a>	128	72,121	1,939	NA	Unknown	Server
⇓	<a href="#">AMD EPYC 8534P</a>	64	71,900	2,441	200	SP6	Server
⇓	<a href="#">[Dual CPU] AMD EPYC Embedded 9124</a>	16	71,486	2,907	200	SP5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz</a>	24	71,199	2,288	230	FCLGA4189	Server
⇓	<a href="#">Intel Xeon w7-3565X</a>	32	71,140	3,364	335	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6416H</a>	18	71,079	3,271	165	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	70,773	2,483	185	FCLGA4189	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 5318H @ 2.50GHz</a>	18	70,723	1,975	150	FCLGA4189	Server
⇓	<a href="#">AMD EPYC 7V12</a>	64	70,622	2,054	240	SP3	Server
⇓	<a href="#">Intel Xeon 658X</a>	24	70,348	3,560	250	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8352V @ 2.10GHz</a>	36	70,327	1,967	195	FCLGA4189	Server
⇓	<a href="#">Intel Xeon Gold 6448H</a>	32	70,280	3,296	250	FCLGA4677	Server
⇓	<a href="#">AMD Ryzen 9 9950X3D</a>	16	70,148	4,741	170	AM5	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Silver 4416+</a>	20	70,032	2,910	165	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7443</a>	24	69,900	2,302	200	SP3	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	69,775	2,213	125	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7H12</a>	64	69,633	1,774	280	SP3	Server
⇓	<a href="#">AMD EPYC 7742</a>	64	69,502	2,096	225	SP3	Server
⇓	<a href="#">AMD EPYC 7573X</a>	32	69,432	2,674	280	SP3	Server
⇓	<a href="#">Apple M3 Ultra 28 Core</a>	28	68,958	5,131	NA	Unknown	Desktop
⇓	<a href="#">AMD EPYC 4585PX</a>	16	68,955	4,536	170	AM5	Server
⇓	<a href="#">AMD EPYC 7702</a>	64	68,811	2,067	200	SP3	Server
⇓	<a href="#">Intel Core Ultra 7 270K Plus</a>	24	68,755	5,076	125	FCLGA1851	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz</a>	32	68,643	1,913	205	FCLGA4189	Server
⇓	<a href="#">Intel Xeon Platinum 8571N</a>	52	68,385	1,969	300	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	68,149	2,062	165	LGA2011-v3	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7313</a>	16	67,986	2,694	155	SP3	Server
⇓	<a href="#">Intel Xeon w7-3555</a>	28	67,754	3,549	325	FCLGA4677	Server
⇓	<a href="#">AMD EPYC 9175F</a>	16	67,634	4,256	320	SP5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6426Y</a>	16	67,425	3,017	185	FCLGA4677	Server
⇓	<a href="#">Intel Core Ultra 9 285K</a>	24	67,261	5,087	125	FCLGA1851	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6526Y</a>	16	67,241	2,957	195	FCLGA4677	Server
⇓	<a href="#">AMD Ryzen Threadripper PRO 9955WX</a>	16	67,111	4,548	350	sTR5	Desktop, Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	66,812	2,375	NA	Unknown	Server
⇓	<a href="#">Intel Xeon 6521P</a>	24	66,657	3,238	225	FCLGA4710	Server
⇓	<a href="#">AMD EPYC 7543P</a>	32	66,590	2,737	225	SP3	Server
⇓	<a href="#">[Dual CPU] Montage Jintide C6348</a>	28	66,555	2,206	NA	LGA4189	Server
⇓	<a href="#">AMD EPYC 8434P</a>	48	66,490	2,448	200	SP6	Server
⇓	<a href="#">AMD EPYC 7B12</a>	64	66,044	1,927	240	SP3	Server
⇓	<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	65,886	3,317	280	sWRX8	Desktop, Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz</a>	32	65,860	1,955	185	FCLGA4189	Server
⇓	<a href="#">AMD EPYC 9335</a>	32	65,811	2,732	210	SP5	Server
⇓	<a href="#">AMD Ryzen 9 9950X</a>	16	65,754	4,729	170	AM5	Desktop
⇓	<a href="#">AMD EPYC 9334</a>	32	65,568	2,508	NA	SP5	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7452</a>	32	65,147	1,829	155	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon 6505P</a>	12	65,016	3,385	150	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz</a>	26	64,788	2,046	185	FCLGA4189	Server
⇓	<a href="#">Intel Xeon Gold 6548N</a>	32	64,783	2,844	250	FCLGA4677	Server
⇓	<a href="#">Intel Xeon w7-2595X</a>	26	64,628	3,723	250	FCLGA4677	Server
⇓	<a href="#">Intel Xeon w9-3475X</a>	36	64,602	3,343	300	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz</a>	32	64,581	2,173	205	FCLGA4189	Server
⇓	<a href="#">Intel Xeon Platinum 8469C</a>	48	64,513	2,727	350	FCLGA4677	Server
⇓	<a href="#">AMD EPYC 75F3</a>	32	64,505	2,414	280	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5318N @ 2.10GHz</a>	24	64,453	2,409	150	FCLGA4189	Server
⇓	<a href="#">AMD EPYC 4564P</a>	16	64,443	4,292	170	AM5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz</a>	18	64,359	2,496	205	FCLGA4189	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Platinum 8276 @ 2.20GHz</a>	28	64,234	1,795	165	FCLGA3647	Server
⇓	<a href="#">AMD Ryzen 9 PRO 9965X3D</a>	16	64,196	4,471	NA	Unknown	Desktop
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	64,115	1,921	165	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8280L @ 2.70GHz</a>	28	64,076	2,364	205	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 4565P</a>	16	64,067	4,734	170	AM5	Server
⇓	<a href="#">AMD EPYC 9254</a>	24	64,001	2,998	200	SP5	Server
⇓	<a href="#">AMD EPYC 7R32</a>	48	63,969	2,004	NA	Unknown	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7F52</a>	16	63,931	2,402	240	SP3	Server
⇓	<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3955WX</a>	16	63,885	2,439	280	sWRX8	Desktop, Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7402</a>	24	63,713	1,942	180	SP3	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 9124</a>	16	63,699	2,327	200	SP5	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E7-8870 v4 @ 2.10GHz</a>	20	63,598	1,944	140	LGA2011-1	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz</a>	28	63,465	2,259	205	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	63,232	2,279	205	FCLGA3647	Server
⇓	<a href="#">Intel Xeon 6520P</a>	24	62,936	3,356	210	FCLGA4710	Server
⇓	<a href="#">AMD Ryzen Threadripper 3970X</a>	32	62,890	2,658	280	sTRX4	Desktop
⇓	<a href="#">AMD Ryzen 9 9955HX3D</a>	16	62,732	4,513	55	FL1	Desktop, Laptop
⇓	<a href="#">Intel Xeon Gold 6438Y+</a>	32	62,660	3,106	205	FCLGA4677	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Platinum 8280L @ 2.70GHz</a>	28	62,558	1,963	205	FCLGA3647	Server
⇓	<a href="#">Hygon C86-4G (OPN:7490)</a>	64	62,529	1,897	NA	Unknown	Unknown
⇓	<a href="#">Intel Xeon Platinum 8454H</a>	32	62,347	2,831	270	FCLGA4677	Server
⇓	<a href="#">AMD Ryzen 9 7950X3D</a>	16	62,325	4,146	120	AM5	Desktop
⇓	<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,318	2,385	270	FCLGA4189	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Quad CPU] Intel Xeon E7-8894 v4 @ 2.40GHz</a>	24	62,307	1,935	165	FCLGA2011	Server
⏏	<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	62,226	2,650	280	sWRX8	Desktop, Server
⏏	<a href="#">AMD Ryzen 9 7950X</a>	16	62,176	4,253	170	AM5	Desktop
⏏	<a href="#">Intel Xeon 6710E</a>	64	61,775	1,910	205	FCLGA4710	Server
⏏	<a href="#">AMD EPYC 7702P</a>	64	61,760	2,050	200	SP3	Server
⏏	<a href="#">[Dual CPU] AMD EPYC 7501</a>	32	61,736	1,809	155	SP3	Server
⏏	<a href="#">Intel Xeon w7-3465X</a>	28	61,626	3,207	300	FCLGA4677	Server
⏏	<a href="#">AMD EPYC 7543</a>	32	61,463	2,378	240	SP3	Server
⏏	<a href="#">Intel Xeon 654</a>	18	61,351	3,766	200	FCLGA4710	Server
⏏	<a href="#">Intel Xeon Gold 6554S</a>	36	61,242	2,528	270	FCLGA4677	Server
⏏	<a href="#">Intel Xeon Gold 5520+</a>	28	61,227	3,216	205	FCLGA4677	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 6268CL @ 2.80GHz</a>	24	61,095	2,364	205	FCLGA3647	Server
⏏	<a href="#">[Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	61,003	2,186	125	FCLGA3647	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Platinum 8276 @ 2.20GHz</a>	28	60,886	2,283	165	FCLGA3647	Server
⏏	<a href="#">Intel Core Ultra 9 290K Plus</a>	24	60,860	4,823	NA	Unknown	Desktop
⏏	<a href="#">AMD EPYC 74F3</a>	24	60,666	2,942	240	SP3	Server
⏏	<a href="#">Intel Core i9-13900KS</a>	24	60,477	4,716	150	FCLGA1700	Desktop
⏏	<a href="#">Intel Xeon Gold 6448Y</a>	32	60,449	2,686	225	FCLGA4677	Server
⏏	<a href="#">[Quad CPU] Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	60,415	1,726	135	FCLGA2011-3	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz</a>	28	60,311	1,857	205	FCLGA4189	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz</a>	28	60,188	2,427	NA	Unknown	Server
⏏	<a href="#">Intel Xeon Gold 5512U</a>	28	60,183	3,023	185	FCLGA4677	Server
⏏	<a href="#">Intel Core Ultra 9 290HX Plus</a>	24	60,182	4,951	55	FCBGA2114	Laptop
⏏	<a href="#">Intel Xeon Gold 6542Y</a>	24	60,144	3,087	250	FCLGA4677	Server
⏏	<a href="#">Intel Core i9-14900KS</a>	24	60,045	4,813	150	FCLGA1700	Desktop
⏏	<a href="#">AMD Ryzen Threadripper PRO 7955WX</a>	16	60,031	4,085	350	STR5	Desktop, Server
⏏	<a href="#">[Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	59,759	1,859	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD EPYC 7K62</a>	48	59,533	2,010	NA	SP3	Server
⌵	<a href="#">Intel Xeon w7-3545</a>	24	59,344	3,452	310	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	59,316	2,257	205	FCLGA3647	Server
⌵	<a href="#">AMD EPYC 7473X</a>	24	59,280	2,751	240	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6278C @ 2.60GHz</a>	26	59,208	1,989	185	FCLGA3647	Server
⌵	<a href="#">AMD EPYC 4584PX</a>	16	59,128	3,856	120	AM5	Server
⌵	<a href="#">AMD EPYC 7513</a>	32	58,869	2,534	200	SP3	Server
⌵	<a href="#">[Quad CPU] Intel Xeon Gold 6130 @ 2.10GHz</a>	16	58,852	1,922	125	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6421N</a>	32	58,797	2,978	185	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 7642</a>	48	58,698	2,000	225	SP3	Server
⌵	<a href="#">Intel Xeon W-3375 @ 2.50GHz</a>	38	58,686	2,629	270	FCLGA4189	Server
⌵	<a href="#">Intel Core Ultra 7 265K</a>	20	58,651	4,928	125	FCLGA1851	Desktop
⌵	<a href="#">Intel Core Ultra 7 265KF</a>	20	58,556	4,927	125	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon Gold 6442Y</a>	24	58,534	3,268	225	FCLGA4677	Server
⌵	<a href="#">Intel Core i9-14900K</a>	24	58,319	4,690	125	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i9-14900KF</a>	24	58,179	4,691	125	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz</a>	24	58,169	2,306	205	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-13900K</a>	24	58,161	4,598	125	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8255C @ 2.50GHz</a>	24	58,130	2,322	165	LGA 3647	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7352</a>	24	58,125	1,689	155	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz</a>	28	57,955	2,254	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 5420+</a>	28	57,753	3,347	205	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen 9 7945HX3D</a>	16	57,729	4,066	55	FL1	Laptop
⌵	<a href="#">Apple M5 Max 18 Core</a>	18	57,683	5,946	NA	Unknown	Laptop
⌵	<a href="#">Intel Core Ultra 9 285</a>	24	57,588	4,903	65	FCLGA1851	Desktop
⌵	<a href="#">Intel Core i9-13900KF</a>	24	57,528	4,580	125	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon w7-2495X</a>	24	57,470	3,447	225	FCLGA4677	Server
⌵	<a href="#">Ampere ARM - 192 Core 3200 MHz</a>	192	57,444	1,228	NA	Unknown	Server
⌵	<a href="#">Intel Xeon Gold 6423N</a>	28	57,434	2,998	195	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD EPYC 7552</a>	48	57,414	1,913	200	SP3	Server
⌵	<a href="#">ARM Neoverse-V2 72 Core 3465 MHz</a>	72	57,369	2,328	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon W-3365 @ 2.70GHz</a>	32	57,312	2,587	270	FCLGA4189	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz</a>	15	57,307	2,010	155	FCLGA2011	Server
⌵	<a href="#">ARM Neoverse-V2 72 Core 3447 MHz</a>	72	57,299	2,311	NA	Unknown	Unknown
⌵	<a href="#">Apple M5 Pro 18 Core</a>	18	57,294	5,933	NA	Unknown	Laptop
⌵	<a href="#">ARM Neoverse-V2 72 Core 3519 MHz</a>	72	57,240	2,340	NA	Unknown	Server
⌵	<a href="#">Intel Core Ultra 9 285HX</a>	24	57,214	4,623	55	FCBGA2114	Laptop
⌵	<a href="#">Intel Xeon Gold 6414U</a>	32	57,200	2,610	250	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7551</a>	32	57,192	1,787	180	SP3	Server
⌵	<a href="#">AMD EPYC 8324P</a>	32	57,127	2,367	180	SP6	Server
⌵	<a href="#">AMD EPYC 7443P</a>	24	56,984	2,898	200	SP3	Server
⌵	<a href="#">AMD EPYC 9135</a>	16	56,948	3,672	200	SP5	Server
⌵	<a href="#">Intel Xeon Platinum 8362 @ 2.80GHz</a>	32	56,787	2,446	265	FCLGA4189	Server
⌵	<a href="#">AMD EPYC 7443</a>	24	56,743	2,927	200	SP3	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	56,636	1,782	150	FCLGA2011	Server
⌵	<a href="#">ARM Neoverse-V2 96 Core 0 MHz</a>	96	56,557	1,933	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz</a>	20	56,451	2,383	205	FCLGA3647	Server
⌵	<a href="#">ARM Neoverse-V2 72 Core 3411 MHz</a>	72	56,337	2,276	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8269CY @ 2.50GHz</a>	26	56,330	2,157	NA	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	56,202	2,474	300	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen 9 9900X3D</a>	12	56,174	4,640	120	AM5	Desktop
⌵	<a href="#">AMD Ryzen 9 9955HX</a>	16	56,064	4,391	55	FL1	Desktop, Laptop
⌵	<a href="#">AMD Ryzen Threadripper PRO 9945WX</a>	12	55,939	4,568	350	sTR5	Desktop, Server
⌵	<a href="#">Intel Core Ultra 9 275HX</a>	24	55,862	4,718	55	FCBGA2114	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz</a>	26	55,854	2,341	205	FCLGA3647	Server
⏪	<a href="#">Intel Xeon 638</a>	16	55,651	3,670	180	FCLGA4710	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz</a>	16	55,571	2,469	205	FCLGA4189	Server
⏪	<a href="#">[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	55,444	1,759	150	LGA2011-1	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8260M @ 2.40GHz</a>	24	55,438	2,320	165	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz</a>	28	55,391	2,138	205	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	55,297	2,472	165	LGA3647	Server
⏪	<a href="#">[Dual CPU] AMD EPYC 7401</a>	24	55,280	1,850	155	SP3	Server
⏪	<a href="#">AMD Ryzen AI Max+ 395</a>	16	55,017	4,154	55	FP11	Laptop
⏪	<a href="#">[Dual CPU] AMD EPYC 9015</a>	8	55,013	3,288	125	SP5	Server
⏪	<a href="#">[Dual CPU] AMD EPYC 7371</a>	16	54,894	2,320	NA	SP3	Server
⏪	<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,788	2,683	280	sTRX4	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	54,755	2,148	165	FCLGA3647	Server
⏪	<a href="#">Intel Xeon w7-3455</a>	24	54,651	3,091	270	FCLGA4677	Server
⏪	<a href="#">[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	54,621	1,786	120	FCLGA2011-3	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	54,546	2,059	210	LGA 3647	Server
⏪	<a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	54,416	2,382	250	FCLGA4189	Server
⏪	<a href="#">AMD Ryzen 9 9900X</a>	12	54,413	4,677	120	AM5	Desktop
⏪	<a href="#">AMD EPYC 4545P</a>	16	54,296	4,475	65	AM5	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz</a>	20	54,228	2,139	150	FCLGA4189	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	54,155	2,106	165	FCLGA3647	Server
⏪	<a href="#">AMD EPYC 9174F</a>	16	54,146	3,302	320	SP5	Server
⏪	<a href="#">[Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	54,123	2,273	125	FCLGA3647	Server
⏪	<a href="#">Intel Xeon w5-3535X</a>	20	54,088	3,602	300	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">Intel Xeon Platinum 8360Y @ 2.40GHz</a>	36	54,078	2,489	250	FCLGA4189	Server
⇓	<a href="#">AMD Ryzen 9 7945HX</a>	16	54,073	4,023	55	FL1	Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5320H @ 2.40GHz</a>	20	53,931	2,485	150	FCLGA4189	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 7601</a>	32	53,737	1,765	180	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Silver 4510</a>	12	53,615	3,072	150	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5416S</a>	16	53,584	2,735	150	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon 6507P</a>	8	53,543	3,506	150	FCLGA4710	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	53,402	1,584	135	FCLGA2011-3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	53,399	2,205	205	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz</a>	24	53,398	2,217	150	FCLGA3647	Server
⇓	<a href="#">AMD Ryzen 9 7940HX</a>	16	53,306	3,944	55	AM5 (LGA 1718)	Desktop, Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	53,193	2,359	200	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	53,121	2,030	205	FCLGA3647	Server
⇓	<a href="#">Intel Xeon Gold 6430</a>	32	53,066	2,387	NA	Unknown	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	52,837	1,854	165	FCLGA4189	Server
⇓	<a href="#">Intel Xeon w7-2475X</a>	20	52,816	3,555	225	FCLGA4677	Server
⇓	<a href="#">Intel Xeon Gold 6438N</a>	32	52,789	2,315	205	FCLGA4677	Server
⇓	<a href="#">Intel Xeon 6731P</a>	32	52,715	2,107	245	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz</a>	24	52,391	2,264	150	FCLGA3647	Server
⇓	<a href="#">[8-Way CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	52,364	1,598	150	FCLGA2011	Server
⇓	<a href="#">Intel Core Ultra 5 250K Plus</a>	18	52,356	4,829	125	FCLGA1851	Desktop
⇓	<a href="#">[Dual CPU] AMD EPYC 7451</a>	24	52,322	1,931	180	SP3	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	52,307	1,748	140	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7F72</a>	24	52,143	2,358	240	SP3	Server
⇓	<a href="#">Intel Xeon w5-2565X</a>	18	52,114	3,600	240	FCLGA4677	Server
⇓	<a href="#">Intel Xeon w7-2575X</a>	22	52,091	3,300	250	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-14700KF</a>	20	52,067	4,469	125	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8280M @ 2.70GHz</a>	28	52,021	2,244	205	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz</a>	22	51,998	1,970	205	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-14700K</a>	20	51,976	4,456	125	FCLGA1700	Desktop
⌵	<a href="#">AMD EPYC 7502</a>	32	51,871	2,098	180	SP3	Server
⌵	<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	51,843	2,465	235	FCLGA4189	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7282</a>	16	51,807	2,044	120	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	51,723	2,096	165	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 9850HX</a>	12	51,722	4,461	55	FL1	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 6418H</a>	24	51,711	2,741	185	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz</a>	16	51,624	2,324	185	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen AI Max+ Pro 395</a>	16	51,603	4,082	55	FP11	Laptop
⌵	<a href="#">AMD Ryzen 9 8945HX</a>	16	51,559	3,917	55	FL1	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz</a>	18	51,476	1,634	165	LGA2011-1	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz</a>	26	51,450	2,164	150	FCLGA3647	Server
⌵	<a href="#">Intel Xeon 6724P</a>	16	51,345	3,279	210	FCLGA4710	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7302</a>	16	51,287	1,954	155	SP3	Server
⌵	<a href="#">AMD Ryzen 9 7900X</a>	12	51,261	4,228	170	AM5	Desktop
⌵	<a href="#">AMD EPYC 7502P</a>	32	51,246	2,037	180	SP3	Server
⌵	<a href="#">Apple M2 Ultra 24 Core</a>	24	50,939	4,208	NA	Unknown	Desktop
⌵	<a href="#">AMD EPYC 7532</a>	32	50,765	2,015	200	SP3	Server
⌵	<a href="#">AMD EPYC 7413</a>	24	50,641	2,400	180	SP3	Server
⌵	<a href="#">AMD EPYC 4484PX</a>	12	50,547	4,119	120	AM5	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz</a>	24	50,519	2,107	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 5412U</a>	24	50,314	2,837	185	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5318H @ 2.50GHz</a>	18	50,218	2,301	150	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen 9 7900X3D</a>	12	50,213	4,119	120	AM5 (LGA 1718)	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6262V @ 1.90GHz</a>	24	50,192	2,124	135	FCLGA3647	Server
⇓	<a href="#">Intel Xeon Platinum 8562Y+</a>	32	50,189	2,114	300	FCLGA4677	Server
⇓	<a href="#">AMD Ryzen 9 8940HX</a>	16	50,176	3,878	55	FL1	Desktop, Laptop
⇓	<a href="#">Intel Xeon 6736P</a>	36	50,072	2,024	205	FCLGA4710	Server
⇓	<a href="#">[Dual CPU] AMD EPYC 72F3</a>	8	50,017	3,034	180	SP3	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	50,016	1,791	155	LGA 2011-1	Server
⇓	<a href="#">Intel Xeon Gold 6544Y</a>	16	49,944	3,265	270	FCLGA4677	Server
⇓	<a href="#">AMD EPYC 4465P</a>	12	49,871	4,575	65	AM5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6534</a>	8	49,848	3,224	195	FCLGA4677	Server
⇓	<a href="#">Intel Xeon 6517P</a>	16	49,768	3,307	190	FCLGA4710	Server
⇓	<a href="#">Intel Xeon Platinum 8351N @ 2.40GHz</a>	36	49,763	2,214	225	FCLGA4189	Server
⇓	<a href="#">Intel Core Ultra 7 265</a>	20	49,728	4,692	65	FCLGA1851	Desktop
⇓	<a href="#">AMD Ryzen Threadripper PRO 7945WX</a>	12	49,673	4,076	350	sTR5	Desktop, Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8170M @ 2.10GHz</a>	26	49,539	1,915	165	FCLGA3647	Server
⇓	<a href="#">Intel Core Ultra 7 265F</a>	20	49,399	4,744	65	FCLGA1851	Desktop
⇓	<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189	Server
⇓	<a href="#">Intel Xeon Gold 6444Y</a>	16	49,303	3,282	270	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6252N @ 2.30GHz</a>	24	49,269	1,942	150	FCLGA3647	Server
⇓	<a href="#">Apple M5 Pro 15 Core</a>	15	49,157	5,926	NA	Unknown	Laptop
⇓	<a href="#">Intel Xeon Gold 6530</a>	32	49,085	2,482	270	FCLGA4677	Server
⇓	<a href="#">Montage Jintide C5418Y</a>	24	49,045	2,341	185	LGA4677	Server
⇓	<a href="#">Intel Xeon w7-3445</a>	20	48,978	3,281	270	FCLGA4677	Server
⇓	<a href="#">AMD EPYC 9224</a>	24	48,967	2,508	200	SP5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	48,942	2,192	165	LGA2011-v3	Server
⇓	<a href="#">AMD EPYC 9115</a>	16	48,936	3,360	125	SP5	Server
⇓	<a href="#">AMD EPYC 7R12</a>	48	48,934	2,079	200	SP3	Server
⇓	<a href="#">Intel Xeon Gold 6314U @ 2.30GHz</a>	32	48,916	2,287	205	FCLGA4189	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Quad CPU] Intel Xeon E7-8891 v4 @ 2.80GHz</a>	10	48,879	2,104	165	FCLGA2011	Server
⇓	<a href="#">AMD EPYC Embedded 8224P</a>	24	48,869	2,357	160	SP6	Server, Mobile/Embedded
⇓	<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	48,822	3,317	280	sWRX8	Desktop, Server
⇓	<a href="#">Intel Core Ultra 7 251HX</a>	18	48,713	4,666	55	FCBGA2114	Laptop
⇓	<a href="#">AMD Ryzen 9 PRO 9945</a>	12	48,634	4,619	65	AM5	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	48,616	2,363	205	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	48,558	2,689	NA	Unknown	Server
⇓	<a href="#">Intel Core Ultra 7 255HX</a>	20	48,550	4,572	55	FCBGA2114	Laptop
⇓	<a href="#">Intel Core Ultra 7 265HX</a>	20	48,541	4,545	55	FCBGA2114	Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	48,522	1,785	NA	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7453</a>	28	48,453	2,533	225	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	48,421	2,026	NA	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz</a>	18	48,384	2,162	200	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Silver 4514Y</a>	16	48,380	2,304	150	FCLGA4677	Server
⇓	<a href="#">Intel Core i9-13900F</a>	24	48,365	4,400	65	FCLGA1700	Desktop
⇓	<a href="#">Intel Core Ultra 5 250KF Plus</a>	18	48,238	4,528	125	FCLGA1851	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8170 @ 2.10GHz</a>	26	48,217	2,084	165	FCLGA3647	Server
⇓	<a href="#">Intel Xeon W-3345 @ 3.00GHz</a>	24	48,140	2,530	250	FCLGA4189	Server
⇓	<a href="#">AMD EPYC 9184X</a>	16	48,058	2,882	320	SP5	Server
⇓	<a href="#">AMD Ryzen 9 7900</a>	12	48,049	4,122	65	AM5	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz</a>	28	47,888	1,896	165	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6434</a>	8	47,857	3,382	195	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	47,574	2,024	150	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 4464P</a>	12	47,514	4,146	NA	AM5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz</a>	18	47,406	2,270	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">ARM Ampere-1a 192 Core 2600 MHz</a>	192	47,202	1,005	NA	Unknown	Unknown
⇓	<a href="#">Intel Xeon w5-2555X</a>	14	47,193	3,600	210	FCLGA4677	Server
⇓	<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	47,076	2,396	230	FCLGA4189	Server
⇓	<a href="#">AMD Ryzen 9 PRO 7945</a>	12	47,065	4,175	65	AM5 (LGA 1718)	Desktop, Server
⇓	<a href="#">[Quad CPU] Intel Xeon Platinum 8180M @ 2.50GHz</a>	28	47,049	1,184	205	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8163 @ 2.50GHz</a>	24	47,032	1,813	NA	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8164 @ 2.00GHz</a>	26	46,994	2,036	150	FCLGA3647	Server
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 5117 @ 2.00GHz</a>	14	46,875	1,652	105	Unknown	Server
⇓	<a href="#">Intel Xeon Platinum 8368Q @ 2.60GHz</a>	38	46,681	2,568	270	FCLGA4189	Server
⇓	<a href="#">Intel Core i9-14900F</a>	24	46,642	4,508	65	FCLGA1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz</a>	16	46,473	2,392	205	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7402</a>	24	46,388	2,132	180	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	46,181	2,041	140	FCLGA3647	Server
⇓	<a href="#">Intel Core 9 273PQE</a>	12	46,107	4,573	125	FCLGA1700	Mobile/Embedded
⇓	<a href="#">AMD EPYC 73F3</a>	16	46,103	2,883	240	SP3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz</a>	20	46,067	2,091	150	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 8224P</a>	24	46,052	2,341	160	SP6	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz</a>	24	46,010	1,936	150	FCLGA3647	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz</a>	16	46,001	1,730	165	FCLGA2011	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	45,991	1,777	165	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7452</a>	32	45,969	2,007	155	SP3	Server
⇓	<a href="#">Intel Xeon w5-3525</a>	16	45,703	3,302	290	FCLGA4677	Server
⇓	<a href="#">Intel Xeon 6511P</a>	16	45,687	2,545	150	FCLGA4710	Server
⇓	<a href="#">Intel Core i7-13700K</a>	16	45,682	4,328	125	FCLGA1700	Desktop
⇓	<a href="#">Intel Xeon Gold 5418Y</a>	24	45,660	2,747	185	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-13700KF</a>	16	45,559	4,330	125	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	45,520	2,555	255	FCLGA3647	Desktop
⌵	<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
⌵	<a href="#">Intel Core i9-13980HX</a>	24	45,498	4,214	55	FCBGA1964	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4410T</a>	10	45,468	3,044	150	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	45,432	2,654	205	FCLGA3647	Server
⌵	<a href="#">Snapdragon X2 Elite Extreme - X2E94100 - Qualc</a>	18	45,369	4,704	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon 6515P</a>	16	45,312	2,874	150	FCLGA4710	Server
⌵	<a href="#">AMD Ryzen 9 5950X</a>	16	45,290	3,476	105	AM4	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E7-4870 v2 @ 2.30GHz</a>	15	45,230	1,612	130	FCLGA2011	Server
⌵	<a href="#">Intel Xeon w5-2465X</a>	16	45,062	3,441	200	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 7542</a>	32	45,020	1,957	225	SP3	Server
⌵	<a href="#">Intel Xeon Gold 6538N</a>	32	44,895	1,725	205	FCLGA4677	Server
⌵	<a href="#">Intel Core i9-13900</a>	24	44,844	4,299	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i9-14900</a>	24	44,826	4,332	65	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 9 7845HX</a>	12	44,651	3,913	55	FL1	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	44,627	2,140	145	FCLGA2011-3	Server
⌵	<a href="#">AMD RYZEN AI MAX+ 392</a>	12	44,617	3,897	55	FP11	Desktop, Laptop
⌵	<a href="#">Intel Xeon w5-3435X</a>	16	44,520	3,301	324	FCLGA4677	Server
⌵	<a href="#">Intel Xeon 636</a>	12	44,421	3,937	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz</a>	20	44,369	2,090	150	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5515+</a>	8	44,283	3,103	165	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	44,256	2,114	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Max 9462</a>	32	44,153	2,575	350	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz</a>	20	44,012	2,168	125	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-14900HX</a>	24	43,978	4,184	55	FCBGA1964	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz</a>	16	43,959	2,068	135	FCLGA4189	Server
⌵	<a href="#">Apple M4 Max 16 Core</a>	16	43,946	4,592	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	43,913	2,096	240	FCLGA3647	Server
⇓	<a href="#">AMD Ryzen 9 5900XT</a>	16	43,890	3,477	105	AM4	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz</a>	16	43,878	2,407	205	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6240Y @ 2.60GHz</a>	18	43,836	2,283	150	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 7343</a>	16	43,778	2,752	190	SP3	Server
⇓	<a href="#">Intel Xeon Silver 4416+</a>	20	43,659	2,923	165	FCLGA4677	Server
⇓	<a href="#">Intel Core i9-12900KS</a>	16	43,412	4,323	150	LGA 1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 8151 @ 3.40GHz</a>	12	43,342	2,406	NA	Unknown	Server
⇓	<a href="#">AMD EPYC 7402P</a>	24	43,288	1,992	180	SP3	Server
⇓	<a href="#">Intel Core Ultra 5 245KF</a>	14	43,158	4,720	125	FCLGA1851	Desktop
⇓	<a href="#">Intel Core Ultra 5 245K</a>	14	43,124	4,717	125	FCLGA1851	Desktop
⇓	<a href="#">AMD Ryzen 7 8840HX</a>	12	43,117	3,983	55	FL1	Desktop, Laptop
⇓	<a href="#">ARM Neoverse-N1 128 Core 2800 MHz</a>	128	43,111	1,239	NA	Unknown	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Platinum 6162 @ 1.90GHz</a>	24	43,085	1,827	150	FCLGA3647	Server
⇓	<a href="#">AMD EPYC 9124</a>	16	42,982	2,613	200	SP5	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	42,842	2,062	145	FCLGA2011-3	Server
⇓	<a href="#">AMD Ryzen AI Max Pro 390</a>	12	42,794	3,962	55	Unknown	Laptop
⇓	<a href="#">Intel Core i9-13900T</a>	24	42,667	4,157	35	FCLGA1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Silver 4410Y</a>	12	42,522	2,712	150	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz</a>	12	42,249	2,382	150	FCLGA4189	Server
⇓	<a href="#">Intel Core i7-13790F</a>	16	42,218	4,212	65	FCLGA1700	Desktop
⇓	<a href="#">Intel Xeon Gold 6526Y</a>	16	42,195	2,972	195	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz</a>	18	42,155	2,216	125	FCLGA3647	Server
⇓	<a href="#">Intel Xeon Gold 6338N @ 2.20GHz</a>	32	42,086	2,066	185	FCLGA4189	Server
⇓	<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	42,072	1,926	205	FCLGA4189	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5415+</a>	8	41,944	3,158	150	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz</a>	24	41,924	1,878	135	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	41,858	2,293	185	FCLGA4189	Server
⌵	<a href="#">Intel Core i9-13900HX</a>	24	41,758	4,009	55	FCBGA1964	Laptop
⌵	<a href="#">AMD EPYC 7D12</a>	32	41,746	1,833	85	Unknown	Server
⌵	<a href="#">AMD Ryzen AI Max 390</a>	12	41,696	4,026	55	FP11	Desktop, Laptop
⌵	<a href="#">Intel Core 7 253PQE</a>	10	41,656	4,389	125	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon Platinum 8280L @ 2.70GHz</a>	28	41,609	2,316	205	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7272</a>	12	41,593	1,791	120	SP3	Server
⌵	<a href="#">Intel Core i7-14700F</a>	20	41,388	4,259	65	FCLGA1700	Desktop
⌵	<a href="#">Apple M1 Ultra 20 Core</a>	20	41,383	3,860	60	Unknown	Desktop
⌵	<a href="#">AMD Ryzen 7 7840HX</a>	12	41,365	3,672	55	FL1	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 9850X3D</a>	8	41,361	4,706	120	AM5	Desktop
⌵	<a href="#">Intel Core 7 245HX</a>	14	41,358	4,681	55	FCBGA2114	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz</a>	20	41,332	2,236	125	FCLGA3647	Server
⌵	<a href="#">Apple M3 Max 16 Core</a>	16	41,257	4,784	78	Unknown	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	41,232	1,446	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i9-12900K</a>	16	41,128	4,127	241	FCLGA1700	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	41,126	1,628	105	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz</a>	18	41,120	2,095	140	FCLGA3647	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7-4830 v3 @ 2.10GHz</a>	12	41,102	1,626	115	FCLGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	41,095	2,044	125	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6222V @ 1.80GHz</a>	20	41,087	2,113	115	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6338 @ 2.00GHz</a>	32	41,014	2,151	205	FCLGA4189	Server
⌵	<a href="#">Intel Xeon w5-2545</a>	12	40,988	3,573	210	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 7F52</a>	16	40,951	2,472	240	SP3	Server
⌵	<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown	Server
⌵	<a href="#">Intel Core Ultra 5 235HX</a>	14	40,759	4,680	55	FCBGA2114	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	40,698	2,221	130	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Core i9-13950HX</a>	24	40,646	3,852	55	FCBGA1964	Laptop
⏪	<a href="#">Intel Xeon Gold 6416H</a>	18	40,606	2,860	165	FCLGA4677	Server
⏪	<a href="#">Intel Core i9-12900KF</a>	16	40,548	4,121	241	FCLGA1700	Desktop
⏪	<a href="#">Intel Core i7-14700</a>	20	40,538	4,245	65	FCLGA1700	Desktop
⏪	<a href="#">AMD EPYC 7313P</a>	16	40,498	2,585	155	SP3	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Silver 4509Y</a>	8	40,401	2,861	125	FCLGA4677	Server
⏪	<a href="#">AMD EPYC 9115 Emb</a>	16	40,376	1,846	125	SP5	Server, Mobile/Embedded
⏪	<a href="#">Intel Core i9-13900E</a>	24	40,326	3,361	65	FCLGA1700	Mobile/Embedded
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz</a>	12	40,278	2,459	165	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz</a>	18	40,210	1,954	NA	LGA 3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	40,207	2,083	150	FCLGA2011-3	Server
⏪	<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	40,161	3,348	280	sWRX8	Desktop, Server
⏪	<a href="#">[Dual CPU] AMD EPYC 7F32</a>	8	40,000	2,426	180	SP3	Server
⏪	<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	39,968	2,541	205	FCLGA3647	Server
⏪	<a href="#">AMD Ryzen 7 9800X3D</a>	8	39,963	4,424	120	AM5	Desktop
⏪	<a href="#">AMD EPYC 7352</a>	24	39,906	1,976	155	SP3	Server
⏪	<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	39,874	2,680	280	sWRX8	Desktop, Server
⏪	<a href="#">Intel Core Ultra 9 285T</a>	24	39,873	4,605	35	FCLGA1851	Desktop
⏪	<a href="#">ARM Neoverse-N1 128 Core 3000 MHz</a>	128	39,780	1,329	NA	Unknown	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 5220S @ 2.70GHz</a>	18	39,678	2,268	125	FCLGA3647	Server
⏪	<a href="#">Intel Xeon W-3275 @ 2.50GHz</a>	28	39,449	2,576	205	FCLGA3647	Server
⏪	<a href="#">Intel Xeon W-3335 @ 3.40GHz</a>	16	39,293	2,673	250	FCLGA4189	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	39,275	1,423	NA	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz</a>	16	39,266	2,147	150	FCLGA3647	Server
⏪	<a href="#">AMD EPYC 7313</a>	16	38,938	2,434	155	SP3	Server
⏪	<a href="#">AMD Ryzen 9 5900X</a>	12	38,906	3,465	105	AM4	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon Platinum 8260L @ 2.40GHz</a>	24	38,728	2,280	165	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">Intel Xeon Platinum 8174 @ 3.10GHz</a>	24	38,638	2,312	240	FCLGA3647	Server
⇓	<a href="#">Snapdragon X2 Elite - X2E88100 - Qualcomm Oryx</a>	18	38,636	4,770	NA	Unknown	Unknown
⇓	<a href="#">Intel Xeon Gold 6450C</a>	30	38,571	1,729	122	FCLGA4677	Server
⇓	<a href="#">Intel Core Ultra 5 245</a>	14	38,495	4,370	65	FCLGA1851	Desktop
⇓	<a href="#">Intel Xeon 6505P</a>	12	38,456	3,187	150	FCLGA4710	Server
⇓	<a href="#">Intel Core i5-14600K</a>	14	38,436	4,267	125	FCLGA1700	Desktop
⇓	<a href="#">AMD Ryzen 9 3950X</a>	16	38,428	2,701	105	AM4	Desktop
⇓	<a href="#">Intel Core Ultra 5 235A</a>	14	38,392	4,557	65	FCLGA1851	Desktop
⇓	<a href="#">Apple M4 Max 14 Core</a>	14	38,365	4,634	NA	Unknown	Laptop
⇓	<a href="#">Intel Core i7-14790F</a>	16	38,351	4,167	65	Unknown	Desktop
⇓	<a href="#">Intel Core i5-14600KF</a>	14	38,349	4,255	125	FCLGA1700	Desktop
⇓	<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	38,332	2,356	205	FCLGA4189	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz</a>	15	38,263	1,493	130	LGA 2011	Server
⇓	<a href="#">Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	38,259	2,142	205	FCLGA3647	Server
⇓	<a href="#">AMD Ryzen 7 PRO 9745</a>	8	38,201	4,624	65	AM5	Desktop
⇓	<a href="#">[Quad CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	38,201	2,012	135	FCLGA2011-3	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	38,169	1,678	135	FCLGA2011-3	Server
⇓	<a href="#">AMD EPYC 7551P</a>	32	38,111	1,772	180	SP3	Server
⇓	<a href="#">Intel Core Ultra 5 245HX</a>	14	38,105	4,488	55	FCBGA2114	Mobile/Embedded
⇓	<a href="#">Intel Core Ultra 5 235</a>	14	38,101	4,528	65	FCLGA1851	Desktop
⇓	<a href="#">AMD Ryzen 7 PRO 9755</a>	8	38,100	4,604	NA	Unknown	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	38,047	2,058	135	FCLGA2011-3	Server
⇓	<a href="#">Apple M4 Pro 14 Core</a>	14	38,018	4,555	NA	Unknown	Desktop, Laptop
⇓	<a href="#">Intel Xeon Gold 6426Y</a>	16	37,944	2,769	185	FCLGA4677	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	37,875	1,647	150	FCLGA2011	Server
⇓	<a href="#">Intel Core i7-13700F</a>	16	37,870	4,117	65	FCLGA1700	Desktop
⇓	<a href="#">[Quad CPU] Intel Xeon E7-4850 v4 @ 2.10GHz</a>	16	37,802	1,739	115	FCLGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Gold 6258R @ 2.70GHz</a>	28	37,774	2,192	205	FCLGA3647	Server
⌵	<a href="#">Intel Core Ultra 7 265T</a>	20	37,669	4,408	35	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon Platinum 8280M @ 2.70GHz</a>	28	37,665	2,282	205	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 5320 @ 2.20GHz</a>	26	37,558	1,826	185	FCLGA4189	Server
⌵	<a href="#">Intel Core i5-13600K</a>	14	37,495	4,113	125	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i5-13600KF</a>	14	37,372	4,114	125	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon Platinum 8273CL @ 2.20GHz</a>	28	37,320	2,200	165	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen AI 9 HX 470</a>	12	37,259	4,138	28	Unknown	Laptop
⌵	<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,192	2,505	205	FCLGA4189	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	37,178	2,093	145	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon w5-2455X</a>	12	37,145	3,386	200	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz</a>	16	37,105	2,247	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 9700X</a>	8	37,028	4,647	65	AM5	Desktop
⌵	<a href="#">AMD Ryzen 7 9700F</a>	8	37,006	4,701	65	AM5	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	36,981	1,543	115	FCLGA2011	Server
⌵	<a href="#">Intel Core i9-14900T</a>	24	36,869	4,014	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	36,830	2,149	205	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz</a>	20	36,817	2,126	120	FCLGA3647	Server
⌵	<a href="#">Intel Core 9 273PE</a>	12	36,810	3,650	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i7-14700HX</a>	20	36,686	3,951	55	FCBGA1964	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz</a>	20	36,497	1,915	125	FCLGA3647	Server
⌵	<a href="#">Intel Core Ultra X9 388H</a>	16	36,475	4,287	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Xeon w5-3425</a>	12	36,421	3,333	270	FCLGA4677	Server
⌵	<a href="#">Intel Xeon Gold 6330N @ 2.20GHz</a>	28	36,360	2,322	165	FCLGA4189	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz</a>	12	36,304	1,935	130	FCLGA2011	Server
⌵	<a href="#">Intel Core i7-13850HX</a>	20	36,262	3,728	55	FCBGA1964	Laptop
⌵	<a href="#">Apple M3 Max 14 Core</a>	14	36,207	4,752	78	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">AMD EPYC 4345P</a>	8	36,123	4,408	65	AM5	Server
⏪	<a href="#">AMD EPYC 8124P</a>	16	36,117	2,294	125	SP6	Server
⏪	<a href="#">[8-Way CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	36,026	1,002	130	LGA1567	Server
⏪	<a href="#">Intel Core i7-13700</a>	16	35,988	4,095	65	FCLGA1700	Desktop
⏪	<a href="#">Intel Core i5-14600</a>	14	35,970	4,170	65	FCLGA1700	Desktop
⏪	<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	35,888	2,284	205	FCLGA3647	Server
⏪	<a href="#">Intel Xeon Gold 6338T @ 2.10GHz</a>	24	35,801	2,348	165	FCLGA4189	Server
⏪	<a href="#">Intel Core i9-12900F</a>	16	35,756	4,009	65	FCLGA1700	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz</a>	16	35,711	2,045	NA	FCLGA3647	Server
⏪	<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	35,697	2,633	205	FCLGA3647	Desktop, Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz</a>	16	35,599	2,124	150	FCLGA3647	Server
⏪	<a href="#">Intel Xeon Gold 5416S</a>	16	35,581	2,864	150	FCLGA4677	Server
⏪	<a href="#">AMD Ryzen 7 7700X</a>	8	35,526	4,178	105	AM5	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz</a>	16	35,440	2,229	125	FCLGA3647	Server
⏪	<a href="#">AMD Ryzen AI 9 HX 375</a>	12	35,376	3,995	28	FP8	Desktop, Laptop
⏪	<a href="#">ARM Neoverse-N1 128 Core 2600 MHz</a>	128	35,265	1,160	NA	Unknown	Unknown
⏪	<a href="#">Intel Core Ultra 9 386H</a>	16	35,246	4,204	25	FCBGA2540	Laptop
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz</a>	12	35,230	2,347	165	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz</a>	8	35,152	2,697	185	FCLGA3647	Server
⏪	<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	35,103	2,374	205	FCLGA3647	Server
⏪	<a href="#">AMD Ryzen AI 9 HX 370</a>	12	35,039	3,951	28	FP8	Desktop, Laptop
⏪	<a href="#">AMD EPYC 7303P</a>	16	34,976	2,525	130	SP3	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz</a>	8	34,885	2,514	165	FCLGA4189	Server
⏪	<a href="#">ARM Neoverse-N1 80 Core 0 MHz</a>	80	34,878	1,320	NA	Unknown	Server
⏪	<a href="#">AMD Ryzen 7 PRO 7745</a>	8	34,826	4,117	65	AM5 (LGA 1718)	Desktop, Server
⏪	<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	34,788	1,328	NA	Unknown	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	34,775	2,152	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	34,751	2,168	165	FCLGA3647	Server
⏪	<a href="#">Snapdragon X2 Elite - X2E90100 - Qualcomm Oryx</a>	18	34,732	4,737	NA	Unknown	Unknown
⏪	<a href="#">Intel Xeon Platinum 8260M @ 2.40GHz</a>	24	34,592	2,320	165	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	34,583	1,787	150	LGA2011-1	Server
⏪	<a href="#">Intel Xeon Gold 6268CL @ 2.80GHz</a>	24	34,558	2,278	205	FCLGA3647	Server
⏪	<a href="#">AMD Ryzen 9 PRO 5945</a>	12	34,549	3,499	65	AM4	Desktop
⏪	<a href="#">AMD Ryzen AI 9 HX PRO 470</a>	12	34,436	3,927	28	FP8	Desktop, Laptop
⏪	<a href="#">Intel Xeon Platinum 8260C @ 2.40GHz</a>	24	34,420	2,203	NA	FCLGA3647	Server
⏪	<a href="#">AMD EPYC 4364P</a>	8	34,386	3,628	105	AM5	Server
⏪	<a href="#">[Dual CPU] AMD EPYC 7262</a>	8	34,370	2,059	155	SP3	Server
⏪	<a href="#">AMD Ryzen 7 7700</a>	8	34,361	4,053	65	AM5	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	34,333	2,463	140	FCLGA4189	Server
⏪	<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	34,326	2,178	205	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz</a>	16	34,323	1,779	110	FCLGA3647	Server
⏪	<a href="#">Intel Xeon Gold 5318N @ 2.10GHz</a>	24	34,301	2,292	150	FCLGA4189	Server
⏪	<a href="#">AMD Ryzen 7 7800X3D</a>	8	34,281	3,760	120	AM5	Desktop
⏪	<a href="#">Intel Core i7-12700K</a>	12	34,271	4,004	190	FCLGA1700	Desktop
⏪	<a href="#">Intel Core Ultra 9 285H</a>	16	34,256	4,427	45	FCBGA2049	Mobile/Embedded
⏪	<a href="#">Intel Core Ultra 7 356H</a>	16	34,195	4,101	25	FCBGA2540	Laptop
⏪	<a href="#">Intel Core Ultra 7 265H</a>	16	34,133	4,344	28	FCBGA2049	Laptop
⏪	<a href="#">[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	34,121	1,858	120	FCLGA2011-3	Server
⏪	<a href="#">AMD EPYC 7601</a>	32	34,102	1,891	180	SP3	Server
⏪	<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
⏪	<a href="#">Intel Core i7-12700KF</a>	12	33,962	3,980	190	FCLGA1700	Desktop
⏪	<a href="#">AMD Ryzen 9 5900</a>	12	33,961	3,433	65	AM4	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	33,886	1,918	135	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Xeon Gold 5320T @ 2.30GHz</a>	20	33,828	1,967	150	FCLGA4189	Server
⏪	<a href="#">[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	33,826	1,500	145	FCLGA2011-3	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz</a>	12	33,795	1,971	120	FCLGA4189	Server
⏪	<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,792	2,404	129	FCBGA2579	Server
⏪	<a href="#">Intel Core Ultra X7 358H</a>	16	33,773	4,130	25	FCBGA2540	Laptop
⏪	<a href="#">Intel Core Ultra 7 366H</a>	16	33,664	4,012	25	FCBGA2540	Laptop
⏪	<a href="#">AMD Ryzen AI Max 385</a>	8	33,642	4,051	55	FP11	Desktop, Laptop
⏪	<a href="#">Intel Core i7-14650HX</a>	16	33,641	3,848	55	FCBGA1964	Laptop
⏪	<a href="#">Intel Core i9-12900</a>	16	33,638	4,003	65	FCLGA1700	Desktop
⏪	<a href="#">AMD Ryzen AI 9 HX PRO 375</a>	12	33,613	3,911	28	FP8	Desktop, Laptop
⏪	<a href="#">Intel Xeon Platinum 8270 @ 2.70GHz</a>	26	33,602	2,323	205	FCLGA3647	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz</a>	14	33,537	2,136	140	FCLGA3647	Server
⏪	<a href="#">Intel Xeon w3-2535</a>	10	33,517	3,447	185	Unknown	Unknown
⏪	<a href="#">AMD EPYC 7302</a>	16	33,499	2,024	155	SP3	Server
⏪	<a href="#">[Quad CPU] Intel Xeon E7-8860 v3 @ 2.20GHz</a>	16	33,453	1,505	140	LGA2011-v3	Server
⏪	<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,414	2,695	280	sWRX8	Desktop, Server
⏪	<a href="#">AMD RYZEN AI MAX+ 388</a>	8	33,347	4,206	55	Unknown	Desktop
⏪	<a href="#">AMD EPYC 4344P</a>	8	33,325	3,526	65	AM5	Server
⏪	<a href="#">Intel Xeon w5-3433</a>	16	33,322	2,498	220	FCLGA4677	Server
⏪	<a href="#">Intel Core i7-13700E</a>	16	33,298	3,210	65	FCLGA1700	Mobile/Embedded
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6137 @ 3.90GHz</a>	8	33,252	2,464	205	FCLGA-3647	Server
⏪	<a href="#">Intel Core Ultra X7 368H</a>	16	33,246	4,027	25	FCBGA2540	Laptop
⏪	<a href="#">AMD Ryzen AI 9 HX PRO 370</a>	12	33,221	3,995	28	FP8	Desktop, Laptop
⏪	<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	33,219	2,146	150	FCLGA4189	Server
⏪	<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	33,139	2,022	165	FCLGA4189	Server
⏪	<a href="#">[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	33,137	2,137	145	FCLGA2011-3	Server
⏪	<a href="#">[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz</a>	8	33,082	2,545	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i9-12900HX</a>	16	33,034	3,748	55	FCBGA1964	Laptop
⌵	<a href="#">Intel Xeon Platinum 8180M @ 2.50GHz</a>	28	32,989	1,912	205	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	32,988	1,918	145	LGA2011-v3	Server
⌵	<a href="#">Intel Core Ultra 5 230F</a>	10	32,916	4,617	121	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon Gold 6240R @ 2.40GHz</a>	24	32,907	2,184	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6278C @ 2.60GHz</a>	26	32,835	2,019	185	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	32,738	2,257	185	FCLGA4189	Server
⌵	<a href="#">Apple M4 Pro 12 Core</a>	12	32,712	4,560	NA	Unknown	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz</a>	16	32,657	1,971	125	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	32,591	2,169	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 3900X</a>	12	32,490	2,703	105	AM4	Desktop
⌵	<a href="#">AMD Ryzen 9 3900XT</a>	12	32,482	2,743	105	AM4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz</a>	16	32,475	2,002	105	Unknown	Server
⌵	<a href="#">AMD Ryzen AI 9 H 465</a>	10	32,465	4,042	28	FP8	Desktop, Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	32,453	2,016	130	FCLGA2011	Server
⌵	<a href="#">[Dual CPU] AMD EPYC 7252</a>	8	32,437	1,948	120	SP3	Server
⌵	<a href="#">AMD Ryzen 7 7700G</a>	8	32,432	4,021	NA	AM5	Laptop
⌵	<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,373	2,097	205	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 7745HX</a>	8	32,360	3,926	55	AM5 (LGA 1718)	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	32,313	2,054	145	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	32,240	2,326	200	FCLGA3647	Server
⌵	<a href="#">Intel Xeon w5-2445</a>	10	32,213	3,356	175	FCLGA4677	Server
⌵	<a href="#">Intel Xeon Silver 4510</a>	12	32,171	3,107	150	FCLGA4677	Server
⌵	<a href="#">AMD EPYC 7302P</a>	16	32,114	1,898	155	SP3	Server
⌵	<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,058	2,277	250	sTR4	Desktop, Server
⌵	<a href="#">AMD Ryzen AI Max Pro 385</a>	8	32,026	3,989	55	FP11	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	31,942	1,810	145	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	31,934	2,657	165	FCLGA2066	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">Qualcomm Snapdragon X Elite - X1E001DE</a>	12	31,863	4,171	NA	Unknown	Laptop
⏏	<a href="#">Intel Core i7-13700HX</a>	16	31,782	3,800	55	FCBGA1964	Laptop
⏏	<a href="#">[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	31,723	1,531	95	FCLGA2011	Server
⏏	<a href="#">Intel Xeon Gold 5320H @ 2.40GHz</a>	20	31,718	2,428	150	FCLGA4189	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	31,557	2,416	105	FCLGA4189	Server
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	31,549	2,109	125	FCLGA3647	Server
⏏	<a href="#">AMD Ryzen 7 8700G</a>	8	31,541	3,923	65	AM5	Desktop
⏏	<a href="#">[Dual CPU] AMD EPYC 7301</a>	16	31,537	1,558	155	SP3	Server
⏏	<a href="#">AMD Ryzen 7 8745HX</a>	8	31,525	3,864	55	FL1	Desktop, Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	31,494	1,549	135	FCLGA2011-3	Server
⏏	<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	31,486	2,554	165	FCLGA2066	Desktop
⏏	<a href="#">AMD Ryzen 5 PRO 9645</a>	6	31,434	4,636	65	AM5	Desktop
⏏	<a href="#">Intel Core Ultra 5 235T</a>	14	31,422	4,379	35	FCLGA1851	Desktop
⏏	<a href="#">Intel Xeon E-2488</a>	8	31,413	4,309	95	FCLGA1700	Server
⏏	<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,403	1,948	210	LGA 3647	Server
⏏	<a href="#">Intel Core i5-13600</a>	14	31,401	4,047	65	FCLGA1700	Desktop
⏏	<a href="#">[Dual CPU] AMD EPYC 7571</a>	32	31,397	1,763	120	SP3	Server
⏏	<a href="#">Intel Core i7-12800HX</a>	16	31,235	3,685	55	FCBGA1964	Laptop
⏏	<a href="#">Intel Xeon 6507P</a>	8	31,233	3,643	150	FCLGA4710	Server
⏏	<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,232	2,640	65	AM4	Desktop
⏏	<a href="#">Intel Core i9-12950HX</a>	16	31,147	3,760	55	FCBGA1964	Laptop
⏏	<a href="#">AMD Ryzen 7 PRO 8700G</a>	8	31,142	3,956	65	AM5	Desktop
⏏	<a href="#">Intel Core 5 223PE</a>	8	31,124	4,219	65	FCLGA1700	Mobile/Embedded
⏏	<a href="#">AMD EPYC 4245P</a>	6	31,075	4,575	65	AM5	Server
⏏	<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	31,059	2,554	205	FCLGA3647	Server
⏏	<a href="#">Intel Core Ultra 5 225F</a>	10	31,054	4,399	65	FCLGA1851	Desktop
⏏	<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	31,011	2,338	250	sTR4	Desktop, Server
⏏	<a href="#">AMD Ryzen 7 8700F</a>	8	30,968	3,874	65	AM5	Desktop
⏏	<a href="#">Intel Core i5-14500</a>	14	30,910	3,951	65	FCLGA1700	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-14700T</a>	20	30,886	3,928	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i5-13500</a>	14	30,870	3,858	65	FCLGA1700	Desktop
⌵	<a href="#">AMD EPYC 7371</a>	16	30,830	2,312	NA	SP3	Server
⌵	<a href="#">ARM Neoverse-N1 60 Core 0 MHz</a>	60	30,828	1,311	NA	Unknown	Server
⌵	<a href="#">Intel Core Ultra 5 245T</a>	14	30,824	4,356	35	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	30,804	2,634	165	FCLGA2066	Server
⌵	<a href="#">Intel Core Ultra 7 255H</a>	16	30,744	4,314	28	FCBGA2049	Mobile/Embedded
⌵	<a href="#">AMD EPYC 9015</a>	8	30,689	3,265	125	SP5	Server
⌵	<a href="#">AMD Ryzen AI 9 H 365</a>	10	30,674	3,795	54	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 9 3900</a>	12	30,589	2,604	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-12850HX</a>	16	30,561	3,656	55	FCBGA1964	Laptop
⌵	<a href="#">AMD EPYC Embedded 7292P</a>	16	30,542	2,091	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	30,531	2,055	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Core 5 221E</a>	14	30,510	4,147	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz</a>	16	30,507	1,754	125	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4514Y</a>	16	30,483	2,453	150	FCLGA4677	Server
⌵	<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,468	2,341	205	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 PRO 8945HS</a>	8	30,465	3,932	45	FP7 FP7r2	Desktop, Laptop, Server
⌵	<a href="#">Intel Core Ultra 5 225</a>	10	30,454	4,411	65	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon 6357P</a>	8	30,401	4,168	80	FCLGA1700	Server
⌵	<a href="#">[Quad CPU] AMD Opteron 6386 SE</a>	16	30,399	1,484	140	Socket G34	Server
⌵	<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	30,372	2,137	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen AI 9 365</a>	10	30,348	3,864	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon 6369P</a>	8	30,315	4,305	95	FCLGA1700	Server
⌵	<a href="#">Intel Core i9-14901E</a>	8	30,298	4,354	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD EPYC 7282</a>	16	30,289	1,959	120	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz</a>	8	30,249	2,439	150	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-13650HX</a>	14	30,221	3,746	55	FCBGA1964	Laptop
⌵	<a href="#">Intel Core i7-12700F</a>	12	30,199	3,841	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	14	30,162	2,970	255	LGA2066	Desktop
⌵	<a href="#">Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	30,162	1,962	165	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Gold 6262V @ 1.90GHz</a>	24	30,116	2,145	135	FCLGA3647	Server
⌵	<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 9600X</a>	6	30,089	4,571	65	AM5	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz</a>	8	30,028	2,374	130	FCLGA3647	Server
⌵	<a href="#">Intel Core 7 251TE</a>	24	30,022	3,568	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz</a>	12	29,961	2,069	125	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 8945H</a>	8	29,926	3,879	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 6534</a>	8	29,912	3,451	195	FCLGA4677	Server
⌵	<a href="#">Intel Core i7-12700</a>	12	29,903	3,846	65	FCLGA1700	Desktop
⌵	<a href="#">ARM Neoverse-N1 96 Core 2800 MHz</a>	96	29,890	1,248	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Ultra 5 235H</a>	14	29,888	4,337	28	FCBGA2049	Laptop
⌵	<a href="#">AMD Ryzen 9 7940HS</a>	8	29,846	3,854	54	FP7 FP7r2 FP8	Laptop
⌵	<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	29,836	1,976	165	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	29,747	1,978	135	LGA2011-v3	Server
⌵	<a href="#">Intel Core i9-13905H</a>	14	29,724	3,735	45	FCBGA1792	Laptop
⌵	<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	29,699	2,592	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Arc G3 Extreme</a>	14	29,622	4,288	25	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	29,613	2,122	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6434H</a>	8	29,606	3,353	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	29,530	2,253	150	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	29,520	2,430	165	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,458	2,453	180	sTR4	Desktop
⌵	<a href="#">AMD Ryzen AI 9 465</a>	10	29,433	3,844	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	29,419	2,066	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 8945HS</a>	8	29,359	3,822	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 5318H @ 2.50GHz</a>	18	29,301	2,225	150	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen 5 9600</a>	6	29,289	4,375	65	AM5	Desktop
⌵	<a href="#">Intel Core 7 253PE</a>	10	29,271	3,955	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-13645HX</a>	14	29,215	3,493	55	LGA 1700	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 7 8745H</a>	8	29,158	3,681	45	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 9 270</a>	8	29,129	3,784	45	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Silver 4510T</a>	12	29,119	3,006	115	FCLGA4677	Server
⌵	<a href="#">Virtual @ 4.03GHz</a>	18	29,102	4,317	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Ultra 9 185H</a>	16	29,091	3,665	45	FCBGA2049	Laptop
⌵	<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	29,057	1,978	140	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6266C @ 3.00GHz</a>	22	29,049	1,941	205	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 255</a>	8	29,048	3,732	28	Unknown	Laptop
⌵	<a href="#">Intel Core Ultra 5 338H</a>	12	28,972	4,216	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,861	1,951	150	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-12900T</a>	16	28,852	3,730	35	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 8845HS</a>	8	28,731	3,786	45	FP7 FP7r2	Desktop, Laptop, Server
⌵	<a href="#">AMD Ryzen 7 H 255</a>	8	28,719	3,703	45	FP8	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E7-8860 v4 @ 2.20GHz</a>	18	28,659	757	140	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 7 8745HS</a>	8	28,656	3,725	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	28,646	2,316	165	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	28,623	2,162	135	FCLGA4189	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz</a>	16	28,618	1,801	100	FCLGA3647	Server
⌵	<a href="#">AMD EPYC 7571</a>	32	28,574	1,855	120	SP3	Server
⌵	<a href="#">AMD EPYC 7303</a>	16	28,572	1,460	130	SP3	Server
⌵	<a href="#">Intel Core i5-14500HX</a>	14	28,557	3,611	55	FCBGA1964	Laptop
⌵	<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	28,551	2,075	150	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	28,549	2,311	205	FCLGA3647	Server
⌵	<a href="#">Intel Core 9 270H</a>	14	28,537	3,954	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Xeon W-3245M @ 3.20GHz</a>	16	28,494	2,623	205	FCLGA3647	Server
⌵	<a href="#">Intel Xeon D-2795NT @ 2.00GHz</a>	20	28,463	2,192	110	FCBGA2579	Server
⌵	<a href="#">Intel Xeon Platinum 8260L @ 2.40GHz</a>	24	28,439	2,211	165	FCLGA3647	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz</a>	4	28,424	2,270	140	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 9 7940H</a>	8	28,388	3,811	54	FP7 FP7r2 FP8	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 7 7840HS</a>	8	28,382	3,720	54	FP7 FP7r2 FP8	Laptop
⌵	<a href="#">AMD Ryzen 5 9500F</a>	6	28,373	4,261	65	AM5	Desktop
⌵	<a href="#">Intel Xeon w3-2525</a>	8	28,373	3,426	175	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen 7 8845HS</a>	8	28,365	3,728	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 5800X3D</a>	8	28,300	3,234	105	AM4	Desktop
⌵	<a href="#">Intel Core Ultra 5 225H</a>	14	28,296	4,255	28	FCBGA2049	Laptop
⌵	<a href="#">AMD Ryzen 5 7600X</a>	6	28,293	4,131	105	AM5	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 8700GE</a>	8	28,282	3,861	35	AM5	Desktop
⌵	<a href="#">Intel Xeon 6975P-C</a>	8	28,252	3,293	NA	Unknown	Server
⌵	<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	28,244	1,716	NA	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 H 260</a>	8	28,197	3,669	NA	FP8	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4650L @ 2.60GHz</a>	8	28,193	1,439	115	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 7 260</a>	8	28,186	3,745	45	Unknown	Desktop, Laptop
⌵	<a href="#">Intel Core i9-12900E</a>	16	28,170	3,673	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	28,147	2,700	NA	Unknown	Server
⌵	<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	28,103	2,511	140	FCLGA2066	Server
⌵	<a href="#">Intel Core i7-12700E</a>	12	28,093	3,633	65	FCLGA1700	Desktop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 5800XT</a>	8	28,040	3,534	105	AM4	Desktop
⌵	<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,040	1,093	NA	Unknown	Server
⌵	<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	28,025	2,058	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	28,025	2,429	140	FCLGA2066	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	28,022	2,079	160	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,015	2,610	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Xeon Gold 6434</a>	8	28,012	3,228	195	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen 7 PRO 8840H</a>	8	27,994	3,909	NA	FP8	Laptop
⌵	<a href="#">Intel Core i5-13600T</a>	14	27,951	3,780	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon w5-3423</a>	12	27,944	2,663	270	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen AI 7 450</a>	8	27,900	4,092	28	FP8	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	27,890	1,843	120	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E-2478</a>	8	27,880	3,895	80	FCLGA1700	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	27,856	2,179	130	FCLGA3647	Server
⌵	<a href="#">AMD EPYC 7401P</a>	24	27,836	1,680	155	SP3	Server
⌵	<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	27,822	2,580	220	FCLGA4189	Desktop, Server
⌵	<a href="#">AMD Ryzen Threadripper 1950X</a>	16	27,777	2,284	180	sTR4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz</a>	14	27,723	1,752	105	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Hygon C86 S316 16-core</a>	16	27,680	1,677	NA	Unknown	Desktop
⌵	<a href="#">AMD Ryzen 7 5800X</a>	8	27,679	3,448	105	AM4	Desktop
⌵	<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	27,674	2,658	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Core i5-13500HX</a>	14	27,644	3,627	55	FCBGA1964	Laptop
⌵	<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,598	2,727	165	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 7645</a>	6	27,564	3,954	65	AM5 (LGA 1718)	Desktop, Server
⌵	<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	27,552	2,453	165	FCLGA2066	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz</a>	12	27,533	1,976	100	FCLGA3647	Server
⌵	<a href="#">Intel Core i5-12600KF</a>	10	27,530	3,917	150	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i5-12600K</a>	10	27,526	3,918	150	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i7-13700T</a>	16	27,526	3,805	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i5-13600HX</a>	14	27,495	3,653	55	FCBGA1964	Laptop
⌵	<a href="#">Intel Core 5 213PE</a>	8	27,488	3,807	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	27,403	2,202	200	FCLGA3647	Server
⌵	<a href="#">Intel Xeon D-2775TE @ 2.00GHz</a>	16	27,299	2,203	100	FCBGA2579	Unknown
⌵	<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	27,293	2,327	150	FCLGA4189	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	27,285	1,742	120	FCLGA2011-3	Server
⌵	<a href="#">ARM Neoverse-N1 48 Core 0 MHz</a>	48	27,266	1,323	NA	Unknown	Server
⌵	<a href="#">AMD EPYC 72F3</a>	8	27,252	3,070	180	SP3	Server
⌵	<a href="#">Intel Xeon Silver 4410T</a>	10	27,245	2,978	150	FCLGA4677	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz</a>	16	27,205	1,623	125	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 7840H</a>	8	27,189	3,573	54	FP7 FP7r2 FP8	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Quad CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	27,151	723	200	FCLGA3647	Server
⇓	<a href="#">Intel Core i9-13900H</a>	14	27,141	3,704	45	FCBGA1744	Laptop
⇓	<a href="#">AMD Ryzen 9 PRO 7940HS</a>	8	27,096	3,721	45	FP7 FP7r2	Laptop
⇓	<a href="#">Intel Xeon Gold 6230T @ 2.10GHz</a>	20	27,053	2,320	125	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	27,044	2,118	125	FCLGA3647	Server
⇓	<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	27,032	2,128	165	FCLGA3647	Server
⇓	<a href="#">Intel Core 7 250H</a>	14	27,030	4,148	45	FCBGA1744	Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	27,009	1,846	120	LGA2011-v3	Server
⇓	<a href="#">Intel Core i5-13400E</a>	10	27,000	3,716	65	FCLGA1700	Mobile/Embedded
⇓	<a href="#">Apple M5 10 Core</a>	10	26,996	5,749	28	Unknown	Laptop, Mobile/Embedded
⇓	<a href="#">AMD Ryzen 5 7600</a>	6	26,977	3,908	65	AM5 (LGA 1718)	Desktop
⇓	<a href="#">Apple M2 Max 12 Core 3680 MHz</a>	12	26,868	4,140	NA	Unknown	Laptop
⇓	<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	26,866	2,083	145	FCLGA2011-3	Server
⇓	<a href="#">Intel Core i5-14490F</a>	10	26,831	3,941	65	FCLGA1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	26,827	1,939	120	FCLGA2011-3	Server
⇓	<a href="#">Intel Xeon Gold 6240 @ 2.60GHz</a>	18	26,826	2,042	150	FCLGA3647	Server
⇓	<a href="#">Intel Core i9-13900HK</a>	14	26,818	3,752	45	FCBGA1744	Laptop
⇓	<a href="#">AMD Ryzen 9 6980HX</a>	8	26,817	3,587	45	FP7	Desktop, Laptop
⇓	<a href="#">AMD Ryzen 7 PRO 7840HS</a>	8	26,807	3,618	54	FP7 FP7r2 FP8	Laptop
⇓	<a href="#">AMD EPYC 4244P</a>	6	26,797	3,710	65	AM5	Server
⇓	<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	26,797	1,966	150	FCLGA3647	Server
⇓	<a href="#">Intel Core i5-13490F</a>	10	26,744	3,860	65	FCLGA1700	Desktop
⇓	<a href="#">Intel Core i5-14600T</a>	14	26,734	3,744	35	FCLGA1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz</a>	14	26,721	1,394	105	Unknown	Server
⇓	<a href="#">Intel Core i9-12900H</a>	14	26,714	3,656	45	FCBGA1744	Laptop
⇓	<a href="#">Apple M2 Pro 12 Core 3480 MHz</a>	12	26,689	4,088	NA	Unknown	Laptop
⇓	<a href="#">AMD Ryzen 7 PRO 8840HS</a>	8	26,654	3,691	28	FP7 FP7r2 FP8	Desktop, Laptop
⇓	<a href="#">Intel Xeon E-2468</a>	8	26,652	4,003	65	FCLGA1700	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	26,649	1,941	145	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD EPYC 7451</a>	24	26,639	1,947	180	SP3	Server
⌵	<a href="#">AMD Ryzen 7 8845H</a>	8	26,629	3,512	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-13400EF</a>	10	26,594	3,809	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 5700X</a>	8	26,581	3,387	65	AM4	Desktop
⌵	<a href="#">Intel Core Ultra 5 336H</a>	12	26,567	3,701	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Xeon Gold 6142M @ 2.60GHz</a>	16	26,552	2,075	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 7500F</a>	6	26,547	3,825	65	AM5 (LGA 1718)	Desktop
⌵	<a href="#">Intel Core i5-13500E</a>	14	26,516	3,444	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-2796TE @ 2.00GHz</a>	20	26,479	2,170	118	FCBGA2579	Server
⌵	<a href="#">Ryzen AI Embedded P164</a>	8	26,440	3,904	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	26,386	2,256	150	FCLGA3647	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	26,361	1,533	130	LGA2011	Server
⌵	<a href="#">Intel Xeon Gold 5515+</a>	8	26,359	3,013	165	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen 7 250 with Radeon 780M</a>	8	26,355	3,740	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	26,310	2,189	125	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-12800HE</a>	14	26,307	3,658	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 5700X3D</a>	8	26,305	2,968	105	AM4	Desktop
⌵	<a href="#">AMD Ryzen AI 7 H 350</a>	8	26,253	3,740	28	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 7645HX</a>	6	26,252	3,881	55	AM5 (LGA 1718)	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	26,247	1,909	135	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-13800H</a>	14	26,220	3,530	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Core Ultra 3 205</a>	8	26,193	4,579	57	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon w3-2435</a>	8	26,129	3,306	165	FCLGA4677	Server
⌵	<a href="#">Intel Core i7-14701E</a>	8	26,103	4,297	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD EPYC 7551</a>	32	26,078	1,714	180	SP3	Server
⌵	<a href="#">AMD Ryzen 7 PRO 5845</a>	8	26,054	3,442	65	AM4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	26,034	1,645	105	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz</a>	12	26,022	1,771	85	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz</a>	15	25,966	1,316	130	LGA 2011-1	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon 6353P</a>	8	25,951	4,226	65	FCLGA1700	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	25,938	1,076	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-13700H</a>	14	25,936	3,556	45	FCBGA1744	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz</a>	10	25,895	1,110	130	LGA1567	Server
⌵	<a href="#">AMD Ryzen Threadripper 2990X</a>	32	25,874	2,312	250	TR4	Desktop
⌵	<a href="#">Intel Core Ultra 7 165H</a>	16	25,851	3,478	28	FCBGA2049	Laptop
⌵	<a href="#">AMD Ryzen 5 7600X3D</a>	6	25,848	3,605	65	AM5	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz</a>	8	25,818	2,063	115	FCLGA3647	Server
⌵	<a href="#">Intel Xeon 6349P</a>	6	25,793	4,528	95	FCLGA1700	Server
⌵	<a href="#">AMD EPYC 7272</a>	12	25,771	1,925	120	SP3	Server
⌵	<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	25,760	2,763	165	FCLGA2066	Server
⌵	<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	25,753	2,705	165	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen Z2</a>	8	25,744	3,594	28	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen AI 7 PRO 450</a>	8	25,724	3,921	NA	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 7 5800</a>	8	25,702	3,381	65	AM4	Desktop
⌵	<a href="#">Intel Core Ultra 5 225T</a>	10	25,652	4,249	35	FCLGA1851	Desktop
⌵	<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	25,605	2,243	NA	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,600	2,631	180	FCLGA3647	Server
⌵	<a href="#">Intel Core 5 213PTE</a>	8	25,590	3,718	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i7-13705H</a>	14	25,544	3,524	45	FCBGA1792	Laptop
⌵	<a href="#">Intel Core i5-14400F</a>	10	25,514	3,702	65	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 5 7400F</a>	6	25,511	3,676	65	AM5 (LGA 1718)	Desktop
⌵	<a href="#">[Dual CPU] AMD EPYC 7351</a>	16	25,431	1,747	155	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	25,342	1,903	105	FCLGA2011-3	Server
⌵	<a href="#">[16-Way CPU] Virtual @ 3.07GHz</a>	1	25,342	3,034	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon Gold 6256 @ 3.60GHz</a>	12	25,334	2,558	205	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 250</a>	8	25,290	3,699	28	FP8	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 8600G</a>	6	25,277	3,894	65	AM5	Desktop
⌵	<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,224	2,484	180	sTR4	Desktop
⌵	<a href="#">Intel Xeon Gold 6142 @ 2.60GHz</a>	16	25,218	2,032	150	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 5 8600G</a>	6	25,199	3,875	65	AM5	Desktop
⌵	<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	25,197	2,479	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Core i9-12900HK</a>	14	25,173	3,525	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Xeon Silver 4410Y</a>	12	25,162	2,476	150	FCLGA4677	Server
⌵	<a href="#">ARM - 5 Core 2808 MHz</a>	5	25,147	3,685	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 7500X3D</a>	6	25,127	3,502	65	AM5	Desktop
⌵	<a href="#">Intel Core i5-14400</a>	10	25,124	3,737	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i7-12700H</a>	14	25,084	3,490	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	25,076	2,191	125	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	25,055	1,790	155	LGA 2011-1	Server
⌵	<a href="#">Intel Core 7 253PTE</a>	10	25,031	3,794	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Virtual @ 4.45GHz</a>	18	25,028	4,038	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	24,947	3,503	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i5-13400F</a>	10	24,937	3,632	148	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen AI 7 350</a>	8	24,933	3,837	45	Unknown	Laptop
⌵	<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
⌵	<a href="#">Intel Xeon Gold 5415+</a>	8	24,906	3,128	150	FCLGA4677	Server
⌵	<a href="#">ARM Neoverse-N1 64 Core 3000 MHz</a>	64	24,838	1,326	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	24,814	3,549	125	FCLGA1200	Desktop, Server
⌵	<a href="#">Apple M3 Pro 11 Core</a>	11	24,812	4,749	27	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 7 8840HS</a>	8	24,809	3,590	28	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Qualcomm Snapdragon X Elite - X1E-84-100</a>	12	24,809	3,833	NA	Unknown	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz</a>	8	24,792	2,193	130	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz</a>	12	24,774	1,744	105	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	24,769	2,086	NA	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	24,760	2,618	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	24,751	1,445	NA	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz</a>	10	24,667	1,832	85	FCLGA3647	Server
⏏	<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	24,653	1,964	145	FCLGA2011-3	Server
⏏	<a href="#">AMD Ryzen Z1 Extreme</a>	8	24,637	3,534	15	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	24,624	2,108	150	FCLGA2011-3	Server
⏏	<a href="#">Intel Core i5-13450HX</a>	10	24,614	3,535	55	FCBGA1964	Laptop
⏏	<a href="#">AMD EPYC 7351P</a>	16	24,587	1,729	155	SP3	Server
⏏	<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	24,569	2,051	140	FCLGA3647	Server
⏏	<a href="#">Intel Core Ultra 7 155H</a>	16	24,557	3,417	28	FCBGA2049	Laptop
⏏	<a href="#">Intel Core 7 230H</a>	10	24,533	4,024	45	Unknown	Laptop
⏏	<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	24,522	3,517	125	FCLGA1200	Desktop
⏏	<a href="#">AMD Ryzen 7 H 250</a>	8	24,508	3,679	45	FP8	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz</a>	12	24,493	1,681	85	FCLGA3647	Server
⏏	<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	24,480	2,255	125	FCLGA3647	Server
⏏	<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	24,480	2,219	150	FCLGA3647	Server
⏏	<a href="#">AMD Ryzen AI Max Pro 380</a>	6	24,431	4,062	55	FP11	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	24,421	1,575	120	FCLGA2011-3	Server
⏏	<a href="#">AMD Ryzen 5 8400F</a>	6	24,414	3,687	65	AM5	Desktop
⏏	<a href="#">AMD Ryzen 7 7840U</a>	8	24,386	3,540	30	Unknown	Laptop
⏏	<a href="#">AMD Ryzen 7 PRO 7840U</a>	8	24,373	3,675	30	Unknown	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 5120T @ 2.20GHz</a>	14	24,364	1,901	105	FCLGA3647	Server
⏏	<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	24,345	2,448	NA	FCLGA-2066	Server
⏏	<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,337	3,386	125	FCLGA1200	Desktop
⏏	<a href="#">Intel Core i5-12600HX</a>	12	24,332	3,535	55	FCBGA1964	Laptop
⏏	<a href="#">Intel Core 7 240H</a>	10	24,323	3,810	45	FCBGA1744	Mobile/Embedded
⏏	<a href="#">AMD Ryzen 7 5700G</a>	8	24,258	3,282	65	AM4	Desktop
⏏	<a href="#">AMD Ryzen 7 5700</a>	8	24,251	3,294	65	AM4	Desktop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	24,223	1,765	120	LGA2011-v3	Server
⏏	<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	24,187	2,141	140	FCLGA3647	Server
⏏	<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	24,131	1,992	200	FCLGA2011-3	Server
⏏	<a href="#">Intel Xeon Gold 6222V @ 1.80GHz</a>	20	24,115	1,838	115	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 9 6900HX</a>	8	24,112	3,373	45	FP7	Laptop
⌵	<a href="#">AMD Ryzen AI 7 PRO 350</a>	8	24,107	3,880	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	24,099	2,118	150	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8479 @2.00GHz</a>	28	24,087	2,453	350	FCLGA4677	Server
⌵	<a href="#">Intel Core 9 273PTE</a>	12	24,054	3,433	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon Silver 4216R @ 2.20GHz</a>	16	24,027	1,866	NA	FCLGA3647	Server
⌵	<a href="#">Intel Xeon D-2766NT @ 2.00GHz</a>	14	24,013	1,930	97	FCBGA2579	Server
⌵	<a href="#">Embedded Ryzen V4728X</a>	8	24,000	4,015	NA	Unknown	Unknown
⌵	<a href="#">Apple M3 Pro 12 Core</a>	12	23,993	4,240	27	Unknown	Laptop
⌵	<a href="#">Intel Core 5 211EF</a>	10	23,988	3,884	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4114T @ 2.20GHz</a>	10	23,985	1,767	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 PRO 8840U</a>	8	23,954	3,654	28	FP7 FP7r2	Desktop, Laptop, Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz</a>	10	23,889	1,948	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 7 PRO 5755G</a>	8	23,858	3,366	65	AM4	Desktop
⌵	<a href="#">Intel Core i5-13400</a>	10	23,857	3,576	154	FCLGA1700	Desktop
⌵	<a href="#">Intel Core 5 211E</a>	10	23,833	4,006	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 9 PRO 6950H</a>	8	23,832	3,330	45	FP7	Laptop
⌵	<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	23,820	3,366	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i7-12800H</a>	14	23,817	3,372	45	FCBGA1744	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	23,801	2,186	135	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	23,784	3,308	65	AM4	Desktop
⌵	<a href="#">Intel Xeon Gold 6122 @ 1.80GHz</a>	20	23,781	2,157	120	FCLGA3647	Server
⌵	<a href="#">Intel Core i5-14450HX</a>	10	23,768	3,663	55	FCBGA1964	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	23,754	1,517	65	FCLGA2011-3	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	23,724	1,086	130	LGA1567	Server
⌵	<a href="#">AMD Ryzen 5 PRO 8600GE</a>	6	23,710	3,883	35	AM5	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	23,706	1,944	160	LGA2011-v3	Server
⌵	<a href="#">[Quad CPU] AMD Opteron 6348</a>	6	23,682	1,385	115	Unknown	Server
⌵	<a href="#">AMD Ryzen Z2 Extreme</a>	8	23,649	3,964	28	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Apple M4 10 Core</a>	10	23,649	4,507	22	Unknown	Desktop, Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5-12600HL</a>	12	23,615	3,318	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 8645HS</a>	6	23,569	3,858	45	FP7, FP7r2	Desktop, Laptop
⌵	<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	23,530	3,478	125	FCLGA1200	Desktop, Server
⌵	<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	12	23,517	2,502	140	FCLGA2066	Desktop
⌵	<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	23,487	1,608	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-13600HE</a>	12	23,483	3,527	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,472	2,469	140	FCLGA2066	Server
⌵	<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,458	3,399	95	FCLGA1200	Server
⌵	<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,427	3,399	80	FCLGA1200	Server
⌵	<a href="#">AMD Ryzen 7 3800XT</a>	8	23,423	2,798	105	AM4	Desktop
⌵	<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	23,423	2,016	125	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-13620H</a>	10	23,382	3,550	45	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 7 8840U</a>	8	23,377	3,540	28	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-12500HL</a>	12	23,366	3,643	45	FCLGA1700	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 3 205T</a>	8	23,360	4,501	NA	Unknown	Unknown
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz</a>	6	23,354	1,474	95	FCLGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	23,351	1,785	120	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 7 PRO 6850H</a>	8	23,347	3,277	45	FP7	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	23,346	1,633	120	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 7 7840S</a>	8	23,290	3,550	54	FP7 FP7r2 FP8	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	23,281	1,901	135	LGA2011-v3	Server
⌵	<a href="#">AMD EPYC 7F32</a>	8	23,253	2,379	180	SP3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	23,225	1,712	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-13600H</a>	12	23,177	3,641	45	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 7 7735H</a>	8	23,162	3,247	54	FP7	Laptop
⌵	<a href="#">AMD Ryzen 9 5980HX</a>	8	23,132	3,308	45	FP6	Laptop
⌵	<a href="#">Intel Xeon E E-2486</a>	6	23,083	3,837	95	FCLGA1700	Server
⌵	<a href="#">AMD EPYC 7351</a>	16	23,079	1,786	155	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz</a>	10	23,044	1,815	100	FCLGA3647	Server
⏏	<a href="#">AMD Ryzen Threadripper 1920X</a>	12	23,032	2,307	180	sTR4	Desktop
⏏	<a href="#">AMD Ryzen 7 3800X</a>	8	22,974	2,710	105	AM4	Desktop
⏏	<a href="#">Intel Core i5-14500T</a>	14	22,959	3,740	35	FCLGA1700	Desktop
⏏	<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	22,948	3,459	80	FCLGA1200	Desktop, Server
⏏	<a href="#">AMD Ryzen 5 PRO 8640U</a>	6	22,923	3,772	28	FP7 FP7r2	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz</a>	6	22,891	2,154	115	FCLGA3647	Server
⏏	<a href="#">AMD Ryzen 9 6900HS</a>	8	22,884	3,212	35	FP7	Laptop
⏏	<a href="#">Qualcomm Snapdragon X Elite - X1E-80-100</a>	12	22,834	3,226	NA	Unknown	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	22,826	1,721	130	FCLGA2011	Server
⏏	<a href="#">AMD Ryzen 5 PRO 7445</a>	6	22,819	3,411	65	AM5	Desktop
⏏	<a href="#">AMD Ryzen 7 6800H</a>	8	22,788	3,193	45	FP7	Laptop
⏏	<a href="#">AMD Ryzen 5 7640HS</a>	6	22,776	3,643	54	FP7 FP7r2 FP8	Laptop
⏏	<a href="#">AMD Ryzen 7 7435HS</a>	8	22,763	3,094	45	FP7r2	Desktop, Laptop
⏏	<a href="#">Intel Core i9-11900KB @ 3.30GHz</a>	8	22,763	3,308	65	FCBGA1787	Desktop
⏏	<a href="#">AMD Ryzen 7 6810U</a>	8	22,741	3,397	15	FP7	Laptop
⏏	<a href="#">[3-Way CPU] Intel Xeon E7-8860 v4 @ 2.20GHz</a>	18	22,737	757	140	FCLGA2011	Server
⏏	<a href="#">AMD Ryzen 7 7435H</a>	8	22,730	3,145	45	FP7r2	Desktop, Laptop
⏏	<a href="#">JM.JWOA-Generic-</a>	12	22,729	4,322	NA	Unknown	Unknown
⏏	<a href="#">AMD Ryzen 7 PRO 3700</a>	8	22,722	2,676	65	AM4	Desktop
⏏	<a href="#">Qualcomm Snapdragon X Elite - X1E-78-100</a>	12	22,695	3,139	23	Unknown	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	22,691	1,736	105	FCLGA2011-3	Server
⏏	<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	22,674	2,059	240	FCLGA3647	Server
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	22,635	1,716	120	LGA2011-v3	Server
⏏	<a href="#">AMD Ryzen 9 PRO 6950HS</a>	8	22,631	3,373	35	FP7	Laptop
⏏	<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	22,587	2,055	135	FCLGA2011-3	Server
⏏	<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	22,571	2,487	165	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,571	2,695	165	FCLGA2066	Desktop, Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz</a>	12	22,559	1,573	105	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz</a>	10	22,556	1,768	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	22,548	2,141	140	FCLGA3647	Server
⌵	<a href="#">ARM - 20 Core 0 MHz</a>	20	22,504	2,951	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-12650HX</a>	14	22,485	3,547	55	FCBGA1964	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 240</a>	6	22,463	3,641	45	FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-13500T</a>	14	22,447	3,566	35	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 7 6800HS</a>	8	22,428	3,152	35	FP7	Laptop
⌵	<a href="#">AMD Ryzen 7 3700X</a>	8	22,400	2,655	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen AI Z2 Extreme</a>	8	22,393	3,587	28	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	22,390	1,862	130	FCLGA2011	Server
⌵	<a href="#">Hygon C86-4G (OPN:3490)</a>	16	22,363	1,728	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,363	3,166	125	FCLGA1200	Server
⌵	<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	22,352	3,371	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 7735HS</a>	8	22,345	3,249	54	FP7	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	22,336	1,951	135	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 7 PRO 6850HS</a>	8	22,322	3,302	35	FP7	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	22,319	1,947	75	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,316	2,666	165	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen 5 5600XT</a>	6	22,286	3,466	65	AM4	Desktop
⌵	<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	22,272	3,110	125	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	22,204	1,626	110	LGA2011-v3	Server
⌵	<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	22,199	3,118	125	FCLGA1200	Desktop
⌵	<a href="#">Apple M4 9 Core</a>	9	22,184	4,472	22	Unknown	Mobile/Embedded
⌵	<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,159	3,831	NA	Unknown	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	22,150	2,229	165	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-11980HK @ 2.60GHz</a>	8	22,127	3,237	45	FCBGA1787	Laptop
⌵	<a href="#">AMD Ryzen AI 7 PRO 360</a>	8	22,118	3,860	28	FP8	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	22,099	3,419	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon 6337P</a>	6	22,098	4,104	80	FCLGA1700	Server
⌵	<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
⌵	<a href="#">AMD Ryzen 9 5900HX</a>	8	22,054	3,156	45	FP6	Laptop
⌵	<a href="#">AMD Ryzen 5 8645HS</a>	6	22,039	3,559	45	FP7 , FP7r2 , FP	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	22,024	1,569	120	LGA2011	Server
⌵	<a href="#">AMD EPYC 7203P</a>	8	22,017	2,537	120	SP3	Server
⌵	<a href="#">Intel Core i7-13700TE</a>	16	21,998	3,358	35	FCLGA1700	Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 7640HS</a>	6	21,986	3,596	54	FP7 FP7r2	Laptop
⌵	<a href="#">Intel Core Ultra 5 135H</a>	14	21,985	3,478	28	FCBGA2049	Laptop
⌵	<a href="#">Apple M2 Pro 10 Core 3480 MHz</a>	10	21,979	4,102	NA	Unknown	Desktop, Laptop
⌵	<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	21,933	3,795	NA	Unknown	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz</a>	8	21,916	1,956	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 PRO 8500G</a>	6	21,906	3,975	65	AM5	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 5645</a>	6	21,904	3,441	NA	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 5600T</a>	6	21,893	3,330	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 5600X3D</a>	6	21,889	3,183	105	AM4	Desktop
⌵	<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	21,887	3,066	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core 5 220H</a>	12	21,884	3,405	45	FCBGA1744	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	21,856	1,576	105	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 5 5600X</a>	6	21,835	3,366	65	AM4	Desktop
⌵	<a href="#">Intel Xeon Gold 6262 @ 1.90GHz</a>	24	21,823	1,701	135	Unknown	Server
⌵	<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,804	1,698	125	FCLGA3647	Server
⌵	<a href="#">[Quad CPU] AMD Opteron 6376</a>	8	21,745	1,185	115	Socket G34	Server
⌵	<a href="#">AMD Ryzen 7 7736U</a>	8	21,696	3,361	28	FP7	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	21,671	1,958	120	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	21,669	2,102	125	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,666	2,542	165	FCLGA2066	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	21,662	1,797	105	LGA2011-v3	Server
⌵	<a href="#">AMD EPYC 7281</a>	16	21,653	1,621	155	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	21,642	1,660	120	LGA2011-v3	Server
⇓	<a href="#">Intel Xeon E-2436</a>	6	21,635	3,601	65	FCLGA1700	Server
⇓	<a href="#">Intel Xeon E7-8891 v3 @ 2.80GHz</a>	10	21,615	1,715	165	LGA2011-v3	Server
⇓	<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	21,606	3,286	65	FCBGA1787	Desktop
⇓	<a href="#">Dragonwing - IQX7181 - Qualcomm Oryon</a>	12	21,569	2,915	NA	Unknown	Unknown
⇓	<a href="#">[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	21,548	1,291	115	FCLGA2011	Server
⇓	<a href="#">AMD Ryzen 5 PRO 8500GE</a>	6	21,527	3,910	35	AM5	Desktop
⇓	<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	21,525	2,098	145	FCLGA2011-3	Server
⇓	<a href="#">Snapdragon X Elite - X1E80100 - Qualcomm Or</a>	12	21,524	3,420	NA	Unknown	Unknown
⇓	<a href="#">AMD Ryzen 5 5600</a>	6	21,517	3,255	65	AM4	Desktop
⇓	<a href="#">AMD Ryzen 7 PRO 250</a>	8	21,504	3,646	28	FP8	Laptop
⇓	<a href="#">AMD Ryzen 7 5700GE</a>	8	21,484	3,328	35	AM4	Desktop
⇓	<a href="#">Intel Core i5-14401EF</a>	6	21,483	3,802	65	FCLGA1700	Laptop
⇓	<a href="#">AMD Ryzen 7 170</a>	8	21,478	3,144	45	FP7r2	Desktop, Laptop
⇓	<a href="#">Intel Core 5 120F</a>	6	21,477	3,636	65	FCLGA1700	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	21,462	1,941	110	LGA 2011	Server
⇓	<a href="#">Intel Core i7-12650H</a>	10	21,437	3,490	45	FCBGA1744	Laptop
⇓	<a href="#">Intel Xeon Gold 5218T @ 2.10GHz</a>	16	21,433	2,282	105	Unknown	Server
⇓	<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	21,431	3,178	45	FCBGA1787	Laptop, Server
⇓	<a href="#">AMD Ryzen 5 PRO 8640HS</a>	6	21,425	3,581	28	FP7 FP7r2	Desktop, Laptop, Server
⇓	<a href="#">AMD Ryzen 5 8500G</a>	6	21,408	3,876	65	AM5	Desktop
⇓	<a href="#">[Quad CPU] Intel Xeon E7-4850 @ 2.00GHz</a>	10	21,385	931	130	LGA1567	Server
⇓	<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,374	3,156	125	FCLGA1200	Desktop
⇓	<a href="#">[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz</a>	8	21,374	1,392	95	LGA2011	Server
⇓	<a href="#">Qualcomm Snapdragon X Plus X1P-64-100</a>	10	21,371	3,110	NA	Unknown	Laptop
⇓	<a href="#">ARM Cortex-A725 10 Core 2808 MHz</a>	10	21,368	3,249	NA	Unknown	Unknown
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	21,356	1,581	115	LGA 2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-12600</a>	6	21,327	3,821	65	LGA 1700	Desktop
⌵	<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	21,306	2,043	145	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 5 PRO 7640U</a>	6	21,287	3,726	28	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 6800HS Creator Edition</a>	8	21,276	3,166	35	FP7	Laptop
⌵	<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	21,253	2,090	125	FCLGA3647	Server
⌵	<a href="#">Hygon C86-4G (OPN:5440)</a>	16	21,230	1,738	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-12700T</a>	12	21,223	3,558	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	21,212	2,029	145	FCLGA2011-3	Server
⌵	<a href="#">ARM Apple M1 Max (Virtual) 10 Core 0 MHz</a>	10	21,197	3,723	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	21,195	1,992	135	LGA2011-v3	Server
⌵	<a href="#">Intel Core Ultra 7 365</a>	8	21,193	4,035	NA	FCBGA2540	Laptop
⌵	<a href="#">Intel Core i7-14701TE</a>	8	21,177	2,777	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2378G @ 2.80GHz</a>	8	21,146	3,339	80	FCLGA1200	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	21,132	2,027	130	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 5 8500GE</a>	6	21,125	3,911	35	AM5	Desktop
⌵	<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	21,114	2,164	150	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-13900TE</a>	24	21,111	2,747	35	FCLGA1700	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	21,109	1,781	115	FCLGA2011	Server
⌵	<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	21,085	1,798	100	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 5900HS</a>	8	21,070	3,114	35	FP6	Laptop
⌵	<a href="#">Intel Core i3-13300HE</a>	8	21,057	2,672	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	21,014	3,251	35	AM4	Desktop
⌵	<a href="#">Intel Core i5-13500H</a>	12	20,977	3,368	45	Unknown	Laptop
⌵	<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	20,972	1,494	145	FCLGA2011-3	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4620 @ 2.20GHz</a>	8	20,959	1,242	95	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	20,951	2,077	135	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 7400</a>	6	20,902	3,146	65	AM5	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 5755GE</a>	8	20,870	3,353	35	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 9 6900HS Creator Edition</a>	8	20,853	3,171	35	FP7	Laptop
⌵	<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	20,826	2,538	140	FCLGA2066	Desktop
⌵	<a href="#">Apple M4 8 Core</a>	8	20,818	4,479	22	Unknown	Desktop
⌵	<a href="#">Intel Core i7-13800HRE</a>	14	20,812	2,697	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2456</a>	6	20,808	3,568	80	FCLGA1700	Server
⌵	<a href="#">Intel Xeon Gold 6126T @ 2.60GHz</a>	12	20,807	2,171	125	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Core i7-5960X @ 3.50GHz</a>	8	20,781	1,663	140	FCLGA2011	Desktop
⌵	<a href="#">AMD EPYC 7262</a>	8	20,779	2,041	155	SP3	Server
⌵	<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	20,774	3,257	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 6800U</a>	8	20,734	3,203	28	Unknown	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	20,696	1,998	150	FCLGA2011	Server
⌵	<a href="#">Intel Core Ultra 5 335</a>	8	20,688	3,975	25	FCBGA2540	Mobile/Embedded
⌵	<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	20,679	2,562	140	FCLGA2066	Server
⌵	<a href="#">Snapdragon X Elite - X1E84100 - Qualcomm Or</a>	12	20,677	3,378	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz</a>	10	20,660	1,673	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,641	2,078	105	FCLGA4189	Server
⌵	<a href="#">Intel Xeon D-2753NT @ 2.00GHz</a>	12	20,626	2,082	87	FCBGA2579	Server
⌵	<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	20,607	3,257	65	FCLGA1200	Desktop
⌵	<a href="#">ARM Neoverse-N1 64 Core 2200 MHz</a>	64	20,592	923	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 7 5800H</a>	8	20,552	2,996	45	FP6	Laptop
⌵	<a href="#">Intel Xeon Gold 6250 @ 3.90GHz</a>	8	20,552	2,648	185	FCLGA3647	Server
⌵	<a href="#">Intel Core i5-12600H</a>	12	20,543	3,459	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i9-12900TE</a>	16	20,543	3,058	35	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	20,533	2,456	165	FCLGA2066	Desktop
⌵	<a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>	8	20,512	2,500	165	FCLGA4189	Server
⌵	<a href="#">Intel Core Ultra 7 355</a>	8	20,508	4,076	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Core i5-12600HE</a>	12	20,506	3,439	65	BGA 1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	20,503	3,202	28	FP7	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	20,496	2,105	125	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	20,481	2,063	120	FCLGA4189	Server
⌵	<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	20,477	2,442	140	FCLGA4189	Server
⌵	<a href="#">AMD Ryzen 5 7640U</a>	6	20,472	3,467	28	FP7 FP7r2 FP8	Laptop
⌵	<a href="#">Intel Core i5-13500TE</a>	14	20,462	3,373	35	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i5-14400T</a>	10	20,456	3,521	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	10	20,452	2,660	NA	FCLGA2066	Server
⌵	<a href="#">AMD EPYC 8024P</a>	8	20,427	2,366	90	SP6	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2666 v4 @ 2.80GHz</a>	12	20,424	1,122	145	FCLGA2011-v3	Server
⌵	<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	20,421	3,098	45	FCBGA1787	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	20,398	1,820	90	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,393	3,236	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	20,363	2,448	140	FCLGA2066	Desktop
⌵	<a href="#">Intel Core i5-12490F</a>	6	20,358	3,689	65	LGA1700	Desktop
⌵	<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	20,356	1,790	125	FCLGA3647	Server
⌵	<a href="#">Intel Core i5-12500H</a>	12	20,330	3,376	45	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i3-12300HL</a>	8	20,321	3,586	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	20,319	1,757	135	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 5500X3D</a>	6	20,301	2,933	105	AM4	Desktop
⌵	<a href="#">AMD Ryzen AI 5 PRO 435</a>	6	20,300	3,793	28	FP8	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	20,294	1,722	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon D-1747NTE @ 2.50GHz</a>	10	20,279	2,208	80	FCBGA2227	Server
⌵	<a href="#">AMD Ryzen 9 5980HS</a>	8	20,257	3,123	35	FP6	Laptop
⌵	<a href="#">Intel Core Ultra 5 125H</a>	14	20,253	3,334	28	FCBGA2049	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	20,233	1,522	120	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 7 7735U</a>	8	20,232	3,171	28	FP7	Laptop
⌵	<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,218	2,709	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen Embedded V3C48</a>	8	20,203	2,804	45	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen AI 5 PRO 440 with Radeon 840M</a>	6	20,202	3,989	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 5600GT</a>	6	20,165	3,338	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-11850HE @ 2.60GHz</a>	8	20,154	2,969	35	FCBGA1787	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 7545U</a>	6	20,138	3,787	28	FP7, FP7r2	Laptop
⌵	<a href="#">AMD Ryzen 7 PRO 6860Z</a>	8	20,084	3,071	28	Unknown	Laptop
⌵	<a href="#">Intel Core i7-1280P</a>	14	20,082	3,307	28	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-13400T</a>	10	20,080	3,485	82	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 7 4700G</a>	8	20,068	2,733	65	AM4	Desktop
⌵	<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,064	3,054	80	FCLGA1200	Server
⌵	<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,032	1,876	145	LGA2011-v3	Server
⌵	<a href="#">Ryzen Embedded V4526X</a>	6	20,018	3,812	NA	Unknown	Unknown
⌵	<a href="#">Snapdragon X Elite - X1E78100 - Qualcomm Or</a>	12	19,991	3,074	NA	Unknown	Unknown
⌵	<a href="#">[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz</a>	8	19,981	1,012	105	LGA1567	Server
⌵	<a href="#">AMD Ryzen 5 8640U</a>	6	19,961	3,453	28	FP7 FP7r2 FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-1350PRE</a>	12	19,945	3,774	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 8640HS</a>	6	19,894	3,523	28	FP7 , FP7r2 , FP	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	19,887	2,254	135	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	19,885	1,630	105	LGA2011-v3	Server
⌵	<a href="#">Intel Core Ultra 9 288V</a>	8	19,878	4,294	30	FCBGA2833	Laptop
⌵	<a href="#">Intel Core Ultra 5 325</a>	8	19,874	3,758	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	19,826	3,081	45	FCBGA1787	Laptop
⌵	<a href="#">ARM - 16 Core 0 MHz</a>	16	19,753	3,005	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-12500E</a>	6	19,734	3,474	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i5-12500</a>	6	19,732	3,651	65	LGA 1700	Desktop
⌵	<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	19,732	3,027	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	19,715	2,691	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	19,702	3,041	45	FCBGA1787	Laptop
⌵	<a href="#">[Dual CPU] Intel Core i5-12400F</a>	6	19,680	3,630	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i7-1370P</a>	14	19,676	3,473	28	FCBGA1744	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	19,676	1,378	65	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	19,667	3,014	45	FCBGA1787	Laptop
⌵	<a href="#">AMD Ryzen 5 5600G</a>	6	19,652	3,179	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 7 7445H</a>	6	19,643	3,710	35	FP7 , FP7r2	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 4700GE</a>	8	19,636	2,678	35	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	19,635	1,794	145	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 230</a>	6	19,597	3,576	28	FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen AI 5 340</a>	6	19,578	3,697	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-12400F</a>	6	19,575	3,487	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Core Ultra 7 256V</a>	8	19,574	4,028	17	FCBGA2833	Laptop
⌵	<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,550	3,448	65	FCLGA1200	Server
⌵	<a href="#">Intel Core i7-1370PRE</a>	14	19,547	2,893	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Core i7-12700TE</a>	12	19,543	3,235	35	FCLGA1700	Laptop, Mobile/Embedded
⌵	<a href="#">AMD EPYC 3451</a>	16	19,532	1,700	NA	Unknown	Server
⌵	<a href="#">Intel Xeon E-2386G @ 3.50GHz</a>	6	19,521	3,398	95	FCLGA1200	Server
⌵	<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,485	3,337	125	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 5800H</a>	8	19,461	3,067	NA	AM4	Laptop
⌵	<a href="#">Intel CoreT i5-1350P</a>	12	19,429	3,459	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 5800HS</a>	8	19,426	2,965	35	FP6	Laptop
⌵	<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	19,424	2,809	95	FCLGA1200	Server
⌵	<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,419	3,326	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,407	2,729	155	FCLGA2066	Server
⌵	<a href="#">Intel Core Ultra 7 268V</a>	8	19,388	4,072	17	FCBGA2833	Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 7 266V</a>	8	19,384	3,920	17	FCBGA2833	Laptop
⌵	<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	19,377	1,719	100	FCBGA2518	Server
⌵	<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,369	3,025	127	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	8	19,365	2,499	205	FCLGA-3647	Server
⌵	<a href="#">AMD Ryzen 5 7640S</a>	6	19,339	3,615	18	FP8	Laptop
⌵	<a href="#">AMD Ryzen 5 5500</a>	6	19,255	3,060	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-1370PE</a>	14	19,254	2,867	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 5600F</a>	6	19,236	2,854	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	19,235	2,065	135	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen AI 7 445</a>	6	19,218	3,836	28	FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 5655G</a>	6	19,212	3,250	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen AI 5 PRO 340</a>	6	19,195	3,761	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	19,089	2,986	65	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Apple M3 8 Core</a>	8	19,087	4,712	20	Unknown	Desktop, Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 230</a>	6	19,085	3,488	28	FP8	Desktop, Laptop, Mobile/Embedded
⌵	<a href="#">Intel Xeon D-2752TER @ 1.80GHz</a>	12	19,074	1,988	77	FCBGA2579	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz</a>	10	19,042	921	130	LGA1567	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	19,012	1,601	115	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 5 5500GT</a>	6	19,007	3,058	65	AM4	Desktop
⌵	<a href="#">Intel Core Ultra 7 258V</a>	8	18,941	4,033	17	FCBGA2833	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	18,910	1,696	85	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	18,895	1,462	75	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	18,895	1,805	120	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	18,887	2,397	105	FCLGA4189	Server
⌵	<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	18,878	1,936	135	LGA2011-v3	Server
⌵	<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Server
⌵	<a href="#">ARM Neoverse-N1 80 Core 2600 MHz</a>	80	18,823	1,127	NA	Unknown	Server
⌵	<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	18,817	2,544	150	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 4900H</a>	8	18,814	2,692	45	FP6	Laptop
⌵	<a href="#">Intel Core i5-12400</a>	6	18,810	3,463	65	LGA 1700	Desktop
⌵	<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	18,785	2,894	65	FCLGA1200	Desktop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 9 4900HS</a>	8	18,747	2,578	35	FP6	Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 7545U</a>	6	18,744	3,567	NA	FP7 FP7r2	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	18,735	1,570	95	LGA 1356	Server
⌵	<a href="#">AMD Ryzen AI 5 435</a>	6	18,691	3,726	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	18,664	3,070	95	FCLGA1200	Server
⌵	<a href="#">AMD Ryzen 7 7445HS</a>	6	18,662	3,473	35	Unknown	Laptop
⌵	<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	18,616	1,543	95	LGA 2011	Server
⌵	<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	18,606	3,401	80	FCLGA1200	Server
⌵	<a href="#">Intel Core i5-1350P</a>	12	18,597	3,482	28	FCBGA1744	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 5 220</a>	6	18,576	3,646	28	FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 6650H</a>	6	18,559	3,247	45	FP7	Laptop
⌵	<a href="#">AMD Ryzen 5 7540U</a>	6	18,544	3,497	28	FP7 FP7r2	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	18,540	1,520	95	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,537	1,759	145	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	18,520	3,037	125	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 5 3600XT</a>	6	18,513	2,748	95	AM4	Desktop
⌵	<a href="#">Intel Core i5-1340PE</a>	12	18,490	3,334	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon w3-2425</a>	6	18,472	2,984	130	FCLGA4677	Server
⌵	<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,435	2,674	35	AM4	Desktop
⌵	<a href="#">AMD Ryzen 7 Pro 7735U</a>	8	18,426	3,075	28	FP7	Laptop
⌵	<a href="#">AMD EPYC 7252</a>	8	18,414	1,772	120	SP3	Server
⌵	<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
⌵	<a href="#">Intel Core i5-1250P</a>	12	18,402	3,380	28	BGA1700	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	18,393	1,415	95	LGA 2011	Server
⌵	<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	18,391	3,320	80	FCLGA1200	Server
⌵	<a href="#">Intel Core i5-1340P</a>	12	18,387	3,414	28	FCBGA1744	Laptop
⌵	<a href="#">Intel Core Ultra 5 238V</a>	8	18,384	3,887	17	FCBGA2833	Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 5 236V</a>	8	18,377	3,903	17	FCBGA2833	Mobile/Embedded
⌵	<a href="#">Intel Xeon 6333P</a>	6	18,374	3,450	65	FCLGA1700	Server
⌵	<a href="#">AMD Ryzen Z1</a>	6	18,370	3,623	30	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-1250PE</a>	12	18,365	2,939	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Core i7-1360P</a>	12	18,354	3,419	28	FCBGA1744	Laptop
⌵	<a href="#">Snapdragon X2 Plus - X2P42100 - Qualcomm Oryon</a>	6	18,354	4,056	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	18,349	3,241	35	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 5 8540U</a>	6	18,339	3,619	28	FP7 FP7r2	Desktop, Laptop
⌵	<a href="#">Intel Xeon Silver 4509Y</a>	8	18,337	2,139	125	FCLGA4677	Server
⌵	<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	18,319	3,024	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i7-1265UL</a>	10	18,294	3,513	15	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 5 228V</a>	8	18,265	3,835	17	FCBGA2833	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core 5 210H</a>	8	18,264	3,526	45	FCBGA1744	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon W-3225 @ 3.70GHz</a>	8	18,251	2,357	160	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
⌵	<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	18,243	1,756	105	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz</a>	10	18,221	1,408	95	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 5 PRO 8540U</a>	6	18,207	3,561	28	FP7 FP7r2	Desktop, Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 6600H</a>	6	18,198	3,145	45	FP7	Laptop
⌵	<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	18,194	1,968	145	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 9 5900HS Creator Edition</a>	8	18,169	3,157	35	Unknown	Laptop
⌵	<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,145	2,559	165	FCLGA2066	Desktop
⌵	<a href="#">AMD EPYC 4124P</a>	4	18,139	3,897	65	AM5	Server
⌵	<a href="#">AMD Ryzen 5 PRO 220</a>	6	18,130	3,662	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	18,127	1,849	105	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 3600X</a>	6	18,123	2,646	95	AM4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	18,097	2,077	135	LGA2011-v3	Server
⌵	<a href="#">Intel Core i3-1320PRE</a>	8	18,081	3,704	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
⌵	<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,067	3,194	35	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 5655GE</a>	6	18,063	3,240	35	AM4	Desktop
⌵	<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,063	2,416	150	FCLGA3647	Server
⌵	<a href="#">Ryzen AI Embedded P132</a>	6	18,062	3,353	NA	Unknown	Unknown
⌵	<a href="#">Hygon C86-4G (OPN:3450E)</a>	8	18,057	2,243	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 PRO 215</a>	6	18,054	3,655	28	FP8	Laptop
⌵	<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,054	2,911	95	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Ryzen 5 5600GE</a>	6	18,011	3,169	35	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 150</a>	6	18,001	3,166	45	FP7 , FP7r2	Desktop, Laptop
⌵	<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,000	2,900	95	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Ryzen 7 5800U</a>	8	17,999	2,989	15	FP6	Laptop
⌵	<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	17,991	2,581	140	FCLGA2066	Server
⌵	<a href="#">Snapdragon X Plus - X1P42100 - Qualcomm Oryon</a>	8	17,987	3,239	30	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ayn CQ8725S</a>	8	17,968	4,671	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	17,966	3,283	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon E5-2666 v4 @ 2.80GHz</a>	12	17,958	2,052	145	FCLGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 7 PRO 7730U</a>	8	17,947	2,955	15	Unknown	Laptop
⌵	<a href="#">Intel Core Ultra 5 226V</a>	8	17,943	3,782	17	FCBGA2833	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 4800HS</a>	8	17,923	2,546	45	FP6	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz</a>	8	17,908	1,746	85	FCLGA3647	Server
⌵	<a href="#">Intel Core Ultra 7 255U</a>	12	17,893	3,653	15	FCBGA2049	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 4800H</a>	8	17,890	2,582	45	FP6	Laptop
⌵	<a href="#">Hygon C86-4G (OPN:3450)</a>	8	17,877	2,210	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 7 5825U</a>	8	17,868	3,005	15	FP6	Laptop
⌵	<a href="#">Intel Xeon Phi 7290 @ 1.50GHz</a>	72	17,839	485	245	SVLCLGA3647	Server
⌵	<a href="#">Intel Core 5 120</a>	6	17,838	3,619	65	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon D-1736NT @ 2.70GHz</a>	8	17,826	2,392	67	FCBGA2227	Server
⌵	<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,788	2,073	160	FCLGA2011-3	Server
⌵	<a href="#">Intel Core Ultra 5 225U</a>	12	17,757	3,543	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Core i5-12450HX</a>	8	17,722	3,298	148	FCBGA1964	Laptop
⌵	<a href="#">AMD EPYC 7203</a>	8	17,717	2,150	120	SP3	Server
⌵	<a href="#">AMD EPYC 7232P</a>	8	17,712	1,782	120	SP3	Server
⌵	<a href="#">[12-Way CPU] Virtual @ 3.07GHz</a>	1	17,687	2,622	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 6600HS Creator Edition</a>	6	17,673	3,078	35	FP7	Laptop
⌵	<a href="#">AMD Ryzen 5 3600</a>	6	17,666	2,559	65	AM4	Desktop
⌵	<a href="#">AMD 4700S</a>	8	17,645	2,355	NA	Unknown	Desktop
⌵	<a href="#">AMD Ryzen 5 7535HS</a>	6	17,637	3,103	35	FP7	Laptop
⌵	<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	17,636	2,925	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon W-11865MRE @ 2.60GHz</a>	8	17,634	2,529	45	FCBGA1787	Server, Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 7 265U</a>	12	17,620	3,628	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	17,615	1,814	120	FCLGA2011-3	Server
⌵	<a href="#">Intel Core 3 100HL</a>	8	17,586	3,735	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,556	2,332	140	LGA2011-v3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,550	2,981	80	FCLGA1200	Server
⌵	<a href="#">Intel Core Ultra 5 235U</a>	12	17,539	3,598	15	FCBGA2049	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz</a>	8	17,528	1,728	150	LGA2011	Server
⌵	<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	17,492	2,140	125	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	17,489	1,909	100	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,487	1,904	120	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon W-11555MRE @ 2.60GHz</a>	6	17,484	3,201	45	FCBGA1787	Server, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 7540U</a>	6	17,477	3,417	30	FP7 FP7r2	Laptop
⌵	<a href="#">AMD Ryzen Embedded V2748</a>	8	17,471	2,640	54	FP6	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 4980U Microsoft Surface Edition</a>	8	17,469	2,752	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,450	1,699	120	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 7 2700X</a>	8	17,435	2,415	105	AM4	Desktop
⌵	<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,432	2,893	95	FCLGA1151-2	Server
⌵	<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-12600T</a>	6	17,408	3,538	35	FCLGA1700	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E7- 8837 @ 2.67GHz</a>	8	17,398	960	130	LGA1567	Server
⌵	<a href="#">ARM Neoverse-N1 32 Core 0 MHz</a>	32	17,384	1,106	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz</a>	4	17,383	2,303	105	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	17,355	1,745	90	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	17,332	1,658	95	FCLGA2011	Server
⌵	<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	17,329	3,124	45	FCBGA1787	Laptop, Server
⌵	<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,283	2,543	NA	FCLGA2066	Server
⌵	<a href="#">Intel Atom P5362</a>	24	17,276	1,193	83	FCBGA2106	Server
⌵	<a href="#">AMD Ryzen 7 7730U</a>	8	17,275	2,938	15	FP6	Laptop
⌵	<a href="#">Intel Xeon Gold 6234 @ 3.30GHz</a>	8	17,274	2,313	130	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	17,199	1,930	120	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,196	2,511	65	AM4	Desktop
⌵	<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	8	17,187	3,753	NA	Unknown	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 5 4400G</a>	6	17,160	2,711	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	17,151	3,147	65	FCLGA1200	Server
⌵	<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,144	2,521	140	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	17,110	2,661	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	17,099	2,312	165	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	17,082	1,952	130	FCLGA2011	Server
⌵	<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,079	3,130	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,075	3,111	65	Unknown	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	16,970	1,574	95	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	16,959	2,290	105	AM4	Desktop
⌵	<a href="#">Intel Xeon D-1848TER @ 2.00GHz</a>	10	16,952	1,865	57	FCBGA2227	Server
⌵	<a href="#">AMD Ryzen 5 6600U</a>	6	16,946	3,101	25	FP7	Laptop
⌵	<a href="#">ARM - 12 Core 2000 MHz</a>	12	16,944	3,991	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	16,930	2,414	160	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	16,925	1,715	85	LGA2011-v3	Server
⌵	<a href="#">Intel Core i5-13420H</a>	8	16,916	3,358	45	FCBGA1744	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	16,902	NA	130	LGA 2011	Server
⌵	<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	16,897	1,623	105	Unknown	Server
⌵	<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	16,886	2,980	65	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz</a>	8	16,883	1,633	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,839	2,331	180	sTR4	Desktop
⌵	<a href="#">Intel Core Ultra 5 125U</a>	12	16,798	3,244	15	FCBGA2049	Laptop
⌵	<a href="#">AMD Ryzen 5 7535U</a>	6	16,787	3,170	28	FP7	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz</a>	4	16,787	2,336	105	FCLGA3647	Server
⌵	<a href="#">Samsung s5e9965</a>	10	16,765	2,828	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Virtual @ 3.80GHz</a>	12	16,740	3,498	NA	Unknown	Unknown
⌵	<a href="#">virt-10.1</a>	14	16,719	1,421	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Ultra 7 165U</a>	12	16,717	3,270	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,699	1,763	105	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core Ultra 5 135U</a>	12	16,671	3,275	15	FCBGA2049	Laptop
⌵	<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	16,655	2,898	15	FP6	Laptop
⌵	<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	16,638	2,983	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	16,635	2,867	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	16,632	1,791	120	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	16,575	2,842	80	FCLGA1151-2	Server
⌵	<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	16,562	2,450	NA	FP6	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Platinum 8156 @ 3.60GHz</a>	4	16,548	2,199	105	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,522	2,207	130	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz</a>	8	16,515	1,675	135	LGA2011	Server
⌵	<a href="#">Intel Core i7-1260P</a>	12	16,504	3,210	28	FCBGA1744	Laptop
⌵	<a href="#">Intel Core 7 350</a>	6	16,501	4,231	15	FCBGA1516	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4620 v4 @ 2.10GHz</a>	10	16,492	822	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E7-4809 v2 @ 1.90GHz</a>	6	16,471	1,006	105	FCLGA2011	Server
⌵	<a href="#">[Quad CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	16,464	1,148	130	LGA1567	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz</a>	4	16,443	2,190	105	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	16,442	1,822	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	16,430	1,763	85	FCLGA3647	Server
⌵	<a href="#">Snapdragon X - X126100 - Qualcomm Oryon</a>	8	16,410	2,874	30	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,401	2,668	NA	Unknown	Desktop
⌵	<a href="#">AMD Ryzen 5 5600H</a>	6	16,400	2,878	45	FP6	Laptop
⌵	<a href="#">Intel Core i7-1270PE</a>	12	16,398	3,044	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 4800U</a>	8	16,385	2,550	15	FP6	Laptop
⌵	<a href="#">Intel Core i5-12500T</a>	6	16,365	3,455	35	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	16,334	1,661	95	LGA 1356	Server
⌵	<a href="#">Intel Xeon Gold 5215 @ 2.20GHz</a>	10	16,304	2,101	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 9 4950U Mobile</a>	8	16,290	2,724	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon E5-2698B v3 @ 2.00GHz</a>	16	16,287	1,666	NA	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 7 1800X</a>	8	16,275	2,198	95	AM4	Desktop
⌵	<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,269	2,797	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	16,225	1,675	105	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 PRO 4655G</a>	6	16,220	2,689	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	16,209	3,065	65	FCLGA1200	Server
⌵	<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	12	16,208	2,372	NA	Unknown	Server
⌵	<a href="#">Intel Xeon D-2733NT @ 2.10GHz</a>	8	16,206	2,257	80	FCBGA2579	Server
⌵	<a href="#">Intel Core i7-1270P</a>	12	16,202	3,265	28	BGA1700	Laptop
⌵	<a href="#">Intel Core Ultra 7 155U</a>	12	16,188	3,315	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	16,172	2,840	65	FCLGA1200	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i3-12300HE</a>	8	16,131	3,504	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon 6325P</a>	4	16,117	4,263	55	FCLGA1700	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	16,114	1,066	NA	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,103	2,872	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	16,075	3,036	28	FP7	Laptop
⌵	<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,055	1,917	135	LGA2011-v3	Server
⌵	<a href="#">[Quad CPU] AMD Opteron 6172</a>	12	16,032	919	115	G34	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	16,028	1,286	70	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	16,023	2,614	80	FCLGA1151-2	Server
⌵	<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,010	2,881	65	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,005	2,640	65	AM4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	15,966	1,699	85	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 4500</a>	6	15,963	2,586	65	AM4	Desktop
⌵	<a href="#">Intel Core i5-12450H</a>	8	15,960	3,279	45	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 5 4600G</a>	6	15,945	2,648	65	AM4	Desktop
⌵	<a href="#">Intel Xeon W-11865MLE @ 1.50GHz</a>	8	15,917	2,813	25	FCBGA1787	Server, Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz</a>	8	15,900	1,602	115	LGA 2011	Server
⌵	<a href="#">Intel Xeon w3-2423</a>	6	15,899	2,722	120	FCLGA4677	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	15,898	1,972	130	FCLGA2011	Server
⌵	<a href="#">Intel Core i9-9900B @ 3.10GHz</a>	8	15,893	2,694	65	FCLGA1151	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz</a>	8	15,877	1,571	130	LGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	15,839	1,477	55	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-1240P</a>	12	15,827	3,173	28	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 5 4600GE</a>	6	15,821	2,641	35	AM4	Desktop
⌵	<a href="#">Intel Core 7 360</a>	6	15,815	4,194	NA	Unknown	Unknown
⌵	<a href="#">Intel Core 5 320</a>	6	15,798	4,073	15	FCBGA1516	Mobile/Embedded
⌵	<a href="#">XRing_Q1</a>	10	15,765	4,112	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Quad CPU] AMD Opteron 6168</a>	12	15,745	845	115	G34	Server
⌵	<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,739	1,872	85	FCLGA3647	Server
⌵	<a href="#">Snapdragon X Plus (8-core) @ 3.30 GHz</a>	8	15,696	2,959	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-1220P</a>	10	15,678	3,408	28	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i3-1220PE</a>	8	15,664	3,457	35	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1746TER @ 2.00GHz</a>	10	15,660	1,785	67	FCBGA2227	Server
⌵	<a href="#">AMD Ryzen 5 Pro 7535U</a>	6	15,656	2,995	28	FP7	Laptop
⌵	<a href="#">Apple M2 8 Core 3500 MHz</a>	8	15,656	3,885	NA	Unknown	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 1700X</a>	8	15,607	2,100	95	AM4	Desktop
⌵	<a href="#">Intel Core i5-12400T</a>	6	15,605	3,347	74	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 7 2700</a>	8	15,604	2,171	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-11600H @ 2.90GHz</a>	6	15,569	2,959	45	FCBGA1787	Laptop
⌵	<a href="#">Intel Core i5-12500TE</a>	6	15,533	3,100	35	FCLGA1700	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,522	2,092	95	AM4	Desktop
⌵	<a href="#">Intel Xeon D-1726 @ 2.90GHz</a>	6	15,511	2,477	70	FCBGA2227	Server
⌵	<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	15,483	1,796	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	15,470	3,010	45	FCBGA1787	Laptop
⌵	<a href="#">AMD Ryzen Embedded V2718</a>	8	15,432	2,199	15	FP6	Mobile/Embedded
⌵	<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	15,432	2,735	45	FCBGA1440	Laptop, Server
⌵	<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz</a>	8	15,429	1,521	85	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i3-14100F</a>	4	15,423	3,776	110	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 5 7430U</a>	6	15,422	2,925	15	AM4	Laptop
⌵	<a href="#">AMD Ryzen 7 5700U</a>	8	15,403	2,535	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
⌵	<a href="#">Ryzen 5 150 with Radeon Graphics</a>	6	15,376	3,127	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	15,375	1,805	120	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz</a>	8	15,368	1,485	115	LGA2011	Server
⌵	<a href="#">Intel Core 5 120U</a>	10	15,358	3,528	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-1245UL</a>	10	15,357	3,680	15	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 5 332</a>	6	15,337	3,842	25	FCBGA2540	Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,325	2,610	35	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 7533HS</a>	6	15,248	3,087	54	FP7	Laptop
⌵	<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,243	2,850	35	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,231	2,901	45	FCBGA1787	Laptop
⌵	<a href="#">Intel Xeon E E-2434</a>	4	15,228	3,912	55	FCLGA1700	Server
⌵	<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,224	2,202	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 5560U</a>	6	15,206	2,831	15	AM4	Laptop
⌵	<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
⌵	<a href="#">Intel Core 5 315</a>	6	15,180	4,017	15	FCBGA1516	Mobile/Embedded
⌵	<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	15,170	2,955	45	FCBGA1787	Laptop
⌵	<a href="#">Intel Core 3 305</a>	6	15,154	4,011	15	FCBGA1516	Mobile/Embedded
⌵	<a href="#">Intel Xeon Gold 5115 @ 2.40GHz</a>	10	15,152	1,866	85	FCLGA3647	Server
⌵	<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	15,115	2,746	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
⌵	<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,097	2,698	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core Ultra 5 322</a>	6	15,094	3,842	25	FCBGA2540	Laptop
⌵	<a href="#">Intel Core i3-14100</a>	4	15,087	3,758	60	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	15,084	1,144	105	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 7530U</a>	6	15,073	2,997	15	FP6	Laptop
⌵	<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
⌵	<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	14,976	1,803	100	FCLGA3647	Server
⌵	<a href="#">Intel Core 5 330</a>	6	14,947	4,215	15	FCBGA1516	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	14,939	2,171	130	FCLGA3647	Server
⌵	<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
⌵	<a href="#">AMD Ryzen 5 5600U</a>	6	14,930	2,854	15	FP6	Laptop
⌵	<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,925	1,679	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon D-1733NT @ 2.00GHz</a>	8	14,849	2,198	53	FCBGA2227	Server
⌵	<a href="#">Intel Core 3 201E</a>	4	14,839	3,482	60	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Apple A19 Pro</a>	6	14,823	5,168	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
⌵	<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	14,793	1,796	120	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,768	1,639	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,764	1,664	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core 7 150U</a>	10	14,762	3,522	15	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 7 1700</a>	8	14,753	1,998	65	AM4	Desktop
⌵	<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	14,714	2,519	35	FCLGA1200	Desktop
⌵	<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,707	2,029	65	AM4	Desktop
⌵	<a href="#">Montage Jintide C4215R</a>	8	14,672	2,134	130	LGA3647	Server
⌵	<a href="#">Intel Core i3-13100F</a>	4	14,662	3,602	58	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
⌵	<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,656	2,345	140	FCLGA2011-3	Desktop
⌵	<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,649	1,763	120	LGA2011-v3	Server
⌵	<a href="#">ARM Neoverse-N2 16 Core 0 MHz</a>	16	14,636	1,872	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	14,627	2,454	15	FP6	Laptop
⌵	<a href="#">Intel Core i5-13600HRE</a>	12	14,591	2,127	45	FCBGA1744	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 5825C</a>	8	14,561	2,645	15	FP6	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon Gold 5119T @ 1.90GHz</a>	14	14,542	1,146	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon W-1290TE @ 1.80GHz</a>	10	14,501	2,708	35	FCLGA1200	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	14,496	1,600	55	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 5 5625U</a>	6	14,484	2,840	15	FP6	Laptop
⌵	<a href="#">Apple A19</a>	6	14,448	5,071	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Quad CPU] AMD Opteron 6380</a>	8	14,445	1,217	115	G34	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	14,419	2,688	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,416	2,966	125	FCLGA1200	Desktop, Server
⌵	<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,406	2,858	95	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
⌵	<a href="#">AMD Ryzen 3 PRO 8300GE</a>	4	14,403	3,828	35	AM5	Desktop
⌵	<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,377	2,599	140	FCLGA2066	Server
⌵	<a href="#">Mediatek Kompanio Ultra 910</a>	8	14,373	3,867	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,365	1,921	160	LGA2011-v3	Server
⌵	<a href="#">Intel Core i3-12300</a>	4	14,350	3,574	60	LGA 1700	Desktop
⌵	<a href="#">Intel CC150 @ 3.50GHz</a>	8	14,342	2,119	NA	FCLGA1151	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz</a>	8	14,331	1,389	95	LGA 1356	Server
⌵	<a href="#">Intel Core 5 220U</a>	10	14,276	3,248	NA	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	14,275	2,671	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,265	2,858	95	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,243	2,910	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	14,240	2,771	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,239	1,782	130	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,208	2,318	140	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 4600HS</a>	6	14,201	2,395	35	FP6	Laptop
⌵	<a href="#">Virtual @ 3.41GHz</a>	10	14,185	2,616	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon D-1732TE @ 1.90GHz</a>	8	14,179	1,854	52	FCBGA2227	Server
⌵	<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,176	2,600	130	FCLGA2066	Server
⌵	<a href="#">AMD Ryzen 9 5900H</a>	8	14,172	2,180	NA	AM4	Laptop
⌵	<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	14,171	2,301	35	FCLGA1200	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,167	1,584	120	FCLGA2011-3	Server
⌵	<a href="#">ARM - 12 Core 0 MHz</a>	12	14,163	3,220	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	14,138	2,714	35	FCLGA1200	Desktop
⌵	<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,128	3,674	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,123	2,907	125	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i3-13100</a>	4	14,114	3,537	60	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 5 PRO 7530U</a>	6	14,111	2,918	15	FP6	Laptop
⌵	<a href="#">AMD Ryzen 5 4600H</a>	6	14,105	2,411	45	FP6	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 5 PRO 4655GE</a>	6	14,102	2,660	35	AM4	Desktop
⌵	<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,088	2,820	95	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	14,072	2,884	80	FCLGA1151-2	Server
⌵	<a href="#">AMD Ryzen 5 7535H</a>	6	14,065	2,114	35	FP7	Laptop
⌵	<a href="#">AMD Ryzen 3 PRO 5355G</a>	4	14,033	3,096	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	14,027	1,961	135	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	14,021	2,221	135	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz</a>	8	14,010	1,364	115	LGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz</a>	8	14,008	1,359	95	LGA2011	Server
⌵	<a href="#">Mediatek Google Hylia unprovisioned design and sku</a>	8	14,006	3,916	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	14,002	2,752	15	FP6	Laptop
⌵	<a href="#">AMD Ryzen 3 8300G</a>	4	13,990	3,770	65	AM5	Desktop
⌵	<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	13,988	2,828	95	FCLGA1151-2	Server
⌵	<a href="#">Hygon C86-4G (OPN:3450M)</a>	8	13,982	1,902	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i3-12100F</a>	4	13,967	3,435	58	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	13,960	2,618	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	13,932	1,695	120	LGA2011	Server
⌵	<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	13,931	2,505	45	FCBGA1440	Laptop
⌵	<a href="#">AMD BC-250</a>	6	13,923	2,212	220	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 PRO 5675U</a>	6	13,918	2,788	15	FP6	Laptop
⌵	<a href="#">Intel Core i7-1355U</a>	10	13,912	3,384	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-1335U</a>	10	13,904	3,266	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-1240U</a>	10	13,889	3,158	29	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen AI 5 330 with Radeon 890M</a>	4	13,880	3,864	NA	FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i5-1345U</a>	10	13,870	3,279	15	FCBGA1744	Laptop
⌵	<a href="#">AMD Ryzen 5 2600X</a>	6	13,868	2,379	95	AM4	Desktop
⌵	<a href="#">AMD Ryzen Embedded V3C18I</a>	8	13,856	2,491	15	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Oryon 12 Core 3417 MHz</a>	12	13,835	2,886	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	13,830	2,789	80	FCLGA1151-2	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	13,824	1,010	70	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	13,824	2,188	135	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	13,818	1,313	95	LGA 1356	Server
⌵	<a href="#">Intel Core 7 250U</a>	10	13,806	3,506	15	Unknown	Laptop
⌵	<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	13,802	2,725	80	FCLGA1151-2	Server
⌵	<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	13,777	3,101	65	AM4	Desktop
⌵	<a href="#">[Quad CPU] AMD Opteron 6278</a>	16	13,733	1,007	115	Unknown	Server
⌵	<a href="#">Intel Core i3-13100E</a>	4	13,727	3,399	65	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	13,726	3,398	80	FCLGA1200	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	13,713	1,430	130	LGA2011	Server
⌵	<a href="#">AMD EPYC 3251</a>	8	13,705	1,820	50	SP4r2	Server
⌵	<a href="#">Intel Core i7-1365U</a>	10	13,678	3,360	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Xeon D-1823NT @ 2.80GHz</a>	6	13,673	2,429	55	FCBGA2227	Server
⌵	<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	13,636	2,102	140	LGA2011-v3	Desktop
⌵	<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,635	2,707	80	FCLGA1151-2	Server
⌵	<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,635	2,813	80	FCLGA1200	Server
⌵	<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	13,630	1,394	65	FCBGA1667	Server
⌵	<a href="#">Intel Core i3-14100T</a>	4	13,628	3,497	69	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	13,606	1,698	110	LGA2011-v3	Server
⌵	<a href="#">Intel Core i3-12100E</a>	4	13,599	3,312	60	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	13,586	1,701	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 3 210</a>	4	13,583	3,723	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,568	2,715	95	FCLGA1151-2	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	13,558	1,228	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
⌵	<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,520	2,715	95	FCLGA1151-2	Server
⌵	<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,514	2,905	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,478	1,689	120	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	13,466	1,225	95	LGA 2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,464	2,449	45	FCBGA1440	Laptop
⌵	<a href="#">AMD Ryzen 3 8300GE</a>	4	13,443	3,617	35	Unknown	Desktop
⌵	<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	13,430	2,607	35	FCLGA1200	Laptop
⌵	<a href="#">QTI SM8750P</a>	8	13,416	2,870	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen AI 5 430</a>	4	13,408	3,743	NA	Unknown	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	13,403	1,580	80	FCLGA2011	Server
⌵	<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	13,378	1,868	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 3 PRO 8300G</a>	4	13,368	3,550	65	AM5	Desktop
⌵	<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,352	1,611	115	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,315	2,271	65	AM4	Desktop
⌵	<a href="#">Intel Core 5 221TE</a>	14	13,301	1,734	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,292	1,856	130	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,284	2,184	140	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,282	2,107	140	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-1260U</a>	10	13,268	3,039	9	FCBGA1781	Laptop
⌵	<a href="#">[Quad CPU] AMD Opteron 6378</a>	8	13,236	1,065	115	G34	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	13,235	2,071	135	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,232	2,650	80	FCLGA1151-2	Server
⌵	<a href="#">[5-Way CPU] AMD Ryzen 9 5950X</a>	16	13,220	2,972	105	AM4	Desktop
⌵	<a href="#">Hygon C86-3G</a>	8	13,204	1,677	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	13,198	1,678	105	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,184	2,745	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	13,180	1,186	NA	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	13,173	1,488	65	FCBGA1667	Server
⌵	<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,167	2,735	65	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Ryzen 5 3500X</a>	6	13,166	2,501	65	AM4	Desktop
⌵	<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	13,150	1,687	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 2600</a>	6	13,133	2,235	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen Embedded V2516</a>	6	13,129	2,474	15	FP6	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 7 4700U</a>	8	13,116	2,490	15	FP6	Laptop
⌵	<a href="#">Intel Core Ultra 5 134U</a>	12	13,114	3,161	30	FCBGA2551	Laptop
⌵	<a href="#">Intel Core i7-1265U</a>	10	13,107	3,116	15	FCBGA1744	Laptop, Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 3 7440U</a>	4	13,100	3,158	28	FP7 FP7r2	Laptop
⌵	<a href="#">Intel Core i3-12300T</a>	4	13,087	3,357	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,086	2,454	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Atom P5342</a>	16	13,085	1,185	71	FCBGA2106	Server
⌵	<a href="#">Intel Core i5-1334U</a>	10	13,073	3,244	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,068	2,482	35	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	13,064	1,689	85	LGA2011-v3	Server
⌵	<a href="#">QTI SM8850</a>	8	13,042	2,540	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen AI 5 330</a>	4	13,031	3,580	28	FP8	Desktop, Laptop
⌵	<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,014	1,801	105	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen 3 5300G</a>	4	13,008	3,055	65	AM4	Desktop
⌵	<a href="#">MediaTek MT6993</a>	8	13,004	2,774	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	12,999	2,590	80	FCLGA1151-2	Server
⌵	<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,998	2,378	140	FCLGA2066	Desktop
⌵	<a href="#">AMD Ryzen 5 1600X</a>	6	12,993	2,189	95	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6348</a>	6	12,959	1,276	115	Unknown	Server
⌵	<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	12,954	2,784	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-1255U</a>	10	12,896	3,139	15	FCBGA1744	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz</a>	6	12,886	1,574	130	LGA2011	Server
⌵	<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	12,884	1,601	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	12,864	2,564	35	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon X5690 @ 3.47GHz</a>	6	12,862	1,708	130	LGA1366	Server
⌵	<a href="#">AMD Ryzen 5 4600U</a>	6	12,855	2,353	15	FP6	Laptop
⌵	<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	12,848	2,169	115	FCLGA3647	Server
⌵	<a href="#">Apple A18 Pro</a>	6	12,833	4,084	8	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	12,829	1,450	65	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz</a>	8	12,828	1,231	95	LGA2011	Server
⌵	<a href="#">AMD Ryzen 3 5300GE</a>	4	12,810	3,065	35	AM4	Desktop
⌵	<a href="#">Hygon C86 3350 8-core</a>	8	12,795	1,716	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core™ Ultra 5 115U</a>	8	12,771	3,421	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Core i5-1245U</a>	10	12,766	3,029	15	FCBGA1744	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3500</a>	6	12,765	2,493	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen 3 PRO 5355GE</a>	4	12,761	3,089	35	AM4	Desktop
⌵	<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	12,746	2,625	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	12,744	2,520	35	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i3-13100T</a>	4	12,715	3,377	35	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 6378</a>	8	12,668	1,138	115	G34	Server
⌵	<a href="#">AMD Ryzen 5 5500U</a>	6	12,650	2,394	15	FP6	Laptop
⌵	<a href="#">Intel Core 3 100U</a>	6	12,650	3,521	15	FCBGA1744	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon X5680 @ 3.33GHz</a>	6	12,645	1,620	130	LGA1366	Server
⌵	<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,635	1,786	115	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	12,615	3,075	35	AM4	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 6386 SE</a>	16	12,610	1,276	140	Socket G34	Server
⌵	<a href="#">[Quad CPU] AMD Opteron 6174</a>	12	12,607	939	115	Socket G34	Server
⌵	<a href="#">QTI SM8750</a>	8	12,600	2,524	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,592	2,264	140	FCLGA2066	Server
⌵	<a href="#">AMD Ryzen 3 3300X</a>	4	12,577	2,668	65	AM4	Desktop
⌵	<a href="#">Intel Xeon W-1250E @ 3.50GHz</a>	6	12,566	2,565	80	FCLGA1200	Server
⌵	<a href="#">Intel Core Ultra 7 164U</a>	12	12,562	2,905	9	FCBGA2551	Laptop
⌵	<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	12,561	2,530	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	12,561	1,975	140	LGA2011-v3	Server
⌵	<a href="#">Intel Core i5-1235U</a>	10	12,554	3,075	15	FCBGA1744	Laptop, Mobile/Embedded
⌵	<a href="#">[8-Way CPU] Virtual @ 3.07GHz</a>	1	12,521	2,683	NA	Unknown	Unknown
⌵	<a href="#">[Quad CPU] AMD Opteron 6276</a>	8	12,514	968	115	Socket G34	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	12,487	1,399	60	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,472	1,932	75	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i3-12100</a>	4	12,461	3,231	60	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 3 7335U</a>	4	12,437	3,048	28	FP7	Desktop, Laptop
⌵	<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	12,430	1,977	90	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,384	2,003	135	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Ultra 5 115U</a>	10	12,381	2,876	15	FCBGA2049	Mobile/Embedded
⌵	<a href="#">Apple A18</a>	6	12,378	3,933	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,373	2,071	130	LGA 2011	Server
⌵	<a href="#">[Quad CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	12,358	957	130	LGA1567	Server
⌵	<a href="#">AMD Ryzen 5 2600E</a>	6	12,346	2,297	65	AM4	Desktop
⌵	<a href="#">Intel Core i3-12100T</a>	4	12,337	3,212	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,324	2,030	150	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 3 PRO 210</a>	4	12,323	3,475	28	FP8	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 5 7235HS</a>	4	12,306	2,874	45	FP7r2	Desktop, Laptop
⌵	<a href="#">AMD Ryzen Embedded V2546</a>	6	12,284	1,995	NA	FP6	Desktop
⌵	<a href="#">AMD Ryzen 5 1600</a>	6	12,254	2,065	65	AM4	Desktop
⌵	<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,229	2,717	45	FCBGA1440	Laptop, Server
⌵	<a href="#">Apple A17 Pro</a>	6	12,183	4,517	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	12,183	1,374	60	LGA 1356	Server
⌵	<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	12,157	3,037	65	FCLGA1200	Server
⌵	<a href="#">AMD Ryzen 3 PRO 7330U</a>	4	12,153	3,112	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,153	2,005	130	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 3 PRO 7335U</a>	4	12,148	3,085	30	FP7r2	Desktop, Laptop
⌵	<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	12,127	1,992	110	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,117	2,491	15	FP6	Laptop
⌵	<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	12,116	1,561	65	FCBGA2518	Server
⌵	<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,102	2,540	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i3-13100TE</a>	4	12,100	3,042	35	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,088	2,794	65	FCLGA1200	Desktop
⌵	<a href="#">[Quad CPU] AMD Opteron 6282 SE</a>	16	12,083	894	140	Unknown	Server
⌵	<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	12,019	1,903	130	LGA 2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz</a>	4	12,018	1,729	85	FCLGA3647	Server
⌵	<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,000	2,355	15	FP6	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	11,980	2,557	65	FCLGA1200	Desktop
⌵	<a href="#">Google Tensor G5</a>	8	11,958	3,518	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 8440U</a>	4	11,957	3,344	28	FP7, FP7r2	Desktop, Laptop
⌵	<a href="#">QTI SM8845</a>	8	11,954	2,271	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	11,939	1,054	130	LGA1567	Server
⌵	<a href="#">Intel Xeon 6315P</a>	4	11,923	3,795	55	FCLGA1700	Server
⌵	<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	11,886	1,675	65	FCBGA2518	Server
⌵	<a href="#">AMD Ryzen 5 PRO 1600</a>	6	11,875	2,012	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,865	1,392	65	LGA2011-v3	Server
⌵	<a href="#">Hygon C86-3G (OPN:3350)</a>	8	11,857	1,737	NA	Unknown	Server
⌵	<a href="#">Intel Core i3-1320PE</a>	8	11,849	1,950	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">[Quad CPU] AMD Opteron 8435</a>	6	11,843	1,156	75	F (1207)	Server
⌵	<a href="#">ARM Neoverse-N1 32 Core 1700 MHz</a>	32	11,841	755	NA	Unknown	Server
⌵	<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,839	1,349	75	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E E-2414</a>	4	11,820	3,552	55	FCLGA1700	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6376</a>	8	11,812	1,117	115	Socket G34	Server
⌵	<a href="#">AMD Ryzen Embedded V3C14</a>	4	11,812	2,816	15	FP7	Mobile/Embedded
⌵	<a href="#">Microsoft SQ3 @ 3.0 GHz</a>	8	11,811	2,397	NA	Unknown	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 6380</a>	8	11,807	1,042	115	G34	Server
⌵	<a href="#">Apple A18 Pro (MacBook Neo)</a>	6	11,801	3,992	NA	Unknown	Laptop
⌵	<a href="#">Snapdragon 8cx Gen 3 @ 3.0 GHz</a>	8	11,792	2,413	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i3-11100HE @ 2.40GHz</a>	4	11,781	3,057	45	FCBGA1787	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	11,776	2,708	65	FCBGA1440	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	11,761	1,546	80	LGA 1356	Server
⌵	<a href="#">ARM Neoverse-N1 80 Core 2800 MHz</a>	80	11,755	434	NA	Unknown	Server
⌵	<a href="#">Mediatek Dimensity 9400 (MT6991)</a>	8	11,746	2,895	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	11,730	1,942	105	LGA2011-v3	Server
⌵	<a href="#">Hygon C86-3G-3G (OPN:3350)</a>	8	11,712	1,226	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core 5 211TE</a>	10	11,685	1,408	45	FCLGA1700	Mobile/Embedded
⌵	<a href="#">StratoVirt</a>	8	11,676	1,839	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-1335UE</a>	10	11,669	3,031	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,655	1,633	105	LGA2011-v3	Server
⌵	<a href="#">Intel Core Ultra 5 115U</a>	8	11,647	3,132	15	FCBGA2049	Laptop
⌵	<a href="#">Intel Xeon Platinum 8481C @ 2.70GHz</a>	4	11,646	2,469	350	Unknown	Server
⌵	<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,645	2,571	45	FCBGA1440	Laptop
⌵	<a href="#">Virtual @ 3.24GHz</a>	8	11,635	2,725	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	11,613	1,483	115	FCLGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X5675 @ 3.07GHz</a>	6	11,607	1,509	95	LGA1366	Server
⌵	<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	11,577	2,893	35	FCBGA1449	Laptop
⌵	<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,555	2,456	35	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	11,554	1,370	80	FCLGA1356	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz</a>	8	11,547	1,022	70	LGA 1356	Server
⌵	<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	11,532	2,662	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	11,530	2,896	35	FCBGA1449	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz</a>	6	11,530	1,354	95	LGA2011	Server
⌵	<a href="#">AMD Ryzen 3 3100</a>	4	11,523	2,411	65	AM4	Desktop
⌵	<a href="#">ARM Neoverse-V1 16 Core 0 MHz</a>	16	11,519	1,554	NA	Unknown	Server
⌵	<a href="#">Intel Xeon E5-4628L v4 @ 1.80GHz</a>	14	11,503	1,252	75	FCLGA2011	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz</a>	8	11,474	974	95	LGA 2011	Server
⌵	<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	11,456	2,609	45	FCBGA1440	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz</a>	8	11,450	1,151	85	FCLGA3647	Server
⌵	<a href="#">ARM Neoverse-N1 16 Core 0 MHz</a>	16	11,408	1,301	NA	Unknown	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	11,387	1,640	130	LGA 2011	Server
⌵	<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,372	2,387	140	FCLGA2011-3	Desktop
⌵	<a href="#">Intel Core i5-10500E @ 3.10GHz</a>	6	11,368	2,387	65	FCLGA1200	Mobile/Embedded
⌵	<a href="#">Hygon C86 3250 8-core</a>	8	11,365	1,728	NA	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz</a>	8	11,364	1,050	70	LGA 2011	Server
⏏	<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,359	1,759	85	FCLGA2011-3	Server
⏏	<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
⏏	<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
⏏	<a href="#">AMD Ryzen 3 5425U</a>	4	11,334	2,905	15	FP6	Laptop
⏏	<a href="#">Intel Xeon W-11555MLE @ 1.90GHz</a>	6	11,324	2,756	25	FCBGA1787	Server
⏏	<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	11,310	1,929	75	LGA2011-v3	Server
⏏	<a href="#">QTI SM8650</a>	8	11,299	2,890	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Virtual @ 2.95GHz</a>	8	11,299	2,493	NA	Unknown	Unknown
⏏	<a href="#">AMD Ryzen Z2 Go</a>	4	11,293	2,954	28	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,293	2,362	140	FCLGA2011-3	Server
⏏	<a href="#">AMD Ryzen 5 5500H</a>	4	11,292	2,886	45	FP6	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz</a>	8	11,288	1,232	95	LGA 1356	Server
⏏	<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,277	1,620	115	FCLGA2011	Server
⏏	<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	11,269	1,332	65	FCBGA1667	Server
⏏	<a href="#">Intel Xeon Bronze 3508U</a>	8	11,248	1,702	125	FCLGA4677	Server
⏏	<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	11,198	2,512	45	FCBGA1440	Laptop
⏏	<a href="#">AMD Ryzen 3 4300GE</a>	4	11,197	2,541	35	AM4	Desktop
⏏	<a href="#">Intel Core i7-1250U</a>	10	11,196	2,675	9	FCBGA1781	Laptop
⏏	<a href="#">AMD Ryzen 3 PRO 5475U</a>	4	11,184	2,838	15	FP6	Laptop
⏏	<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,167	2,818	80	FCLGA1151-2	Server
⏏	<a href="#">QTI SM8735</a>	8	11,155	2,532	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD EPYC 7261</a>	8	11,149	1,005	155	SP3	Server
⏏	<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,112	2,275	135	FCLGA2011-3	Server
⏏	<a href="#">Snapdragon 8cx Gen 3 @ 2.69 GHz</a>	8	11,110	2,194	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i3-1315U</a>	6	11,080	3,281	15	FCBGA1744	Laptop
⏏	<a href="#">Intel Xeon Silver 4209T @ 2.20GHz</a>	8	11,080	1,693	70	FCLGA3647	Server
⏏	<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
⏏	<a href="#">Samsung s5e9945</a>	10	11,065	2,929	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,047	1,308	45	FCBGA1667	Server
⏏	<a href="#">Apple A12X Bionic</a>	8	11,045	2,648	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 3 4100</a>	4	11,044	2,534	65	AM4	Desktop
⌵	<a href="#">Intel Core 7 160UL</a>	10	11,043	3,391	15	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,018	1,874	90	LGA2011-v3	Server
⌵	<a href="#">Intel Core i5-1345URE</a>	10	10,981	2,974	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Core 3 304</a>	5	10,979	3,522	15	FCBGA1516	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2618L v2 @ 2.00GHz</a>	6	10,978	1,128	50	FCLGA2011	Server, Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	10,967	1,291	80	FCLGA2011	Server
⌵	<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	10,955	1,675	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	10,946	1,464	95	FCLGA2011	Server
⌵	<a href="#">Mediatek MT6989</a>	8	10,944	2,513	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	10,941	2,543	45	FCBGA1440	Laptop
⌵	<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	10,935	2,523	35	AM4	Desktop
⌵	<a href="#">Intel Core i5-1230U</a>	10	10,932	2,701	9	FCBGA1781	Laptop
⌵	<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 3 5400U</a>	4	10,924	2,730	15	FP6	Laptop
⌵	<a href="#">ARM Neoverse-V3 8 Core 0 MHz</a>	8	10,919	2,472	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-1365UE</a>	10	10,915	2,879	28	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4655 v4 @ 2.50GHz</a>	8	10,912	1,952	135	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,904	2,534	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-1365URE</a>	10	10,891	3,006	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Apple A16 Bionic</a>	6	10,889	3,980	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	10,831	2,554	65	FP6	Desktop
⌵	<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	10,830	2,448	45	Unknown	Laptop
⌵	<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,807	2,906	35	FCBGA1449	Laptop
⌵	<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,799	2,438	45	FCBGA1440	Laptop
⌵	<a href="#">Hygon C86 3350E 8-core</a>	8	10,771	1,609	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	10,753	2,764	35	FCBGA1449	Laptop
⌵	<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,710	2,252	140	LGA2011-v3	Desktop
⌵	<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,698	1,590	95	LGA 1356	Server
⌵	<a href="#">AMD Ryzen 3 PRO 4355GE</a>	4	10,693	2,573	35	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon X5670 @ 2.93GHz</a>	6	10,686	1,414	95	LGA1366	Server
⇓	<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	10,654	2,735	15	FP6	Laptop
⇓	<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,654	2,722	95	FCLGA1151-2	Desktop
⇓	<a href="#">AMD Ryzen 5 4500U</a>	6	10,651	2,399	15	FP6	Laptop
⇓	<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,641	2,710	95	FCLGA1151-2	Desktop
⇓	<a href="#">[Dual CPU] AMD Opteron 6284 SE</a>	16	10,619	857	140	Socket G34	Server
⇓	<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	10,578	2,389	45	FCBGA1440	Laptop
⇓	<a href="#">SM8750</a>	8	10,567	2,440	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,559	1,472	95	LGA 2011	Server
⇓	<a href="#">Intel Core 5 120U</a>	10	10,558	2,080	15	FCLGA1700	Mobile/Embedded
⇓	<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
⇓	<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,520	2,407	35	FCLGA1151-2	Desktop
⇓	<a href="#">QTI SM8850P</a>	8	10,496	1,424	NA	Unknown	Mobile/Embedded
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz</a>	6	10,465	1,239	95	LGA2011	Server
⇓	<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,460	2,623	80	FCLGA1151-2	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz</a>	6	10,422	1,103	95	LGA 1356	Server
⇓	<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,410	2,622	105	FCLGA2066	Server
⇓	<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	10,395	2,953	28	FCBGA1449	Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	10,395	1,023	85	FCLGA3647	Server
⇓	<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
⇓	<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,359	2,119	140	LGA2011-v3	Server
⇓	<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,352	2,056	140	LGA2011-v3	Desktop
⇓	<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz</a>	8	10,342	1,097	95	LGA2011	Server
⇓	<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,339	2,413	45	FCBGA1440	Laptop
⇓	<a href="#">Intel Xeon E-2324G @ 3.10GHz</a>	4	10,339	3,086	65	FCLGA1200	Server
⇓	<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,329	1,609	85	FCLGA3647	Server
⇓	<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,328	1,489	95	LGA 2011	Server
⇓	<a href="#">Intel Xeon D-2145NT @ 1.90GHz</a>	8	10,324	1,445	65	FCBGA2518	Server
⇓	<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,321	2,684	65	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core 3 N355</a>	8	10,317	2,195	15	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,315	2,124	130	LGA 2011	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6274</a>	8	10,313	974	115	G34	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X5660 @ 2.80GHz</a>	6	10,299	1,349	95	LGA1366	Server
⌵	<a href="#">AMD Ryzen 3 7330U</a>	4	10,292	2,852	15	FP6	Laptop
⌵	<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,291	2,874	65	FCLGA1200	Desktop
⌵	<a href="#">QTI QCS8550</a>	8	10,289	3,319	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Ultra 3 105UL</a>	8	10,285	3,382	15	FCLGA1851	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 6366 HE</a>	8	10,265	1,167	85	Unknown	Server
⌵	<a href="#">Samsung s5e9955</a>	10	10,229	1,902	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,216	2,286	35	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	10,213	1,068	85	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,212	2,305	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,211	2,036	135	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,210	1,735	85	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	10,197	2,355	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-1265UE</a>	10	10,183	2,788	28	FCBGA1744	Laptop, Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5650 @ 2.67GHz</a>	6	10,177	1,325	95	LGA1366	Server
⌵	<a href="#">Intel Core i3-1215U</a>	6	10,157	3,116	15	FCBGA1744	Laptop
⌵	<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,144	2,568	95	FCLGA1151-2	Desktop
⌵	<a href="#">ARM Apple M1 (Virtual) 4 Core 0 MHz</a>	4	10,123	3,789	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM - 10 Core 0 MHz</a>	10	10,088	3,774	NA	Unknown	Unknown
⌵	<a href="#">[Quad CPU] AMD Opteron 6328</a>	4	10,076	1,252	115	G34	Server
⌵	<a href="#">QTI SG8275</a>	8	10,070	3,244	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-12100TE</a>	4	10,069	2,855	35	FCLGA1700	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 4300G</a>	4	10,065	2,450	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,041	2,347	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,037	1,621	45	FCBGA1667	Server
⌵	<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	10,026	1,670	150	LGA2011	Server
⌵	<a href="#">AMD Ryzen Z2 A</a>	4	10,006	2,286	15	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	9,989	2,575	65	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	9,988	2,836	65	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,982	2,556	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i7-9850HE @ 2.70GHz</a>	6	9,972	2,254	45	FCBGA1440	Mobile/Embedded
⌵	<a href="#">Intel Xeon Bronze 3408U</a>	8	9,969	1,516	125	FCLGA4677	Server
⌵	<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	9,957	1,696	45	FCBGA1667	Server
⌵	<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	9,956	2,546	120	FCLGA2066	Server
⌵	<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz</a>	8	9,940	899	70	LGA 2011	Server
⌵	<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	9,926	2,755	15	BGA1526	Laptop
⌵	<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	9,920	2,052	130	LGA2011	Desktop
⌵	<a href="#">CIX P1 CP8180</a>	12	9,892	1,474	NA	Unknown	Unknown
⌵	<a href="#">Apple A15 Bionic</a>	6	9,877	3,573	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Firestorm-M1-Pro 8 Core 2064 MHz</a>	8	9,872	2,999	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon D-1718T @ 2.60GHz</a>	4	9,863	2,377	46	FCBGA2227	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz</a>	4	9,861	1,614	130	LGA2011	Server
⌵	<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,854	2,568	65	FCLGA1151-2	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E7450 @ 2.40GHz</a>	6	9,849	1,016	90	PGA604	Server
⌵	<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server
⌵	<a href="#">ARM Kunpeng-920 24 Core 2600 MHz</a>	24	9,841	737	NA	Unknown	Unknown
⌵	<a href="#">Apple A16</a>	5	9,840	4,001	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,830	1,991	140	LGA2011-v3	Desktop
⌵	<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	9,813	2,134	35	FCLGA1200	Desktop
⌵	<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	9,801	1,457	55	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	9,789	2,725	15	BGA1526	Laptop
⌵	<a href="#">[Quad CPU] AMD Opteron 6320</a>	4	9,787	554	115	G34	Server
⌵	<a href="#">ARM - 10 Core 2000 MHz</a>	10	9,787	3,807	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	9,787	2,584	15	FCBGA1449	Laptop, Mobile/Embedded
⌵	<a href="#">Hygon Dhyana</a>	4	9,784	1,668	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	9,779	2,126	35	FCLGA1151-2	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon E7- 8837 @ 2.67GHz</a>	8	9,777	1,225	130	LGA1567	Server
⇓	<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,774	1,673	95	FCLGA2011	Server
⇓	<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,773	2,777	83	FCLGA1151-2	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz</a>	6	9,770	1,126	95	LGA2011	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz</a>	6	9,752	1,153	60	FCLGA1356	Server
⇓	<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	9,751	2,266	45	FCBGA1440	Laptop
⇓	<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,731	2,344	35	FCLGA1151-2	Laptop
⇓	<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,712	1,655	135	LGA2011	Server
⇓	<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,698	2,702	112	FCLGA2066	Desktop
⇓	<a href="#">Intel Core i7-11390H @ 3.40GHz</a>	4	9,690	2,793	35	FCBGA1449	Laptop
⇓	<a href="#">QTI SM8650Q</a>	6	9,680	2,785	NA	Unknown	Mobile/Embedded
⇓	<a href="#">SM8850</a>	8	9,678	2,521	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,659	2,795	71	FCLGA1151-2	Server
⇓	<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
⇓	<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,634	2,702	95	LGA 1151	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon X5679 @ 3.20GHz</a>	6	9,634	1,526	115	LGA1366	Server
⇓	<a href="#">Intel Xeon E-2226GE @ 3.40GHz</a>	6	9,620	2,443	80	FCLGA1151	Mobile/Embedded
⇓	<a href="#">[Dual CPU] Intel Xeon E7-4820 v2 @ 2.00GHz</a>	8	9,610	1,324	NA	FCLGA2011	Server
⇓	<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	9,606	2,789	28	FCBGA1449	Laptop
⇓	<a href="#">ARM FT-2000+-64 64 Core 0 MHz</a>	64	9,605	559	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	9,584	2,418	35	FCLGA1151-2	Desktop
⇓	<a href="#">Intel Core i5-1345UE</a>	10	9,577	2,583	15	FCBGA1744	Mobile/Embedded
⇓	<a href="#">[Dual CPU] Intel Xeon E7-4850 @ 2.00GHz</a>	10	9,571	703	130	LGA1567	Server
⇓	<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	9,552	2,646	79	FCLGA1151	Server
⇓	<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,544	2,703	71	FCLGA1151-2	Server
⇓	<a href="#">Intel Core i3-1210U</a>	6	9,525	3,183	9	BGA1781	Laptop
⇓	<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,518	2,625	71	FCLGA1151-2	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz</a>	6	9,513	1,224	95	LGA 1356	Server
⇓	<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,509	2,432	65	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] AMD Opteron 6328</a>	4	9,508	1,442	115	G34	Server
⌵	<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,500	1,131	NA	LGA 2011	Server
⌵	<a href="#">ARM HUAWEI Kunpeng 920 24 Core 2600 MHz</a>	24	9,496	733	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-1245UE</a>	10	9,473	2,546	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5649 @ 2.53GHz</a>	6	9,471	1,216	80	LGA1366	Server
⌵	<a href="#">virt-9.1</a>	4	9,465	3,441	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,460	2,421	65	FCLGA1151-2	Desktop, Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon X5687 @ 3.60GHz</a>	4	9,455	1,639	130	LGA1366	Server
⌵	<a href="#">Hygon C86-4G (OPN:3430E)</a>	4	9,445	2,094	NA	Unknown	Unknown
⌵	<a href="#">AMD Custom APU 0932</a>	4	9,434	2,212	15	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	9,434	2,648	71	FCLGA1151-2	Server
⌵	<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,430	2,630	71	FCLGA1151-2	Server
⌵	<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,428	1,579	115	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,425	1,825	130	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	9,424	1,523	95	FCLGA2011	Server
⌵	<a href="#">Intel Core i3-N305</a>	8	9,419	2,045	15	FCBGA1264	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Atom x7809C</a>	8	9,409	1,462	25	FCBGA1264	Mobile/Embedded
⌵	<a href="#">[Quad CPU] Intel Xeon E7540 @ 2.00GHz</a>	6	9,409	911	105	FCLGA1567	Server
⌵	<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,384	1,961	130	LGA2011	Desktop
⌵	<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i3-1315UE</a>	6	9,367	3,008	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,366	2,418	65	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Ryzen 5 2500X</a>	4	9,365	2,315	65	AM4	Desktop
⌵	<a href="#">Apple A12Z Bionic</a>	8	9,365	2,202	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon 8 Gen2 Mobile Platform for Galaxy</a>	8	9,362	3,093	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	9,337	2,293	15	FP6	Laptop
⌵	<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	9,337	2,604	15	BGA1526	Laptop
⌵	<a href="#">AMD Ryzen 3 5300U</a>	4	9,293	2,296	15	FP6	Laptop
⌵	<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,289	2,033	130	FCLGA2011	Server
⌵	<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,287	2,681	65	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,287	1,463	85	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	9,285	1,090	45	FCBGA1667	Server
⌵	<a href="#">CIX P1 CD8180</a>	12	9,277	1,376	NA	Unknown	Desktop, Laptop
⌵	<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,266	1,560	130	LGA2011	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4386</a>	4	9,253	1,309	95	C32	Server
⌵	<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,251	2,419	28	FCBGA1449	Laptop
⌵	<a href="#">Hygon C86 3185 8-core</a>	8	9,243	1,881	95	Unknown	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 6272</a>	8	9,239	966	115	G34	Server
⌵	<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,233	2,366	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,233	1,917	130	FCLGA2011	Server
⌵	<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	9,222	1,557	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,217	1,626	85	FCLGA2011-3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	9,215	1,024	95	LGA1356	Server
⌵	<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,210	2,765	65	FCLGA1200	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 6282 SE</a>	16	9,206	873	140	Unknown	Server
⌵	<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,206	2,230	105	FCLGA3647	Server
⌵	<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	9,182	2,660	28	FCBGA1449	Laptop
⌵	<a href="#">AMD Ryzen 5 3400G</a>	4	9,174	2,309	65	AM4	Desktop
⌵	<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	9,171	2,262	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	9,169	2,309	28	FCBGA1344	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5645 @ 2.40GHz</a>	6	9,166	1,175	80	LGA1366	Server
⌵	<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	9,163	2,266	15	FCBGA1528	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 6276</a>	8	9,138	917	115	Socket G34	Server
⌵	<a href="#">Mediatek MT6983W-CZA</a>	8	9,136	3,238	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5677 @ 3.47GHz</a>	4	9,135	1,632	130	LGA1366	Server
⌵	<a href="#">ARM - 6 Core 0 MHz</a>	6	9,128	3,501	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8798Z-CNZA</a>	8	9,110	3,111	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227	Server
⌵	<a href="#">AMD Ryzen 5 40</a>	4	9,103	2,412	15	FT6	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,097	2,246	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,093	2,508	72	FCLGA1151	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	9,088	1,592	95	LGA 1356	Server
⌵	<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,080	2,483	73	FCLGA1151	Server
⌵	<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
⌵	<a href="#">Intel Core i5-9500E @ 3.00GHz</a>	6	9,074	2,286	65	FCLGA1151	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A78AE 16 Core 0 MHz</a>	16	9,072	1,167	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 5 1500X</a>	4	9,063	2,107	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 5 3350GE</a>	4	9,049	2,263	35	Unknown	Desktop
⌵	<a href="#">AMD Ryzen 3 30</a>	4	9,035	2,479	15	FT6	Desktop, Laptop
⌵	<a href="#">Intel Pentium Gold 8505</a>	5	9,025	3,205	15	BGA1700	Laptop, Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 6344</a>	6	9,023	672	115	Unknown	Server
⌵	<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,022	2,284	65	AM4	Desktop
⌵	<a href="#">QTI SM8550</a>	8	9,008	2,871	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 1500</a>	4	8,981	2,073	65	AM4	Desktop
⌵	<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	8,970	1,796	35	FCLGA1200	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,967	2,457	72	FCLGA1151	Server
⌵	<a href="#">ARM Neoverse-N3 8 Core 0 MHz</a>	8	8,966	1,903	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	8,959	1,126	85	FCLGA3647	Server
⌵	<a href="#">Intel Xeon W-1250TE @ 2.40GHz</a>	6	8,954	2,276	35	FCLGA1200	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 7520U</a>	4	8,946	2,380	15	FP6	Laptop
⌵	<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,940	2,497	95	LGA1151	Desktop
⌵	<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	8,939	2,548	15	FCBGA1449	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3350G</a>	4	8,913	2,235	65	AM4	Desktop
⌵	<a href="#">Samsung s5e8865</a>	8	8,903	2,658	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,877	1,468	115	LGA2011	Server
⌵	<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,875	2,140	105	FCLGA3647	Server
⌵	<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	8,874	2,645	65	FCLGA1200	Desktop
⌵	<a href="#">ARM Kunpeng-920 24 Core 0 MHz</a>	24	8,870	753	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	8,868	1,497	85	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,828	1,194	70	FCLGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon X5672 @ 3.20GHz</a>	4	8,826	1,509	95	LGA1366	Server
⌵	<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	8,818	2,534	65	FCBGA1440	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz</a>	6	8,760	1,152	60	LGA 2011	Server
⌵	<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,753	2,374	72	FCLGA1151	Server
⌵	<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	8,749	2,144	28	FCBGA1344	Laptop
⌵	<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	4	8,729	2,534	NA	FCBGA1598	Laptop
⌵	<a href="#">AMD Ryzen 5 2400G</a>	4	8,725	2,142	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen 5 3400GE</a>	4	8,712	2,238	35	AM4	Desktop
⌵	<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,711	2,580	65	FCLGA1200	Desktop
⌵	<a href="#">Intel U300</a>	5	8,696	3,141	15	FCBGA1744	Laptop
⌵	<a href="#">ARM - 32 Core 3300 MHz</a>	32	8,684	585	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD EPYC 3201</a>	8	8,672	1,564	30	SP4r2	Server
⌵	<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,658	2,382	73	FCLGA1151	Server
⌵	<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,651	1,483	130	LGA2011	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6234</a>	6	8,644	887	115	G34	Server
⌵	<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,643	2,442	65	LGA1151	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon L5640 @ 2.27GHz</a>	6	8,633	1,162	60	LGA1366	Server
⌵	<a href="#">Intel Atom C5125</a>	8	8,631	1,486	50	FCBGA2106	Server
⌵	<a href="#">SM8550</a>	8	8,629	2,974	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,625	1,543	55	LGA2011-v3	Server
⌵	<a href="#">ARM - 8 Core 2424 MHz</a>	8	8,610	3,083	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,603	1,846	150	LGA2011	Desktop
⌵	<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,583	2,196	120	FCLGA2066	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	8,564	1,105	80	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4284</a>	4	8,560	1,369	95	Socket C32	Server
⌵	<a href="#">Apple A14 Bionic</a>	6	8,547	3,383	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,541	2,136	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,533	1,409	115	LGA 2011	Server
⌵	<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,516	2,191	120	FCLGA2066	Server
⌵	<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,512	2,416	35	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz</a>	6	8,500	899	60	FCLGA1356	Server
⇓	<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,495	2,589	65	FCLGA1200	Desktop
⇓	<a href="#">AMD Ryzen 5 3580U with Radeon Vega Mobile Gfx</a>	4	8,491	2,196	NA	Unknown	Unknown
⇓	<a href="#">AMD Ryzen 3 7320U</a>	4	8,483	2,300	15	FP7	Laptop
⇓	<a href="#">Intel Core i3-1305U</a>	5	8,478	2,946	15	FCBGA1744	Laptop
⇓	<a href="#">[Dual CPU] Intel Xeon X5667 @ 3.07GHz</a>	4	8,462	1,445	95	LGA1366	Server
⇓	<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
⇓	<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,446	2,370	100	BGA2270	Laptop
⇓	<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,427	1,777	130	LGA2011	Desktop
⇓	<a href="#">Intel U300E</a>	5	8,410	3,282	15	FCBGA1744	Mobile/Embedded
⇓	<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
⇓	<a href="#">Intel Xeon W-11155MLE @ 1.80GHz</a>	4	8,394	1,984	25	FCBGA1787	Mobile/Embedded
⇓	<a href="#">ARM - 32 Core 3000 MHz</a>	32	8,376	584	NA	Unknown	Unknown
⇓	<a href="#">AMD EPYC 8324PN 32-Core</a>	8	8,375	1,232	130	Unknown	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon X5647 @ 2.93GHz</a>	4	8,369	1,418	130	LGA1366	Server
⇓	<a href="#">[Quad CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	8,352	817	95	LGA1567	Server
⇓	<a href="#">Intel Core i3-1215UE</a>	6	8,331	2,819	28	FCBGA1744	Mobile/Embedded
⇓	<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,325	1,426	95	LGA 1356	Server
⇓	<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,323	1,783	130	LGA2011	Server
⇓	<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,322	2,292	80	FCLGA1151	Server
⇓	<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,312	2,297	80	FCLGA1151	Server
⇓	<a href="#">AMD EPYC 3151</a>	4	8,306	1,873	45	SP4r2	Server
⇓	<a href="#">Mediatek Dimensity 8400-Turbo (MT6899)</a>	8	8,295	2,127	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Opteron 6386 SE</a>	16	8,291	1,305	140	Socket G34	Server
⇓	<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,280	1,383	115	LGA2011	Server
⇓	<a href="#">AMD Athlon Gold PRO 4150GE</a>	4	8,259	2,384	35	FP6	Laptop
⇓	<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,259	2,092	45	FP5	Laptop, Mobile/Embedded
⇓	<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,257	2,604	65	FCLGA1200	Desktop
⇓	<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,257	2,279	80	FCLGA1151	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	8,254	2,317	45	FCLGA1151	Server
⌵	<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,254	2,278	80	FCLGA1151	Server
⌵	<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,244	2,472	28	FCBGA1528	Laptop
⌵	<a href="#">Intel Core i5-1145GRE @ 2.60GHz</a>	4	8,237	2,078	15	FCBGA1449	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 6172</a>	12	8,228	877	115	G34	Server
⌵	<a href="#">Google Tensor G4</a>	8	8,225	2,710	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	8,220	2,335	15	BGA 1449	Laptop
⌵	<a href="#">QTI SM8635</a>	8	8,218	2,263	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 6238</a>	6	8,206	1,076	115	Socket G34	Server
⌵	<a href="#">ARM X-Gene 32 Core 3000 MHz</a>	32	8,202	608	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 7320C</a>	4	8,193	2,292	15	FT6	Laptop
⌵	<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,192	2,577	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,191	1,738	130	LGA2011	Desktop
⌵	<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,187	2,522	45	FCBGA1440	Desktop, Laptop
⌵	<a href="#">AMD Ryzen 7 2800H</a>	4	8,170	2,177	45	FP5	Laptop
⌵	<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1712TR @ 2.00GHz</a>	4	8,155	1,956	40	FCBGA2227	Server
⌵	<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,137	2,562	28	FCBGA1528	Laptop
⌵	<a href="#">Cobalt 100</a>	4	8,134	2,728	NA	Unknown	Unknown
⌵	<a href="#">ARM - 32 Core 2911 MHz</a>	32	8,132	541	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	8,132	2,066	35	FCLGA1151-2	Desktop
⌵	<a href="#">QTI SM7675</a>	8	8,124	2,221	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	8,108	1,041	85	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,105	2,277	15	FCBGA-1526	Laptop
⌵	<a href="#">AMD Ryzen 5 7520C</a>	8	8,104	2,588	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,099	2,360	65	LGA1150	Server
⌵	<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,092	2,216	72	FCLGA1151	Server
⌵	<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,092	2,208	45	FCBGA1440	Server
⌵	<a href="#">Intel Core i3-N300</a>	8	8,085	1,928	7	FCBGA1264	Laptop
⌵	<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,064	2,465	88	LGA1150	Desktop
⌵	<a href="#">ARM Neoverse-N1 12 Core 0 MHz</a>	12	8,063	1,259	NA	Unknown	Server
⌵	<a href="#">ARM - 14 Core 2601 MHz</a>	14	8,050	988	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,049	1,723	130	LGA2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	8,045	2,429	15	FCBGA1598	Server
⌵	<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,041	2,112	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon Platinum 8581C @ 2.30GHz</a>	2	8,040	3,258	NA	Unknown	Server
⌵	<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,036	2,275	65	LGA 1151	Desktop
⌵	<a href="#">Google Tensor G3</a>	9	8,031	2,390	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	8,028	892	130	LGA1567	Server
⌵	<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,027	2,227	80	FCLGA1151	Server
⌵	<a href="#">Mediatek Dimensity 9200 (MT6985)</a>	8	8,023	2,481	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,018	2,038	45	FP5	Desktop, Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	8,015	1,033	45	FCBGA1667	Server
⌵	<a href="#">CentaurHauls @2500MHz</a>	8	8,014	1,381	NA	Unknown	Desktop
⌵	<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	8,014	2,208	15	FCBGA1528	Laptop
⌵	<a href="#">ARM Avalanche-M2 4 Core 2424 MHz</a>	4	8,012	3,259	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM FTC662 64 Core 0 MHz</a>	64	8,008	566	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 2600H</a>	4	8,002	2,085	45	FP5	Laptop
⌵	<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	7,995	1,363	95	LGA2011	Server
⌵	<a href="#">Intel Xeon D-2712T @ 1.90GHz</a>	4	7,990	1,956	65	FCBGA2579	Server
⌵	<a href="#">Mediatek MT8792</a>	8	7,980	2,497	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	7,974	2,400	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	7,968	2,151	15	FCBGA1526	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 6136</a>	8	7,964	1,059	115	Socket G34	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6220</a>	4	7,951	1,235	115	Socket G34	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	7,947	1,078	85	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 7 3750H</a>	4	7,938	2,054	35	FP5	Laptop
⌵	<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,934	2,311	100	BGA2270	Laptop
⌵	<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	7,915	2,189	80	FCLGA1151	Server
⌵	<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	7,900	2,258	35	FCBGA1440	Laptop, Server
⌵	<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	7,897	1,723	25	FCBGA1440	Desktop, Laptop
⌵	<a href="#">AMD Ryzen Embedded R2544</a>	4	7,894	2,101	45	FP5	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,879	2,430	84	LGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">[Dual CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	7,873	1,067	130	LGA1567	Server
⏏	<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	7,868	2,295	35	FCLGA1200	Desktop
⏏	<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,862	1,718	NA	Unknown	Desktop
⏏	<a href="#">AMD Opteron 6348</a>	6	7,850	1,333	115	Unknown	Server
⏏	<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,849	2,358	35	FCLGA1200	Desktop
⏏	<a href="#">[Quad CPU] Intel Xeon X7350 @ 2.93GHz</a>	4	7,836	1,186	130	604	Server
⏏	<a href="#">[Dual CPU] AMD Opteron 6176 SE</a>	12	7,818	963	140	G34	Server
⏏	<a href="#">Intel Core i3-1215UL</a>	6	7,817	2,439	15	FCLGA1700	Mobile/Embedded
⏏	<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	7,816	2,269	65	FCLGA1200	Desktop, Mobile/Embedded
⏏	<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	7,815	2,386	15	FCBGA1598	Laptop
⏏	<a href="#">[Quad CPU] Intel Xeon E7520 @ 1.87GHz</a>	4	7,809	852	95	LGA1567	Server
⏏	<a href="#">ARM Firestorm 4 Core 2064 MHz</a>	4	7,804	2,941	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Ryzen Embedded V1780B</a>	4	7,800	1,940	45	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	7,800	2,173	28	FCBGA1528	Laptop
⏏	<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	7,797	2,348	45	FCBGA1440	Laptop
⏏	<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,794	2,122	35	AM4	Desktop
⏏	<a href="#">CentaurHauls @2400MHz</a>	8	7,784	1,345	NA	Unknown	Unknown
⏏	<a href="#">AMD Ryzen Embedded V1807F</a>	4	7,775	1,838	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	7,767	2,233	15	FCBGA1449	Mobile/Embedded
⏏	<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,764	1,692	85	LGA2011-v3	Server
⏏	<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,760	2,128	45	FCBGA1440	Server
⏏	<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	7,758	2,587	65	FCLGA1200	Server
⏏	<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,752	2,300	95	FCLGA1150	Server
⏏	<a href="#">ARM Firestorm-M1 4 Core 2064 MHz</a>	4	7,747	2,935	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Ryzen 5 1400</a>	4	7,738	1,889	65	AM4	Desktop
⏏	<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,732	1,997	35	FCLGA1151-2	Desktop
⏏	<a href="#">Intel Xeon D-1813NT @ 2.20GHz</a>	4	7,732	1,676	42	FCBGA2227	Server
⏏	<a href="#">[Quad CPU] AMD Opteron 8378</a>	4	7,726	1,044	115	F (1207)	Server
⏏	<a href="#">Mediatek MT6983Z-CZA</a>	8	7,726	2,255	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,719	2,286	65	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	7,716	2,077	35	AM4	Desktop
⌵	<a href="#">Virtual @ 2.59GHz</a>	14	7,705	633	NA	Unknown	Unknown
⌵	<a href="#">Intel U300L</a>	5	7,698	2,491	15	FCLGA1700	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Laptop
⌵	<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,668	1,516	45	FCBGA1667	Server
⌵	<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,667	2,312	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
⌵	<a href="#">Intel Xeon E3-1558L v5 @ 1.90GHz</a>	4	7,657	1,992	45	FCBGA1440	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,636	2,082	45	FCBGA1440	Laptop, Server
⌵	<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,632	1,269	95	LGA 2011	Server
⌵	<a href="#">AMD Ryzen 5 3550H</a>	4	7,625	2,001	35	FP5	Laptop
⌵	<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,621	2,189	65	BGA2270	Laptop
⌵	<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,612	995	70	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,604	1,195	95	LGA 1356	Server
⌵	<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,596	2,731	91	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,596	2,306	140	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	7,593	2,143	15	FCBGA1526	Laptop
⌵	<a href="#">AMD Ryzen 3 2300X</a>	4	7,581	2,334	65	AM4	Desktop
⌵	<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,572	1,281	35	FCBGA1667	Server
⌵	<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	7,565	1,179	95	LGA 1356	Server
⌵	<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,563	2,286	84	FCLGA1150	Server
⌵	<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,563	2,329	82	LGA1150	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	7,557	1,378	95	FCLGA2011	Server
⌵	<a href="#">MediaTek MT6895</a>	8	7,556	2,272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6895Z_A-TCZA</a>	8	7,554	2,260	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,541	2,693	71	FCLGA1151-2	Server
⌵	<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,538	2,126	35	FCLGA1151	Desktop
⌵	<a href="#">Samsung s5e8855</a>	8	7,536	2,480	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,511	2,119	45	FCBGA1440	Laptop, Server
⌵	<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	7,509	2,344	45	FCBGA1440	Laptop
⌵	<a href="#">ARM - 12 Core 2601 MHz</a>	12	7,508	1,224	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	7,492	2,274	65	BGA2270	Laptop
⌵	<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,483	2,270	65	LGA1150	Desktop
⌵	<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,473	2,678	91	FCLGA1151-2	Desktop
⌵	<a href="#">ARM - 8 Core 0 MHz</a>	8	7,469	1,996	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,468	2,305	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,464	1,553	80	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	7,463	2,220	135	FCLGA2011-3	Server
⌵	<a href="#">Mediatek Dimensity 8200-Ultimate (MT6896)</a>	8	7,463	2,373	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,462	1,568	130	LGA2011	Server
⌵	<a href="#">ZHAOXIN KaiXian KX-7000</a>	8	7,450	1,395	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5-2608L v4 @ 1.60GHz</a>	8	7,447	1,092	50	FCLGA2011-3	Server
⌵	<a href="#">AMD Ryzen 7 3780U</a>	4	7,444	1,955	15	FP5	Laptop
⌵	<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,444	1,225	35	FCBGA1667	Server
⌵	<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	7,422	2,284	28	FCBGA1528	Laptop
⌵	<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,419	2,244	80	FCLGA1150	Server
⌵	<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,416	1,203	95	LGA2011	Server
⌵	<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,414	2,117	140	LGA2011-v3	Server
⌵	<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,411	2,247	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,409	2,111	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,407	2,197	45	Unknown	Server
⌵	<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,398	2,238	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,398	1,899	35	FCLGA1151-2	Desktop
⌵	<a href="#">ARM Neoverse-N1 10 Core 0 MHz</a>	10	7,390	1,301	NA	Unknown	Server
⌵	<a href="#">Intel Atom P5322</a>	8	7,378	1,198	55	FCBGA2106	Server
⌵	<a href="#">Intel Core 3 N350</a>	8	7,372	1,968	7	FCBGA1264	Mobile/Embedded
⌵	<a href="#">[3-Way CPU] ARM ARMv8 rev 1 (v8l) 12 Core 2201 MHz</a>	12	7,371	1,183	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 4300U</a>	4	7,364	2,294	15	FP6	Laptop
⌵	<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,360	2,240	45	FCLGA1151-2	Laptop
⌵	<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,353	1,628	130	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek Dimensity 8350 (MT6897)</a>	8	7,348	2,106	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5640 @ 2.67GHz</a>	4	7,340	1,252	80	LGA1366	Server
⌵	<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,337	1,272	95	LGA2011	Server
⌵	<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,328	2,230	140	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon E3-1565L v5 @ 2.50GHz</a>	4	7,325	1,970	35	FCBGA1440	Server
⌵	<a href="#">QTI SM8475</a>	8	7,323	2,443	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,322	2,251	35	FCLGA1200	Laptop
⌵	<a href="#">Intel Xeon Phi 7210 @ 1.30GHz</a>	64	7,306	460	215	SVLCLGA3647	Server
⌵	<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	7,281	2,313	15	FCBGA1528	Laptop
⌵	<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server
⌵	<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,273	2,201	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,266	2,180	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,264	2,227	84	FCLGA1150	Desktop
⌵	<a href="#">Mediatek MT8797Z-CNZA</a>	8	7,264	2,284	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,248	2,064	45	FCBGA1440	Laptop
⌵	<a href="#">Intel 300</a>	2	7,246	3,200	46	FCLGA1700	Desktop
⌵	<a href="#">AMD Ryzen 5 Microsoft Surface Edition</a>	4	7,243	1,815	15	FP5	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 4238</a>	3	7,236	1,313	95	Socket C32	Server
⌵	<a href="#">virt-10_0</a>	4	7,236	2,702	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,235	2,188	80	LGA1150	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7530 @ 1.87GHz</a>	6	7,231	887	105	FCLGA1567	Server
⌵	<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
⌵	<a href="#">QTI SM7475</a>	8	7,227	1,967	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A720 6 Core 2600 MHz</a>	6	7,224	1,441	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,222	2,201	84	FCLGA1150	Server
⌵	<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,220	2,250	45	FCBGA1440	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon L5638 @ 2.00GHz</a>	6	7,217	944	60	LGA1366	Server
⌵	<a href="#">AMD Ryzen 5 2400GE</a>	4	7,214	2,056	35	AM4	Desktop
⌵	<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,214	2,225	82	LGA1150	Server
⌵	<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	7,211	2,238	84	LGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,211	2,029	135	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,206	2,620	71	FCLGA1151-2	Server
⌵	<a href="#">ARM Kunpeng-920 16 Core 0 MHz</a>	16	7,202	738	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,199	1,952	15	FP5	Laptop
⌵	<a href="#">Google GS201</a>	8	7,194	2,233	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3580U</a>	4	7,179	1,933	15	FP5	Laptop
⌵	<a href="#">Mediatek MT6891Z_T-CZA</a>	8	7,171	2,272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,169	2,542	71	FCLGA1151-2	Server
⌵	<a href="#">Mediatek MT8195</a>	8	7,165	2,191	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,155	2,113	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,150	2,193	84	LGA1150	Desktop
⌵	<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,145	2,179	80	LGA1150	Server
⌵	<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,143	1,578	130	LGA1366	Desktop
⌵	<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,142	2,174	15	FCBGA1526	Laptop
⌵	<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,141	2,158	84	LGA1150	Desktop
⌵	<a href="#">vendor Kirin9000E</a>	8	7,141	2,687	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,137	2,171	65	AM4	Desktop
⌵	<a href="#">AMD Ryzen 3 3200GE</a>	4	7,131	2,194	35	AM4	Desktop
⌵	<a href="#">QTI SG8175P</a>	8	7,131	2,498	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3501U</a>	4	7,116	2,117	15	FP5	Desktop, Laptop
⌵	<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,113	2,166	95	LGA1150	Server
⌵	<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	7,111	2,377	28	FCBGA1528	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	7,096	2,541	112	FCLGA2066	Desktop
⌵	<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
⌵	<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,085	1,158	70	LGA 2011	Server
⌵	<a href="#">Intel Core i3-1315URE</a>	6	7,075	2,376	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,070	2,533	62	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,068	2,170	84	LGA1150	Desktop
⌵	<a href="#">Samsung_s5e8845</a>	8	7,068	2,379	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,061	1,972	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Atom x7835RE</a>	8	7,051	1,578	12	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,046	1,926	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	7,044	1,627	130	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek MT6895Z_B-TCZA</a>	8	7,044	2,201	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	7,033	1,575	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	7,025	1,988	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	7,025	2,143	80	FCLGA1150	Server
⌵	<a href="#">AMD Ryzen 7 3700U</a>	4	7,015	1,935	15	FP5	Laptop
⌵	<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,014	2,149	80	LGA1150	Server
⌵	<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,009	2,139	84	LGA1150	Server
⌵	<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,006	2,165	35	AM4	Desktop
⌵	<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	6,993	2,014	35	LGA 1151	Desktop
⌵	<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	6,991	1,973	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
⌵	<a href="#">AMD Ryzen 3 3200G</a>	4	6,981	2,182	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	6,980	2,018	45	FCBGA1440	Server
⌵	<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,967	2,190	65	LGA1150	Desktop
⌵	<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,956	1,996	140	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
⌵	<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	6,945	1,906	15	FP5	Laptop
⌵	<a href="#">AMD EPYC 9R45</a>	2	6,940	3,812	NA	Unknown	Server
⌵	<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,929	2,329	65	LGA1150	Server
⌵	<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,928	2,456	91	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
⌵	<a href="#">AMD Ryzen 3 1300X</a>	4	6,923	2,123	65	AM4	Desktop
⌵	<a href="#">AMD Athlon Gold 3150G</a>	4	6,922	2,212	65	AM4	Desktop
⌵	<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,919	1,548	130	LGA1366	Server
⌵	<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	6,917	2,018	65	BGA2270	Laptop
⌵	<a href="#">MT8797Z-CNZA</a>	8	6,917	1,970	NA	Unknown	Mobile/Embedded
⌵	<a href="#">vendor Kirin9000</a>	8	6,914	2,592	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,912	1,900	15	FP5	Laptop
⌵	<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,910	2,158	65	LGA1150	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4274 HE</a>	4	6,909	1,037	65	C32	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	6,902	1,382	80	LGA 2011	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">ARM Cortex-A78AE 12 Core 2201 MHz</a>	12	6,895	1,161	NA	Unknown	Unknown
⇓	<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	6,886	1,536	130	LGA1366	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	6,884	910	85	LGA2011-v3	Server
⇓	<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,882	2,044	45	FCBGA1440	Laptop
⇓	<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
⇓	<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	6,859	1,397	80	LGA 1356	Server
⇓	<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,840	2,073	80	LGA1150	Server
⇓	<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,836	1,789	85	FCLGA2011-3	Server
⇓	<a href="#">AMD FX-9590 Eight-Core</a>	4	6,833	1,807	220	AM3+	Desktop
⇓	<a href="#">ARM Cortex-A720 12 Core 2600 MHz</a>	12	6,832	1,434	NA	Unknown	Unknown
⇓	<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,826	1,522	130	LGA1366	Desktop
⇓	<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	6,823	1,487	35	FCBGA1667	Laptop, Server
⇓	<a href="#">[Dual CPU] Intel Xeon W5590 @ 3.33GHz</a>	4	6,816	1,583	130	LGA1366	Server
⇓	<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,814	2,538	91	FCLGA1151	Desktop
⇓	<a href="#">[Dual CPU] Intel Xeon E5630 @ 2.53GHz</a>	4	6,803	1,169	80	LGA1366	Server
⇓	<a href="#">AMD Ryzen 5 3500U</a>	4	6,801	1,910	15	FP5	Laptop
⇓	<a href="#">MT6858</a>	8	6,796	2,183	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Ryzen 7 2700U</a>	4	6,794	1,786	15	FP5	Laptop
⇓	<a href="#">Snapdragon 8cx Gen 2 @ 3.0 GHz</a>	8	6,794	1,794	NA	Unknown	Laptop, Mobile/Embedded
⇓	<a href="#">[Quad CPU] Intel Xeon E7330 @ 2.40GHz</a>	4	6,792	933	80	PGA604, PPGA604	Server
⇓	<a href="#">Intel Xeon Bronze 3206R @ 1.90GHz</a>	8	6,777	1,158	85	FCLGA3647	Server
⇓	<a href="#">ARM Firestorm 8 Core 2064 MHz</a>	8	6,775	2,804	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
⇓	<a href="#">HiSilicon Kirin 10</a>	8	6,764	2,145	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	6,755	2,121	35	AM4	Laptop
⇓	<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	6,754	2,171	57	FPGA946,FPGA947	Laptop
⇓	<a href="#">Qualcomm Technologies, Inc KONA-IOT</a>	8	6,752	2,528	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Snapdragon 8cx Gen 2 @ 3.15 GHz</a>	8	6,748	1,941	7	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,746	2,463	71	FCLGA1151-2	Server
⌵	<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,743	1,929	45	FCBGA1440	Laptop
⌵	<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,740	1,908	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Mediatek MT6895Z-TCZA</a>	8	6,732	2,191	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,725	2,109	65	LGA1150	Desktop
⌵	<a href="#">AMD Ryzen 3 2200G</a>	4	6,721	2,041	65	AM4	Desktop
⌵	<a href="#">MediaTek MT6983</a>	8	6,719	2,290	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Fabrikams XY9 @ 3.15 GHz</a>	8	6,715	1,885	NA	Unknown	Laptop
⌵	<a href="#">AMD Ryzen 7 3700C</a>	4	6,714	2,141	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Pentium Gold G7400</a>	2	6,708	2,982	46	LGA1700,BGA1700	Desktop
⌵	<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,707	1,395	60	LGA 2011	Server
⌵	<a href="#">Google Tensor</a>	8	6,702	2,272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,699	2,480	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Xeon E5-2428L v2 @ 1.80GHz</a>	8	6,697	1,205	60	FCLGA1356	Server, Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz</a>	4	6,690	995	95	LGA 2011	Server
⌵	<a href="#">Qualcomm SM8250</a>	8	6,690	2,410	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	6,689	1,724	60	FCBGA2518	Server
⌵	<a href="#">AMD Ryzen Embedded R2514</a>	4	6,688	1,998	15	FP5	Mobile/Embedded
⌵	<a href="#">AMD Opteron 6380</a>	8	6,687	1,092	115	G34	Server
⌵	<a href="#">QTI SM7550</a>	8	6,656	2,215	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6893Z_Z-CZA</a>	8	6,647	2,120	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6891Z-CZA</a>	8	6,644	2,219	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8789</a>	8	6,640	2,296	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-8560U @ 1.80GHz</a>	4	6,637	2,450	15	FCBGA1528	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	6,635	1,154	95	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	6,632	1,861	105	LGA2011-v3	Server
⌵	<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,630	2,104	77	LGA1155	Server
⌵	<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,623	2,155	69	LGA1155	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4332 HE</a>	6	6,621	1,361	65	Socket C32	Server
⌵	<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,615	1,805	15	FP5	Laptop
⌵	<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,609	2,465	65	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,604	2,031	65	AM4	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,588	2,758	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM8250</a>	8	6,585	2,260	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,584	2,454	65	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	6,583	2,214	15	FCBGA1528	Laptop
⌵	<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	6,579	1,909	NA	Unknown	Laptop
⌵	<a href="#">virt-8.2</a>	6	6,577	1,704	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	6,563	1,303	80	FCLGA1356	Server
⌵	<a href="#">Qualcomm SM8350</a>	8	6,563	2,186	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,562	1,461	130	LGA1366	Desktop
⌵	<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,561	2,157	65	FCBGA1364	Desktop
⌵	<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,560	2,186	47	FCBGA1364	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SA8195P</a>	8	6,554	1,741	NA	Unknown	Mobile/Embedded
⌵	<a href="#">CentaurHauls @2000MHz</a>	8	6,549	1,118	NA	Unknown	Desktop
⌵	<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,547	1,907	25	FCLGA1151	Server
⌵	<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,545	1,710	85	FCLGA3647	Server
⌵	<a href="#">[Quad CPU] Intel Xeon E7340 @ 2.40GHz</a>	4	6,544	960	80	PGA604	Server
⌵	<a href="#">Intel Core i3-9100E @ 3.10GHz</a>	4	6,529	2,278	65	FCLGA1151	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 5 3450U</a>	4	6,525	1,824	15	FP5	Laptop
⌵	<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,525	1,916	45	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,516	1,961	130	FCLGA2011	Desktop
⌵	<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,515	2,076	77	LGA1155	Desktop
⌵	<a href="#">MT6893Z-CZA</a>	8	6,511	2,180	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,508	2,098	65	AM4	Desktop
⌵	<a href="#">Mediatek MT6891Z_Z-CZA</a>	8	6,508	1,670	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,504	2,012	130	FCLGA2011	Server
⌵	<a href="#">Android virtual</a>	6	6,500	2,818	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5620 @ 2.40GHz</a>	4	6,500	1,105	80	LGA1366	Server
⌵	<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,494	2,075	69	LGA1155	Server
⌵	<a href="#">AMD Ryzen 5 2500U</a>	4	6,492	1,793	15	FP5	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">vendor Unknow</a>	8	6,482	2,287	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM8350</a>	8	6,480	2,302	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,475	1,938	130	LGA 2011	Server
⌵	<a href="#">Samsung X1S EUR OPEN 21 based on EXYNOS990</a>	8	6,471	2,031	NA	Unknown	Mobile/Embedded
⌵	<a href="#">HiSilicon Kirin</a>	8	6,461	2,272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
⌵	<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,443	1,485	95	LGA1366	Server
⌵	<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,434	1,745	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,430	1,870	10	FCBGA1526	Laptop
⌵	<a href="#">Samsung C1S EUR OPEN 22 based on EXYNOS990</a>	8	6,429	2,108	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM8250_AC</a>	8	6,426	2,619	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
⌵	<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,414	2,071	77	LGA1155	Desktop
⌵	<a href="#">QTI QCS6690</a>	8	6,407	1,806	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,395	1,483	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,391	2,050	57	FCPGA946	Laptop
⌵	<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,389	2,039	69	LGA1155	Server
⌵	<a href="#">QTI SM8450</a>	8	6,386	2,456	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
⌵	<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,385	2,045	77	LGA1155	Server
⌵	<a href="#">QTI SM7750</a>	8	6,382	2,007	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-10100TE @ 2.30GHz</a>	4	6,371	1,820	35	LGA 1200	Mobile/Embedded
⌵	<a href="#">MT6893Z_B-CZA</a>	8	6,371	1,901	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-9370 Eight-Core</a>	4	6,368	1,695	220	AM3+	Desktop
⌵	<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,368	2,089	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,367	2,260	62	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,359	2,201	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,359	2,068	87	LGA1155	Server
⌵	<a href="#">taoyao based Qualcomm Technologies, Inc. Yupik IDP</a>	8	6,359	1,818	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E-2276ML @ 2.00GHz</a>	6	6,353	1,222	25	FCBGA1440	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 6276</a>	8	6,348	1,033	115	Socket G34	Server
⌵	<a href="#">Mediatek Dimensity 7300-Ultra (MT6878)</a>	8	6,342	2,104	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung s5e9925</a>	8	6,342	2,121	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 8439 SE</a>	6	6,340	1,204	105	F (1207)	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6128 HE</a>	8	6,339	883	85	Socket G34	Server
⌵	<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,334	1,721	35	FCLGA1151	Laptop, Server
⌵	<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
⌵	<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,333	2,145	45	LGA1150	Server
⌵	<a href="#">Mediatek MT6893Z_T-CZA</a>	8	6,333	2,498	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,332	1,375	80	FCLGA1356	Server
⌵	<a href="#">Mediatek MT6893</a>	8	6,326	2,104	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,323	2,303	35	FCLGA1151-2	Desktop
⌵	<a href="#">QTI SM6450P</a>	8	6,321	1,992	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,310	2,090	45	LGA1150	Desktop
⌵	<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,307	2,315	91	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,305	2,047	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
⌵	<a href="#">QTI SM6650</a>	8	6,299	1,945	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X5570 @ 2.93GHz</a>	4	6,279	1,445	95	LGA1366	Server
⌵	<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,276	1,342	95	LGA2011	Server
⌵	<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,269	2,036	47	FCPGA946	Laptop
⌵	<a href="#">AMD Ryzen 3 1200</a>	4	6,264	1,924	65	AM4	Desktop
⌵	<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,255	1,096	60	FCLGA1356	Server
⌵	<a href="#">Mediatek MT8195AV</a>	8	6,251	1,977	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	6,248	1,299	60	LGA 1356	Server
⌵	<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,233	1,291	80	FCLGA2011	Server
⌵	<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,232	1,891	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,232	1,125	95	LGA2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	6,223	721	95	LGA1567	Server
⌵	<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,215	2,016	47	FCPGA946	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,204	2,019	35	LGA 1151	Desktop
<a href="#">Intel Pentium Gold G7400E</a>	2	6,200	2,880	46	FCLGA1700	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM782G</a>	8	6,191	2,007	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,188	2,099	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,182	1,979	69	LGA1155	Server
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,180	2,041	65	LGA1155	Desktop
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,179	1,408	95	LGA1366	Server
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,174	1,614	125	AM3+	Desktop
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,173	2,054	45	FCLGA1150	Server
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,171	2,162	15	FCBGA1528	Laptop
<a href="#">SM8350</a>	8	6,161	2,454	NA	Unknown	Mobile/Embedded
<a href="#">QTI SM7635</a>	8	6,160	2,111	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm QCM6490</a>	8	6,153	2,017	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	6,146	2,163	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A720 8 Core 2600 MHz</a>	8	6,141	1,455	NA	Unknown	Unknown
<a href="#">MT6893Z_C-CZA</a>	8	6,139	1,767	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,135	1,940	47	FCBGA1364	Laptop
<a href="#">vendor Kirin990</a>	8	6,131	2,011	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_A-CZA</a>	8	6,127	2,347	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-1025G1 @ 1.20GHz</a>	4	6,122	2,283	NA	BGA 1526	Laptop
<a href="#">Dragonwing QCS6490</a>	8	6,110	1,981	NA	Unknown	Unknown
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,097	1,985	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,096	1,296	95	LGA2011	Server
<a href="#">Qualcomm QCS6490</a>	8	6,093	1,943	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-8350 Eight-Core</a>	4	6,092	1,580	125	AM3+	Desktop
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	6,091	1,304	95	LGA 1356	Server
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,081	1,991	35	AM4	Desktop
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,077	2,030	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,072	2,253	65	LGA 1151	Desktop
⌵	<a href="#">Microsoft SQ1 @ 3.0 GHz</a>	8	6,070	1,818	15	Unknown	Laptop
⌵	<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
⌵	<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,061	2,189	65	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,055	2,108	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	6,055	1,064	70	LGA 2011	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 6134</a>	8	6,053	898	115	G34	Server
⌵	<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown	Server
⌵	<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	6,047	1,032	70	LGA 1356	Server
⌵	<a href="#">Snapdragon 7cPlus Gen 3 @ 2.40 GHz</a>	8	6,044	1,706	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[7-Way CPU] Virtual @ 3.07GHz</a>	1	6,041	1,423	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,040	2,245	65	LGA1151	Desktop
⌵	<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,036	2,015	47	FCPGA946	Laptop
⌵	<a href="#">Samsung Exynos 990</a>	8	6,036	1,760	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hygon C86 3330 4-core</a>	4	6,031	1,702	35	Unknown	Desktop
⌵	<a href="#">Qualcomm SM7325</a>	8	6,031	2,065	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6891Z-CZA</a>	8	6,025	1,668	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,017	1,903	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	6,015	1,973	55	rPGA988B	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 6128</a>	8	6,009	806	115	G34	Server
⌵	<a href="#">AMD Ryzen Embedded V1404I</a>	4	6,007	1,621	15	Unknown	Desktop, Mobile/Embedded
⌵	<a href="#">ARM Cortex-X1C 4 Core 2438 MHz</a>	4	6,007	1,244	NA	Unknown	Unknown
⌵	<a href="#">QTI SM6475</a>	8	6,001	2,045	NA	Unknown	Mobile/Embedded
⌵	<a href="#">SM7325</a>	8	5,997	2,088	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	5,989	1,366	95	LGA1366	Server
⌵	<a href="#">Intel Pentium Gold 8500</a>	5	5,982	2,787	9	FCBGA1781	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon W5580 @ 3.20GHz</a>	4	5,979	1,320	130	LGA1366	Server
⌵	<a href="#">ARM Neoverse-N1 8 Core 0 MHz</a>	8	5,976	1,272	NA	Unknown	Server
⌵	<a href="#">AMD Ryzen 3 2200GE</a>	4	5,964	1,930	35	AM4	Desktop
⌵	<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,956	2,116	80	FCLGA1151	Server
⌵	<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	5,953	2,098	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	5,950	2,056	15	FCBGA1528	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen 3 3500U</a>	4	5,946	1,721	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Samsung s5e8835</a>	8	5,946	1,991	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8195AV-ZA</a>	8	5,935	1,856	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM7325</a>	8	5,927	1,969	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	5,925	1,883	45	FCBGA1440	Server
⌵	<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	5,914	2,105	15	FCBGA1528	Laptop
⌵	<a href="#">Mediatek MT6883Z-CZA</a>	8	5,914	1,751	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6891</a>	8	5,897	1,824	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
⌵	<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,883	2,244	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	5,882	1,552	25	FCBGA1440	Laptop, Server
⌵	<a href="#">[Dual CPU] AMD Opteron 2431</a>	6	5,873	1,043	75	F (1207)	Server
⌵	<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	5,872	2,307	65	FCBGA1440	Laptop
⌵	<a href="#">AMD Ryzen 5 3500C</a>	4	5,861	2,015	15	FP5	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz</a>	4	5,860	1,150	80	LGA2011	Server
⌵	<a href="#">Qualcomm Technologies, Inc SM7325</a>	8	5,855	2,101	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,844	1,753	130	LGA2011	Server
⌵	<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	5,837	2,137	73	FCLGA1151	Server
⌵	<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	5,835	2,133	35	FCLGA1151	Desktop
⌵	<a href="#">Unisoc UIS7885(prototype)</a>	8	5,835	1,950	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,827	1,910	45	rPGA988B	Laptop
⌵	<a href="#">Intel N97</a>	4	5,827	2,028	12	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	5,826	2,548	15	FCBGA1449	Laptop
⌵	<a href="#">Mediatek MT8775</a>	8	5,820	1,834	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,803	2,092	47	FCBGA1364	Laptop
⌵	<a href="#">SM8325</a>	8	5,799	1,948	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,798	1,915	45	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,795	2,003	15	FC-BGA1356	Laptop
⌵	<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,794	1,873	15	FC-BGA1356	Laptop
⌵	<a href="#">Apple A13 Bionic</a>	6	5,791	2,357	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,791	1,738	130	LGA2011	Desktop

Show  entries

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,791	1,022	85	FCLGA3647	Server
⌵	<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,789	1,880	47	FCPGA946	Laptop
⌵	<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	5,787	2,011	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,778	1,721	37	FCBGA1364	Laptop
⌵	<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32	Server
⌵	<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,776	1,918	47	rPGA946B	Laptop
⌵	<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	5,775	1,874	15	FP5	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz</a>	2	5,775	1,654	80	FCLGA2011	Server
⌵	<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,770	1,217	95	LGA 1356	Server
⌵	<a href="#">[Dual CPU] Intel Xeon L5639 @ 2.13GHz</a>	6	5,768	1,010	60	LGA1366	Server
⌵	<a href="#">AMD Ryzen Embedded R2314</a>	4	5,767	1,908	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,765	2,223	65	FCLGA1150	Desktop
⌵	<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,754	1,292	95	LGA1366	Server
⌵	<a href="#">Qualcomm SM8150</a>	8	5,738	1,831	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm SA8255P</a>	8	5,733	1,527	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,730	2,026	80	FCLGA1151	Server
⌵	<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,726	1,858	47	BGA1364	Laptop
⌵	<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	5,718	1,878	65	FCLGA1151-2	Server
⌵	<a href="#">Qualcomm Technologies, Inc KONA</a>	8	5,718	2,337	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 8431</a>	6	5,716	1,002	115	F (1207)	Server
⌵	<a href="#">Intel Pentium Gold G7400TE</a>	2	5,715	2,512	35	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,714	1,884	45	rPGA988B	Laptop
⌵	<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
⌵	<a href="#">MT6893Z_D-CZA</a>	8	5,701	2,262	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,695	1,812	95	LGA1155	Desktop
⌵	<a href="#">AMD Ryzen 3 3350U</a>	4	5,693	1,894	15	Unknown	Laptop
⌵	<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
⌵	<a href="#">QTI SM7435</a>	8	5,682	1,741	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,679	2,184	88	LGA1150	Desktop
⌵	<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,679	1,749	25	FCLGA1150	Server
⌵	<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,676	1,792	15	FP5	Laptop
⌵	<a href="#">Intel Atom C3808 @ 2.00GHz</a>	12	5,671	801	25	FCBGA1310	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">QTI SM6450</a>	8	5,669	1,883	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5560 @ 2.80GHz</a>	4	5,668	1,328	95	LGA1366	Server
⌵	<a href="#">MT6883Z-CZA</a>	8	5,665	1,694	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 4174 HE</a>	6	5,656	950	65	C32	Server
⌵	<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,652	1,739	47	FCBGA1364	Laptop
⌵	<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,646	1,306	80	LGA1366	Server
⌵	<a href="#">ARM Neoverse-V3 4 Core 0 MHz</a>	4	5,645	2,473	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 6274</a>	8	5,643	871	115	G34	Server
⌵	<a href="#">QTI SM7350</a>	8	5,634	1,967	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 3300U</a>	4	5,632	1,831	15	FP5	Laptop
⌵	<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,629	2,113	35	FCLGA1151-2	Desktop
⌵	<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
⌵	<a href="#">redwood based Qualcomm Technologies, Inc. SM7325</a>	8	5,621	1,929	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,620	1,928	72	FCLGA1151	Server
⌵	<a href="#">Spreadtrum UIS7885(prototype)</a>	8	5,619	1,966	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,617	1,782	45	BGA1224	Laptop
⌵	<a href="#">AMD Opteron 6366 HE</a>	8	5,613	1,003	85	Unknown	Server
⌵	<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,612	1,781	95	LGA1155	Server
⌵	<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,611	1,851	45	BGA1224	Laptop
⌵	<a href="#">Snapdragon 7325</a>	8	5,605	2,029	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,602	2,089	65	LGA 1151	Desktop
⌵	<a href="#">ARM Phytium_FT-D3000 8 Core 2500 MHz</a>	8	5,601	1,250	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	5,598	1,728	10	BGA1526	Laptop
⌵	<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,597	2,190	84	LGA1150	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon X5550 @ 2.67GHz</a>	4	5,590	1,298	95	LGA1366	Server
⌵	<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,584	2,140	84	LGA1150	Desktop
⌵	<a href="#">Unisoc T820</a>	8	5,577	1,878	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,575	2,050	35	LGA 1151	Desktop
⌵	<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,575	1,773	47	FCBGA1364	Laptop
⌵	<a href="#">Mediatek MT8391</a>	8	5,575	2,306	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,574	1,808	45	LGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
⌵	<a href="#">QTI SM7450</a>	8	5,572	1,873	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 2435</a>	6	5,571	1,115	75	F (1207)	Server
⌵	<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,568	1,535	80	LGA 1356	Server
⌵	<a href="#">Intel 300T</a>	2	5,567	2,691	35	FCLGA1700	Desktop
⌵	<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,564	2,265	65	FCBGA1364	Desktop
⌵	<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,563	1,644	45	FCBGA1667	Server
⌵	<a href="#">Qualcomm SA8195P</a>	8	5,559	1,658	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,557	1,832	45	BGA1224	Laptop
⌵	<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,554	1,863	55	FCPGA988	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SDM778G</a>	8	5,553	2,070	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung Exynos 2100</a>	8	5,552	2,000	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,550	1,619	25	LGA 1151	Laptop
⌵	<a href="#">ARM Neoverse-N2 8 Core 2500 MHz</a>	8	5,544	1,361	NA	Unknown	Unknown
⌵	<a href="#">Spreadtrum T820</a>	8	5,543	1,908	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	5,534	1,751	120	FCLGA2066	Server
⌵	<a href="#">ARM Phytium D3000 8 Core 2500 MHz</a>	8	5,528	1,247	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,525	1,776	47	FCBGA1364	Laptop
⌵	<a href="#">MT6877V T-TTZA</a>	8	5,525	2,271	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A78AE 10 Core 2112 MHz</a>	10	5,520	1,154	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,519	2,099	84	FCLGA1150	Server
⌵	<a href="#">HiSilicon Kirin 20</a>	8	5,517	2,103	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,508	1,644	47	FCBGA1364	Laptop
⌵	<a href="#">ARM CIX P1 CD8180 7 Core 2500 MHz</a>	7	5,505	1,395	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,504	1,985	15	FCBGA1528	Laptop
⌵	<a href="#">vendor Kirin985</a>	8	5,496	1,845	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 2300U</a>	4	5,493	1,749	15	FP5	Laptop
⌵	<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,487	1,774	95	LGA1155	Server
⌵	<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,484	2,125	84	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,483	1,751	35	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,481	2,069	65	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,479	1,741	95	LGA1155	Desktop
⌵	<a href="#">AMD FX-8320 Eight-Core</a>	4	5,478	1,466	125	AM3+	Desktop
⌵	<a href="#">ARM Cortex-A72 16 Core 2200 MHz</a>	16	5,470	601	NA	Unknown	Mobile/Embedded
⌵	<a href="#">lisa based Qualcomm Technologies, Inc. SM7325</a>	8	5,470	1,887	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5492 @ 3.40GHz</a>	4	5,469	1,467	150	LGA771	Server
⌵	<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,457	1,902	25	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,435	2,061	45	BGA1440	Laptop
⌵	<a href="#">Mediatek MT6891</a>	8	5,435	1,501	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	5,429	1,834	95	LGA1155	Server
⌵	<a href="#">Dragonwing QCS5430</a>	8	5,428	1,671	NA	Unknown	Unknown
⌵	<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,425	1,901	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,418	1,029	85	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	5,417	1,765	47	FCBGA1364	Desktop
⌵	<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,417	1,650	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,416	1,814	45	LGA1155	Desktop
⌵	<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,414	2,152	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,408	2,158	65	LGA1150	Desktop
⌵	<a href="#">[Quad CPU] AMD Opteron 8356</a>	4	5,397	929	75	F (1207)	Server
⌵	<a href="#">Intel N150</a>	4	5,388	1,902	6	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2418L v2 @ 2.00GHz</a>	6	5,380	1,078	50	FCLGA1356	Server
⌵	<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,379	2,080	84	LGA1150	Desktop
⌵	<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,374	1,743	80	LGA1155	Server
⌵	<a href="#">Spreadtrum UMS9620</a>	8	5,374	1,535	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,367	1,674	37	FCBGA1364	Laptop
⌵	<a href="#">Mediatek Kompanio 540</a>	8	5,363	2,329	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,362	2,007	65	LGA 1151	Desktop
⌵	<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,361	1,760	47	rPGA946B	Laptop
⌵	<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,359	1,716	95	LGA1155	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">QTI SM8150</a>	8	5,356	1,816	NA	Unknown	Mobile/Embedded
<a href="#">Virtual @ 2.36GHz</a>	7	5,353	1,093	NA	Unknown	Unknown
<a href="#">[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz</a>	4	5,351	1,034	80	LGA 1356	Server
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,350	1,494	95	AM3+	Desktop
<a href="#">Virtual @ 2.35GHz</a>	7	5,349	1,083	NA	Unknown	Unknown
<a href="#">Mediatek Kompanio 838 MT8188</a>	8	5,343	2,300	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	5,333	1,675	45	rPGA988B	Laptop
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,333	1,115	95	LGA2011	Server
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	4	5,329	1,899	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,329	1,693	80	LGA1155	Server
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,328	1,732	95	LGA1155	Desktop
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,327	1,486	95	AM3+	Desktop
<a href="#">Intel N100</a>	4	5,325	1,885	6	FCBGA1264	Mobile/Embedded
<a href="#">[6-Way CPU] Virtual @ 3.07GHz</a>	1	5,325	1,312	NA	Unknown	Unknown
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,324	2,020	84	LGA1150	Server
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,318	1,435	125	AM3+	Desktop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,309	1,718	37	FCBGA1364	Laptop
<a href="#">AMD Opteron 6328</a>	4	5,306	1,419	115	G34	Server
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	5,305	1,622	25	LGA1150	Server
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">Mediatek MT8791</a>	8	5,305	2,148	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,300	961	60	FCLGA1356	Server
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,296	1,784	37	FCPGA946	Laptop
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,296	1,592	NA	Unknown	Mobile/Embedded
<a href="#">Intel N95</a>	4	5,292	1,903	15	Unknown	Laptop, Mobile/Embedded
<a href="#">[Quad CPU] Intel Xeon E7320 @ 2.13GHz</a>	4	5,286	811	80	604	Server
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,274	2,094	NA	FCBGA1528	Laptop
<a href="#">Intel Pentium Gold G7400T</a>	2	5,274	2,341	35	Unknown	Desktop
<a href="#">[Dual CPU] Intel Xeon L5630 @ 2.13GHz</a>	4	5,267	964	40	LGA1366	Server
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,266	1,863	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	5,264	2,096	65	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	5,262	981	70	LGA 2011	Server
⌵	<a href="#">Intel Atom x7425E</a>	4	5,258	1,905	12	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Mediatek MT6875</a>	8	5,258	1,443	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 PRO 1200</a>	4	5,257	1,636	65	AM4	Desktop
⌵	<a href="#">Spreadtrum T760</a>	8	5,253	1,522	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,249	1,928	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,248	1,546	130	LGA2011	Server
⌵	<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server
⌵	<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,238	1,919	35	FCLGA1151	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5530 @ 2.40GHz</a>	4	5,238	1,157	80	LGA1366	Server
⌵	<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	5,236	1,763	10	FCBGA1338	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
⌵	<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,230	2,028	84	LGA1150	Desktop
⌵	<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	5,230	1,984	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon 8c @ 2.46 GHz</a>	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Atom x7405C</a>	4	5,218	1,675	12	FCBGA1264	Mobile/Embedded
⌵	<a href="#">QTI QCS4490</a>	8	5,216	2,187	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,213	2,267	15	BGA 1449	Mobile/Embedded
⌵	<a href="#">ARM - 4 Core 0 MHz</a>	4	5,208	3,099	NA	Unknown	Unknown
⌵	<a href="#">MediaTek MT6879</a>	8	5,200	2,177	NA	Unknown	Mobile/Embedded
⌵	<a href="#">vendor Kirin980</a>	8	5,197	1,715	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 16 Core 0 MHz</a>	16	5,192	579	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SG4250P</a>	8	5,191	2,186	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	5,188	1,726	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Mediatek MT6879V T-ZA</a>	8	5,186	2,181	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,174	1,947	65	LGA 1151	Desktop
⌵	<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,173	1,706	45	BGA1224	Laptop
⌵	<a href="#">Mediatek MT8192</a>	8	5,172	1,563	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,171	1,686	37	FCPGA946	Laptop
⌵	<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,170	2,250	15	FCBGA1449	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,165	1,927	140	FCLGA2011-3	Server
⌵	<a href="#">QTI QCM4490</a>	8	5,164	2,175	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,158	1,943	80	LGA1150	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4170 HE</a>	6	5,152	852	65	C32	Server
⌵	<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,145	1,667	45	PGA988B	Laptop
⌵	<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,142	1,662	80	LGA1155	Server
⌵	<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,140	1,670	120	FCLGA2066	Server
⌵	<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,135	1,691	45	rPGA988B	Laptop
⌵	<a href="#">AMD FX-8320E Eight-Core</a>	4	5,134	1,440	95	AM3+	Desktop
⌵	<a href="#">MT8188JV-A</a>	8	5,134	1,884	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek Kompanio 1380</a>	8	5,121	1,984	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5470 @ 3.33GHz</a>	4	5,119	1,415	120	LGA771	Server
⌵	<a href="#">ARM Cortex-A72 16 Core 2000 MHz</a>	16	5,110	550	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,105	2,026	65	LGA1150	Desktop
⌵	<a href="#">MT6893</a>	8	5,102	1,902	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom C3758R @ 2.40GHz</a>	8	5,086	955	26	FCBGA1310	Server
⌵	<a href="#">Hisilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	5,083	1,548	25	FCBGA1440	Laptop, Server
⌵	<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,080	2,092	65	LGA1150	Desktop
⌵	<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,077	1,944	45	Unknown	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon X5460 @ 3.16GHz</a>	4	5,076	1,354	120	LGA771	Server
⌵	<a href="#">Snapdragon 855 @ 2.84 GHz</a>	8	5,070	1,431	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,064	1,611	130	LGA1366	Server
⌵	<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	5,058	1,585	45	LGA1155	Server
⌵	<a href="#">Apple A12 Bionic</a>	6	5,055	2,004	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	5,042	1,691	45	LGA1150	Desktop
⌵	<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	5,040	702	25	FCBGA1310	Server
⌵	<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	5,037	1,600	95	LGA1155	Server
⌵	<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	5,036	1,552	95	LGA1366	Server
⌵	<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,033	1,610	35	FCLGA1150	Desktop
⌵	<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,024	1,937	45	LGA 1151	Laptop
⌵	<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,020	1,077	95	LGA1356	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	5,017	991	80	LGA 2011	Server
⌵	<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
⌵	<a href="#">Mediatek MT8390AV-A</a>	8	5,009	1,960	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	5,007	1,993	65	LGA1150	Desktop
⌵	<a href="#">AMD FX-8310 Eight-Core</a>	4	5,005	1,367	95	AM3+	Desktop
⌵	<a href="#">AMD Ryzen Embedded V2A46</a>	4	4,999	2,070	35	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm QCS5430</a>	8	4,997	1,484	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon E5540 @ 2.53GHz</a>	4	4,989	1,125	80	LGA1366	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X5472 @ 3.00GHz</a>	4	4,986	1,323	120	LGA771	Server
⌵	<a href="#">MT6877V-TTZA</a>	8	4,984	1,970	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5472 @ 3.00GHz</a>	4	4,980	1,308	80	LGA771	Server
⌵	<a href="#">Mediatek MT8791V-HZA</a>	8	4,974	2,172	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,969	2,044	77	LGA1155	Desktop
⌵	<a href="#">ARM Oryon 8 Core 0 MHz</a>	8	4,955	1,038	NA	Unknown	Unknown
⌵	<a href="#">vendor Kirin820</a>	8	4,947	1,678	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6877V-TTZA</a>	8	4,943	1,979	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,942	1,810	35	LGA 1151	Desktop
⌵	<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	4,935	1,131	80	LGA1366	Server
⌵	<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,930	2,039	77	LGA1155	Desktop
⌵	<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,929	1,805	140	LGA2011-v3	Server
⌵	<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,928	1,903	84	LGA1150	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon X5482 @ 3.20GHz</a>	4	4,925	1,437	150	LGA771	Server
⌵	<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,921	1,812	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	4,917	1,270	45	BGA 1667	Server
⌵	<a href="#">Intel Xeon D-1527 @ 2.20GHz</a>	4	4,914	1,423	35	FCBGA1667	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5607 @ 2.27GHz</a>	4	4,914	931	80	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon Gold 7220U</a>	2	4,903	2,219	15	FP6	Laptop
⌵	<a href="#">SM8450</a>	8	4,896	1,278	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek Dimensity 1000+ (MT6889)</a>	8	4,892	1,823	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek Kompanio 838</a>	8	4,889	2,331	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,876	2,510	60	FCLGA1151	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon X5450 @ 3.00GHz</a>	4	4,868	1,293	120	LGA771	Server
⌵	<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
⌵	<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	4,852	1,566	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,852	1,405	80	LGA1356	Server
⌵	<a href="#">MT8791V-TN</a>	8	4,850	2,286	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
⌵	<a href="#">Snapdragon 860 @ 2.96 GHz</a>	8	4,832	1,484	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek Dimensity 900 (MT6877)</a>	8	4,820	1,935	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel N250</a>	4	4,810	1,859	6	FCBGA1264	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	4,810	971	80	FCLGA1356	Server
⌵	<a href="#">Mediatek MT8791V-TN</a>	8	4,809	2,113	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,803	872	25	FCBGA1310	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X7460 @ 2.66GHz</a>	6	4,803	922	130	PGA604	Server
⌵	<a href="#">Hygon C86 3350M 8-core</a>	8	4,801	1,022	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	4,801	2,138	15	FCBGA1526	Laptop
⌵	<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,798	1,690	45	Unknown	Laptop
⌵	<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,797	1,854	84	FCLGA1150	Desktop
⌵	<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,794	1,984	77	LGA1155	Desktop
⌵	<a href="#">Qualcomm SA8155P</a>	8	4,784	1,453	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Quad CPU] Virtual @ 3.07GHz</a>	1	4,783	1,691	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon E5450 @ 3.00GHz</a>	4	4,779	1,291	80	LGA771	Server
⌵	<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,773	2,489	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,770	1,777	35	LGA 1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
⌵	<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,747	1,582	35	rPGA988B	Laptop
⌵	<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	4,745	1,126	85	FCLGA3647	Server
⌵	<a href="#">Hygon C86-3G (OPN:3350M)</a>	8	4,742	1,015	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
⌵	<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,742	1,122	60	LGA1366	Server
⌵	<a href="#">Mediatek Dimensity 7200-Pro (MT6886)</a>	8	4,742	2,040	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8771V-PZA</a>	8	4,723	1,700	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc T760</a>	8	4,720	1,628	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3588</a>	8	4,707	1,533	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,700	1,925	77	LGA1155	Server
⌵	<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,697	1,469	95	LGA1366	Server
⌵	<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,695	1,995	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,692	1,587	55	PGA988B	Laptop
⌵	<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,690	1,738	35	LGA1151	Desktop
⌵	<a href="#">Spreadtrum UMS9632</a>	8	4,680	2,035	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,673	1,801	84	LGA1150	Desktop
⌵	<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,672	1,785	45	LGA 1151	Laptop
⌵	<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,671	1,752	140	FCLGA2011-3	Server
⌵	<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,668	1,542	35	BGA1224	Laptop
⌵	<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server
⌵	<a href="#">AMD FX-6350 Six-Core</a>	3	4,662	1,579	125	AM3+	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5520 @ 2.27GHz</a>	4	4,662	1,102	80	LGA1366	Server
⌵	<a href="#">Mediatek MT6879V-ZA</a>	8	4,662	1,970	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hygon C86-3G (OPN 3350M)</a>	8	4,660	964	NA	Unknown	Unknown
⌵	<a href="#">Mediatek MT6877V-TZA</a>	8	4,660	1,735	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,659	1,931	77	LGA1155	Desktop
⌵	<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,657	1,865	69	LGA1155	Server
⌵	<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,650	1,855	65	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,647	1,536	35	PGA988B, FCBGA12	Laptop
⌵	<a href="#">AMD FX-8120 Eight-Core</a>	4	4,635	1,335	125	AM3+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">Qualcomm Technologies, Inc SM8150</a>	8	4,635	1,772	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
⇓	<a href="#">Intel Core i7-6970HQ @ 2.80GHz</a>	4	4,632	1,532	45	FCBGA1440	Laptop
⇓	<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,631	1,723	65	LGA1155	Desktop
⇓	<a href="#">Snapdragon 8350</a>	8	4,622	2,477	NA	Unknown	Mobile/Embedded
⇓	<a href="#">MT6877V-TZA</a>	8	4,619	1,790	NA	Unknown	Mobile/Embedded
⇓	<a href="#">[Dual CPU] Intel Xeon E5606 @ 2.13GHz</a>	4	4,616	917	80	LGA1366	Server
⇓	<a href="#">Mediatek MT6853</a>	8	4,611	1,612	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,607	1,907	45	LGA1150	Desktop
⇓	<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,598	1,926	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,589	1,734	35	FCLGA1151-2	Laptop
⇓	<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	4,588	2,108	15	FCBGA1449	Mobile/Embedded
⇓	<a href="#">Intel N200</a>	4	4,588	1,759	6	FCBGA1264	Mobile/Embedded
⇓	<a href="#">Samsung Exynos 980</a>	8	4,584	1,871	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Mediatek Dimensity 7025 (MT6855)</a>	8	4,582	1,862	NA	Unknown	Mobile/Embedded
⇓	<a href="#">ARM Neoverse-N1 6 Core 0 MHz</a>	6	4,575	1,295	NA	Unknown	Server
⇓	<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,574	1,806	65	FCBGA1364	Desktop
⇓	<a href="#">AMD Athlon 240GE</a>	2	4,566	1,965	35	AM4	Desktop
⇓	<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,566	1,572	45	BGA1224	Laptop
⇓	<a href="#">Samsung s5e8535</a>	8	4,564	1,981	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,562	1,370	35	FCBGA1667	Server
⇓	<a href="#">[Dual CPU] Intel Xeon E5462 @ 2.80GHz</a>	4	4,561	1,237	80	LGA771	Server
⇓	<a href="#">[Dual CPU] Intel Xeon L5520 @ 2.27GHz</a>	4	4,561	969	60	LGA1366	Server
⇓	<a href="#">MT6877I</a>	8	4,548	1,641	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
⇓	<a href="#">ARM Phytium-D3000M 8-C 8 Core 1800 MHz</a>	8	4,541	1,291	NA	Unknown	Unknown
⇓	<a href="#">AMD Opteron 6176 SE</a>	12	4,539	733	140	G34	Server
⇓	<a href="#">MediaTek MT8781</a>	8	4,538	1,595	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Mediatek MT6833G</a>	8	4,532	1,284	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,529	2,384	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,520	1,874	77	LGA1155	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 2382</a>	4	4,516	1,157	115	F (1207)	Server
⌵	<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,514	1,098	80	LGA2011-v3	Server
⌵	<a href="#">AMD Ryzen Embedded V1500B</a>	4	4,513	1,136	16	BGA1140	Mobile/Embedded
⌵	<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 2427</a>	6	4,499	906	75	F (1207)	Server
⌵	<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,495	1,952	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,495	1,787	45	FCLGA1150	Desktop
⌵	<a href="#">Virtual @ 2.49GHz</a>	6	4,492	1,024	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-4470 @ 3.30GHz</a>	4	4,491	1,628	84	LGA1150	Desktop
⌵	<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,488	2,608	58	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,483	1,647	25	FCBGA1440	Laptop
⌵	<a href="#">Samsung s5e8825</a>	8	4,476	1,924	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G6900</a>	2	4,475	2,669	46	LGA1700,BGA1700	Desktop
⌵	<a href="#">Intel Pentium 6805 @ 1.10GHz</a>	2	4,472	1,851	15	FCBGA1526	Laptop
⌵	<a href="#">Mediatek DM700</a>	8	4,471	1,566	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,466	1,622	140	LGA2011-v3	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5440 @ 2.83GHz</a>	4	4,464	1,233	80	LGA771	Server
⌵	<a href="#">Qualcomm SM6375</a>	8	4,458	1,998	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 220GE</a>	2	4,444	1,961	35	AM4	Laptop
⌵	<a href="#">Apple A11 Bionic</a>	6	4,444	1,336	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 320GE</a>	2	4,443	1,931	35	AM4	Desktop
⌵	<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,441	1,363	130	LGA1366	Server
⌵	<a href="#">AMD Athlon 3000G</a>	2	4,437	1,949	35	AM4	Desktop
⌵	<a href="#">Intel Core i3-8100H @ 3.00GHz</a>	4	4,435	1,792	45	FCBGA1440	Mobile/Embedded
⌵	<a href="#">AMD FX-6330 Six-Core</a>	3	4,433	1,531	95	AM3+	Desktop
⌵	<a href="#">Mediatek MT6833GP</a>	8	4,433	1,631	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-7101E @ 3.90GHz</a>	2	4,430	2,407	54	FCLGA1151	Desktop
⌵	<a href="#">MT8185V</a>	8	4,421	1,472	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
⌵	<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,416	2,279	51	LGA 1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek MT8771V-PZA</a>	8	4,414	1,425	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3450S @ 2.80GHz</a>	4	4,404	1,863	65	LGA1155	Desktop
⌵	<a href="#">Hisilicon Kirin980</a>	8	4,401	1,742	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm SDM845</a>	8	4,398	1,420	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Broadcom BCM2712</a>	4	4,389	1,813	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,388	1,769	65	LGA1150	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon X5365 @ 3.00GHz</a>	4	4,388	1,216	150	LGA771	Server
⌵	<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,373	1,064	85	FCLGA2011-3	Server
⌵	<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,372	1,010	85	FCLGA3647	Server
⌵	<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,371	2,649	58	FCLGA1200	Desktop
⌵	<a href="#">SM6375</a>	8	4,368	1,982	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,366	1,880	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,363	1,762	65	LGA1150	Desktop
⌵	<a href="#">AMD Opteron 3380</a>	8	4,358	1,165	65	Unknown	Server
⌵	<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,358	1,498	45	BGA1224	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>	8	4,358	1,547	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz</a>	4	4,353	868	80	LGA 2011	Server
⌵	<a href="#">Qualcomm SXR2230P</a>	6	4,352	1,831	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,350	2,266	51	LGA 1151	Desktop
⌵	<a href="#">Qualcomm SC7180P</a>	8	4,347	1,653	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1513N @ 1.60GHz</a>	4	4,344	1,412	35	FCBGA1667	Server
⌵	<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,329	1,846	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,328	1,795	69	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,319	2,274	51	FCLGA1151	Desktop
⌵	<a href="#">AMD Opteron 4376 HE</a>	4	4,318	1,075	65	Socket C32	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 4130</a>	4	4,315	1,067	95	F (1207)	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5430 @ 2.66GHz</a>	4	4,304	1,159	80	LGA771	Server
⌵	<a href="#">Firestorm-M1</a>	4	4,295	1,541	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek MT8781V-NA</a>	8	4,294	1,561	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,283	1,479	55	FCPGA988	Laptop
⌵	<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,282	1,506	45	BGA1224	Laptop
⌵	<a href="#">QTI SM7225</a>	8	4,281	1,800	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 300GE</a>	2	4,279	1,887	35	AM4	Desktop
⌵	<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,279	1,893	15	Unknown	Laptop
⌵	<a href="#">Intel Celeron G6900E</a>	2	4,273	2,479	46	FCLGA1700	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	4,273	1,682	95	LGA1155	Desktop
⌵	<a href="#">Mediatek MT6789V-CD</a>	8	4,272	1,504	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon L5430 @ 2.66GHz</a>	4	4,269	1,131	50	LGA771	Server
⌵	<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,267	1,781	95	LGA1155	Desktop
⌵	<a href="#">ARM ARMv8 6 Core 0 MHz</a>	6	4,262	1,248	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,261	1,769	77	LGA1155	Desktop
⌵	<a href="#">vendor Kirin810</a>	8	4,261	1,565	NA	Unknown	Mobile/Embedded
⌵	<a href="#">天玑900</a>	8	4,259	1,567	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon E5507 @ 2.27GHz</a>	4	4,256	1,026	80	LGA1366	Server
⌵	<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
⌵	<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,253	1,608	35	LGA 1151	Desktop
⌵	<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,251	2,443	54	FCLGA1151-2	Desktop
⌵	<a href="#">AMD FX-6300 Six-Core</a>	3	4,231	1,486	95	AM3+	Desktop
⌵	<a href="#">AMD Athlon PRO 300GE</a>	2	4,228	1,856	35	AM4	Desktop
⌵	<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,223	2,513	58	FCLGA1200	Desktop
⌵	<a href="#">Mediatek MT6833V-ZA</a>	8	4,219	1,432	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM7250</a>	8	4,216	1,848	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8789V-T</a>	8	4,199	1,478	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hisilicon Kirin820</a>	8	4,198	1,480	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM6375</a>	8	4,188	1,889	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,185	2,435	58	FCLGA1200	Desktop
⌵	<a href="#">QTI SM6375</a>	8	4,179	1,878	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,172	2,064	28	FCBGA1528	Laptop
⌵	<a href="#">Mediatek MT6853V-TNZA</a>	8	4,171	1,481	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6781V-CDZAMB-H</a>	8	4,160	1,477	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6781V-CDZAMB-H</a>	8	4,159	1,467	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT8188</a>	8	4,158	1,933	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8789V-CT</a>	8	4,152	1,451	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom x7433RE</a>	4	4,144	1,536	9	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,143	1,697	95	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,140	2,065	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,140	1,616	130	LGA 2011	Server
⌵	<a href="#">Virtual @ 2.89GHz</a>	7	4,134	1,111	NA	Unknown	Unknown
⌵	<a href="#">MT6833V-PNZA</a>	8	4,133	1,511	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 3365</a>	4	4,126	1,130	65	AM3+	Server
⌵	<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,122	2,198	28	BGA1356	Laptop
⌵	<a href="#">MediaTek G99 Ultimate (MT6789)</a>	8	4,122	1,497	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM6350</a>	8	4,120	1,670	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 6973P-C</a>	1	4,119	3,396	NA	FCLGA7529	Server
⌵	<a href="#">QTI SM4450</a>	8	4,119	1,770	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon L5420 @ 2.50GHz</a>	4	4,115	1,082	50	LGA771	Server
⌵	<a href="#">AMD FX-6200 Six-Core</a>	3	4,114	1,418	125	AM3+	Desktop
⌵	<a href="#">MT8789V-T</a>	8	4,111	1,465	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 200GE</a>	2	4,109	1,796	35	AM4	Desktop
⌵	<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,107	1,870	15	FP5	Desktop, Mobile/Embedded
⌵	<a href="#">Mediatek MT8370AV-A</a>	6	4,107	1,798	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 2387</a>	4	4,105	1,107	75	F (1207)	Server
⌵	<a href="#">ARM ARMv8 8 Core 2500 MHz</a>	8	4,102	1,248	NA	Unknown	Unknown
⌵	<a href="#">MT6833V-ZA</a>	8	4,098	1,454	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,097	2,154	51	LGA 1151	Desktop
⌵	<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,097	1,713	77	LGA1155	Desktop
⌵	<a href="#">AMD FX-8100 Eight-Core</a>	4	4,095	1,170	95	AM3+	Desktop
⌵	<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,094	1,695	95	LGA1155	Desktop
⌵	<a href="#">Qualcomm SM7150</a>	8	4,093	1,528	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,091	2,444	58	FCLGA1200	Desktop
⏪	<a href="#">AMD Athlon PRO 300U</a>	2	4,080	1,931	15	FP5	Laptop
⏪	<a href="#">ARM - 8 Core 1766 MHz</a>	8	4,080	1,205	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Hygon C86 52xx series</a>	4	4,080	1,287	NA	Unknown	Desktop
⏪	<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,080	1,635	7	UTFCBGA1377	Laptop
⏪	<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,080	1,459	45	LGA1155	Server
⏪	<a href="#">Mediatek MT6833</a>	8	4,074	1,416	NA	Unknown	Mobile/Embedded
⏪	<a href="#">MediaTek MT6873</a>	8	4,074	1,323	NA	Unknown	Mobile/Embedded
⏪	<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
⏪	<a href="#">Mediatek MT8781V-CA</a>	8	4,070	1,517	NA	Unknown	Mobile/Embedded
⏪	<a href="#">[Dual CPU] Intel Xeon E5420 @ 2.50GHz</a>	4	4,067	1,082	80	LGA771	Server
⏪	<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,066	1,807	35	AM4	Desktop
⏪	<a href="#">MT6833P</a>	8	4,062	1,357	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,060	2,283	54	FCLGA1151-2	Desktop
⏪	<a href="#">Mediatek MT6833V-PNZA</a>	8	4,060	1,447	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	4,057	1,639	35	LGA1150	Desktop
⏪	<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,056	1,542	10	FCBGA1493	Mobile/Embedded
⏪	<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,040	1,500	15	FCBGA1338	Desktop
⏪	<a href="#">Mediatek MT6781V-CD</a>	8	4,040	1,476	NA	Unknown	Mobile/Embedded
⏪	<a href="#">MT6855</a>	8	4,036	1,744	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,033	1,376	45	BGA1224	Laptop
⏪	<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,027	2,121	15	BGA1356	Laptop
⏪	<a href="#">Hisilicon Kirin 990</a>	8	4,021	1,667	NA	Unknown	Mobile/Embedded
⏪	<a href="#">[Dual CPU] Intel Xeon L5506 @ 2.13GHz</a>	4	4,019	967	60	LGA1366	Server
⏪	<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,006	1,493	15	FCBGA1338	Desktop
⏪	<a href="#">QTI QCM5430</a>	6	4,006	1,910	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Samsung Exynos 9820</a>	8	4,006	1,658	NA	Unknown	Mobile/Embedded
⏪	<a href="#">ARM Neoverse-N2 4 Core 0 MHz</a>	4	4,002	1,874	NA	Unknown	Unknown
⏪	<a href="#">QTI QCS5430</a>	6	3,998	1,905	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	3,990	1,492	10	FCBGA1338	Mobile/Embedded
⏪	<a href="#">ARM Kunpeng-920 8 Core 0 MHz</a>	8	3,989	735	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	3,988	1,728	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	3,985	1,996	35	LGA 1151	Desktop
⌵	<a href="#">ARM Neoverse-N1 5 Core 0 MHz</a>	5	3,981	1,325	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 6212</a>	4	3,973	962	115	Socket G34	Server
⌵	<a href="#">MT6781V-CD</a>	8	3,969	1,477	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	3,960	2,178	15	FCBGA1528	Laptop
⌵	<a href="#">Qualcomm SM7250</a>	8	3,960	1,606	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A9-9820</a>	8	3,958	798	NA	Unknown	Desktop
⌵	<a href="#">AMD Phenom II X6 1100T</a>	6	3,957	1,503	125	AM3	Desktop
⌵	<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,956	2,036	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,954	1,946	15	BGA1356	Laptop
⌵	<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
⌵	<a href="#">Mediatek MT8789V-CT</a>	8	3,946	1,477	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	3,944	2,068	54	LGA 1151	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon L5410 @ 2.33GHz</a>	4	3,944	1,009	50	LGA771	Server
⌵	<a href="#">ARM Neoverse-V2 4 Core 0 MHz</a>	4	3,940	1,925	NA	Unknown	Unknown
⌵	<a href="#">Mediatek MT6853V-NZA</a>	8	3,937	1,179	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	3,929	737	31	FCBGA1310	Server
⌵	<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
⌵	<a href="#">Spreadtrum UMS9621S</a>	8	3,926	1,617	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	3,919	2,043	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,912	1,436	45	LGA1155	Server
⌵	<a href="#">AMD Opteron 4332 HE</a>	6	3,911	1,362	65	Socket C32	Server
⌵	<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,911	1,704	65	LGA1155	Desktop
⌵	<a href="#">ARM Kunpeng-920 8 Core 2600 MHz</a>	8	3,910	735	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,910	1,581	95	LGA1155	Server
⌵	<a href="#">Intel Pentium Gold G6400E @ 3.80GHz</a>	2	3,908	2,384	58	FCLGA1200	Mobile/Embedded
⌵	<a href="#">Rockchip RK3576</a>	8	3,899	1,033	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon PRO 200GE</a>	2	3,897	1,792	35	AM4	Desktop
⌵	<a href="#">QTI SM4375</a>	8	3,896	1,753	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM4635</a>	8	3,894	1,695	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	3,880	1,199	80	LGA1366	Server
⌵	<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	3,879	1,401	10	FCBGA1296	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon X5355 @ 2.66GHz</a>	4	3,879	1,060	120	LGA771	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5410 @ 2.33GHz</a>	4	3,877	1,013	80	LGA771	Server
⌵	<a href="#">MT6877</a>	8	3,876	1,692	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM7125</a>	8	3,876	1,574	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	3,875	1,670	45	LGA1155	Desktop
⌵	<a href="#">Mediatek MT8755</a>	8	3,871	1,830	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,870	1,517	80	LGA1155	Server
⌵	<a href="#">MT6781</a>	8	3,869	1,344	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum T765</a>	8	3,868	1,475	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,865	2,255	54	FCLGA1151-2	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc</a>	8	3,865	1,469	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Kryo-4XX-Gold 8 Core 0 MHz</a>	8	3,864	1,193	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon Gold 3150U</a>	2	3,862	1,700	15	FP5	Laptop
⌵	<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,861	2,149	54	LGA1150	Desktop
⌵	<a href="#">Mediatek MT6781</a>	8	3,856	1,315	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,855	1,571	95	LGA1155	Desktop
⌵	<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,855	2,024	15	BGA1356	Laptop
⌵	<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,855	2,265	54	FCLGA1151-2	Desktop
⌵	<a href="#">Snapdragon 7c Gen 2 @ 2.55 GHz</a>	8	3,855	1,476	7	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">AMD FX-6120 Six-Core</a>	3	3,849	1,372	95	AM3+	Desktop
⌵	<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
⌵	<a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>	2	3,842	2,290	58	FCLGA1200	Desktop
⌵	<a href="#">AMD Athlon Silver 7120e</a>	2	3,837	2,219	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 300U</a>	2	3,824	1,743	15	FP5	Laptop
⌵	<a href="#">AMD Phenom II X6 1090T</a>	6	3,824	1,450	125	AM3	Desktop
⌵	<a href="#">Samsung Exynos 9825</a>	8	3,821	1,577	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	3,820	2,121	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,819	1,372	10	FCBGA1493	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,819	1,990	28	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	3,818	2,078	15	FCBGA1356	Laptop
⌵	<a href="#">AMD PRO A12-8870</a>	4	3,812	1,744	65	AM4	Desktop
⌵	<a href="#">Samsung Exynos 9810</a>	8	3,811	1,303	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,806	1,825	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,796	1,167	80	LGA1366	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5506 @ 2.13GHz</a>	4	3,795	919	80	LGA1366	Server
⌵	<a href="#">Mediatek MT6785</a>	8	3,792	1,358	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 3250U with Radeon Vega Mobile Gfx</a>	2	3,791	1,792	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A78AE 8 Core 2201 MHz</a>	8	3,788	938	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm SM7125</a>	8	3,788	1,576	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 3280</a>	8	3,783	1,062	65	AM3+	Server
⌵	<a href="#">Qualcomm SM6225</a>	8	3,781	1,203	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Virtual @ 2.70GHz</a>	8	3,781	1,225	NA	Unknown	Unknown
⌵	<a href="#">Virtual @ 2.56GHz</a>	8	3,778	1,058	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,773	2,244	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,773	928	85	LGA2011-v3	Server
⌵	<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,772	2,058	15	FCBGA1528	Laptop
⌵	<a href="#">MT6833</a>	8	3,772	1,377	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	3,768	1,848	NA	FCBGA1598	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,768	1,438	130	LGA2011	Server
⌵	<a href="#">ARM Cortex-A57 8 Core 1766 MHz</a>	8	3,766	1,153	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A78AE 8 Core 1984 MHz</a>	8	3,764	908	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	3,764	2,227	35	FCLGA1200	Desktop
⌵	<a href="#">AMD Athlon X4 845</a>	2	3,754	1,656	65	FM2+	Desktop
⌵	<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop
⌵	<a href="#">AMD PRO A12-9800</a>	4	3,751	1,724	65	AM4	Desktop
⌵	<a href="#">Intel Atom C3708 @ 1.70GHz</a>	8	3,750	681	17	FCBGA1310	Server
⌵	<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	3,749	1,205	45	PGA988B	Laptop
⌵	<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,748	1,924	35	FCLGA1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek MT6833P</a>	8	3,745	1,237	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	3,743	2,157	28	Unknown	Laptop
⌵	<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,740	1,304	45	PGA988B	Laptop
⌵	<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,737	2,202	54	FCLGA1151-2	Desktop
⌵	<a href="#">MT6853V-ZA</a>	8	3,736	1,266	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	3,733	1,521	7	UTFCBGA1377	Laptop
⌵	<a href="#">QTI SM7150</a>	8	3,733	1,423	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A12-9800</a>	2	3,732	1,719	65	AM4	Desktop
⌵	<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,731	2,178	54	FCLGA1151-2	Desktop
⌵	<a href="#">QTI SM4350</a>	8	3,728	1,476	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	3,726	1,445	9	FCBGA1493	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 3200U</a>	2	3,724	1,771	15	FP5	Laptop
⌵	<a href="#">QTI SDM845</a>	8	3,713	1,413	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon 7c @ 1.96 GHz</a>	8	3,712	1,519	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	3,711	1,408	12	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,707	1,993	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,707	862	60	LGA1366	Server
⌵	<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,703	1,525	95	LGA1155	Desktop
⌵	<a href="#">AMD FX-6100 Six-Core</a>	3	3,701	1,313	95	AM3+	Desktop
⌵	<a href="#">Intel Pentium Gold G6505T @ 3.60GHz</a>	2	3,698	2,271	35	FCLGA1200	Desktop
⌵	<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
⌵	<a href="#">ARM Kryo-4XX-Silver 4 Core 1766 MHz</a>	4	3,696	1,204	NA	Unknown	Unknown
⌵	<a href="#">MediaTek Kompanio 520-528 (MT8186-MT8186T)</a>	8	3,693	1,385	4	Unknown	Mobile/Embedded
⌵	<a href="#">ZHAOXIN KaiXian KX-U6780@2.7GHz</a>	8	3,693	851	NA	Unknown	Unknown
⌵	<a href="#">AMD Ryzen 3 3250U</a>	2	3,684	1,704	15	FP5	Laptop
⌵	<a href="#">MT6833V-NZA</a>	8	3,679	1,407	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X4 970</a>	4	3,677	1,697	65	AM4	Desktop
⌵	<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,672	1,688	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,670	2,058	28	FCBGA1356	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,669	1,491	95	LGA1155	Desktop
⌵	<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,669	1,246	45	BGA1224	Laptop
⌵	<a href="#">Intel Celeron G6900T</a>	2	3,668	2,280	35	FCLGA1700	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 2374 HE</a>	4	3,667	915	55	F (1207)	Server
⌵	<a href="#">MT6853V-TNZA</a>	8	3,664	1,537	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 2200U</a>	2	3,658	1,667	15	FP5	Laptop
⌵	<a href="#">MediaTek MT6785V-CD</a>	8	3,656	1,300	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,654	1,486	35	LGA1150	Desktop
⌵	<a href="#">ARM - 4 Core 2016 MHz</a>	4	3,653	1,680	NA	Unknown	Unknown
⌵	<a href="#">DG1401SNF87ID</a>	8	3,645	659	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,641	2,063	54	FCLGA1150	Desktop
⌵	<a href="#">Intel Core i3-9100HL @ 1.60GHz</a>	4	3,641	1,301	25	FCBGA1440	Mobile/Embedded
⌵	<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,638	1,556	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,637	1,901	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,636	1,548	95	LGA1155	Desktop
⌵	<a href="#">AMD Athlon X4 880K</a>	2	3,635	1,622	95	FM2+	Desktop
⌵	<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,635	1,854	35	LGA 1151	Desktop
⌵	<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,629	1,966	28	BGA1356	Laptop
⌵	<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,622	1,873	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	2	3,622	2,137	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,619	1,970	54	LGA1150	Desktop
⌵	<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,617	1,650	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">MediaTek MT6853T</a>	8	3,611	1,492	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6833V-NZA</a>	8	3,609	1,330	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A10-9700</a>	2	3,607	1,637	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,601	1,942	15	FCBGA1356	Laptop
⌵	<a href="#">Qualcomm SC7180</a>	8	3,584	1,555	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 4365 EE</a>	4	3,582	957	40	Socket C32	Server
⌵	<a href="#">AMD A10-7890K</a>	2	3,578	1,615	95	FM2+	Desktop
⌵	<a href="#">Qualcomm SM4350</a>	8	3,577	1,458	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,576	2,028	54	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,575	1,797	15	FCBGA1356	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD PRO A10-8770</a>	4	3,570	1,606	65	AM4	Desktop
⌵	<a href="#">MT6785</a>	8	3,565	1,319	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-9700</a>	4	3,560	1,624	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,559	1,218	45	PGA988B	Laptop
⌵	<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	3,558	1,412	5	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,553	1,501	130	LGA1366	Desktop
⌵	<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,552	2,096	35	FCLGA1200	Desktop
⌵	<a href="#">AMD Athlon X4 950</a>	4	3,548	1,603	65	AM4	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon E5603 @ 1.60GHz</a>	4	3,548	710	80	LGA1366	Server
⌵	<a href="#">AMD Athlon Silver 10</a>	2	3,543	2,089	15	FT6	Desktop, Laptop
⌵	<a href="#">AMD Phenom II X6 1075T</a>	6	3,542	1,400	125	AM3	Desktop
⌵	<a href="#">Qualcomm MSM8998</a>	8	3,540	1,071	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,529	2,079	54	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,528	1,847	15	FCBGA1356	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	8	3,527	1,592	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,524	1,227	45	BGA1224	Laptop
⌵	<a href="#">Snapdragon 835 @ 2.45 GHz</a>	8	3,524	954	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-7680</a>	4	3,523	1,596	45	FM2+	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	3,523	1,523	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Amlogic AMLA311D2</a>	8	3,522	1,028	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 2373 EE</a>	4	3,521	865	60	F (1207)	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 2356</a>	4	3,519	907	75	F (1207)	Server
⌵	<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,519	1,740	9	BGA1526	Laptop
⌵	<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
⌵	<a href="#">AMD A10-7870K</a>	2	3,514	1,540	95	FM2+	Desktop
⌵	<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,514	1,077	80	LGA1366	Server
⌵	<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,510	1,991	54	LGA1150	Desktop
⌵	<a href="#">Qualcomm SM6150</a>	8	3,509	1,283	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Core2 Duo T7700 @ 2.40GHz</a>	2	3,497	1,603	35	BGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,496	2,000	35	FCLGA1151	Desktop
⏪	<a href="#">Snapdragon 845 @ 2.8 GHz</a>	8	3,495	1,342	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,493	1,974	54	FCLGA1150	Desktop
⏪	<a href="#">[Dual CPU] Intel Xeon E5345 @ 2.33GHz</a>	4	3,492	947	80	LGA771	Server
⏪	<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,489	1,933	54	LGA1150	Desktop
⏪	<a href="#">AMD Ryzen Embedded R2312</a>	2	3,488	1,690	25	FP5	Mobile/Embedded
⏪	<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
⏪	<a href="#">[3-Way CPU] ARM ARMv8 rev 0 (v8l) 6 Core 1907 MHz</a>	6	3,477	697	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	3,477	1,636	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,476	1,434	95	LGA1155	Desktop
⏪	<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,476	1,337	130	LGA2011	Server
⏪	<a href="#">QTI SM6225</a>	8	3,469	1,163	NA	Unknown	Mobile/Embedded
⏪	<a href="#">AMD A10-8850</a>	2	3,467	1,616	NA	Unknown	Desktop
⏪	<a href="#">Qualcomm Technologies, Inc SM7250</a>	8	3,465	1,539	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Qualcomm Technologies, Inc SDM750G</a>	8	3,463	1,451	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,459	1,507	130	LGA1366	Server
⏪	<a href="#">AMD Athlon X4 870K</a>	2	3,452	1,540	95	FM2+	Desktop
⏪	<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	3,452	1,469	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,450	1,688	35	FCBGA1440	Laptop
⏪	<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	3,448	1,243	9	Unknown	Laptop, Mobile/Embedded
⏪	<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
⏪	<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	3,447	1,634	NA	Unknown	Mobile/Embedded
⏪	<a href="#">AMD A10 PRO-7850B APU</a>	2	3,441	1,565	95	FM2+	Desktop
⏪	<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	3,439	1,460	95	LGA1156	Desktop
⏪	<a href="#">ARM Cortex-A78 4 Core 1804 MHz</a>	4	3,438	1,308	NA	Unknown	Unknown
⏪	<a href="#">MediaTek MT6785V-CC</a>	8	3,436	1,243	NA	Unknown	Mobile/Embedded
⏪	<a href="#">ARM Cortex-A715 4 Core 2200 MHz</a>	4	3,432	1,461	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon E7330 @ 2.40GHz</a>	4	3,432	946	80	PGA604, PPGA604	Server
⌵	<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Phenom II X6 1065T</a>	6	3,423	1,362	95	AM3	Desktop
⌵	<a href="#">Mediatek MT6779</a>	8	3,423	1,096	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A12-9800E</a>	4	3,416	1,566	35	AM4	Desktop
⌵	<a href="#">KX-U6580@2.5GHz</a>	8	3,416	770	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon X4 860K</a>	2	3,408	1,512	95	FM2+	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDM845</a>	8	3,408	1,343	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	3,405	1,585	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon888</a>	10	3,405	958	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,404	1,768	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,404	1,573	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 4226</a>	3	3,400	1,157	95	Socket C32	Server
⌵	<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	3,400	1,503	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,399	1,922	54	FCLGA1150	Desktop
⌵	<a href="#">General Purpose</a>	1	3,396	1,943	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,396	1,474	130	LGA1366	Desktop
⌵	<a href="#">AMD A10-7850K APU</a>	2	3,395	1,494	95	FM2+	Desktop
⌵	<a href="#">AMD Phenom II X6 1055T</a>	6	3,394	1,323	125	AM3	Desktop
⌵	<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,394	1,458	130	LGA1366	Desktop
⌵	<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
⌵	<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,391	1,505	130	LGA1366	Server
⌵	<a href="#">Qualcomm Technologies, Inc SM7225</a>	8	3,390	1,768	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 6600HLE @ 2.60GHz</a>	2	3,388	1,833	35	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">ARM Cortex-A78 4 Core 1958 MHz</a>	4	3,386	1,466	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
⌵	<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,380	1,637	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,379	1,829	28	FCBGA1356	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,378	1,155	80	FCLGA1356	Server
⌵	<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,373	1,730	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,373	1,540	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,372	1,788	15	BGA1356	Laptop
⌵	<a href="#">AMD Phenom II X6 1405T</a>	6	3,371	1,200	95	AM2+,AM3	Desktop
⌵	<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,370	1,912	35	FCLGA1151-2	Desktop
⌵	<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
⌵	<a href="#">QTI SM6150</a>	8	3,367	1,293	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,362	1,393	95	LGA1156	Server
⌵	<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,361	1,911	35	FCLGA1150	Desktop
⌵	<a href="#">MT6853V-NZA</a>	8	3,361	1,258	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,361	790	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm Technologies, Inc KHAJE</a>	8	3,359	1,141	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen 3 3100U</a>	2	3,348	1,592	15	FP5	Desktop, Laptop
⌵	<a href="#">Virtual @ 2.45GHz</a>	8	3,345	900	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] Intel Xeon E5504 @ 2.00GHz</a>	4	3,344	866	80	LGA1366	Server
⌵	<a href="#">Intel Xeon Platinum 8575C</a>	1	3,342	2,593	NA	Unknown	Server
⌵	<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,340	1,682	15	Unknown	Laptop
⌵	<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,339	1,311	80	LGA 2011	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5405 @ 2.00GHz</a>	4	3,338	869	80	LGA771	Server
⌵	<a href="#">ARM - 4 Core 1804 MHz</a>	4	3,336	1,615	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon X4 840</a>	2	3,335	1,479	65	FM2+	Desktop
⌵	<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,335	1,431	95	LGA1156	Server
⌵	<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,334	1,877	54	LGA1150	Desktop
⌵	<a href="#">Mediatek MT8788</a>	8	3,331	956	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM720G</a>	8	3,317	1,614	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum UMS9620S</a>	8	3,317	938	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
⌵	<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,311	1,364	6	FCBGA1338	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD A10 PRO-7800B APU</a>	2	3,308	1,497	65	FM2+	Desktop
⌵	<a href="#">AMD PRO A8-9600</a>	2	3,308	1,500	65	AM4	Desktop
⌵	<a href="#">AMD FX-9830P</a>	4	3,306	1,559	35	FP4	Laptop
⌵	<a href="#">AMD Opteron X3421 APU</a>	4	3,306	1,418	35	Unknown	Server
⌵	<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,306	1,395	95	LGA1366	Server
⌵	<a href="#">AMD A8-7500</a>	2	3,302	1,406	65	FM2+	Desktop
⌵	<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
⌵	<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,294	1,861	35	LGA1150	Desktop
⌵	<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,292	1,667	28	Unknown	Laptop
⌵	<a href="#">AMD A8-7670K</a>	4	3,289	1,500	95	FM2+	Desktop
⌵	<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,287	1,577	7	FC-CSP1016	Laptop
⌵	<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,287	1,889	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Celeron 6600HE @ 2.60GHz</a>	2	3,286	1,764	35	FCBGA1787	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM7150</a>	8	3,285	1,413	NA	Unknown	Mobile/Embedded
⌵	<a href="#">BCM2712</a>	4	3,284	1,464	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-9600</a>	4	3,280	1,478	65	AM4	Desktop
⌵	<a href="#">Intel Xeon Platinum 8475B</a>	1	3,280	2,581	NA	Unknown	Server
⌵	<a href="#">AMD Opteron 4386</a>	4	3,273	777	95	C32	Server
⌵	<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,273	1,684	15	FCBGA1356	Laptop
⌵	<a href="#">Qualcomm SDM670</a>	8	3,270	1,152	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,269	1,413	130	LGA1366	Server
⌵	<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,268	1,386	130	LGA1366	Desktop
⌵	<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,267	1,466	130	LGA1366	Server
⌵	<a href="#">AMD Ryzen Embedded R1600</a>	2	3,264	1,721	25	FC-BGA1140	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
⌵	<a href="#">AMD A10-9700E</a>	4	3,250	1,511	35	AM4	Desktop
⌵	<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,250	1,895	37	FPGA946,FPGA947	Laptop
⌵	<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,249	1,955	37	Unknown	Laptop
⌵	<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
⌵	<a href="#">[Dual CPU] AMD Opteron 2354</a>	4	3,242	899	115	F (1207)	Server
⌵	<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
⌵	<a href="#">MT6833GP</a>	8	3,238	1,425	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD FX-870K Quad Core</a>	2	3,237	1,476	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,235	1,339	95	LGA1366	Server
⌵	<a href="#">MT8667</a>	8	3,235	1,148	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A8-8670E</a>	4	3,232	1,412	35	AM4	Desktop
⌵	<a href="#">Mediatek MT6768G</a>	8	3,232	1,212	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A8-8650B</a>	4	3,230	1,485	65	FM2+	Desktop
⌵	<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,228	1,337	10	FCBGA1090	Desktop
⌵	<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,227	745	NA	Unknown	Unknown
⌵	<a href="#">AMD Phenom II X6 1045T</a>	6	3,225	1,274	95	AM3	Desktop
⌵	<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
⌵	<a href="#">AMD A10-7800 APU</a>	2	3,214	1,453	65	FM2+	Desktop
⌵	<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,212	1,869	37	PGA946	Laptop
⌵	<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,210	1,878	37	Unknown	Laptop
⌵	<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,209	1,882	35	LGA1150	Desktop
⌵	<a href="#">AMD A10-8750</a>	2	3,205	1,489	65	FM2+	Desktop
⌵	<a href="#">AMD A8-7600 APU</a>	2	3,205	1,438	65	FM2+	Desktop
⌵	<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,201	1,631	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Atom x6427FE @ 1.90GHz</a>	4	3,196	1,016	12	FCBGA1493	Mobile/Embedded
⌵	<a href="#">AMD FX-4350 Quad-Core</a>	2	3,195	1,557	125	AM3+	Desktop
⌵	<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,189	1,348	95	LGA1156	Desktop
⌵	<a href="#">AMD A10-7700K APU</a>	2	3,185	1,421	95	FM2+	Desktop
⌵	<a href="#">ARM - 4 Core 1800 MHz</a>	4	3,185	1,030	NA	Unknown	Unknown
⌵	<a href="#">AMD A10-7860K</a>	2	3,184	1,441	65	FM2+	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>	8	3,180	1,434	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8786V-N</a>	8	3,179	1,155	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-770K Quad-Core</a>	2	3,178	1,474	65	FM2+	Desktop
⌵	<a href="#">ARM - 8 Core 1800 MHz</a>	8	3,178	1,006	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,177	1,463	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,177	1,599	15	FCBGA1356	Laptop
⌵	<a href="#">Samsung Exynos 8895</a>	8	3,177	992	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-4320</a>	2	3,172	1,564	95	AM3+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">ARM Kryo-4XX-Silver 4 Core 1804 MHz</a>	4	3,172	1,296	NA	Unknown	Unknown
⏏	<a href="#">Intel Atom C1110</a>	4	3,170	1,233	13	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,170	1,383	95	LGA1156	Desktop
⏏	<a href="#">AMD Ryzen 3 3250C</a>	2	3,169	1,859	15	FP5	Laptop, Mobile/Embedded
⏏	<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	3,168	1,775	35	LGA1150	Laptop
⏏	<a href="#">Samsung "Exynos 9610"</a>	8	3,168	1,012	NA	Unknown	Mobile/Embedded
⏏	<a href="#">ARM Cortex-A55 8 Core 1800 MHz</a>	8	3,165	1,011	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,163	1,787	35	FCLGA1151-2	Server
⏏	<a href="#">QTI SM611</a>	8	3,163	1,001	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Celeron G6900TE</a>	2	3,162	1,854	35	FCLGA1700	Mobile/Embedded
⏏	<a href="#">AMD A10-6800K APU</a>	2	3,156	1,575	100	FM2	Desktop
⏏	<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,155	1,748	35	LGA1150	Desktop
⏏	<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,154	1,924	28	FCBGA1168	Laptop
⏏	<a href="#">[Dual CPU] Intel Xeon E5335 @ 2.00GHz</a>	4	3,150	805	80	LGA771	Server
⏏	<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,149	1,795	35	LGA1150	Desktop
⏏	<a href="#">AMD FX-4330</a>	2	3,146	1,563	95	AM3+	Desktop
⏏	<a href="#">DG1101SKF84HV</a>	8	3,146	569	NA	Unknown	Unknown
⏏	<a href="#">ZHAOXIN KaiXian KX-U6780A</a>	8	3,145	744	NA	Unknown	Desktop
⏏	<a href="#">DG1000FGF84HT</a>	8	3,137	569	NA	Unknown	Unknown
⏏	<a href="#">MT8786V-CA</a>	8	3,134	1,161	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core i3-6167U @ 2.70GHz</a>	2	3,128	1,584	28	FCBGA1356	Laptop
⏏	<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,128	1,737	15	FCBGA1356	Laptop
⏏	<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,128	1,821	35	FCLGA1200	Desktop
⏏	<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,128	1,210	10	FCBGA1090	Desktop
⏏	<a href="#">Qualcomm Technologies, Inc BENGALP-IOT</a>	8	3,127	968	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD A10-6800B APU</a>	2	3,126	1,668	100	FM2	Desktop
⏏	<a href="#">AMD FX-4170 Quad-Core</a>	2	3,124	1,490	125	AM3+	Desktop
⏏	<a href="#">AMD FX-4200 Quad-Core</a>	4	3,119	1,313	125	AM3+	Desktop
⏏	<a href="#">ARM Cortex-A76 4 Core 1800 MHz</a>	4	3,119	991	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Neoverse-N1 4 Core 0 MHz</a>	4	3,119	1,302	NA	Unknown	Server
⌵	<a href="#">AMD A8-7650K</a>	2	3,114	1,392	65	FM2+	Desktop
⌵	<a href="#">ARM Kryo-4XX-Silver 4 Core 1785 MHz</a>	4	3,113	1,239	NA	Unknown	Unknown
⌵	<a href="#">AMD A10-6790K APU</a>	2	3,112	1,557	100	FM2	Desktop
⌵	<a href="#">MediaTek MT6779V-CE</a>	8	3,112	1,246	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,110	1,626	15	BGA1356	Laptop
⌵	<a href="#">AMD A10-6700 APU</a>	4	3,109	1,600	65	FM2	Desktop
⌵	<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,109	1,620	35	LGA 1151	Desktop
⌵	<a href="#">[Dual CPU] ARM Cortex-A76 4 Core 1800 MHz</a>	4	3,108	980	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm SM6115</a>	8	3,107	973	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,106	1,875	7	UTFCBGA1377	Laptop
⌵	<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,105	1,718	35	LGA1150	Desktop
⌵	<a href="#">AMD A8-8650</a>	4	3,103	1,508	65	FM2+	Desktop
⌵	<a href="#">Mediatek MT8786V-CT</a>	8	3,100	1,133	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM4350</a>	8	3,097	1,350	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	3,096	1,296	130	LGA1366	Server
⌵	<a href="#">Allwinner A733</a>	8	3,095	1,347	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,095	1,593	8	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,095	1,724	35	LGA1150	Desktop
⌵	<a href="#">Unisoc T616</a>	8	3,093	1,192	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A12-9800E</a>	4	3,092	1,480	35	AM4	Desktop
⌵	<a href="#">MT6769</a>	8	3,091	1,174	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Neoverse-V1 4 Core 0 MHz</a>	4	3,084	1,552	NA	Unknown	Server
⌵	<a href="#">MT6771V-CL</a>	8	3,079	924	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 8 Core 0 MHz</a>	8	3,077	890	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	3,073	1,780	47	FCBGA1364	Laptop
⌵	<a href="#">AMD PRO A10-8750B</a>	2	3,069	1,394	65	FM2+	Desktop
⌵	<a href="#">[Quad CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	3,065	1,108	95	LGA1356	Server
⌵	<a href="#">ARM Cortex-A76 8 Core 1800 MHz</a>	8	3,064	989	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,062	1,775	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,062	1,332	130	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
⌵	<a href="#">AMD PRO A10-9700E</a>	2	3,061	1,451	35	AM4	Desktop
⌵	<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
⌵	<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	3,061	1,328	130	LGA1366	Desktop
⌵	<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,058	1,921	28	FCBGA1168	Laptop
⌵	<a href="#">AMD A10-9630P</a>	4	3,052	1,425	35	FP4	Laptop
⌵	<a href="#">MT8786V-N</a>	8	3,050	1,169	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,048	1,749	47	BGA1364	Desktop
⌵	<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	3,048	1,024	40	LGA1366	Server
⌵	<a href="#">AMD FX-670K Quad-Core</a>	2	3,046	1,599	65	FM2	Desktop
⌵	<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,044	1,892	28	FCBGA1168	Laptop
⌵	<a href="#">AMD Athlon Silver 7120U</a>	2	3,037	1,885	15	FP6	Laptop
⌵	<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	3,037	1,550	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	3,036	1,272	95	LGA1366	Server
⌵	<a href="#">ARM Ampere-1 4 Core 0 MHz</a>	4	3,034	1,014	NA	Unknown	Unknown
⌵	<a href="#">vendor Kirin970</a>	8	3,034	899	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	3,029	1,315	95	LGA1156	Desktop
⌵	<a href="#">Mediatek Kompanio 500</a>	8	3,028	982	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Embedded R-Series RX-421ND</a>	4	3,024	1,337	35	FP4	Mobile/Embedded
⌵	<a href="#">AMD Athlon X4 830</a>	2	3,018	1,307	65	FM2+	Desktop
⌵	<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,017	1,539	35	LGA 1151	Laptop
⌵	<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,017	1,769	37	Unknown	Laptop
⌵	<a href="#">AMD Phenom II X6 1035T</a>	6	3,016	1,220	95	AM3	Desktop
⌵	<a href="#">ARM Cortex-A78 4 Core 2000 MHz</a>	4	3,016	1,121	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">HiSilicon Kirin 710</a>	8	3,016	1,086	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8 PRO-7600B APU</a>	4	3,014	1,411	65	FM2+	Desktop
⌵	<a href="#">Spreadtrum T620</a>	8	3,014	1,218	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	3,013	1,271	130	LGA1366	Desktop
⌵	<a href="#">AMD A8-6600K APU</a>	2	3,012	1,525	100	FM2	Desktop
⌵	<a href="#">AMD FX-4150 Quad-Core</a>	4	3,010	1,411	125	AM3+	Desktop
⌵	<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,006	1,885	15	FCBGA1168	Laptop
⌵	<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A12-9730P</a>	4	3,005	1,424	35	FP4	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,000	1,361	35	BGA (FP4)	Laptop, Mobile/Embedded
⌵	<a href="#">AMD PRO A10-8770E</a>	4	2,997	1,449	35	AM4	Desktop
⌵	<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,995	1,838	35	LGA1155	Desktop
⌵	<a href="#">AMD A10-5800B APU</a>	2	2,994	1,556	100	FM2	Desktop
⌵	<a href="#">AMD FX-4300 Quad-Core</a>	2	2,994	1,476	95	AM3+	Desktop
⌵	<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,994	1,725	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,992	1,745	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	2,990	1,685	5	BGA 1528	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	2,990	1,835	28	FCBGA1364	Laptop
⌵	<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	2,990	1,534	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,989	1,795	35	rPGA988B	Laptop
⌵	<a href="#">AMD Opteron 4174 HE</a>	6	2,986	1,035	65	C32	Server
⌵	<a href="#">AMD PRO A12-8870E</a>	4	2,983	1,440	35	AM4	Desktop
⌵	<a href="#">DG1701SNF87IG</a>	8	2,981	559	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom C5315</a>	4	2,980	1,284	38	FCBGA2106	Server
⌵	<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
⌵	<a href="#">AMD Phenom II X4 980</a>	4	2,977	1,516	125	AM3	Desktop
⌵	<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	2,973	1,792	28	BGA1168	Laptop
⌵	<a href="#">AMD A10-5800K APU</a>	2	2,968	1,492	100	FM2	Desktop
⌵	<a href="#">virt-9.2</a>	4	2,967	1,247	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon Silver 3050e</a>	2	2,966	1,440	6	Unknown	Laptop
⌵	<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,963	1,258	95	LGA1156	Server
⌵	<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	2,960	1,725	37	PGA946	Laptop
⌵	<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,956	1,520	100	FM2	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,955	1,282	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	2,954	1,801	35	FCPGA988, FCBGA1	Laptop
⌵	<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,946	1,259	130	LGA1366	Server
⌵	<a href="#">MT8788</a>	8	2,946	896	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Snapdragon 850 @ 2.40 GHz</a>	8	2,946	1,198	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum UMS9230H</a>	8	2,946	1,127	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hisilicon Kirin810</a>	8	2,945	1,515	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Silver 3050U</a>	2	2,938	1,690	15	FP5	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Qualcomm SM6125</a>	8	2,938	995	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	2,935	1,352	6	FCBGA1338	Mobile/Embedded
⌵	<a href="#">Spreadtrum T618</a>	8	2,934	1,136	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34	Server
⌵	<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,929	1,485	45	LGA1155	Desktop
⌵	<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	2,928	1,150	10	FCBGA1090	Desktop
⌵	<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	2,925	1,677	5	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc ums9230H</a>	8	2,924	1,086	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc ums9230T</a>	8	2,919	1,108	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Gold 3150C</a>	2	2,917	1,429	15	FP5	Laptop, Mobile/Embedded
⌵	<a href="#">Spreadtrum UMS9230E</a>	8	2,916	1,104	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,912	1,464	150	LGA771	Server
⌵	<a href="#">[Dual CPU] Intel Xeon E5320 @ 1.86GHz</a>	4	2,911	762	80	LGA771	Server
⌵	<a href="#">Spreadtrum T616</a>	8	2,910	1,064	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,909	1,690	37	FCPGA946	Laptop
⌵	<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-8780P</a>	2	2,907	1,440	15	BGA (FP4)	Laptop
⌵	<a href="#">Spreadtrum T612</a>	8	2,903	1,059	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,900	1,130	80	LGA2011	Server
⌵	<a href="#">AMD Athlon X4 750K Quad Core</a>	2	2,897	1,479	100	FM2	Unknown
⌵	<a href="#">HiSilicon Kirin 960</a>	8	2,897	1,101	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2431</a>	6	2,894	772	75	F (1207)	Server
⌵	<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,888	1,212	95	LGA1156	Server
⌵	<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,887	1,756	35	BGA1023	Laptop
⌵	<a href="#">QTI SM6115</a>	8	2,884	956	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,881	1,578	35	FCLGA1150	Desktop
⌵	<a href="#">AMD Athlon Silver 3050C</a>	2	2,879	1,809	15	FP5	Laptop
⌵	<a href="#">ARM ARMv8 rev 1 (v8l) 6 Core 1971 MHz</a>	6	2,876	922	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI SM6125</a>	8	2,876	980	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,874	1,213	130	LGA1366	Desktop
⌵	<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,872	988	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,871	1,397	120	LGA771	Server
⌵	<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,870	1,603	35	LGA1150	Desktop
⌵	<a href="#">HiSilicon Kirin 950</a>	8	2,868	797	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum UMS9230</a>	8	2,866	998	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,863	2,244	58	FCLGA1200	Desktop
⌵	<a href="#">Spreadtrum T615</a>	8	2,863	1,100	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	2,862	1,199	6.5	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,861	1,046	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-5600K APU</a>	4	2,859	1,429	100	FM2	Desktop
⌵	<a href="#">Spreadtrum UMS9230T</a>	8	2,858	1,203	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
⌵	<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,854	1,727	35	BGA1023	Laptop
⌵	<a href="#">QTI</a>	8	2,850	1,053	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A78 8 Core</a>	8	2,845	1,607	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">MT6768G</a>	8	2,838	1,172	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	2,830	1,736	23	FCBGA1168	Laptop
⌵	<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,828	1,707	28	FCBGA1168	Laptop
⌵	<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
⌵	<a href="#">Mediatek MT6769</a>	8	2,826	1,099	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc T610</a>	8	2,826	1,075	NA	Unknown	Mobile/Embedded
⌵	<a href="#">T606</a>	8	2,824	989	NA	Unknown	Mobile/Embedded
⌵	<a href="#">vendor Kirin710</a>	8	2,822	942	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,819	997	12	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,813	2,144	51	FCLGA1151	Desktop
⌵	<a href="#">AMD FX-8800P</a>	2	2,812	1,350	35	FP4	Laptop
⌵	<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,810	1,616	37	PGA946	Laptop
⌵	<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,809	1,059	10	FCBGA1090	Desktop
⌵	<a href="#">Spreadtrum T7255</a>	8	2,809	1,167	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm SDM450</a>	8	2,808	835	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,805	1,200	80	LGA1366	Server
⌵	<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,804	1,651	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">Qualcomm Technologies, Inc SM6225</a>	8	2,794	1,083	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Spreadtrum UMS9230S</a>	8	2,791	1,135	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,789	1,425	28	BGA1356	Laptop
⇓	<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,787	693	20	FCBGA1283	Server
⇓	<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,786	1,150	95	LGA1156	Server
⇓	<a href="#">AMD Phenom II X4 970</a>	4	2,785	1,409	125	AM3	Desktop
⇓	<a href="#">MediaTek MT6779V-CV</a>	8	2,783	1,109	NA	Unknown	Mobile/Embedded
⇓	<a href="#">T610S-Unisoc</a>	8	2,781	1,191	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,780	1,625	15	FCBGA1168	Laptop
⇓	<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop
⇓	<a href="#">Unisoc UIS7862S</a>	8	2,780	1,135	NA	Unknown	Mobile/Embedded
⇓	<a href="#">ARM Cortex-A78AE 6 Core 1728 MHz</a>	6	2,778	907	NA	Unknown	Unknown
⇓	<a href="#">ARM ARMv8 rev 1 (v8l) 6 Core 1984 MHz</a>	6	2,776	927	NA	Unknown	Mobile/Embedded
⇓	<a href="#">MediaTek G85 (MT6769Z)</a>	8	2,776	1,099	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Qualcomm Technologies, Inc QCM6125</a>	8	2,775	979	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Mediatek MT6769V-CB</a>	8	2,774	1,103	NA	Unknown	Mobile/Embedded
⇓	<a href="#">T618</a>	8	2,771	1,179	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon PRO 3045B</a>	2	2,770	1,520	15	FP5	Laptop
⇓	<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,769	2,153	58	FCLGA1200	Desktop
⇓	<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,765	1,493	82	LGA1156	Desktop
⇓	<a href="#">AMD Opteron X3418 APU</a>	4	2,764	1,330	25	Unknown	Server
⇓	<a href="#">DG1201SLF87HW</a>	8	2,761	568	NA	Unknown	Unknown
⇓	<a href="#">AMD A10-5700 APU</a>	2	2,757	1,433	65	FM2	Desktop
⇓	<a href="#">AMD Athlon X4 850</a>	4	2,756	1,286	65	FM2+	Unknown
⇓	<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,755	1,400	150	LGA771	Server
⇓	<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
⇓	<a href="#">AMD Athlon X4 750 Quad Core</a>	4	2,751	1,510	65	FM2	Desktop
⇓	<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,751	1,599	5	FCBGA1515	Laptop, Mobile/Embedded
⇓	<a href="#">Spreadtrum T7200</a>	8	2,750	987	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,742	1,259	45	LGA1156	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,739	1,152	80	LGA1366	Server
⌵	<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,735	993	80	LGA 2011	Server
⌵	<a href="#">ARM Cortex-A76 4 Core 3100 MHz</a>	4	2,734	1,341	NA	Unknown	Unknown
⌵	<a href="#">MediaTek G80 (MT6769V-CU)</a>	8	2,726	1,059	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,721	1,646	7	FCBGA1515	Laptop
⌵	<a href="#">ARM Phytium_FT-2000-4 8 Core 2300 MHz</a>	8	2,720	603	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,718	1,366	15	FCBGA1356	Laptop
⌵	<a href="#">Mediatek MT6768</a>	8	2,718	1,098	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
⌵	<a href="#">MediaTek G88 (MT6769H)</a>	8	2,717	1,019	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,716	1,179	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-4130 Quad-Core</a>	2	2,714	1,340	125	AM3+	Desktop
⌵	<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,713	1,632	15	FCBGA1168	Laptop
⌵	<a href="#">AMD PRO A12-9800B</a>	4	2,705	1,401	15	FP4	Laptop
⌵	<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,701	1,394	136	LGA775	Desktop
⌵	<a href="#">AMD Opteron 3350 HE</a>	4	2,699	1,263	45	Unknown	Server
⌵	<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,698	1,613	4.5	FCBGA1515	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,697	1,600	15	FCBGA1168	Laptop
⌵	<a href="#">[Quad CPU] AMD Opteron 885</a>	2	2,696	NA	95	949	Server
⌵	<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,694	1,599	35	BGA1023	Laptop
⌵	<a href="#">Hisilicon Kirin970</a>	8	2,692	919	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6771V-C</a>	8	2,692	891	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 B65</a>	4	2,690	1,370	NA	AM2+/AM3	Desktop
⌵	<a href="#">ARM Phytium_D2000-8 8 Core 2300 MHz</a>	8	2,690	591	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6771V-CT</a>	8	2,686	908	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8786</a>	8	2,686	1,069	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc T606</a>	8	2,684	987	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6779V-CU</a>	8	2,683	1,180	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
⌵	<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,679	1,636	35	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,678	1,061	NA	Unknown	Desktop
⌵	<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
⌵	<a href="#">ARM Cortex-A76 4 Core 1608 MHz</a>	4	2,677	843	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,675	1,295	95	LGA1156	Desktop
⌵	<a href="#">ARM D2000-8 8 Core 2300 MHz</a>	8	2,674	589	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD RX-427BB</a>	4	2,673	1,282	35	FP3	Laptop
⌵	<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,669	2,109	58	FCLGA1200	Desktop
⌵	<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,668	1,361	NA	Unknown	Desktop
⌵	<a href="#">AMD Phenom II X4 965</a>	4	2,665	1,367	125	AM3	Desktop
⌵	<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,661	1,979	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,659	1,606	35	BGA1023	Laptop
⌵	<a href="#">Spreadtrum T606</a>	8	2,654	960	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X4 559</a>	4	2,652	1,397	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,650	2,137	58	FCLGA1200	Desktop
⌵	<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
⌵	<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2	2,648	1,609	28	FCBGA1168	Laptop
⌵	<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,646	1,357	65	FM2	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc BENGALP</a>	8	2,646	940	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum T610</a>	8	2,646	1,113	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,640	1,567	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Phenom II X4 975</a>	4	2,638	1,352	125	AM3	Desktop
⌵	<a href="#">UIS7862A</a>	8	2,638	1,065	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A12-9720P</a>	4	2,637	1,296	15	FP4	Laptop
⌵	<a href="#">AMD RX-425BB</a>	4	2,637	1,178	35	FP3	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM712</a>	8	2,637	1,223	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,636	1,583	73	LGA1156	Desktop
⌵	<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,634	854	80	LGA 1356	Server
⌵	<a href="#">ARM Cortex-A76 4 Core 2900 MHz</a>	4	2,631	1,293	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,631	1,587	17	BGA1023	Laptop
⌵	<a href="#">QTI SM4250</a>	8	2,631	802	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-4100 Quad-Core</a>	2	2,629	1,285	95	AM3+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">[Dual CPU] Intel Xeon E5310 @ 1.60GHz</a>	4	2,629	641	80	LGA771	Server
⌵	<a href="#">Samsung Exynos 8890</a>	8	2,629	933	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD 3015e</a>	2	2,628	1,298	6	Unknown	Laptop
⌵	<a href="#">AMD Phenom II X4 B60</a>	4	2,627	1,346	NA	Unknown	Desktop
⌵	<a href="#">AMD PRO A12-8830B</a>	4	2,626	1,371	15	BGA (FP4)	Laptop
⌵	<a href="#">Unisoc T618</a>	8	2,625	1,166	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A76 4 Core 3000 MHz</a>	4	2,624	1,303	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,624	913	80	FCLGA1356	Server
⌵	<a href="#">QTI SDM660</a>	8	2,623	913	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,621	1,317	15	FCBGA1356	Laptop
⌵	<a href="#">AMD A8-5500 APU</a>	2	2,619	1,341	65	FM2	Desktop
⌵	<a href="#">Unisoc T700</a>	8	2,618	1,068	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 6172</a>	12	2,615	564	115	G34	Server
⌵	<a href="#">Intel Celeron 6600HLE @ 2.10GHz</a>	2	2,614	1,451	NA	FCBGA1787	Mobile/Embedded
⌵	<a href="#">MediaTek G80 (MT6769T)</a>	8	2,613	1,099	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 B55</a>	4	2,612	1,328	NA	AM2+/AM3	Desktop
⌵	<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,612	1,562	28	FCBGA1168	Laptop
⌵	<a href="#">Snapdragon 835</a>	8	2,610	1,018	9	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel N50</a>	2	2,609	1,713	6	FCBGA1264	Mobile/Embedded
⌵	<a href="#">AMD A8-5500B APU</a>	2	2,608	1,336	65	FM2	Desktop
⌵	<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,599	1,302	25	FCBGA1440	Laptop
⌵	<a href="#">Unisoc ums512</a>	8	2,598	1,111	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom x7213RE</a>	2	2,594	1,563	9	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,592	1,451	28	FCBGA1168	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SDM670</a>	8	2,590	1,103	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,587	1,124	6	FCBGA1090	Laptop
⌵	<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,586	1,643	15	FCBGA1168	Laptop
⌵	<a href="#">AMD PRO A12-8800B</a>	2	2,584	1,314	15	FP4	Laptop
⌵	<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,584	1,287	80	LGA771	Server
⌵	<a href="#">MediaTek MT8183</a>	8	2,584	901	NA	Unknown	Mobile/Embedded
⌵	<a href="#">T610-Unisoc</a>	8	2,582	1,070	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Cortex-A76 4 Core 3400 MHz</a>	4	2,580	1,282	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A76 4 Core 3200 MHz</a>	4	2,579	1,291	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,579	1,464	4.5	FCBGA1515	Laptop
⌵	<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,578	867	80	LGA1366	Server
⌵	<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	4	2,571	1,345	120	LGA771	Server
⌵	<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2	2,569	1,300	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,569	1,569	35	PGA988	Laptop
⌵	<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,568	1,357	95	LGA775	Server
⌵	<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
⌵	<a href="#">AMD Phenom II X4 B97</a>	4	2,567	1,318	95	AM2+/AM3	Desktop
⌵	<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,566	1,982	54	FCLGA1151	Desktop
⌵	<a href="#">AMD Phenom II X4 955</a>	4	2,562	1,298	125	AM3	Desktop
⌵	<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,562	1,518	73	LGA1156	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc TRINKET-IOT</a>	8	2,559	933	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD FX-7600P</a>	4	2,557	1,238	35	FP3	Laptop
⌵	<a href="#">Unisoc T612</a>	8	2,556	1,049	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,555	1,266	95	LGA775	Server
⌵	<a href="#">ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz</a>	6	2,553	807	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,552	1,222	95	LGA1156	Desktop
⌵	<a href="#">Samsung Exynos 9611</a>	8	2,552	984	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,551	1,637	17	LGA1155	Server
⌵	<a href="#">Intel Celeron 7305</a>	5	2,550	839	15	FCBGA1744	Laptop
⌵	<a href="#">Qualcomm SM4250</a>	8	2,550	794	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,549	1,546	4.5	FCBGA1515	Laptop
⌵	<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,541	1,060	80	LGA1366	Server
⌵	<a href="#">AMD A10-9620P</a>	4	2,538	1,280	15	Unknown	Laptop
⌵	<a href="#">ARM Phytium.D2000-8 E8C 8 Core 2300 MHz</a>	8	2,537	587	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Desktop
⌵	<a href="#">ARM Kryo-4XX-Gold 8 Core 1804 MHz</a>	8	2,531	1,128	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,531	1,505	4.5	FCBGA1515	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD PRO A10-9700B</a>	4	2,530	1,304	15	FP4	Laptop
⌵	<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,530	1,496	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,527	1,199	6	FCBGA1090	Laptop
⌵	<a href="#">AMD Athlon II X4 555</a>	4	2,526	1,244	NA	Unknown	Desktop
⌵	<a href="#">QTI QCM4325</a>	6	2,526	1,195	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,523	1,380	37	FPCGA946	Laptop
⌵	<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,523	1,286	95	LGA775	Desktop
⌵	<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
⌵	<a href="#">AMD FX-9800P</a>	4	2,514	1,201	15	Unknown	Laptop
⌵	<a href="#">QTI QCM4290</a>	8	2,512	798	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM exynos-m3 4 Core 1794 MHz</a>	4	2,511	1,040	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,511	1,902	54	FCLGA1151-2	Desktop
⌵	<a href="#">Apple A9X</a>	2	2,508	1,505	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X4 650</a>	4	2,507	1,312	95	Unknown	Desktop
⌵	<a href="#">MediaTek G80 (MT6769V-CT)</a>	8	2,503	1,044	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,502	1,491	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Phenom Ultra X4 24500</a>	4	2,501	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,501	1,511	35	LGA1155	Desktop
⌵	<a href="#">AMD Phenom II X4 850</a>	4	2,497	1,278	95	AM2+/AM3	Desktop
⌵	<a href="#">samsung exynos7885</a>	8	2,496	984	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
⌵	<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,494	905	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A76 4 Core 3300 MHz</a>	4	2,493	1,288	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Hisilicon Kirin 955</a>	8	2,491	633	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,488	1,471	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Athlon II X4 655</a>	4	2,487	1,430	95	AM2+ (940-pin)	Desktop
⌵	<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,487	1,483	15	BGA1168	Laptop
⌵	<a href="#">ARM Cortex-A76 4 Core 2800 MHz</a>	4	2,481	1,213	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek G70 (MT6769V-CB)</a>	8	2,480	1,126	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
⌵	<a href="#">Snapdragon 662</a>	8	2,475	917	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,473	1,305	NA	Unknown	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,473	882	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,467	1,344	4.5	FCBGA1515	Laptop
⌵	<a href="#">AMD Phenom II X4 B50</a>	4	2,466	1,289	NA	AM2+/AM3	Desktop
⌵	<a href="#">AMD A8-8600P</a>	2	2,464	1,189	15	FP4	Laptop
⌵	<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,464	1,516	35	PGA988B	Laptop
⌵	<a href="#">AMD Phenom II X4 840</a>	4	2,463	1,302	95	AM2+/AM3	Desktop
⌵	<a href="#">Qualcomm SDM660</a>	8	2,461	780	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6771V-W</a>	8	2,460	881	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
⌵	<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,458	1,487	17	BGA1023	Laptop
⌵	<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,458	1,571	15	BGA1168	Laptop
⌵	<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,455	1,002	6	FCBGA1090	Laptop
⌵	<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,454	1,824	55	LGA1155	Desktop
⌵	<a href="#">Samsung A04S EUR OPEN REV03C board based on EXYNOS</a>	8	2,452	688	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 7305E</a>	5	2,451	789	15	FCBGA1744	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon 5160 @ 3.00GHz</a>	2	2,451	1,205	80	LGA771	Server
⌵	<a href="#">Hisilicon Kirin710</a>	8	2,449	942	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,448	1,517	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,448	2,094	53	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop
⌵	<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,443	1,063	6	FCBGA1090	Laptop
⌵	<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,443	944	80	LGA1366	Server
⌵	<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,441	966	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-6500 APU</a>	2	2,440	1,298	65	FM2	Desktop
⌵	<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,437	1,426	5	FCBGA1515	Laptop
⌵	<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,436	1,239	95	LGA775	Server
⌵	<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,435	1,838	54	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,434	1,263	130	LGA775	Desktop
⌵	<a href="#">T700-Unisoc</a>	8	2,434	1,016	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,433	1,269	100	FM1	Desktop
⌵	<a href="#">AMD A8-3850 APU</a>	4	2,432	1,223	100	FM1	Desktop
⌵	<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,431	856	16	FCBGA1310	Server
⌵	<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,430	907	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm SDM630</a>	8	2,429	631	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc UIS7861</a>	8	2,428	1,006	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 B95</a>	4	2,427	1,243	95	AM3	Desktop
⌵	<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,427	1,457	35	BGA1023	Laptop
⌵	<a href="#">AMD A12-9700P</a>	4	2,426	1,212	15	FP4	Laptop
⌵	<a href="#">Intel Xeon X5450 @ 3.00GHz</a>	4	2,426	1,261	120	LGA771	Server
⌵	<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,425	1,585	15	BGA1168	Laptop
⌵	<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,424	1,465	35	BGA1023	Laptop
⌵	<a href="#">Samsung Exynos</a>	8	2,423	868	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,419	1,786	55	LGA1155	Desktop
⌵	<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Desktop
⌵	<a href="#">AMD Phenom II X4 945</a>	4	2,418	1,233	125	AM3	Desktop
⌵	<a href="#">ARM Cortex-A78AE 6 Core 1510 MHz</a>	6	2,418	825	NA	Unknown	Unknown
⌵	<a href="#">AMD Phenom II X4 B35</a>	4	2,417	1,192	NA	AM2+/AM3	Desktop
⌵	<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,412	1,224	65	LGA775	Server
⌵	<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,412	894	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8395AV-ZA</a>	8	2,410	1,200	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Phytium D2000-8 8 Core 2000 MHz</a>	8	2,409	513	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM FTC663 8 Core 0 MHz</a>	8	2,408	518	NA	Unknown	Unknown
⌵	<a href="#">AMD 3020e</a>	2	2,405	1,381	6	Unknown	Laptop
⌵	<a href="#">AMD A8-3870K APU</a>	4	2,400	1,230	100	FM1	Desktop
⌵	<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,399	1,865	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,397	1,437	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,392	1,238	80	LGA771	Server
⌵	<a href="#">[Dual CPU] Intel Xeon X5260 @ 3.33GHz</a>	2	2,389	NA	80	LGA771	Server
⌵	<a href="#">Apple A8X</a>	3	2,387	933	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,387	1,382	87	LGA1156	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Phenom II X4 940</a>	4	2,386	1,215	125	AM2+	Desktop
⌵	<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,386	1,219	95	LGA775	Desktop
⌵	<a href="#">ARM Neoverse-N1 3 Core 0 MHz</a>	3	2,385	1,318	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,384	1,433	17	BGA1023	Laptop
⌵	<a href="#">ARM Cortex-A76 4 Core 2700 MHz</a>	4	2,383	1,169	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
⌵	<a href="#">Mediatek MT8768N</a>	8	2,382	669	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X4 645</a>	4	2,381	1,258	95	AM3	Desktop
⌵	<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,380	1,837	54	FCLGA1151-2	Desktop
⌵	<a href="#">MediaTek MT6771V-WT</a>	8	2,379	895	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Desktop
⌵	<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,374	1,412	73	LGA1156	Desktop
⌵	<a href="#">ARM Kryo-3XX-Gold 8 Core 1766 MHz</a>	8	2,372	870	NA	Unknown	Unknown
⌵	<a href="#">ARM - 2 Core 0 MHz</a>	2	2,368	2,283	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 840T</a>	4	2,367	1,273	95	AM2+/AM3	Desktop
⌵	<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,367	802	80	LGA 1356	Server
⌵	<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,367	1,224	80	LGA771	Server
⌵	<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,365	1,234	82	LGA1156	Desktop
⌵	<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,363	906	NA	Unknown	Laptop
⌵	<a href="#">AMD Phenom II X4 960T</a>	4	2,358	1,295	95	AM3	Desktop
⌵	<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,356	1,775	55	LGA1155	Desktop
⌵	<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,355	1,355	15	FCBGA1528	Laptop
⌵	<a href="#">MediaTek MT6768V-CA</a>	8	2,353	1,056	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,351	1,437	17	BGA1023	Laptop
⌵	<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
⌵	<a href="#">ARM Cortex-X1 4 Core 1803 MHz</a>	4	2,348	1,159	NA	Unknown	Unknown
⌵	<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,346	1,343	7	FCBGA1515	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,344	1,331	7	FCBGA1515	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Opteron 4130</a>	4	2,342	1,116	95	F (1207)	Server
⌵	<a href="#">ARM Cortex-A76 4 Core 2500 MHz</a>	4	2,342	1,104	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,342	1,392	35	BGA1023	Laptop
⌵	<a href="#">AMD Phenom II X4 B40</a>	4	2,341	1,241	NA	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,339	1,882	35	FCLGA1200	Desktop
⌵	<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,336	1,842	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,335	869	80	LGA 2011	Server
⌵	<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,333	1,223	80	LGA771	Server
⌵	<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,333	1,045	95	LGA1156	Server
⌵	<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,331	1,223	150	LGA771	Server
⌵	<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,330	1,746	35	FCLGA1151	Desktop
⌵	<a href="#">AMD Phenom II X4 B45</a>	4	2,327	1,231	NA	Unknown	Desktop
⌵	<a href="#">ARM Cortex-A76 4 Core 2600 MHz</a>	4	2,327	1,135	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-9600P</a>	4	2,326	1,138	15	FP4	Laptop
⌵	<a href="#">ARM Cortex-X1 4 Core 0 MHz</a>	4	2,326	1,118	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Quad Q9705 @ 3.16GHz</a>	4	2,324	NA	95	LGA775	Unknown
⌵	<a href="#">[Dual CPU] Virtual @ 3.07GHz</a>	1	2,324	1,746	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,319	1,019	60	LGA1366	Server
⌵	<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,317	571	20	BGA 1283	Laptop, Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SM6125</a>	8	2,317	885	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,314	1,371	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,313	1,189	100	FM1	Desktop
⌵	<a href="#">Intel Atom x7211E</a>	2	2,309	1,319	6	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,308	1,457	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
⌵	<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,307	1,305	15	BGA1168	Laptop
⌵	<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,305	1,761	51	FCLGA1151	Desktop
⌵	<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,305	1,155	95	LGA775	Server
⌵	<a href="#">MT6768</a>	8	2,305	862	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
⌵	<a href="#">AMD A10-6700T APU</a>	2	2,299	1,290	45	FM2	Desktop
⌵	<a href="#">MT6771V-WL</a>	8	2,299	886	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6771V-WM</a>	8	2,297	808	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,292	1,158	75	LGA775	Desktop
⌵	<a href="#">ARM Cortex-A72 4 Core 2208 MHz</a>	4	2,290	623	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,288	895	10	FCBGA1296	Desktop
⌵	<a href="#">Samsung Exynos 9610</a>	8	2,288	951	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,287	1,773	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
⌵	<a href="#">Mediatek MT8791V-TZA</a>	8	2,284	1,349	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
⌵	<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,283	1,168	80	LGA775	Server
⌵	<a href="#">AMD Athlon II X4 640</a>	4	2,282	1,214	95	AM3	Desktop
⌵	<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,282	1,705	55	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,280	1,716	55	LGA1155	Desktop
⌵	<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,279	1,292	7	FCBGA1515	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Athlon X4 730</a>	2	2,278	937	65	FM2	Desktop
⌵	<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,276	1,147	15	FCBGA1356	Laptop
⌵	<a href="#">Mediatek MT8768CX</a>	8	2,274	643	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AOSP ranchu</a>	4	2,270	1,725	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM - 8 Core 2208 MHz</a>	8	2,270	607	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,269	1,124	55	PGA988	Laptop
⌵	<a href="#">Unisoc ums9230</a>	8	2,267	907	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,263	1,584	20	LGA1155	Server
⌵	<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,261	1,159	80	LGA771	Server
⌵	<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,260	1,158	65	FM1	Desktop
⌵	<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
⌵	<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,258	1,354	73	LGA1156	Desktop
⌵	<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,257	1,279	15	BGA1356	Laptop
⌵	<a href="#">AMD Phenom II X4 925</a>	4	2,253	1,138	95	AM3	Desktop
⌵	<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,253	1,359	17	BGA1023	Laptop
⌵	<a href="#">AMD Phenom II X4 920</a>	4	2,252	1,143	125	AM2+	Desktop
⌵	<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,251	1,759	51	FCLGA1151	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc BENGAL-IOT</a>	8	2,251	805	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X4 635</a>	4	2,250	1,170	95	AM3	Desktop
⌵	<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,250	1,741	35	FCLGA1151-2	Desktop
⌵	<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,250	1,213	95	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MediaTek MT6797X</a>	10	2,248	575	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-8700P</a>	2	2,247	1,166	35	FP4	Laptop
⌵	<a href="#">AMD PRO A10-8730B</a>	4	2,246	1,130	15	FP4	Laptop
⌵	<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,245	1,586	6.5	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,245	1,283	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,243	1,209	120	LGA771	Server
⌵	<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,241	1,200	130	LGA775	Desktop
⌵	<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,238	1,344	35	PGA988B	Laptop
⌵	<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,236	813	10	FCBGA1296	Desktop
⌵	<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,236	1,280	15	FCBGA1528	Laptop
⌵	<a href="#">MT6769V</a>	8	2,229	1,060	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom FX-7750 Quad-Core</a>	4	2,227	NA	95	AM2+	Desktop
⌵	<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,225	1,698	55	LGA1155	Desktop
⌵	<a href="#">AMD A8-6500B APU</a>	2	2,222	1,194	65	FM2	Desktop
⌵	<a href="#">ARM Kryo-3XX-Gold 4 Core 1766 MHz</a>	4	2,222	877	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,222	1,313	5	FCBGA1515	Laptop
⌵	<a href="#">mt6779</a>	8	2,220	677	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-3670 APU</a>	4	2,219	1,146	100	FM1	Desktop
⌵	<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
⌵	<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,218	1,266	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Atom x7211RE</a>	2	2,214	1,339	6	FCBGA1264	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,213	1,168	80	LGA771	Server
⌵	<a href="#">ARM Cortex-A72 4 Core 2016 MHz</a>	4	2,211	598	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,210	1,918	53	LGA1150	Desktop
⌵	<a href="#">ARM Cortex-A72 8 Core 2016 MHz</a>	8	2,208	591	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm Technologies, Inc SDM636</a>	8	2,206	818	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Desktop
⌵	<a href="#">AMD PRO A8-9600B</a>	4	2,204	1,159	15	FP4	Laptop
⌵	<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,203	1,127	95	LGA775	Desktop
⌵	<a href="#">hi6250</a>	8	2,200	660	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon L5506 @ 2.13GHz</a>	4	2,198	NA	60	LGA1366	Server
⌵	<a href="#">AMD PRO A8-8600B</a>	4	2,197	1,110	15	BGA (FP4)	Laptop
⌵	<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	2,195	1,340	25	BGA1023	Laptop
⌵	<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,192	1,713	35	FCLGA1200	Desktop
⌵	<a href="#">MediaTek G70 (MT6769V-WB)</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,191	846	10	FCBGA1296	Desktop
⌵	<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,191	1,889	53	FCLGA1150	Desktop
⌵	<a href="#">MT6797M</a>	10	2,191	907	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
⌵	<a href="#">Allwinner A527</a>	8	2,187	661	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6765V-WA</a>	8	2,186	675	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 1385</a>	4	2,185	1,076	115	AM2+,AM3	Server
⌵	<a href="#">AMD A8-3820 APU</a>	4	2,181	1,127	65	FM1	Desktop
⌵	<a href="#">QEMU Virtual version 8.2.0</a>	1	2,181	2,251	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,179	1,284	15	BGA1168	Laptop
⌵	<a href="#">ARM Cortex-A76 4 Core 2400 MHz</a>	4	2,177	1,050	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
⌵	<a href="#">AMD Athlon II X4 630</a>	4	2,173	1,132	95	AM3	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	2,170	739	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,169	1,342	17	BGA1023	Laptop
⌵	<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	2,169	1,166	4.5	FCBGA1515	Laptop
⌵	<a href="#">[Quad CPU] Intel Xeon @ 2.20GHz</a>	1	2,167	1,177	61	PPGA603	Server
⌵	<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,164	1,680	51	FCLGA1151	Desktop
⌵	<a href="#">Samsung Exynos 7420</a>	8	2,164	833	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,163	1,140	95	LGA775	Desktop
⌵	<a href="#">AMD Phenom II X4 B93</a>	4	2,159	1,142	95	AM3	Desktop
⌵	<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	2,159	1,187	95	LGA775	Desktop
⌵	<a href="#">AMD A8-7200P</a>	4	2,158	1,039	35	FP3	Laptop
⌵	<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,158	850	6	FCBGA1296	Laptop
⌵	<a href="#">AMD A8-7690K</a>	4	2,157	1,441	95	FM2+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD PRO A10-8700B</a>	2	2,154	1,088	15	BGA (FP4)	Laptop
⌵	<a href="#">AMD FirePro A320 APU</a>	4	2,153	1,193	100	FM2	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	2,153	747	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,151	1,207	15	FCBGA1168	Laptop
⌵	<a href="#">Qualcomm SDM439</a>	8	2,151	599	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,143	1,100	50	LGA771	Server
⌵	<a href="#">QTI MSM8937</a>	8	2,142	606	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 910e</a>	4	2,141	1,067	65	AM3	Desktop
⌵	<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,139	1,886	53	LGA1150	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8053</a>	8	2,139	565	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	2,139	763	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-7400P</a>	4	2,134	1,036	35	FP3	Laptop
⌵	<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,130	1,315	15	BGA1168	Laptop
⌵	<a href="#">MediaTek MT6763V-CE</a>	8	2,130	1,104	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Allwinner A537</a>	8	2,128	728	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom x6414RE @ 1.50GHz</a>	4	2,128	721	9	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Common KVM v2</a>	1	2,127	2,566	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,127	1,912	54	FCLGA1150	Desktop
⌵	<a href="#">Qualcomm MSM8956</a>	6	2,127	853	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,125	1,211	15	FCBGA1356	Laptop
⌵	<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
⌵	<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD 3015Ce</a>	2	2,113	1,338	6	FT5	Mobile/Embedded
⌵	<a href="#">Samsung Exynos 850</a>	8	2,112	586	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,111	1,327	17	BGA1023	Laptop
⌵	<a href="#">AMD Phenom II X4 820</a>	4	2,108	1,128	95	AM3	Desktop
⌵	<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
⌵	<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDM632</a>	8	2,107	766	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM662</a>	8	2,107	855	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,106	1,103	100	FM1	Desktop
⌵	<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,106	1,382	35	BGA1288	Laptop
⌵	<a href="#">AMD Phenom II X4 830</a>	4	2,104	1,088	95	AM2+/AM3	Desktop
⌵	<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	2,102	1,120	95	LGA775	Server
⌵	<a href="#">[Dual CPU] AMD Opteron 2222</a>	2	2,098	964	95	F (1207)	Server
⌵	<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,097	1,855	53	LGA1150	Desktop
⌵	<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,095	1,075	105	LGA775	Desktop
⌵	<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,095	1,838	55	LGA1155	Desktop
⌵	<a href="#">Samsung Exynos7870</a>	8	2,093	507	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-3650 APU</a>	4	2,092	1,046	100	FM1	Desktop
⌵	<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,090	1,144	95	LGA775	Desktop
⌵	<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2	2,089	1,275	17	BGA1023	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 0 MHz</a>	4	2,088	1,085	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,087	1,539	35	LGA1155	Desktop
⌵	<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	2,082	1,097	95	LGA775	Server
⌵	<a href="#">AMD Phenom 2 X4 12000</a>	4	2,080	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,080	1,284	35	BGA1023	Laptop
⌵	<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
⌵	<a href="#">Apple A9</a>	2	2,075	1,189	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2386 SE</a>	4	2,074	NA	105	F (1207)	Server
⌵	<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	2,071	1,420	35	BGA1288	Laptop
⌵	<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	2,066	1,563	65	LGA1155	Desktop
⌵	<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,066	1,832	53	FCLGA1150	Desktop
⌵	<a href="#">QTI MSM8953</a>	8	2,065	613	NA	Unknown	Mobile/Embedded
⌵	<a href="#">SAMSUNG Exynos7420</a>	8	2,065	710	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6765H</a>	8	2,064	635	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server
⌵	<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
⌵	<a href="#">Mediatek MT6765H</a>	8	2,058	627	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775	Server
⌵	<a href="#">AMD A8-3800 APU</a>	4	2,051	1,042	65	FM1	Desktop
⌵	<a href="#">AMD Phenom II X4 810</a>	4	2,049	1,045	95	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MediaTek MT8768CT</a>	8	2,047	621	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II 42 TWKR Black Edition</a>	4	2,046	NA	NA	Unknown	Desktop
⌵	<a href="#">rk3399</a>	6	2,046	841	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	2,044	1,063	80	LGA771	Server
⌵	<a href="#">Intel Atom x7-E3950 @ 1.60GHz</a>	4	2,043	733	12	BGA1296	Laptop
⌵	<a href="#">AMD A10-5750M APU</a>	4	2,040	1,153	35	FS1r2	Laptop
⌵	<a href="#">ARM - 6 Core 1800 MHz</a>	6	2,039	993	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,039	1,273	35	BGA1023	Laptop
⌵	<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	4	2,039	1,041	120	LGA771	Server
⌵	<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	2,038	1,174	45	PGA988A	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon 5150 @ 2.66GHz</a>	2	2,038	1,065	65	LGA771	Server
⌵	<a href="#">Intel Pentium G3460T @ 3.00GHz</a>	2	2,036	1,674	35	FCLGA1150	Desktop
⌵	<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
⌵	<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,034	1,347	35	LGA1150	Desktop
⌵	<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	2,032	1,068	55	PGA988B	Laptop
⌵	<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	2,032	1,019	80	LGA771	Server
⌵	<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	2,031	1,793	54	FCLGA1150	Desktop
⌵	<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	2,030	1,076	80	LGA775	Server
⌵	<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
⌵	<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
⌵	<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,025	1,173	NA	FCBGA1449	Laptop
⌵	<a href="#">AMD Athlon II X4 615e</a>	4	2,024	1,027	45	AM3	Desktop
⌵	<a href="#">AMD Opteron 2384</a>	4	2,024	900	75	F (1207)	Server
⌵	<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,023	1,655	35	FCLGA1151	Desktop
⌵	<a href="#">Giada JHS558 (Android)</a>	6	2,022	835	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	2,021	1,172	15	FCBGA1449	Mobile/Embedded
⌵	<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	2,021	1,134	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,021	1,240	35	PGA988B	Laptop
⌵	<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	2,020	1,802	53	LGA1150	Desktop
⌵	<a href="#">MT8169A</a>	6	2,020	663	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,018	1,416	10	FCBGA1338	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	2,018	1,080	95	LGA775	Desktop
⏪	<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
⏪	<a href="#">AMD Phenom II X4 905e</a>	4	2,014	1,034	65	AM3	Desktop
⏪	<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop
⏪	<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,010	1,131	15	FCBGA1168	Laptop
⏪	<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	2,009	1,241	17	BGA1023	Laptop
⏪	<a href="#">MediaTek MT8768WT</a>	8	2,005	624	NA	Unknown	Mobile/Embedded
⏪	<a href="#">AMD Athlon II X4 620</a>	4	2,002	1,046	95	AM3	Desktop
⏪	<a href="#">AMD Athlon X4 635</a>	4	2,001	NA	95	Unknown	Unknown
⏪	<a href="#">AMD Phenom II X4 805</a>	4	2,001	1,022	95	AM3	Desktop
⏪	<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
⏪	<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,997	1,311	35	BGA1288	Laptop
⏪	<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
⏪	<a href="#">ARM Neoverse-V2 2 Core 0 MHz</a>	2	1,995	1,941	NA	Unknown	Unknown
⏪	<a href="#">AMD A10-5757M APU</a>	4	1,994	1,150	35	FP2	Laptop
⏪	<a href="#">[Dual CPU] AMD Opteron 2218</a>	2	1,994	964	95	F (1207)	Server
⏪	<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	1,994	1,495	65	LGA1155	Desktop
⏪	<a href="#">ARM Neoverse-N2 2 Core 0 MHz</a>	2	1,987	1,874	NA	Unknown	Unknown
⏪	<a href="#">AMD A8-6500T APU</a>	2	1,983	1,139	45	FM2	Desktop
⏪	<a href="#">AMD Athlon II X3 460</a>	3	1,981	1,381	95	AM3	Desktop
⏪	<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	1,980	1,273	35	BGA1288	Laptop
⏪	<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,979	1,505	65	LGA1155	Desktop
⏪	<a href="#">Mediatek MT8768CA</a>	8	1,978	569	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Qualcomm Technologies, Inc 450</a>	8	1,978	459	NA	Unknown	Mobile/Embedded
⏪	<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	1,974	1,273	4.5	FCBGA1234	Laptop
⏪	<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,973	926	105	LGA775	Server
⏪	<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,972	759	6	FCBGA1296	Laptop
⏪	<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023	Laptop
⏪	<a href="#">AMD Athlon II X4 605e</a>	4	1,964	1,001	45	AM3	Desktop
⏪	<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	4	1,962	1,038	45	PGA478	Desktop
⏪	<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	1,961	1,221	4.5	FCBGA1234	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,961	930	80	LGA1366	Server
⌵	<a href="#">AMD Athlon II X4 610e</a>	4	1,959	1,039	45	AM3	Desktop
⌵	<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,957	1,150	13	BGA1023	Desktop
⌵	<a href="#">Mediatek MT8768</a>	8	1,957	630	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,956	1,489	35	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,956	1,206	35	FCBGA1023, PPG	Laptop
⌵	<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,954	1,089	15	FCBGA1168	Laptop
⌵	<a href="#">Allwinner h728</a>	8	1,953	616	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-4600M APU</a>	2	1,953	1,087	35	FS1r2	Laptop
⌵	<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A76 6 Core 2000 MHz</a>	6	1,951	1,000	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 5370 APU</a>	4	1,950	749	25	AM1,FS1B	Desktop
⌵	<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	1,950	1,203	35	BGA1023	Desktop
⌵	<a href="#">ARM Cortex-A76 2 Core 0 MHz</a>	2	1,949	326	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm Technologies, Inc QCS610</a>	8	1,949	1,407	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6765V-WB</a>	8	1,948	620	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Desktop
⌵	<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,943	906	80	LGA1366	Server
⌵	<a href="#">AMD FX-7500 APU</a>	4	1,942	963	19	FP3	Laptop
⌵	<a href="#">MT6757W</a>	8	1,941	606	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X3 455</a>	3	1,940	1,329	95	AM3	Desktop
⌵	<a href="#">MT6765</a>	8	1,939	609	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A10-6790B APU</a>	4	1,938	1,017	100	FM2	Desktop
⌵	<a href="#">AMD Athlon II X4 620e</a>	4	1,938	NA	45	AM3	Desktop
⌵	<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
⌵	<a href="#">Virtual @ 2.39GHz</a>	4	1,936	793	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
⌵	<a href="#">MediaTek MT6765V-CB</a>	8	1,934	609	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM630</a>	8	1,934	606	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4100U @ 1.80GHz</a>	2	1,926	1,049	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
⌵	<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,918	1,727	55	FCLGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Cortex-A76 8 Core 0 MHz</a>	8	1,917	631	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc L3</a>	8	1,916	440	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,915	1,617	54	FCLGA1150	Desktop
⌵	<a href="#">Intel Celeron N6210 @ 1.20GHz</a>	2	1,915	1,309	6.5	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,915	1,060	95	LGA775	Desktop
⌵	<a href="#">AMD Opteron 4122</a>	4	1,913	NA	95	C32	Server
⌵	<a href="#">AMD PRO A6-8570</a>	2	1,912	1,630	65	AM4	Desktop
⌵	<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
⌵	<a href="#">MT8768CA</a>	10	1,912	545	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
⌵	<a href="#">AMD Opteron 6134</a>	8	1,910	NA	115	G34	Server
⌵	<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,910	747	15	FCBGA1310	Server
⌵	<a href="#">Allwinner A523</a>	8	1,909	585	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	1,909	1,516	35	Unknown	Desktop
⌵	<a href="#">P22</a>	8	1,908	537	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
⌵	<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Desktop
⌵	<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
⌵	<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,904	1,684	53	FCLGA1150	Desktop
⌵	<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	1,904	1,501	35	LGA1150	Desktop
⌵	<a href="#">MediaTek MT6797</a>	10	1,903	799	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
⌵	<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,901	1,215	17	BGA1023	Laptop
⌵	<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,898	1,330	35	BGA1023	Laptop
⌵	<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,897	1,112	4.5	FCBGA1234	Laptop
⌵	<a href="#">Welcome SC9863A</a>	8	1,897	535	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM - 1 Core 0 MHz</a>	1	1,895	4,103	NA	Unknown	Unknown
⌵	<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,895	1,226	35	BGA1288	Laptop
⌵	<a href="#">HiSilicon Kirin 659</a>	8	1,893	670	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,892	1,144	17	BGA1023	Laptop
⌵	<a href="#">AMD A6-3620 APU</a>	4	1,891	986	65	FM1	Desktop
⌵	<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,891	1,686	54	FCLGA1150	Desktop
⌵	<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,890	1,153	4.5	BGA1234	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	1,889	1,227	4.5	FCBGA1234	Laptop
⌵	<a href="#">AMD PRO A6-8550B</a>	1	1,882	1,631	65	FM2+	Desktop
⌵	<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
⌵	<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,879	1,702	55	FCLGA1155	Desktop
⌵	<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,876	1,606	35	LGA1150	Desktop
⌵	<a href="#">AMD A6-9500</a>	2	1,874	1,618	65	AM4	Desktop
⌵	<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,874	1,050	28	FCBGA1168	Laptop
⌵	<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,870	1,016	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,868	954	80	LGA771	Server
⌵	<a href="#">AMD Athlon II X3 450</a>	3	1,866	1,299	95	AM3	Desktop
⌵	<a href="#">AMD A10 PRO-7350B APU</a>	4	1,865	885	19	FP3	Laptop
⌵	<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
⌵	<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,862	1,410	65	LGA1155	Desktop
⌵	<a href="#">Rockchip RK3399 EVB IND LPDDR4 Board lvds (Android)</a>	6	1,862	832	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,861	1,026	125	AM2+	Desktop
⌵	<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,860	1,055	NA	Unknown	Laptop
⌵	<a href="#">Samsung Exynos 7904</a>	8	1,860	755	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6765V-CA</a>	8	1,854	614	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5502 @ 1.87GHz</a>	2	1,853	825	80	LGA1366	Server
⌵	<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,853	1,007	50	LGA771	Server
⌵	<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
⌵	<a href="#">Samsung Exynos 7885</a>	8	1,851	854	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
⌵	<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
⌵	<a href="#">AMD PRO A6-9500</a>	2	1,847	1,557	65	AM4	Desktop
⌵	<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,847	1,058	45	PGA988A	Laptop
⌵	<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,846	950	125	AM2+	Desktop
⌵	<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
⌵	<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,845	953	105	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Phenom II X3 B77</a>	3	1,844	1,310	95	AM2+/AM3	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,844	533	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 7950 Quad-Core</a>	4	1,842	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon II X3 445</a>	3	1,840	1,274	95	AM3	Desktop
⌵	<a href="#">AMD Phenom II X4 910</a>	4	1,840	999	95	AM3	Desktop
⌵	<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,840	1,007	45	PGA988A	Laptop
⌵	<a href="#">Intel Atom x5-E3940 @ 1.60GHz</a>	4	1,837	667	9.5	BGA1296	Laptop
⌵	<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,837	1,039	17	BGA1023	Laptop
⌵	<a href="#">Unisoc T603</a>	8	1,835	585	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,832	1,275	35	PGA988B	Laptop
⌵	<a href="#">MT6765V-XBA</a>	8	1,832	577	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-5557M APU</a>	4	1,831	1,069	35	FP2	Laptop
⌵	<a href="#">Intel Atom C3508 @ 1.60GHz</a>	4	1,831	628	11.5	FCBGA1310	Server
⌵	<a href="#">MT6763V-CT</a>	8	1,831	460	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung Exynos 7880</a>	8	1,831	470	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2356</a>	4	1,829	905	75	F (1207)	Server
⌵	<a href="#">MT6765V-WA</a>	8	1,827	599	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,826	722	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Virtual @ 2.32GHz</a>	8	1,826	751	NA	Unknown	Unknown
⌵	<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
⌵	<a href="#">AMD GX-424CC SOC</a>	4	1,823	804	25	FT3b	Laptop
⌵	<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
⌵	<a href="#">Mediatek MT6765V-WB</a>	8	1,823	616	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ZHAOXIN KaiXian KX-6640A@2.6GHz</a>	4	1,821	744	NA	Unknown	Unknown
⌵	<a href="#">AMD A8-5550M APU</a>	4	1,820	1,004	35	FS1r2	Laptop
⌵	<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,818	1,598	35	LGA1150	Desktop
⌵	<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,815	588	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-7410 APU</a>	4	1,814	794	25	Unknown	Laptop
⌵	<a href="#">Mediatek MT6762</a>	8	1,814	529	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,813	996	95	LGA775	Desktop
⌵	<a href="#">Snapdragon 8cx Gen 3 @ 3.0</a>	1	1,811	2,463	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown	Unknown
⌵	<a href="#">Intel Celeron G5900E @ 3.20GHz</a>	2	1,809	1,896	58	LGA 1200	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon 5140 @ 2.33GHz</a>	2	1,808	924	65	LGA771	Server
⌵	<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,807	927	95	AM2+	Desktop
⌵	<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,806	1,271	37	FCPGA946	Laptop
⌵	<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,806	955	45	PGA478	Laptop
⌵	<a href="#">MediaTek MT6757V</a>	8	1,804	599	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A73 8 Core 1989 MHz</a>	8	1,803	559	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 5350 APU</a>	4	1,802	697	25	AM1,FS1B	Desktop
⌵	<a href="#">AMD Phenom II X3 B75</a>	3	1,800	1,237	95	AM3	Desktop
⌵	<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,800	1,388	65	LGA1155	Desktop
⌵	<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
⌵	<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
⌵	<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
⌵	<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
⌵	<a href="#">AMD Athlon II X4 600e</a>	4	1,795	913	45	AM3	Desktop
⌵	<a href="#">AMD Athlon II X4 6400e</a>	4	1,795	NA	NA	Unknown	Desktop
⌵	<a href="#">MT6762</a>	8	1,792	550	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,789	1,127	35	BGA1288	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon E5503 @ 2.00GHz</a>	2	1,787	783	80	LGA1366	Server
⌵	<a href="#">AMD Athlon X4 530</a>	4	1,786	690	25	AM1	Desktop
⌵	<a href="#">AMD GX-420CA SOC</a>	4	1,785	677	25	FT3 (769-BGA)	Laptop
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
⌵	<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
⌵	<a href="#">ARM Cortex-A73 4 Core 1989 MHz</a>	4	1,783	564	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,782	917	95	AM2+	Desktop
⌵	<a href="#">MediaTek MT6757CD</a>	8	1,782	633	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
⌵	<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,781	1,263	6	FCBGA1338	Mobile/Embedded
⌵	<a href="#">AMD A6-3600 APU</a>	4	1,780	923	65	FM1	Desktop
⌵	<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,778	1,580	53	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD A10-5745M APU</a>	4	1,775	947	25	FP2	Laptop
⌵	<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Laptop, Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 2216</a>	2	1,771	865	95	F (1207)	Server
⌵	<a href="#">ASUS Tinker Board 2-2S</a>	6	1,771	910	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,771	1,607	55	FCLGA1155	Desktop
⌵	<a href="#">MT6757WD</a>	8	1,771	632	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,769	936	40	LGA771	Server
⌵	<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8096</a>	4	1,767	1,051	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Spreadtrum T603</a>	8	1,765	552	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-8550</a>	2	1,762	1,546	65	FM2+	Desktop
⌵	<a href="#">AMD A8-6410 APU</a>	4	1,762	780	15	BGA769 (FT3b)	Laptop
⌵	<a href="#">Intel Atom x6211E @ 1.30GHz</a>	2	1,762	1,170	6	FCBGA1493	Mobile/Embedded
⌵	<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop
⌵	<a href="#">AMD A6-7480</a>	2	1,758	1,496	65	FM2+	Desktop
⌵	<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,753	1,338	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,753	875	80	LGA771	Server
⌵	<a href="#">AMD A10-7300 APU</a>	4	1,749	867	19	FP3	Laptop
⌵	<a href="#">Qualcomm MSM8976</a>	8	1,749	674	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] AMD Opteron 2220</a>	2	1,748	1,006	95	F (1207)	Server
⌵	<a href="#">AMD PRO A4-3350B APU</a>	4	1,748	779	15	FT3b	Laptop
⌵	<a href="#">AMD A6-7310 APU</a>	4	1,746	770	25	Unknown	Laptop
⌵	<a href="#">Nvidia Tegra T210</a>	4	1,746	749	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2373 EE</a>	4	1,744	876	60	F (1207)	Server
⌵	<a href="#">AMD Athlon II X3 440</a>	3	1,743	1,204	95	AM3	Desktop
⌵	<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
⌵	<a href="#">ARM - 8 Core 3628 MHz</a>	8	1,738	691	NA	Unknown	Unknown
⌵	<a href="#">Mediatek MT6765V-XBA</a>	8	1,738	598	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2350</a>	4	1,737	NA	75	F (1207)	Server
⌵	<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,737	822	50	LGA771	Server
⌵	<a href="#">MT6752M</a>	8	1,735	398	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X4 605e</a>	4	1,733	NA	45	Unknown	Unknown
⌵	<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,732	1,092	35	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 2374 HE</a>	4	1,730	NA	55	F (1207)	Server
⌵	<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,728	912	35	S1	Laptop
⌵	<a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Synaptics VS680</a>	4	1,728	879	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X4 900e</a>	4	1,727	966	65	AM3	Desktop
⌵	<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,725	1,176	15	FCBGA1528	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Desktop
⌵	<a href="#">AMD A4 PRO-3340B</a>	4	1,719	697	25	BGA769 (FT3)	Laptop
⌵	<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,719	1,066	11.5	FCBGA1364	Laptop
⌵	<a href="#">Mediatek MT6765</a>	8	1,717	579	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT8768WA</a>	8	1,715	531	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-9500E</a>	2	1,713	1,372	35	AM4	Desktop
⌵	<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,712	938	125	AM2+	Desktop
⌵	<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
⌵	<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,704	1,264	35	PGA988	Laptop
⌵	<a href="#">Unisoc UIS8581A</a>	8	1,704	507	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
⌵	<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,703	1,544	55	FCLGA1155	Desktop
⌵	<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,702	942	6	FCBGA1515	Laptop
⌵	<a href="#">MediaTek MT6765G</a>	8	1,700	567	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Desktop
⌵	<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,698	869	95	AM2+	Desktop
⌵	<a href="#">AMD A8-4500M APU</a>	2	1,697	918	35	FS1r2	Laptop
⌵	<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
⌵	<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,693	1,498	35	LGA1150	Desktop
⌵	<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
⌵	<a href="#">AMD PRO A4-8350B</a>	1	1,690	1,437	65	FM2+	Desktop
⌵	<a href="#">AMD PRO A6-9500E</a>	2	1,689	1,501	35	AM4	Desktop
⌵	<a href="#">AMD A8-3550MX APU</a>	4	1,687	962	45	FS1	Laptop
⌵	<a href="#">Amlogic AMLS905X5</a>	4	1,681	978	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-7400K APU</a>	2	1,680	1,446	65	FM2+	Desktop
⌵	<a href="#">QTI SDM450</a>	8	1,680	541	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,678	928	45	PGA988A	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,677	839	80	LGA1366	Server
⌵	<a href="#">AMD A9-9430</a>	2	1,676	1,435	NA	Unknown	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,673	585	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9830</a>	4	1,672	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Phenom II X3 B73</a>	3	1,671	1,100	95	AM3	Desktop
⌵	<a href="#">Spreadtrum SC9863A Board</a>	8	1,671	519	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Celeron Dual-Core Q8300 @ 2.50GHz</a>	4	1,670	NA	95	Unknown	Desktop
⌵	<a href="#">AMD A6-6310 APU</a>	4	1,669	734	15	FT3	Laptop
⌵	<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
⌵	<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,668	1,496	53	FCLGA1150	Desktop
⌵	<a href="#">MT6763V-B</a>	8	1,668	558	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8768WE</a>	8	1,667	540	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,667	948	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 8354</a>	4	1,664	NA	75	F (1207)	Server
⌵	<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,664	897	15	BGA1168	Laptop
⌵	<a href="#">AMD A6-5200 APU</a>	4	1,661	661	25	FT3	Laptop
⌵	<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,659	822	65	AM2+	Desktop
⌵	<a href="#">ARM Phytium,FT-2000-4 4 Core 0 MHz</a>	4	1,658	684	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-7210 APU</a>	4	1,657	723	25	BGA	Laptop
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9930</a>	4	1,656	NA	NA	Unknown	Desktop
⌵	<a href="#">ARM Falkor-V1-Kryo 4 Core 1900 MHz</a>	4	1,656	545	NA	Unknown	Unknown
⌵	<a href="#">AMD A8-7100 APU</a>	4	1,654	835	19	FP3	Laptop
⌵	<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,654	1,232	35	BGA1023	Laptop
⌵	<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,654	901	11.5	FCBGA1168	Laptop
⌵	<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,654	1,479	35	LGA1150	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon 5130 @ 2.00GHz</a>	2	1,653	817	65	LGA771	Server
⌵	<a href="#">AMD A10-4655M APU</a>	2	1,652	888	25	FP2	Laptop
⌵	<a href="#">ARM Falkor V1-Kryo 8 Core 1900 MHz</a>	8	1,652	542	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MediaTek MT6762V-CB</a>	8	1,650	530	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
⌵	<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,649	896	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,648	987	4.5	Unknown	Laptop
⌵	<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,648	1,508	55	FCLGA1155	Desktop
⌵	<a href="#">AMD Athlon II X3 435</a>	3	1,645	1,164	95	AM3	Desktop
⌵	<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,642	1,341	73	LGA1156	Desktop
⌵	<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,641	1,040	17	BGA1023	Laptop
⌵	<a href="#">AMD A6 PRO-7400B</a>	1	1,640	1,494	65	FM2+	Desktop
⌵	<a href="#">Samsung Exynos 7884</a>	8	1,639	654	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,638	1,342	73	LGA1156	Desktop
⌵	<a href="#">AMD Opteron 1354</a>	4	1,635	870	75	AM2	Server
⌵	<a href="#">AMD A8-3510MX APU</a>	4	1,631	898	45	FS1	Laptop
⌵	<a href="#">Intel E3000 @ 3.40GHz</a>	2	1,629	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD A8-5545M APU</a>	4	1,628	866	19	FP2	Laptop
⌵	<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,622	812	35	S1	Laptop
⌵	<a href="#">AMD A4-6250J APU</a>	4	1,619	677	25	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
⌵	<a href="#">AMD A8-3530MX APU</a>	4	1,616	937	45	FS1	Laptop
⌵	<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,616	861	35	S1	Laptop
⌵	<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
⌵	<a href="#">High Performance Datacenter v</a>	1	1,610	1,595	NA	Unknown	Unknown
⌵	<a href="#">MediaTek MT6762V-WD</a>	8	1,609	483	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6755V-W</a>	8	1,608	555	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,607	852	16.1	FP4	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,607	892	95	AM2+	Desktop
⌵	<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364	Laptop
⌵	<a href="#">MediaTek MT6797T</a>	10	1,605	523	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD GX-416RA SOC</a>	4	1,604	561	NA	FT3	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X3 425</a>	3	1,601	1,087	95	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Phenom II X3 720</a>	3	1,600	1,108	95	AM3	Desktop
⌵	<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,600	1,457	55	FCLGA1155	Desktop
⌵	<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Desktop
⌵	<a href="#">Hisilicon Kirin 935</a>	8	1,599	352	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,599	1,393	35	LGA1150	Desktop
⌵	<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,599	919	13	BGA1023	Desktop
⌵	<a href="#">Z3-6540M@2.1GHz</a>	4	1,599	788	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	4	1,597	883	45	PGA478	Laptop
⌵	<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,597	1,441	35	LGA1155	Desktop
⌵	<a href="#">ZHAOXIN KaiXian KX-6640MA@2.1+GHz</a>	4	1,597	784	NA	Unknown	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon 3.73GHz</a>	2	1,595	760	NA	Unknown	Server
⌵	<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,593	468	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A6-8500B</a>	2	1,592	1,317	15	FP4	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,592	817	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-6420K APU</a>	2	1,587	1,554	65	FM2	Desktop
⌵	<a href="#">Spreadtrum T310</a>	4	1,586	1,182	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X3 445</a>	3	1,584	1,270	95	Unknown	Unknown
⌵	<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,582	1,190	15	FCBGA1528	Mobile/Embedded
⌵	<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,581	855	6	FCBGA1515	Laptop
⌵	<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,580	1,019	11.5	FCBGA1168	Desktop
⌵	<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6763V-V</a>	8	1,578	546	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
⌵	<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,575	737	70	Unknown	Unknown
⌵	<a href="#">AMD A6-6400B APU</a>	1	1,573	1,597	65	FM2	Desktop
⌵	<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	2	1,573	1,174	35	LGA1155	Desktop
⌵	<a href="#">AMD PRO A6-8570E</a>	2	1,571	1,291	35	Unknown	Desktop
⌵	<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,570	1,312	35	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Neoverse-V1 2 Core 0 MHz</a>	2	1,567	1,542	NA	Unknown	Server
⌵	<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Desktop
⌵	<a href="#">MediaTek MT6762V-WR</a>	8	1,566	522	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,564	864	95	AM2+	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8094</a>	8	1,564	552	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Dual-Core AMD Opteron 2212 HE</a>	2	1,563	771	68	F (1207)	Server
⌵	<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,561	1,263	73	LGA1156	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,561	752	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X3 710</a>	3	1,560	1,056	95	AM3	Desktop
⌵	<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
⌵	<a href="#">QTI SDM439</a>	8	1,560	547	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop
⌵	<a href="#">Rockchip RK3399</a>	6	1,558	791	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3	Desktop
⌵	<a href="#">Intel Core i5-520 @ 2.40GHz</a>	2	1,556	NA	35	Unknown	Laptop
⌵	<a href="#">AMD Phenom II X3 715</a>	3	1,553	NA	95	AM2+	Desktop
⌵	<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,552	990	11.5	FCBGA1168	Desktop
⌵	<a href="#">AMD A8 PRO-7150B APU</a>	4	1,551	762	19	FP3	Laptop
⌵	<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
⌵	<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,549	1,386	55	FCLGA1155	Desktop
⌵	<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
⌵	<a href="#">AMD Opteron 2380</a>	4	1,548	NA	75	F (1207)	Server
⌵	<a href="#">AMD Opteron 1352</a>	4	1,547	857	75	AM2	Server
⌵	<a href="#">ARM Cortex-A73 4 Core 1900 MHz</a>	4	1,547	610	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,547	1,101	10	FCBGA1090	Desktop
⌵	<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
⌵	<a href="#">AMD A4-7300 APU</a>	1	1,543	1,479	65	FM2	Desktop
⌵	<a href="#">AMD A9-9410</a>	2	1,542	1,347	25	FP4	Laptop
⌵	<a href="#">Intel Celeron N4020C @ 1.10GHz</a>	2	1,541	1,122	6	FCBGA1090	Laptop, Mobile/Embedded
⌵	<a href="#">AMD R-460L APU</a>	4	1,538	928	25	BGA827 (FP2)	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,538	1,056	25	BGA1288	Laptop
⌵	<a href="#">AMD A9-9420</a>	2	1,534	1,337	15	Unknown	Laptop
⌵	<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,534	1,126	6	FCBGA1090	Laptop
⌵	<a href="#">Apple A8</a>	2	1,533	916	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3399 Excavator Board edp avb (Android)</a>	6	1,533	839	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-6320 APU</a>	1	1,532	1,520	65	FM2	Desktop
⌵	<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,532	1,327	35	LGA1155	Desktop
⌵	<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,532	878	11	BGA1168	Desktop
⌵	<a href="#">MT6755V-B</a>	8	1,530	540	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung A13 USA SINGLE REV02B board based on EXYNO</a>	8	1,528	459	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,527	1,051	17	BGA1023	Laptop
⌵	<a href="#">AMD A9-9425</a>	2	1,525	1,326	15	BGA (FT4)	Laptop
⌵	<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
⌵	<a href="#">Mediatek MT8768A</a>	8	1,524	454	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8176</a>	6	1,523	1,041	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,521	1,121	35	LGA1155	Desktop
⌵	<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
⌵	<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,520	1,166	73	LGA1156	Desktop
⌵	<a href="#">AMD Phenom II X3 705e</a>	3	1,519	1,012	65	AM3	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,518	520	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron X3216 APU</a>	2	1,517	1,288	15	Unknown	Server
⌵	<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
⌵	<a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>	2	1,516	1,270	NA	Unknown	Server
⌵	<a href="#">ARM Cortex-A76 4 Core 2000 MHz</a>	4	1,513	676	NA	Unknown	Unknown
⌵	<a href="#">AMD A4 PRO-7350B</a>	1	1,512	1,357	65	FM2+	Desktop
⌵	<a href="#">MediaTek MT6762V-WB</a>	8	1,512	503	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-6400K APU</a>	1	1,510	1,443	65	FM2	Desktop
⌵	<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
⌵	<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,504	943	15	FCBGA1168	Laptop
⌵	<a href="#">Spreadtrum SC9863A</a>	8	1,504	489	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,500	1,380	65	FCLGA1155	Desktop
⌵	<a href="#">AMD A4-6210 APU</a>	4	1,497	602	15	FT3b	Laptop
⌵	<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,497	1,367	65	FCLGA1155	Desktop
⌵	<a href="#">[Dual CPU] Intel Xeon 5120 @ 1.86GHz</a>	2	1,495	758	65	LGA771	Server
⌵	<a href="#">AMD E2-7110 APU</a>	4	1,494	603	15	FP4 BGA	Laptop
⌵	<a href="#">AMD Athlon II X3 425e</a>	3	1,493	NA	45	AM3	Desktop
⌵	<a href="#">ZHAOXIN KaiXian ZX-D D4600@2.0GHz</a>	4	1,492	602	NA	Unknown	Unknown
⌵	<a href="#">ZHAOXIN Z3-6540M@2.1+GHz</a>	4	1,489	739	NA	Unknown	Desktop
⌵	<a href="#">ARM Cortex-A76 4 Core 1500 MHz</a>	4	1,488	649	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon II X3 415e</a>	3	1,481	1,028	45	AM3	Desktop
⌵	<a href="#">MediaTek MT6762V-WA</a>	8	1,480	487	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz</a>	4	1,473	685	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,469	770	80	LGA771	Server
⌵	<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
⌵	<a href="#">AMD A6-5400B APU</a>	1	1,465	1,395	65	FM2	Desktop
⌵	<a href="#">Unisoc SC9863A1</a>	8	1,461	435	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,459	1,345	65	LGA1155	Desktop
⌵	<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,458	786	11.5	BGA1168	Desktop
⌵	<a href="#">AMD A4 PRO-7300B APU</a>	1	1,457	1,416	65	Unknown	Desktop
⌵	<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,457	1,036	25	rPGA988A	Laptop
⌵	<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,456	1,142	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,456	1,033	6	FCBGA1090	Laptop
⌵	<a href="#">Rockchip RK3399 Board (Android)</a>	6	1,456	810	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,455	966	95	AM2+	Desktop
⌵	<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
⌵	<a href="#">Qualcomm MSM8996</a>	4	1,455	738	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X2 565</a>	2	1,453	1,368	80	AM2+/AM3	Desktop
⌵	<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,453	988	11.5	BGA1168	Desktop
⌵	<a href="#">AMD Phenom II X3 700e</a>	3	1,451	961	65	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
⌵	<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,450	1,117	10	FCBGA1090	Desktop
⌵	<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
⌵	<a href="#">AMD A6-8500P</a>	2	1,445	1,253	15	BGA (FP4)	Laptop
⌵	<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,445	976	95	AM2+	Desktop
⌵	<a href="#">ARM Cortex-A73 6 Core 2016 MHz</a>	6	1,445	605	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-6300 APU</a>	1	1,442	1,400	65	FM2	Desktop
⌵	<a href="#">ZHAOXIN KaiXian ZX-C+ C4701@2.0GHz</a>	4	1,442	564	NA	Unknown	Unknown
⌵	<a href="#">[Dual CPU] AMD Opteron 285</a>	2	1,441	989	95	940	Server
⌵	<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,441	791	6	FCBGA1515	Laptop
⌵	<a href="#">AMD A6-3500 APU</a>	3	1,439	964	65	FM1	Desktop
⌵	<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,439	1,354	65	Unknown	Unknown
⌵	<a href="#">Unisoc SC9863a</a>	8	1,439	486	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
⌵	<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,438	1,287	35	FCLGA1155	Desktop
⌵	<a href="#">AMD Phenom II X2 570</a>	2	1,437	1,409	80	AM3	Desktop
⌵	<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,436	1,262	35	FCPGA988	Laptop
⌵	<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,436	1,263	37	FCPGA946	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,436	853	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,433	1,279	73	LGA1156	Desktop
⌵	<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,432	1,036	6	FCBGA1090	Laptop
⌵	<a href="#">[Dual CPU] AMD Opteron 290</a>	2	1,430	1,046	95	940	Server
⌵	<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
⌵	<a href="#">Mediatek MT8173</a>	4	1,428	964	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,427	722	65	AM2+	Desktop
⌵	<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,427	1,072	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,427	1,295	65	LGA1155	Desktop
⌵	<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,427	792	6	FCBGA1515	Laptop
⌵	<a href="#">AMD A10 Micro-6700T APU</a>	4	1,426	722	5	FT3b	Laptop
⌵	<a href="#">AMD A8-3520M APU</a>	4	1,426	846	35	FS1	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Samsung M13 EUR OPEN REV02 board based on EXYNOS85</a>	8	1,425	516	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Desktop
⌵	<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,424	512	15	BGA 1283	Laptop, Mobile/Embedded
⌵	<a href="#">Loongson-3A6000</a>	4	1,423	720	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
⌵	<a href="#">AMD Athlon 5150 APU</a>	4	1,418	546	25	AM1,FS1b	Desktop
⌵	<a href="#">Hisilicon Kirin 930</a>	8	1,415	430	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,412	739	35	S1	Laptop
⌵	<a href="#">C-QuadCore C4600@2.0GHz</a>	4	1,412	551	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,412	1,279	35	FCPGA988	Laptop
⌵	<a href="#">AMD Phenom II X2 B59</a>	2	1,411	1,376	80	AM2+/AM3	Desktop
⌵	<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,411	696	6.5	FCBGA1170	Desktop
⌵	<a href="#">Unisoc T310</a>	4	1,410	1,094	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Desktop
⌵	<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,408	1,370	65	LGA775	Server
⌵	<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
⌵	<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
⌵	<a href="#">AMD GX-415GA SOC</a>	4	1,405	513	15	FT3 (769-BGA)	Laptop
⌵	<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,403	1,103	15	FCBGA1168	Laptop
⌵	<a href="#">MT6755V-CM</a>	8	1,396	381	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,395	825	17	BGA1023	Laptop
⌵	<a href="#">AMD Phenom II X4 8700e</a>	4	1,394	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,392	1,057	15	FCBGA1356	Laptop
⌵	<a href="#">MT6750V-C</a>	8	1,392	402	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-3430MX APU</a>	4	1,389	776	45	FS1	Laptop
⌵	<a href="#">MT6755V-WS</a>	8	1,389	538	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
⌵	<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
⌵	<a href="#">AMD Athlon II X2 280</a>	2	1,384	1,468	65	AM3	Desktop
⌵	<a href="#">MT6755V-C</a>	8	1,384	407	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X2 560</a>	2	1,381	1,365	80	AM2+/AM3	Desktop
⌵	<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,381	683	6	FCBGA1170	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium Silver A1030 @ 2.00GHz</a>	2	1,380	1,115	15	FCBGA1090	Mobile/Embedded
⌵	<a href="#">Samsung EXYNOS5430</a>	8	1,380	595	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,378	1,388	65	LGA775	Desktop
⌵	<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,377	1,056	35	PGA988B	Laptop
⌵	<a href="#">MT6763V-WT</a>	8	1,375	624	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-3500M APU</a>	4	1,374	791	35	FS1	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon 2.80GHz</a>	1	1,374	616	103	PPGA604	Server
⌵	<a href="#">[Dual CPU] Intel Xeon 5110 @ 1.60GHz</a>	2	1,373	652	65	LGA771	Server
⌵	<a href="#">ARM Cortex-A73 4 Core 1844 MHz</a>	4	1,368	656	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i7-610 @ 2.53GHz</a>	2	1,365	NA	35	BGA1288	Unknown
⌵	<a href="#">ARM Cortex-A57 4 Core 2035 MHz</a>	4	1,364	458	NA	Unknown	Unknown
⌵	<a href="#">AMD A4-5300 APU</a>	2	1,363	1,329	65	FM2	Desktop
⌵	<a href="#">AMD PRO A6-9500B</a>	2	1,363	1,222	15	FP4	Laptop
⌵	<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,360	431	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,359	1,287	65	LGA1155	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc. MSM8952 QRD SKUM</a>	8	1,359	354	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,358	748	11.5	BGA1168	Desktop
⌵	<a href="#">Qualcomm</a>	8	1,354	358	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,353	727	65	AM2+	Desktop
⌵	<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,353	1,049	15	BGA1356	Laptop
⌵	<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
⌵	<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,352	559	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon II X2 270</a>	2	1,350	1,347	65	AM3	Desktop
⌵	<a href="#">MT8768WE</a>	8	1,350	525	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X2 521</a>	2	1,349	1,402	65	AM2+/AM3	Desktop
⌵	<a href="#">Virtual @ 2.30GHz</a>	4	1,345	475	NA	Unknown	Unknown
⌵	<a href="#">AMD A8-4555M APU</a>	2	1,344	780	19	FP2	Laptop
⌵	<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,342	1,019	15	FCBGA1528	Laptop
⌵	<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,339	1,187	37	FCPGA946	Laptop
⌵	<a href="#">AMD Opteron 2376</a>	4	1,338	NA	75	F (1207)	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
⌵	<a href="#">MediaTek MT6762V-CA</a>	8	1,338	461	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 265</a>	2	1,337	1,351	65	AM3	Desktop
⌵	<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
⌵	<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,334	1,270	65	FM2	Desktop
⌵	<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,334	1,141	35	BGA1288	Laptop
⌵	<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
⌵	<a href="#">Unisoc L3R</a>	8	1,331	453	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,330	1,228	65	LGA1155	Desktop
⌵	<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,329	1,241	65	FCLGA1155	Desktop
⌵	<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
⌵	<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
⌵	<a href="#">AMD A6-9225</a>	2	1,328	1,152	15	BGA (FT4)	Laptop
⌵	<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
⌵	<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
⌵	<a href="#">ARM Falkor V1-Kryo 4 Core 1612 MHz</a>	4	1,325	471	NA	Unknown	Unknown
⌵	<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,324	900	35	S1	Laptop
⌵	<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,324	1,122	35	BGA1288	Laptop
⌵	<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,324	1,383	61	PPGA603	Server
⌵	<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,323	1,179	35	LGA1155	Desktop
⌵	<a href="#">AMD A6-9220</a>	2	1,322	1,155	15	Unknown	Laptop
⌵	<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,322	647	4	BGA1380	Laptop
⌵	<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,322	1,244	65	FCLGA1155	Desktop
⌵	<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
⌵	<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
⌵	<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,318	898	35	S1	Laptop
⌵	<a href="#">AMD A6-3420M APU</a>	4	1,317	780	35	FS1	Laptop
⌵	<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
⌵	<a href="#">Qualcomm Snapdragon 810</a>	8	1,316	667	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A9-9400</a>	2	1,313	1,175	10	FP4	Laptop
⌵	<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	479	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 5305U @ 2.30GHz</a>	2	1,307	1,248	15	FCBGA1528	Laptop
⌵	<a href="#">AMD Phenom II X2 555</a>	2	1,306	1,309	80	AM2+/AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
⌵	<a href="#">ARM Cortex-A15 4 Core 1500 MHz</a>	4	1,304	594	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-9230</a>	2	1,303	1,124	15	Unknown	Desktop
⌵	<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,302	959	17	BGA1023	Laptop
⌵	<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,302	1,324	65	LGA775	Desktop
⌵	<a href="#">Intel Core2 Duo E8700 @ 3.50GHz</a>	2	1,302	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD A4-5100 APU</a>	4	1,301	530	15	FT3	Laptop
⌵	<a href="#">AMD PRO A6-7350B</a>	2	1,299	1,242	15	FMA4	Laptop
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
⌵	<a href="#">AMD Athlon X2 450</a>	2	1,295	878	65	FM2+	Desktop
⌵	<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,295	1,321	65	LGA775	Server
⌵	<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,294	661	4	UTFCBGA1380	Laptop
⌵	<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,293	816	105	LGA775	Server
⌵	<a href="#">Allwinner A333</a>	5	1,290	723	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,290	1,006	35	rPGA988B	Laptop
⌵	<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,289	1,077	35	BGA1288	Laptop
⌵	<a href="#">AMD A6-5400K APU</a>	1	1,287	1,273	65	FM2	Desktop
⌵	<a href="#">MT6750V-CT</a>	8	1,284	402	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
⌵	<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,281	973	18	BGA1288	Laptop
⌵	<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,279	942	18	BGA1288	Laptop
⌵	<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
⌵	<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,278	1,411	80	LGA771	Server
⌵	<a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,276	715	11.5	FCBGA1168	Laptop
⌵	<a href="#">TES-RK3568 EDP+HDMI (Android)</a>	4	1,276	575	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-5000 APU</a>	4	1,275	500	15	FT3	Laptop
⌵	<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
⌵	<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,275	1,213	65	LGA1155	Desktop
⌵	<a href="#">AMD A6-3410MX APU</a>	4	1,274	734	45	FS1	Laptop
⌵	<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,273	974	35	PGA988B	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Phenom X2 Dual-Core GE-5560</a>	2	1,271	NA	NA	Unknown	Desktop
⌵	<a href="#">MT6750V-DN</a>	8	1,271	437	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-4020 APU</a>	2	1,269	1,218	65	FM2	Desktop
⌵	<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,269	1,056	35	PGA988A	Laptop
⌵	<a href="#">Samsung M13 SWA INS 00 board based on EXYNOS850</a>	8	1,269	492	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8992</a>	6	1,268	429	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,267	921	95	AM2+	Desktop
⌵	<a href="#">MediaTek MT6762G</a>	8	1,267	495	NA	Unknown	Mobile/Embedded
⌵	<a href="#">XTRONS_IX</a>	8	1,266	431	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 B28</a>	2	1,265	1,339	65	AM3	Desktop
⌵	<a href="#">AMD Phenom II X2 511</a>	2	1,265	1,295	65	AM2+/AM3	Desktop
⌵	<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,264	1,178	73	LGA1156	Desktop
⌵	<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
⌵	<a href="#">AMD Athlon II X2 B26</a>	2	1,260	1,278	65	Unknown	Unknown
⌵	<a href="#">AMD Phenom II X2 B57</a>	2	1,260	1,273	80	Unknown	Desktop
⌵	<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
⌵	<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,256	597	6	BGA1170	Desktop
⌵	<a href="#">AMD A4-5300B APU</a>	2	1,255	1,255	65	FM2	Desktop
⌵	<a href="#">AMD Athlon II X2 260</a>	2	1,255	1,288	65	AM3	Desktop
⌵	<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,255	1,163	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,255	729	10	FCBGA1170	Desktop
⌵	<a href="#">ARM Cortex-A72 4 Core 2394 MHz</a>	4	1,254	800	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,254	878	17	BGA1023	Laptop
⌵	<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,253	966	35	BGA1023	Laptop
⌵	<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,253	632	6	FCBGA1170	Laptop
⌵	<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,252	1,118	73	LGA1156	Desktop
⌵	<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,250	831	35	S1	Laptop
⌵	<a href="#">AMD Opteron 2224 SE</a>	2	1,248	NA	119	F (1207)	Server
⌵	<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,248	828	35	S1	Laptop
⌵	<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,248	1,138	37	FCPGA946	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD PRO A6-8530B</a>	2	1,246	1,211	15	FP4	Laptop
⌵	<a href="#">Rockchip RK</a>	8	1,246	654	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,245	1,136	35	LGA1155	Desktop
⌵	<a href="#">AMD E2-6110 APU</a>	4	1,244	489	15	AM1,FT3b	Laptop
⌵	<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,244	1,178	65	LGA1155	Desktop
⌵	<a href="#">ARM Cortex-A73 6 Core 1896 MHz</a>	6	1,242	483	NA	Unknown	Unknown
⌵	<a href="#">Nvidia Tegra T132</a>	2	1,242	1,055	NA	Unknown	Mobile/Embedded
⌵	<a href="#">BCM2835</a>	4	1,239	700	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-3400M APU</a>	4	1,237	706	35	FS1	Laptop
⌵	<a href="#">AMD Phenom II X2 B55</a>	2	1,233	1,214	80	AM3	Desktop
⌵	<a href="#">Samsung A13 EUR OPEN REV02B board based on EXYNOS8</a>	8	1,230	470	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,229	431	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
⌵	<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,225	899	17	BGA1023	Laptop
⌵	<a href="#">AMD Phenom II X2 545</a>	2	1,224	1,177	80	AM2+/AM3	Desktop
⌵	<a href="#">Intel Celeron 4305UT @ 2.00GHz</a>	2	1,222	588	NA	Unknown	Unknown
⌵	<a href="#">Amlogic AMLS905X5M</a>	4	1,221	702	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,221	1,234	65	LGA775	Desktop
⌵	<a href="#">AMD A6-5357M APU</a>	2	1,219	1,242	35	FP2	Laptop
⌵	<a href="#">MT6755V-BM</a>	8	1,219	476	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,218	865	95	AM2+	Desktop
⌵	<a href="#">ARM Cortex-A73 4 Core 2208 MHz</a>	4	1,218	621	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,218	905	15	FCBGA1356	Laptop
⌵	<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,217	932	35	BGA1023	Laptop
⌵	<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,217	1,199	35	BGA479,PGA478	Laptop
⌵	<a href="#">AMD A4-9120</a>	2	1,215	1,058	15	BGA	Laptop
⌵	<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
⌵	<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,214	975	35	BGA1288	Laptop
⌵	<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,213	956	35	PGA988	Laptop
⌵	<a href="#">Samsung EXYNOS5433</a>	8	1,212	517	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,211	1,126	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon II X2 255</a>	2	1,210	1,235	65	AM3	Desktop
⌵	<a href="#">AMD A6-5350M APU</a>	2	1,207	1,202	35	FS1r2	Laptop
⌵	<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,207	1,006	35	PGA988A	Laptop
⌵	<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,206	824	65	AM2+	Desktop
⌵	<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,205	822	10	FCBGA1296	Desktop, Laptop
⌵	<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,204	706	7.5	FCBGA1170	Laptop
⌵	<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,203	610	4	UTFCBGA1380	Laptop
⌵	<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,203	1,195	44	PGA478	Laptop
⌵	<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,203	1,284	65	LGA775	Desktop
⌵	<a href="#">AMD Athlon II X2 250e</a>	2	1,202	1,204	45	AM3	Desktop
⌵	<a href="#">AMD Phenom II X2 550</a>	2	1,201	1,211	80	AM2+/AM3	Desktop
⌵	<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,200	821	95	AM2+	Desktop
⌵	<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,200	1,283	65	LGA775	Desktop
⌵	<a href="#">MT8175B</a>	4	1,199	554	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
⌵	<a href="#">MT6795</a>	8	1,197	432	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ROC-RK3568-PC HDML (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,196	644	4	UTFCBGA1380	Laptop
⌵	<a href="#">AMD A4-9125</a>	2	1,195	1,027	15	BGA (FT4)	Laptop
⌵	<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,191	566	6	FCBGA1170	Laptop
⌵	<a href="#">AMD Phenom II X2 B53</a>	2	1,190	1,159	80	AM3	Desktop
⌵	<a href="#">AMD Sempron 3850 APU</a>	4	1,189	450	25	AM1,FS1b	Desktop
⌵	<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,189	851	35	PGA988B	Laptop
⌵	<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,189	1,205	35	BGA479	Laptop
⌵	<a href="#">AMD A6-9210</a>	2	1,188	1,053	15	FP4	Laptop
⌵	<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
⌵	<a href="#">AMD Athlon II X2 250</a>	2	1,187	1,197	65	AM3	Desktop
⌵	<a href="#">MediaTek MT6750T</a>	8	1,187	468	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,186	1,147	65	LGA1155	Desktop
⌵	<a href="#">ARM Cortex-A15 4 Core 1400 MHz</a>	4	1,185	550	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A73 4 Core 2100 MHz</a>	4	1,185	570	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,183	533	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Phenom II N640 Dual-Core</a>	2	1,181	1,146	35	S1	Laptop
⌵	<a href="#">Qualcomm MSM8939</a>	8	1,180	415	NA	Unknown	Mobile/Embedded
⌵	<a href="#">RK3568 A10T3568 Board V2.1-AD52068, LVDS(8775), HD</a>	4	1,178	526	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,176	561	6	FCBGA1170	Laptop
⌵	<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,172	973	35	PGA988A	Laptop
⌵	<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,171	1,080	35	FCPGA988	Laptop
⌵	<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,170	387	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 FX-72</a>	2	1,167	NA	125	F (1207)	Desktop
⌵	<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,167	699	10	FCBGA1170	Laptop
⌵	<a href="#">MediaTek MT6753T</a>	8	1,166	413	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Desktop
⌵	<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,165	1,158	28	PGA478	Laptop
⌵	<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,164	819	95	AM2+	Desktop
⌵	<a href="#">AMD A4-4000 APU</a>	1	1,163	1,132	65	FM2	Desktop
⌵	<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,163	1,210	65	LGA775	Desktop
⌵	<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,163	1,099	130	LGA1366	Server
⌵	<a href="#">AMD A6-9200</a>	2	1,161	991	10	BGA	Laptop
⌵	<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,161	1,206	65	LGA775	Desktop
⌵	<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A15 8 Core 1400 MHz</a>	8	1,160	563	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,160	1,099	65	LGA1155	Desktop
⌵	<a href="#">Rockchip RK3566 HD15 Board</a>	4	1,160	546	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 2400 MHz</a>	4	1,158	776	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8365</a>	4	1,156	526	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
⌵	<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,155	1,304	65	LGA775	Desktop
⌵	<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,152	1,176	65	LGA775	Desktop
⌵	<a href="#">UGOOS UT8 Board</a>	4	1,152	553	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom X3 8550</a>	3	1,151	856	95	AM2/AM2+	Desktop
⌵	<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,151	664	4	UTFCBGA1380	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,151	687	7.5	FCBGA1170	Laptop
⌵	<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,149	1,247	65	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Cortex-A57 4 Core 2091 MHz</a>	4	1,148	396	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,147	653	10	FCBGA1170	Desktop
⌵	<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,144	663	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
⌵	<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,141	1,061	35	LGA1150	Desktop
⌵	<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,139	1,207	65	LGA775	Desktop
⌵	<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
⌵	<a href="#">Rockchip RK3568</a>	4	1,139	542	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
⌵	<a href="#">AMD Athlon II X2 245</a>	2	1,137	1,131	65	AM2+/AM3	Desktop
⌵	<a href="#">AMD Athlon II X2 B24</a>	2	1,137	1,185	65	AM3	Desktop
⌵	<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,137	995	35	LGA1155	Desktop
⌵	<a href="#">AMD E2-3800 APU</a>	4	1,136	435	15	FT3	Laptop
⌵	<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,136	1,136	65	LGA775	Desktop
⌵	<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,135	1,102	44	PGA478	Laptop
⌵	<a href="#">AMD Athlon II X2 245e</a>	2	1,133	1,174	45	AM3	Desktop
⌵	<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,125	731	25	S1	Laptop
⌵	<a href="#">Mediatek MT8766B</a>	4	1,125	557	NA	Unknown	Mobile/Embedded
⌵	<a href="#">mocha</a>	4	1,125	722	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SCUBAPIIOT</a>	4	1,123	522	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
⌵	<a href="#">ARM Cortex-A55 8 Core 1416 MHz</a>	8	1,122	289	NA	Unknown	Unknown
⌵	<a href="#">MediaTek MT6750V-WT</a>	8	1,122	404	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8768WD</a>	8	1,122	448	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,121	1,020	35	FCPGA988	Laptop
⌵	<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	2	1,118	1,118	75	PLGA775	Desktop
⌵	<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
⌵	<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	1,118	566	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2116 MHz</a>	4	1,115	637	NA	Unknown	Unknown
⏏	<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
⏏	<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,114	801	6	FCBGA1296	Laptop, Mobile/Embedded
⏏	<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,112	1,082	NA	Unknown	Server
⏏	<a href="#">AMD E2-9010</a>	2	1,110	892	15	FP4	Laptop
⏏	<a href="#">Intel Atom x6214RE @ 1.40GHz</a>	2	1,109	754	6	FCBGA1493	Mobile/Embedded
⏏	<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,108	1,101	44	PGA478	Laptop
⏏	<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,107	1,191	65	LGA775	Desktop
⏏	<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,107	376	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
⏏	<a href="#">Rockchip RK3568 EVB7 DDR4 V10 Board</a>	4	1,106	508	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,104	1,223	NA	Socket P	Laptop
⏏	<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	1,104	760	30	LGA1156	Server
⏏	<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,103	1,122	25	PGA478	Laptop
⏏	<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,100	1,023	130	LGA1366	Server
⏏	<a href="#">AMD A9-9420e</a>	2	1,098	947	NA	Unknown	Laptop
⏏	<a href="#">AMD Athlon X2 235e</a>	2	1,097	NA	45	Unknown	Unknown
⏏	<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,097	1,010	15	FCBGA1168	Laptop
⏏	<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,096	1,017	35	PGA988	Laptop
⏏	<a href="#">AMD GX-412HC</a>	4	1,095	414	7	FT3b	Laptop
⏏	<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,094	877	10	FP4	Laptop, Mobile/Embedded
⏏	<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,094	1,113	35	BGA479	Laptop
⏏	<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,093	876	35	BGA1288	Laptop
⏏	<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,093	520	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,092	933	15	FCBGA1168	Laptop
⏏	<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,092	1,041	35	FCPGA988	Laptop
⏏	<a href="#">ARM X-Gene 8 Core 0 MHz</a>	8	1,091	394	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364	Laptop
⏏	<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	1,091	859	18	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MT6755V-WM</a>	8	1,090	361	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 210e</a>	2	1,089	1,051	45	AM3	Desktop
⌵	<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
⌵	<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,088	351	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
⌵	<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,085	791	6	FCBGA1515	Laptop
⌵	<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
⌵	<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,083	1,093	35	S1	Laptop
⌵	<a href="#">MT8732T</a>	4	1,083	458	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4 Micro-6400T APU</a>	4	1,082	540	4.5	FT3b	Laptop
⌵	<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,082	1,157	NA	Socket P	Laptop
⌵	<a href="#">AMD Athlon II X2 B22</a>	2	1,081	1,128	65	AM3	Desktop
⌵	<a href="#">Samsung Exynos 7870</a>	8	1,081	346	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A57 4 Core 2295 MHz</a>	4	1,080	429	NA	Unknown	Unknown
⌵	<a href="#">Snapdragon 435</a>	8	1,080	349	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-3420 APU</a>	2	1,079	1,122	65	FM1	Desktop
⌵	<a href="#">AMD Athlon II X2 235e</a>	2	1,079	1,098	45	AM3	Desktop
⌵	<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,079	760	35	S1	Laptop
⌵	<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,079	1,155	NA	Socket P	Laptop
⌵	<a href="#">Grandstream GXV3480 Video Phone</a>	4	1,078	503	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QTI QCM2290</a>	4	1,078	555	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,078	496	NA	Unknown	Mobile/Embedded
⌵	<a href="#">DO-Regular</a>	1	1,077	1,273	NA	Unknown	Unknown
⌵	<a href="#">AMD A4-3400 APU</a>	2	1,075	1,068	65	FM1	Desktop
⌵	<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,075	1,053	35	LGA1155	Desktop
⌵	<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,074	1,018	35	LGA1155	Desktop
⌵	<a href="#">Mediatek MT6761V-CAB</a>	4	1,074	559	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8768WB</a>	4	1,074	480	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD PRO A4-4350B</a>	2	1,073	904	15	FT4	Laptop
⌵	<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,073	764	18	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon L5238 @ 2.66GHz</a>	2	1,073	NA	35	LGA771	Server
⌵	<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,071	464	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,071	536	10	FCBGA1170	Desktop
⌵	<a href="#">MediaTek MT6750</a>	8	1,071	367	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
⌵	<a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	1,068	1,120	65	LGA775	Desktop
⌵	<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,064	948	15	BGA1168	Laptop
⌵	<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Desktop
⌵	<a href="#">AMD A6-1450 APU</a>	4	1,062	442	8	FT3	Laptop
⌵	<a href="#">Rockchip RK3562</a>	4	1,062	526	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 240</a>	2	1,061	1,070	65	AM3	Desktop
⌵	<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	1,061	948	15	FCBGA1168	Laptop
⌵	<a href="#">AMD Athlon II X2 220</a>	2	1,060	1,097	65	AM3	Desktop
⌵	<a href="#">MT8168B</a>	4	1,060	532	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,058	1,118	95	AM2+	Desktop
⌵	<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,058	963	35	FCPGA988	Laptop
⌵	<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,057	1,104	65	LGA775	Desktop
⌵	<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,056	1,136	65	LGA775	Desktop
⌵	<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,054	607	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD A6-9220C</a>	2	1,053	995	6	FT4	Laptop
⌵	<a href="#">Hisilicon Kirin 925</a>	8	1,053	398	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8937</a>	8	1,053	345	NA	Unknown	Mobile/Embedded
⌵	<a href="#">JLQ JR510</a>	8	1,049	594	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD GX-222GC SOC</a>	2	1,044	783	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
⌵	<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	1,044	937	17	FCBGA1023	Laptop
⌵	<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,044	938	17	FCBGA1023	Laptop
⌵	<a href="#">ARM ARMv8 rev 1 (v8l) 4 Core 1510 MHz</a>	4	1,042	476	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,040	1,082	25	PGA478	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">tn8</a>	4	1,040	632	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A8-7050</a>	2	1,039	866	15	Unknown	Laptop
⌵	<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
⌵	<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
⌵	<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	1,036	899	15	BGA1168	Laptop
⌵	<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,034	1,067	35	S1	Laptop
⌵	<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,034	809	35	BGA1288	Laptop
⌵	<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,033	1,045	35	BGA479	Laptop
⌵	<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	1,032	1,133	65	LGA775	Desktop
⌵	<a href="#">AMD Phenom X2 Dual-Core GE-4060</a>	2	1,031	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,031	1,030	65	LGA775	Desktop
⌵	<a href="#">Mediatek MT6761</a>	4	1,031	528	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	1,030	545	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,029	585	7.5	FCBGA1170	Laptop
⌵	<a href="#">MediaTek MT8168</a>	4	1,029	492	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	1,028	806	8.5	FCBGA1310	Server, Mobile/Embedded
⌵	<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	1,026	984	35	PGA988	Laptop
⌵	<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	1,026	1,095	65	LGA775	Desktop
⌵	<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
⌵	<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	1,024	946	35	PGA988	Laptop
⌵	<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6762V-CR</a>	8	1,022	406	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	1,021	1,026	65	LGA775	Desktop
⌵	<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	1,021	498	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	1,020	1,112	NA	Socket P	Laptop
⌵	<a href="#">AMD Athlon II X2 215</a>	2	1,018	1,051	65	AM3	Desktop
⌵	<a href="#">AMD Phenom II P650 Dual-Core</a>	2	1,018	1,019	35	S1	Laptop
⌵	<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	1,017	919	17	FCBGA1023	Laptop
⌵	<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
⌵	<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
⌵	<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,014	702	13	BGA1023	Desktop
⌵	<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
⌵	<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Desktop
⌵	<a href="#">Intel Core2 Duo X7360 @ 2.53GHz</a>	2	1,010	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	1,008	1,032	35	BGA479	Laptop
⌵	<a href="#">AMD Athlon II X2 240e</a>	2	1,007	1,097	45	AM3	Desktop
⌵	<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	1,007	1,057	25	BGA479	Laptop
⌵	<a href="#">MT6795T</a>	8	1,007	391	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,006	597	25	S1	Laptop
⌵	<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	1,005	519	5	FCBGA1170	Laptop
⌵	<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	1,004	1,061	65	LGA775	Desktop
⌵	<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
⌵	<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	999	1,076	65	LGA775	Desktop
⌵	<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	998	1,017	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon 7750 Dual-Core</a>	2	997	1,044	95	AM2+	Desktop
⌵	<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
⌵	<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	995	1,075	35	BGA479	Laptop
⌵	<a href="#">Intel Pentium G6952 @ 2.80GHz</a>	2	995	765	NA	LGA1156	Desktop
⌵	<a href="#">Rockchip RK3566 EVB3 DDR3 V10 Board</a>	4	994	498	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	993	1,022	125	AM2	Desktop
⌵	<a href="#">AMD Phenom II N620 Dual-Core</a>	2	992	1,092	35	S1	Laptop
⌵	<a href="#">AMD A6-4400M APU</a>	1	991	1,011	35	FS1r2	Laptop
⌵	<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Desktop
⌵	<a href="#">ARM Cortex-A57 4 Core 1912 MHz</a>	4	990	383	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 4400e</a>	2	989	1,070	37	Unknown	Desktop
⌵	<a href="#">MT6761V-WB</a>	4	988	515	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc ums312</a>	4	988	1,067	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2216</a>	2	987	NA	95	F (1207)	Server
⌵	<a href="#">ARM Cortex-A55 6 Core 1800 MHz</a>	6	987	311	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
⌵	<a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	984	1,018	35	BGA479	Laptop
⌵	<a href="#">AMD E2-9030</a>	2	983	860	NA	BGA (FT4)	Desktop
⌵	<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	983	975	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	983	957	65	LGA775	Server
⌵	<a href="#">AMD A4-3300 APU</a>	2	982	1,009	65	FM1	Desktop
⌵	<a href="#">MediaTek MT8166B</a>	4	981	529	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung Exynos 7580</a>	8	981	337	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8766A</a>	4	979	551	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 7550 Dual-Core</a>	2	977	969	95	AM2+	Desktop
⌵	<a href="#">AMD E2-3200 APU</a>	2	976	982	65	FM1	Desktop
⌵	<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
⌵	<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	975	886	35	PGA988B	Laptop
⌵	<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	975	1,015	65	LGA775	Desktop
⌵	<a href="#">AMD A4-4300M APU</a>	1	973	989	35	FS1	Laptop
⌵	<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
⌵	<a href="#">Amlogic AMLT982</a>	4	972	531	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	972	1,019	25	BGA479	Laptop
⌵	<a href="#">AMD A6 PRO-7050B APU</a>	2	971	844	17	FP3	Laptop
⌵	<a href="#">AMD E2-9000</a>	2	971	828	10	Unknown	Laptop
⌵	<a href="#">AMD Turion II P560 Dual-Core</a>	2	970	1,016	25	S1	Laptop
⌵	<a href="#">AMD A4-5150M APU</a>	2	969	946	35	FS1r2	Laptop
⌵	<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	968	567	15	FCBGA1283	Laptop
⌵	<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771	Server
⌵	<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	960	909	15	FCBGA1168	Laptop
⌵	<a href="#">AMD A6-9220e</a>	2	959	852	NA	Unknown	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	959	352	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A55 4 Core 2508 MHz</a>	4	958	430	NA	Unknown	Unknown
⌵	<a href="#">AC8259V-WAB</a>	8	956	512	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Opteron 285</a>	2	956	509	95	940	Server
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	956	353	NA	Unknown	Mobile/Embedded
<a href="#">MT8165</a>	4	956	499	NA	Unknown	Mobile/Embedded
<a href="#">MT8766A</a>	4	956	467	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	955	987	35	S1	Laptop
<a href="#">MT6750V-CS</a>	8	955	384	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	955	924	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	954	1,126	125	AM2	Desktop
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	952	545	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	950	847	35	PGA988	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	948	1,051	89	AM2	Desktop
<a href="#">Mediatek t50</a>	4	948	661	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	946	992	NA	Socket P	Laptop
<a href="#">MediaTek MT6753</a>	8	945	325	NA	Unknown	Mobile/Embedded
<a href="#">ARM Neoverse-V2 1 Core 0 MHz</a>	1	944	1,841	NA	Unknown	Unknown
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	944	1,004	65	LGA775	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	942	1,031	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	941	964	35	BGA479	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	940	549	7.5	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	939	943	65	PLGA775	Desktop
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">AMD Opteron 1218 HE</a>	2	937	940	65	AM2	Server
<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	2	937	1,065	25	BGA479	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	936	872	35	PGA988	Laptop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">MT6750V-WS</a>	8	934	383	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	933	469	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	932	709	18	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">SAMSUNG Exynos7580</a>	8	932	275	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
⌵	<a href="#">Rockchip RK3566</a>	4	930	503	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung J7 Max LTE SWA board based on MT6757V-WL</a>	8	928	282	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 1416 MHz</a>	4	927	491	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc SCUBAIOT</a>	4	926	462	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A6-7000</a>	2	925	744	17	FP3	Laptop
⌵	<a href="#">ARM Cortex-A15 4 Core 2000 MHz</a>	4	923	524	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	923	989	65	LGA775	Desktop
⌵	<a href="#">AMD Turion II P540 Dual-Core</a>	2	922	919	35	S1	Laptop
⌵	<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
⌵	<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	921	936	35	LGA1155	Desktop
⌵	<a href="#">AMD Opteron 2214 HE</a>	2	920	NA	68	F (1207)	Server
⌵	<a href="#">nxp IMX8MP</a>	4	918	455	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 3.73GHz</a>	2	917	749	NA	Unknown	Server
⌵	<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	916	362	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Dual Core 5400B</a>	2	914	985	65	AM2	Desktop
⌵	<a href="#">MT8168M</a>	4	914	490	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM ARMv7 rev 1 (v7I) 4 Core 1800 MHz</a>	4	913	506	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Athlon 64 Dual Core 5400+</a>	2	913	NA	89	Unknown	Unknown
⌵	<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	913	866	65	LGA775	Server
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	912	1,019	89	AM2	Desktop
⌵	<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
⌵	<a href="#">AMD A4-1350 APU</a>	4	911	345	8	FT3	Laptop
⌵	<a href="#">Pentium Dual-Core T4300 @ 2.10GHz</a>	2	911	866	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
⌵	<a href="#">MT6761V-CBB</a>	4	910	522	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
⌵	<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	909	949	35	BGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Ryzen Embedded R1102G</a>	2	908	603	6	FP5	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A73 4 Core 0 MHz</a>	4	908	463	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	907	999	65	AM2	Desktop
⌵	<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	906	971	35	BGA479	Laptop
⌵	<a href="#">MT6761</a>	4	906	506	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	905	793	15	FCBGA1168	Laptop
⌵	<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	904	905	65	LGA775	Desktop
⌵	<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Laptop
⌵	<a href="#">Intel Core2 Extreme X7850 @ 2.80GHz</a>	2	899	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop
⌵	<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	895	472	4	UTFCBGA592	Laptop
⌵	<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	894	863	35	PGA988	Laptop
⌵	<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	894	482	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	893	809	17	FCBGA1023	Laptop
⌵	<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	893	809	35	PGA988A	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon 3.40GHz</a>	1	893	739	103	PPGA604	Server
⌵	<a href="#">AMD RX-225FB</a>	2	892	794	NA	FP3	Mobile/Embedded
⌵	<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	892	662	17	BGA1023	Laptop
⌵	<a href="#">ARM Cortex-A73 4 Core 1800 MHz</a>	4	891	429	NA	Unknown	Unknown
⌵	<a href="#">MT8365</a>	4	889	489	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A57 4 Core 0 MHz</a>	4	888	351	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	888	950	25	PGA478	Laptop
⌵	<a href="#">Rockchip RK3528 DEMO4 DDR4 V10 Board</a>	4	888	435	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	887	900	25	BGA956	Laptop
⌵	<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	887	677	11.5	BGA1168	Laptop
⌵	<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
⌵	<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	885	1,007	65	LGA775	Desktop
⌵	<a href="#">MT6750V-W</a>	8	885	352	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Desktop
⌵	<a href="#">AMD E2-9000e</a>	2	883	739	6	Unknown	Laptop
⌵	<a href="#">AMD Opteron 2214</a>	2	883	NA	95	F (1207)	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⇓	<a href="#">Rockchip RK3568 EVB2 LP4X V10 Board</a>	4	883	505	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	882	542	NA	Unknown	Mobile/Embedded
⇓	<a href="#">ARM FT-2000-4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Mobile/Embedded
⇓	<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	881	821	35	PGA988	Laptop
⇓	<a href="#">AMD Athlon II X2 225</a>	2	880	NA	65	AM2+/AM3	Desktop
⇓	<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	880	994	65	LGA771	Server
⇓	<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
⇓	<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	879	613	6.5	BGA1296	Laptop
⇓	<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	878	751	35	PGA988A	Laptop
⇓	<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
⇓	<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	876	633	17	BGA1023	Laptop
⇓	<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	876	918	65	LGA775	Desktop
⇓	<a href="#">AMD A4-9120C</a>	2	875	880	6	FT4	Laptop
⇓	<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
⇓	<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	873	653	NA	Unknown	Mobile/Embedded
⇓	<a href="#">MT8766B</a>	4	873	519	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon 5000 Dual-Core</a>	2	872	898	65	AM2,AM2+	Desktop
⇓	<a href="#">AMD Athlon 7450 Dual-Core</a>	2	872	939	95	AM2+	Desktop
⇓	<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	872	920	25	BGA479	Laptop
⇓	<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	871	819	35	rPGA988B	Laptop
⇓	<a href="#">AMD Turion II P520 Dual-Core</a>	2	870	900	25	S1	Laptop
⇓	<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	870	949	65	LGA775	Desktop
⇓	<a href="#">rockchip.rk3368</a>	8	870	347	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
⇓	<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	869	901	25	BGA812	Laptop
⇓	<a href="#">AMD Athlon X2 440</a>	2	866	NA	NA	Unknown	Unknown
⇓	<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	866	882	35	S1	Laptop
⇓	<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	862	939	25	BGA479	Laptop
⇓	<a href="#">Synaptics VS640</a>	4	862	550	NA	Unknown	Mobile/Embedded
⇓	<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	859	935	65	AM2	Desktop
⇓	<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	857	916	65	LGA775	Desktop
⇓	<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Dual Core 5000B</a>	2	856	942	65	AM2	Desktop
⌵	<a href="#">AMD Athlon II N350 Dual-Core</a>	2	856	983	35	Unknown	Laptop
⌵	<a href="#">AMD Athlon X2 250</a>	2	855	1,099	65	Unknown	Unknown
⌵	<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	855	925	35	S1	Laptop
⌵	<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
⌵	<a href="#">AMD A4-9120e</a>	2	853	754	NA	FT4	Laptop
⌵	<a href="#">BCM2711</a>	4	852	607	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	851	900	35	PGA478	Laptop
⌵	<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
⌵	<a href="#">Intel Core2 6320 @ 1.86GHz</a>	2	849	675	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon Dual Core 5050e</a>	2	846	917	45	AM2	Desktop
⌵	<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	846	766	15	FCBGA1168	Laptop
⌵	<a href="#">MT6761V-CAB</a>	4	845	522	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	844	745	35	PGA988	Laptop
⌵	<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	843	460	4	UTFCBGA592	Laptop, Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 2 Core 1703 MHz</a>	2	842	552	NA	Unknown	Unknown
⌵	<a href="#">MTK8257</a>	8	842	404	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
⌵	<a href="#">Rockchip RK3368</a>	8	841	336	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	840	916	65	LGA775	Desktop
⌵	<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	840	610	17	BGA1023	Laptop
⌵	<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server
⌵	<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	839	775	17	FCBGA1023	Laptop
⌵	<a href="#">Thor</a>	6	839	387	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
⌵	<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	837	891	35	PGA478	Laptop
⌵	<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
⌵	<a href="#">AArch64</a>	4	833	368	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	833	848	35	BGA479	Laptop
⌵	<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	833	758	17	BGA-1023	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">nxp IMX8MQ</a>	4	831	390	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	828	864	35	S1	Laptop
⌵	<a href="#">AC8257V-WAB</a>	8	827	491	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 2212</a>	2	826	NA	95	F (1207)	Server
⌵	<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
⌵	<a href="#">AMD Athlon Dual Core 5200B</a>	2	823	966	65	AM2	Desktop
⌵	<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	822	765	130	PLGA775	Desktop
⌵	<a href="#">MediaTek MT6761V-WBB</a>	4	819	485	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	818	711	65	LGA775	Server
⌵	<a href="#">MT8161A</a>	4	818	344	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	817	812	25	PGA478	Laptop
⌵	<a href="#">MT6761V-WAB</a>	4	816	487	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Amlogic AMLS905D3</a>	4	815	493	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
⌵	<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	811	847	25	PGA478	Laptop
⌵	<a href="#">AMD A6-4455M APU</a>	1	810	792	17	FP2	Laptop
⌵	<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	809	598	17	BGA1023	Laptop
⌵	<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	809	852	34	PBGA479, PPGA478	Laptop
⌵	<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	807	910	65	AM2	Desktop
⌵	<a href="#">AMD Athlon II Dual-Core M340</a>	2	807	858	35	Unknown	Laptop
⌵	<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	807	744	35	PGA988B	Laptop
⌵	<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	807	853	35	PGA478	Laptop
⌵	<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2	Server
⌵	<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
⌵	<a href="#">MT8173</a>	4	804	597	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	802	787	35	S1	Laptop
⌵	<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	802	587	NA	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">AMD A4-4355M APU</a>	2	801	799	17	FP2	Laptop
⌵	<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	800	457	4	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	799	862	89	Unknown	Desktop
⌵	<a href="#">AMD Athlon Dual Core 4850e</a>	2	799	906	45	AM2	Desktop
⌵	<a href="#">AMD Turion X2 Dual-Core Mobile RM-76</a>	2	799	761	35	S1	Laptop
⌵	<a href="#">ARM Cortex-A55 4 Core 2208 MHz</a>	4	798	368	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	798	929	25	PGA478	Laptop
⌵	<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT8168B</a>	4	795	511	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
⌵	<a href="#">AMD GX-217GA SOC</a>	2	793	563	15	FT3 (769-BGA)	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	793	596	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	793	843	35	BGA479	Laptop
⌵	<a href="#">AMD Opteron 1212 HE</a>	2	791	731	65	AM2	Server
⌵	<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	791	843	35	PGA478	Laptop
⌵	<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	790	621	65	LGA775	Server
⌵	<a href="#">Pentium Dual-Core T4200 @ 2.00GHz</a>	2	790	821	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-3310MX APU</a>	2	789	845	45	FS1	Laptop
⌵	<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	788	601	17	Unknown	Laptop
⌵	<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	788	741	18	BGA1288	Laptop
⌵	<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	788	849	17	BGA956	Laptop
⌵	<a href="#">ARM Phytium FTC303 2 Core 1800 MHz</a>	2	786	442	NA	Unknown	Unknown
⌵	<a href="#">Haudio</a>	4	786	381	NA	Unknown	Mobile/Embedded
⌵	<a href="#">[Dual CPU] Intel Xeon 3.20GHz</a>	1	786	673	103	PPGA604	Server
⌵	<a href="#">ARM Neoverse-V1 1 Core 0 MHz</a>	1	785	1,472	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm MSM8994</a>	8	785	412	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	784	797	65	PLGA775	Desktop
⌵	<a href="#">MediaTek MT6762V-CN</a>	4	784	464	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6761V-CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	783	777	35	S1	Laptop
⌵	<a href="#">Intel Pentium D 3.40GHz</a>	2	782	739	NA	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	782	818	35	PGA478	Laptop
⌵	<a href="#">AMD Opteron 1216</a>	2	781	810	103	AM2	Server
⌵	<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	781	490	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	779	814	65	LGA775	Desktop
⌵	<a href="#">ARM ARMv7 rev 1 (v7l) 4 Core 1608 MHz</a>	4	776	445	NA	Unknown	Unknown
⌵	<a href="#">Athlon 64 Dual Core 4800+</a>	2	775	NA	110	AM2	Desktop
⌵	<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	774	442	7.5	FCBGA1170	Laptop
⌵	<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	773	844	35	PGA478	Laptop
⌵	<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	773	848	35	PGA478	Laptop
⌵	<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
⌵	<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	772	476	4.4	Unknown	Laptop
⌵	<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	771	751	35	PGA988B	Laptop
⌵	<a href="#">AMD Athlon II Dual-Core M320</a>	2	770	856	35	Unknown	Laptop
⌵	<a href="#">ARM Kryo-4XX-Gold 1 Core 0 MHz</a>	1	769	956	NA	Unknown	Unknown
⌵	<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2	Desktop
⌵	<a href="#">AMD A4-3305M APU</a>	2	767	838	35	FS1	Laptop
⌵	<a href="#">AMD Athlon 64 X2 4200+</a>	2	767	NA	89	939	Desktop
⌵	<a href="#">rockchip.rk3399-tve1030g-avb</a>	6	767	700	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 280</a>	2	765	430	95	940	Server
⌵	<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	764	700	17	BGA1023	Laptop
⌵	<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	764	833	35	PGA478	Laptop
⌵	<a href="#">AMD Opteron 1214</a>	2	763	831	103	AM2	Server
⌵	<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
⌵	<a href="#">Qualcomm MSM8974PRO-AA</a>	4	763	428	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT6761V-WD</a>	4	762	485	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD A4-3330MX APU</a>	2	761	921	45	FS1 uPGA	Laptop
⌵	<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	761	770	34	BGA479	Laptop
⌵	<a href="#">nxp.IMX8MM</a>	4	761	354	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II P360 Dual-Core</a>	2	760	875	25	S1g4	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	760	568	NA	Unknown	Mobile/Embedded
⌵	<a href="#">M7221</a>	4	760	646	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6761V-WE</a>	4	759	443	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8974</a>	4	758	431	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	757	707	35	PGA988B	Laptop
⌵	<a href="#">Intel Xeon MV 3.20GHz</a>	2	756	546	90	mPGA604	Server
⌵	<a href="#">ARM Cortex-A55 4 Core 2016 MHz</a>	4	755	327	NA	Unknown	Unknown
⌵	<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
⌵	<a href="#">Amlogic AMLS905X2</a>	4	754	459	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	751	848	35	S1	Laptop
⌵	<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	749	486	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
⌵	<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop
⌵	<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	748	816	65	LGA775	Desktop
⌵	<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	748	742	34	PBGA479, PPGA478	Laptop
⌵	<a href="#">Spreadtrum SC9853I-IA</a>	8	748	467	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	747	855	40	LGA771	Server
⌵	<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
⌵	<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	745	796	35	PGA478	Laptop
⌵	<a href="#">Intel Pentium Dual T2390 @ 1.86GHz</a>	2	745	712	35	PPGA478	Laptop
⌵	<a href="#">AMD E2-3000 APU</a>	2	743	532	15	FT3	Laptop
⌵	<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 1900 MHz</a>	4	742	555	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	741	806	89	AM2	Desktop
⌵	<a href="#">ARM Cortex-A53 8 Core 1512 MHz</a>	8	741	189	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	741	442	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II P340 Dual-Core</a>	2	740	853	25	S1g4	Laptop
⌵	<a href="#">Mediatek MT8696</a>	4	740	542	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	739	808	65	LGA775	Desktop
⌵	<a href="#">MT8696</a>	4	738	535	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
⌵	<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	737	771	65	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 270</a>	2	736	587	95	940	Server
⌵	<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
⌵	<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	735	758	65	LGA775	Desktop
⌵	<a href="#">ARM Cortex-A72 6 Core 1008 MHz</a>	6	734	394	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	734	753	65	LGA771	Server
⌵	<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	733	786	35	S1	Laptop
⌵	<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	733	567	18	BGA1288	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	732	882	65	AM2	Desktop
⌵	<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	730	783	35	PGA478	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8096pro</a>	4	730	435	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	729	785	25	BGA479	Laptop
⌵	<a href="#">AMD Athlon Dual Core 4450B</a>	2	728	804	45	AM2+	Desktop
⌵	<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	728	535	4	UTFCBGA1380	Laptop
⌵	<a href="#">AMD Athlon Dual Core 4450e</a>	2	727	807	45	AM2	Desktop
⌵	<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
⌵	<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
⌵	<a href="#">AMD A4-3300M APU</a>	2	726	788	65	FM1	Laptop
⌵	<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	726	784	17	BGA956	Laptop
⌵	<a href="#">MT8735A</a>	4	725	357	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II P320 Dual-Core</a>	2	724	826	25	Unknown	Laptop
⌵	<a href="#">ARM Neoverse-N1 1 Core 0 MHz</a>	1	724	1,127	NA	Unknown	Server
⌵	<a href="#">MT3561S</a>	4	723	335	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	721	747	NA	Socket P	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	720	835	65	AM2	Desktop
⌵	<a href="#">Qualcomm Snapdragon 808 (8992)</a>	6	720	173	NA	Unknown	Unknown
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	716	782	35	S1	Laptop
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	716	842	35	S1	Laptop
⌵	<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	716	721	65	PLGA775	Desktop
⌵	<a href="#">Qualcomm Technologies, Inc SDA429W</a>	4	715	516	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	712	746	35	Socket P	Laptop
⌵	<a href="#">MediaTek MT6737T</a>	4	712	398	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MediaTek MT8168A</a>	4	712	448	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A55 4 Core 2000 MHz</a>	4	711	320	NA	Unknown	Unknown
⌵	<a href="#">AMD Phenom X4 Quad-Core GS-5560</a>	4	710	NA	NA	Unknown	Desktop
⌵	<a href="#">Samsung EXYNOS5420</a>	4	710	473	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
⌵	<a href="#">AMD Athlon X2 Dual Core BE-2450</a>	2	708	NA	45	Unknown	Unknown
⌵	<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	2	706	749	35	PPGA478, Socket	Laptop
⌵	<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	705	769	35	BGA479	Laptop
⌵	<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	705	704	130	PLGA775	Desktop
⌵	<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	704	544	4.4	Unknown	Laptop
⌵	<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	702	506	4	UTFCBGA1380	Laptop
⌵	<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
⌵	<a href="#">MT5893</a>	4	702	641	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	701	760	35	BGA479	Laptop
⌵	<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	701	642	17	FCBGA1023	Laptop
⌵	<a href="#">MT8161AB</a>	4	700	285	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A55 4 Core 1908 MHz</a>	4	698	311	NA	Unknown	Unknown
⌵	<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
⌵	<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	695	320	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	694	649	35	PGA988B	Laptop
⌵	<a href="#">ARM Cortex-A72 2 Core 0 MHz</a>	2	693	536	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	693	742	65	LGA775	Desktop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	692	735	65	AM2	Desktop
⌵	<a href="#">AMD Phenom X2 Dual-Core GP-5000</a>	2	692	NA	NA	Unknown	Desktop
⌵	<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM8974PRO-AB</a>	4	692	375	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	690	703	17	BGA956	Laptop
⌵	<a href="#">AMD Athlon II X2 260u</a>	2	689	715	25	AM3	Desktop
⌵	<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
⌵	<a href="#">Rockchip RK3566 RK817 TABLET RKG11 LP4 Board</a>	8	686	314	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
⌵	<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	684	634	11.5	Unknown	Laptop
⌵	<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
⌵	<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop
⌵	<a href="#">Intel Celeron T1700 @ 1.83GHz</a>	2	681	728	35	PPGA478	Laptop
⌵	<a href="#">Allwinner A133</a>	4	680	412	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm MSM8974PRO-AC</a>	4	679	391	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	677	546	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	677	699	17	Unknown	Laptop
⌵	<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	2	677	684	34	PGA478	Laptop
⌵	<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	677	769	NA	Socket P	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	676	766	65	AM2	Desktop
⌵	<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	676	729	35	PPGA478	Laptop
⌵	<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
⌵	<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	675	630	17	BGA1023	Laptop
⌵	<a href="#">AMD Athlon Dual Core 4050e</a>	2	674	751	45	AM2	Desktop
⌵	<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	674	749	18	FT1	Desktop
⌵	<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	673	309	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	671	502	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	671	629	6	BGA1170	Desktop
⌵	<a href="#">AMD Athlon II Dual-Core M300</a>	2	670	776	35	Unknown	Laptop
⌵	<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
⌵	<a href="#">AMD A4-3320M APU</a>	2	668	708	35	FS1	Laptop
⌵	<a href="#">AMD E2-3000M APU</a>	2	668	731	35	FS1	Laptop
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	668	729	35	S1	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 1600 MHz</a>	4	667	429	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏏	<a href="#">Rockchip RK3566 RK817 EINK LP4X Board</a>	4	667	446	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	666	659	17	BGA479	Laptop
⏏	<a href="#">Rockchip (Device Tree)</a>	4	666	487	NA	Unknown	Mobile/Embedded
⏏	<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
⏏	<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Laptop
⏏	<a href="#">AMD Athlon 64 X2 QL-65</a>	2	664	701	35	S1	Laptop
⏏	<a href="#">Amlogic</a>	4	663	451	NA	Unknown	Unknown
⏏	<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	663	685	65	LGA775	Desktop
⏏	<a href="#">MT8735</a>	4	662	336	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Athlon 64 X2 QL-60</a>	2	661	663	35	S1	Laptop
⏏	<a href="#">Allwinner H618</a>	4	660	386	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
⏏	<a href="#">Broadcom STB (Flattened Device Tree)</a>	4	659	412	NA	Unknown	Mobile/Embedded
⏏	<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	658	685	35	PGA478	Laptop
⏏	<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	656	756	35	S1	Laptop
⏏	<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	655	693	65	LGA775, PLGA775	Desktop
⏏	<a href="#">AMD E2-7015 APU</a>	2	654	504	NA	Unknown	Laptop
⏏	<a href="#">Athlon 64 Dual Core 4200+</a>	2	654	NA	89	Unknown	Unknown
⏏	<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	653	625	6	Unknown	Laptop
⏏	<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	653	730	35	PPGA478	Laptop
⏏	<a href="#">Qualcomm MSM8917</a>	4	653	368	NA	Unknown	Mobile/Embedded
⏏	<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	652	731	35	S1	Laptop
⏏	<a href="#">Intel Pentium 977 @ 1.40GHz</a>	2	652	NA	17	FCBGA1023	Laptop
⏏	<a href="#">ARM Kryo V2 4 Core 2016 MHz</a>	4	651	282	NA	Unknown	Unknown
⏏	<a href="#">AMD GX-412TC SOC</a>	4	650	250	6	FT3b	Mobile/Embedded
⏏	<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
⏏	<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
⏏	<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	646	574	4	FCBGA1170	Laptop
⏏	<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	646	727	35	PGA478	Laptop
⏏	<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	645	706	31	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	645	773	35	S1	Laptop
⌵	<a href="#">AMD GX-212JC SOC</a>	2	642	458	6	FT3b	Laptop
⌵	<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
⌵	<a href="#">Game Console R35S-R36S</a>	4	640	295	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Generic DT based system</a>	4	639	461	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 1908 MHz</a>	4	638	274	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	638	414	4	UTFCBGA1380	Laptop
⌵	<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	638	599	17	FCBGA1023	Laptop
⌵	<a href="#">Qualcomm APQ8084</a>	4	638	368	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mediatek MT9676</a>	4	635	421	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	634	602	15	BGA812	Laptop
⌵	<a href="#">MediaTek MT8163</a>	4	634	346	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	633	711	35	FCPGA-478	Laptop
⌵	<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	631	689	35	Socket P	Laptop
⌵	<a href="#">ARM Cortex-A55 4 Core 1800 MHz</a>	4	630	296	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	627	481	18	BGA1288	Laptop
⌵	<a href="#">AMD Opteron 256</a>	1	626	NA	92.6	940	Server
⌵	<a href="#">AMD Opteron 265</a>	2	626	NA	95	940	Server
⌵	<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	626	764	65	LGA775	Desktop
⌵	<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	625	662	35	BGA479	Laptop
⌵	<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	625	668	35	PGA478	Laptop
⌵	<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	623	717	89	AM2	Desktop
⌵	<a href="#">Intel Core2 Duo P7700 @ 1.80GHz</a>	2	622	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
⌵	<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	619	646	31	Unknown	Desktop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	618	655	65	AM2	Desktop
⌵	<a href="#">AMD Athlon 64 X2 QL-64</a>	2	618	702	35	S1	Laptop
⌵	<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	618	631	15	S1	Laptop
⌵	<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	618	434	4.4	UTFCBGA1380	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	617	444	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	616	593	4	FCBGA1170	Laptop
⌵	<a href="#">AMD Athlon II X2 250u</a>	2	615	641	25	AM3	Desktop
⌵	<a href="#">AMD E1-7010 APU</a>	2	613	486	10	BGA769 (FT3b)	Laptop
⌵	<a href="#">rtd288o</a>	4	613	306	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	612	672	31	S1	Laptop
⌵	<a href="#">AMD E2-7015</a>	2	611	480	NA	Unknown	Laptop
⌵	<a href="#">AMD Sempron Dual Core 4900</a>	2	611	NA	NA	Unknown	Unknown
⌵	<a href="#">Mediatek MT6739</a>	4	611	319	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel U4100 @ 1.30GHz</a>	2	610	554	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A72 4 Core 1000 MHz</a>	4	608	354	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	608	632	130	PLGA775	Desktop
⌵	<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	606	641	35	PGA478	Laptop
⌵	<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
⌵	<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	603	681	35	BGA479	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	602	621	31	Unknown	Desktop
⌵	<a href="#">AMD Opteron 1210 HE</a>	2	602	NA	65	AM2	Server
⌵	<a href="#">AMD Athlon 64 X2 Dual Core BE-230</a>	2	601	NA	45	Unknown	Desktop
⌵	<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
⌵	<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	599	415	4.4	Unknown	Laptop
⌵	<a href="#">Samsung GrandPrimePlus LTE LTN DTV rev04 board bas</a>	4	599	336	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 150</a>	1	597	1,117	45	AM3	Desktop
⌵	<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	597	670	10	BGA956	Laptop
⌵	<a href="#">rk3566</a>	4	595	460	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
⌵	<a href="#">AMD E1-2500 APU</a>	2	594	451	15	FT3	Laptop
⌵	<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
⌵	<a href="#">ARM Cortex-A53 4 Core 2040 MHz</a>	4	593	257	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mediatek MT8175B</a>	4	592	446	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT6739</a>	4	592	306	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
⌵	<a href="#">QCT APQ8064 MAKO</a>	4	591	285	NA	Unknown	Unknown
⌵	<a href="#">AMD E1-6015 APU</a>	2	589	452	NA	BGA769 (FT3b)	Laptop
⌵	<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	589	555	6	FCBGA1170	Laptop
⌵	<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
⌵	<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	588	591	17	BGA1023	Laptop
⌵	<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	588	661	65	LGA775	Desktop
⌵	<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	588	585	95	PLGA775	Desktop
⌵	<a href="#">MT8765WA</a>	4	588	340	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II X2 4450e</a>	2	587	667	45	AM2	Desktop
⌵	<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	587	588	35	PGA478	Laptop
⌵	<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	587	564	10	FCBGA1023	Laptop
⌵	<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
⌵	<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
⌵	<a href="#">MediaTek MT6735</a>	4	583	320	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
⌵	<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	582	667	7	FCBGA1170	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon MP 3.00GHz</a>	1	580	607	85	PPGA603	Server
⌵	<a href="#">MT6761V-WD</a>	4	580	430	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	578	619	34	PGA478	Laptop
⌵	<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	S1	Desktop
⌵	<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
⌵	<a href="#">Intel Core2 Duo P7500 @ 1.60GHz</a>	2	576	NA	NA	Unknown	Unknown
⌵	<a href="#">Spreadtrum SC9832E</a>	4	576	317	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	574	659	10	FCBGA1170	Desktop
⌵	<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
⌵	<a href="#">AMD Opteron 1210</a>	2	573	NA	103	AM2	Server
⌵	<a href="#">Intel Celeron @ 1.30GHz</a>	1	572	610	NA	Unknown	Unknown
⌵	<a href="#">MT8735P</a>	4	572	242	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 1968 MHz</a>	4	571	278	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon X2 Dual Core LS-5800</a>	2	570	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
⌵	<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	569	594	35	Unknown	Laptop
⌵	<a href="#">Mediatek MT8765WA</a>	4	569	368	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	566	712	NA	Unknown	Unknown
⌵	<a href="#">QCT APQ8064 FLO</a>	4	566	312	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ap201</a>	4	565	385	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3530 @ 1.33GHz</a>	4	565	368	NA	FC-MB5T1064	Mobile/Embedded
⌵	<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
⌵	<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
⌵	<a href="#">QTI QM215</a>	4	563	347	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	562	735	35	S1	Laptop
⌵	<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	562	423	7	FCBGA1283	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	562	336	NA	Unknown	Mobile/Embedded
⌵	<a href="#">SAMSUNG JF</a>	4	562	330	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	559	844	35	LGA1155	Desktop
⌵	<a href="#">sun50iw1p1</a>	4	559	280	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
⌵	<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	2	557	567	35	PGA478	Laptop
⌵	<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	557	602	35	PPGA478	Laptop
⌵	<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	556	567	18	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 1704 MHz</a>	4	556	244	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	556	793	35	LGA1155	Desktop
⌵	<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
⌵	<a href="#">Unisoc SC9832e</a>	4	555	317	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel 1500 @ 2.00GHz</a>	2	551	NA	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Rockchip rk3326 evb board</a>	4	549	353	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel T1400 @ 1.73GHz</a>	2	548	648	NA	Unknown	Unknown
⌵	<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	547	623	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD Sempron 145</a>	1	546	1,039	45	AM3	Desktop
⌵	<a href="#">ARM Cortex-A35 4 Core 2004 MHz</a>	4	546	259	NA	Unknown	Unknown
⌵	<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	546	315	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E1-6010 APU</a>	2	544	428	10	FT3b	Laptop
⌵	<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	543	395	18	BGA1288	Laptop
⌵	<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	543	618	35	PPGA478	Laptop
⌵	<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	542	562	35	PPGA478	Laptop
⌵	<a href="#">MT8161P</a>	4	542	262	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A72 4 Core 1700 MHz</a>	4	541	423	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	540	387	4.4	UTFCBGA592	Laptop
⌵	<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	539	519	18	BGA1288	Laptop
⌵	<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	538	642	10	FCBGA1170	Desktop
⌵	<a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron Dual Core 4700</a>	2	536	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	536	576	31	S1	Laptop
⌵	<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
⌵	<a href="#">ARM Cortex-A55 8 Core 1500 MHz</a>	8	536	262	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	536	551	17	BGA479	Laptop
⌵	<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	2	536	587	10	BGA956	Laptop
⌵	<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	536	539	10	BGA956	Laptop
⌵	<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	535	501	18	BGA1288	Laptop
⌵	<a href="#">AMD Sempron 2650 APU</a>	2	534	458	25	AM1,FSB1	Desktop
⌵	<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	533	565	65	LGA775, PLGA775	Desktop
⌵	<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	533	550	35	PPGA478	Laptop
⌵	<a href="#">[Dual CPU] Intel Xeon 3.06GHz</a>	1	533	600	NA	Unknown	Server
⌵	<a href="#">MT6739CH</a>	4	533	305	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8167D</a>	4	532	316	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
⌵	<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
⌵	<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	531	505	6	FCBGA1283	Server
⌵	<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	530	533	34	PGA478	Laptop
⌵	<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
⌵	<a href="#">Intel 1400 @ 1.83GHz</a>	2	528	NA	NA	Unknown	Unknown
⌵	<a href="#">MT6737H</a>	8	528	319	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
⌵	<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	526	313	8.5	FCBGA1283	Server
⌵	<a href="#">AMD Athlon 64 X2 QL-62</a>	2	525	623	35	S1	Laptop
⌵	<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	518	609	35	Unknown	Desktop
⌵	<a href="#">AMD Athlon 64 FX-25</a>	1	517	NA	95	AM2+	Desktop
⌵	<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
⌵	<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	516	580	65	LGA775	Desktop
⌵	<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	516	456	18	BGA1288	Laptop
⌵	<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
⌵	<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
⌵	<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	515	384	10	BGA559	Laptop
⌵	<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	515	363	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 140</a>	1	514	1,047	45	AM3	Desktop
⌵	<a href="#">hi3751</a>	4	513	259	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8167A</a>	4	513	287	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Samsung Exynos 7570</a>	4	512	316	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 130</a>	1	511	1,059	45	AM2+/AM3	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	510	236	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	510	487	17	BGA1023	Laptop
⌵	<a href="#">ARM Cortex-A72 2 Core 1199 MHz</a>	2	509	384	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	508	605	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD Sempron Dual Core 2100</a>	2	506	575	65	Unknown	Unknown
⌵	<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	506	618	32	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	506	529	10	BGA956	Laptop
⌵	<a href="#">ARM Cortex-A55 4 Core 1416 MHz</a>	4	505	246	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A17 3 Core 0 MHz</a>	3	503	359	NA	Unknown	Unknown
⌵	<a href="#">Amlogic AMLS905X4</a>	4	500	506	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
⌵	<a href="#">sun50iw6</a>	4	498	339	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
⌵	<a href="#">Essgoo</a>	4	497	349	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	497	571	4.3	FCBGA1170	Laptop
⌵	<a href="#">AMD E2-2000 APU</a>	2	496	538	18	BGA413,FT1	Laptop
⌵	<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	496	423	4.4	UTFCBGA592	Laptop
⌵	<a href="#">VIA Nano X2 L4350 @ 1.6+ GHz</a>	2	496	489	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	495	565	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD Opteron 252</a>	1	494	NA	68	940	Server
⌵	<a href="#">AMD Sempron LE-1640</a>	1	493	NA	45	AM2	Unknown
⌵	<a href="#">Qualcomm Technologies, Inc QM215</a>	4	493	312	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3328 box liantong avb</a>	4	491	239	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	490	723	35	LGA1155	Desktop
⌵	<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	490	578	4.5	FCBGA1170	Laptop
⌵	<a href="#">MediaTek MT6737</a>	4	490	272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MediaTek MT6739WW</a>	4	490	305	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
⌵	<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	487	524	12	Unknown	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	487	298	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E-350D APU</a>	2	486	523	18	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	486	545	31	S1	Laptop
⌵	<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	486	536	4.5	FCBGA1170	Laptop
⌵	<a href="#">PXA1908</a>	4	486	288	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	485	580	31	S1	Laptop
⌵	<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
⌵	<a href="#">AMD G-T56N</a>	2	484	528	18	FT1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	482	591	22	Unknown	Unknown
⌵	<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	480	562	31	S1	Laptop
⌵	<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	480	471	8	FCBGA1170	Laptop
⌵	<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	478	218	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
⌵	<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	476	518	10	BGA956	Laptop
⌵	<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
⌵	<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
⌵	<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	470	212	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	2	470	592	34	Socket M	Laptop
⌵	<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
⌵	<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	468	516	18	ASB1	Laptop
⌵	<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	468	538	95	PLGA775	Desktop
⌵	<a href="#">MT8765WB</a>	4	468	261	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	467	368	10	BGA559	Desktop
⌵	<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	467	484	NA	BGA956	Laptop
⌵	<a href="#">ARM Cortex-A53 4 Core 1416 MHz</a>	4	466	202	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
⌵	<a href="#">MediaTek MT6737M</a>	4	465	240	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc SL8541e</a>	4	463	292	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 1608 MHz</a>	4	462	218	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 2016 MHz</a>	4	462	208	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron B720 @ 1.70GHz</a>	1	462	NA	35	Unknown	Laptop
⌵	<a href="#">Intel 1300 @ 1.66GHz</a>	2	461	NA	NA	Unknown	Unknown
⌵	<a href="#">MT6739CW</a>	4	461	269	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	460	667	31	BGA479	Laptop
⌵	<a href="#">Intel Pentium 5 2.66GHz</a>	2	459	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	458	498	10	BGA956	Laptop
⌵	<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
⌵	<a href="#">MediaTek MT6739WA</a>	4	454	275	NA	Unknown	Mobile/Embedded
⌵	<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">rockchip_rk3328</a>	4	453	234	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E2-1800 APU</a>	2	452	524	18	FT1	Desktop
⌵	<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
⌵	<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	450	859	35	Unknown	Laptop
⌵	<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	449	541	35	PGA478	Laptop
⌵	<a href="#">Intel Celeron U3405 @ 1.07GHz</a>	2	446	NA	18	BGA1288	Laptop
⌵	<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1400 MHz</a>	4	444	296	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	444	319	6.5	BGA559	Laptop
⌵	<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
⌵	<a href="#">AMD E-450 APU</a>	2	440	498	18	FT1	Laptop
⌵	<a href="#">Rockchip RK3326</a>	4	440	283	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	439	495	12	Unknown	Laptop
⌵	<a href="#">AMD V140</a>	1	437	884	25	S1	Laptop
⌵	<a href="#">VIA Nano L3600@2000MHz</a>	1	436	NA	NA	BGA400	Laptop
⌵	<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
⌵	<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	433	763	35	LGA775	Desktop
⌵	<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
⌵	<a href="#">AMD E-350</a>	2	430	489	18	FT1	Desktop, Laptop
⌵	<a href="#">MT8127</a>	4	429	253	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
⌵	<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	428	326	10	BGA559	Desktop
⌵	<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
⌵	<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	424	259	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E-350 APU</a>	2	423	490	18	FT1 BGA	Desktop, Laptop
⌵	<a href="#">AMD Opteron 250</a>	1	422	NA	85.3	940	Server
⌵	<a href="#">AMD A4-1250 APU</a>	2	421	328	8	FT3	Laptop
⌵	<a href="#">AMD Athlon 64 FX-53</a>	1	421	NA	89	940	Desktop
⌵	<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
⌵	<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	420	747	35	LGA1155	Desktop
⌵	<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	420	449	10	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core 330 @ 1.60GHz</a>	2	419	NA	NA	Unknown	Unknown
<a href="#">MediaTek MT8735B</a>	4	418	225	NA	Unknown	Mobile/Embedded
<a href="#">AMD G-T48E</a>	2	417	445	18	FT1	Laptop
<a href="#">AMD Sempron LE-1300</a>	1	417	614	45	AM2	Desktop
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	417	193	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium T1080 @ 1.73GHz</a>	2	417	NA	NA	Unknown	Unknown
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	416	184	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A55 4 Core 0 MHz</a>	4	415	194	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	415	248	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron LE-1620</a>	1	413	NA	NA	Unknown	Unknown
<a href="#">ARM Cortex-A35 4 Core 0 MHz</a>	4	413	199	NA	Unknown	Unknown
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">AMD Opteron 246</a>	1	411	NA	89	940	Server
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	411	608	31	PGA478	Laptop
<a href="#">sc8830</a>	4	410	274	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	409	829	34.8	PGA478	Laptop
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	409	295	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1199 MHz</a>	4	408	183	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	408	396	10	BGA479	Laptop
<a href="#">AMD E1-2100 APU</a>	2	406	322	9	FT3	Laptop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	406	293	13	BGA559	Desktop
<a href="#">Intel Atom E3805 @ 1.33GHz</a>	2	406	376	3	FCBGA1170	Mobile/Embedded
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	405	423	65	LGA771	Server
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">MediaTek MT8167B</a>	4	403	271	NA	Unknown	Mobile/Embedded
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Cortex-A72 1 Core 0 MHz</a>	1	400	561	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	400	295	13	BGA559	Desktop
⌵	<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
⌵	<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</a>	4	398	270	NA	Unknown	Mobile/Embedded
⌵	<a href="#">hi6620oem</a>	4	396	321	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	396	496	7.5	FCBGA1170	Laptop
⌵	<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
⌵	<a href="#">MT6580</a>	4	394	273	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
⌵	<a href="#">ARM Krait 4 Core 0 MHz</a>	4	393	203	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
⌵	<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
⌵	<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
⌵	<a href="#">AMD Athlon 64 3600+</a>	1	391	NA	NA	Socket 754	Desktop
⌵	<a href="#">ARM Cortex-A53 4 Core 1368 MHz</a>	4	391	172	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3399 Generic Board edp (Android)</a>	6	391	642	NA	Unknown	Mobile/Embedded
⌵	<a href="#">UNIVERSAL3470</a>	4	391	254	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD V120</a>	1	390	835	25	S1	Laptop
⌵	<a href="#">Intel Xeon 3.40GHz</a>	1	389	590	103	PPGA604	Server
⌵	<a href="#">QCT APQ8064 MTP</a>	4	389	330	NA	Unknown	Mobile/Embedded
⌵	<a href="#">MT8735M</a>	4	388	244	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
⌵	<a href="#">Rockchip RK3326 Board</a>	4	386	272	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E1-1500 APU</a>	2	385	450	18	FT1	Laptop
⌵	<a href="#">Intel Atom K510 @ 1.66GHz</a>	2	385	NA	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	385	576	31	PGA478	Laptop
⌵	<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
⌵	<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
⌵	<a href="#">Intel Pentium 4 3.80GHz</a>	1	384	695	65	Unknown	Desktop
⌵	<a href="#">MT6735P</a>	4	384	226	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip rk3326 863 rkisp1 board</a>	4	383	298	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD E1-1200 APU</a>	2	381	429	18	FT1	Laptop
⌵	<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	381	265	8	BGA437	Desktop
⌵	<a href="#">Intel Celeron D 430 @ 1.80GHz</a>	1	381	NA	35	LGA775	Desktop
⌵	<a href="#">Intel Core2 Duo L7200 @ 1.33GHz</a>	2	380	NA	17	PBGA479	Laptop
⌵	<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	378	309	6	FCBGA1170	Desktop
⌵	<a href="#">Qualcomm MSM8212</a>	4	378	247	NA	Unknown	Mobile/Embedded
⌵	<a href="#">VIA Nano L3050@1800MHz</a>	1	378	NA	25	BGA400	Laptop
⌵	<a href="#">AMD Athlon 1640B</a>	1	376	574	45	AM2	Desktop
⌵	<a href="#">AMD A4-1200 APU</a>	2	375	304	3.9	FT3	Laptop
⌵	<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon 64 2200+</a>	1	374	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
⌵	<a href="#">Mobile Intel Pentium 4 3.46GHz</a>	1	374	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
⌵	<a href="#">Mobile AMD Athlon XP</a>	1	372	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon XP 3400+</a>	1	371	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
⌵	<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
⌵	<a href="#">AMD Athlon 64 3500+</a>	1	367	606	45	AM2	Desktop
⌵	<a href="#">Qualcomm MSM8928</a>	4	367	226	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	366	532	31	BGA479	Laptop
⌵	<a href="#">MT6580M</a>	4	365	262	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 1500 MHz</a>	4	363	200	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
⌵	<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
⌵	<a href="#">AMD V160</a>	1	360	853	25	S1	Laptop
⌵	<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	360	276	8.5	BGA559	Laptop
⌵	<a href="#">Intel Core2 Duo Q6867 @ 3.00GHz</a>	2	359	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
⌵	<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
⌵	<a href="#">AMD Athlon II 170u</a>	1	355	731	20	AM2+,AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">ARM Cortex-A53 4 Core 0 MHz</a>	4	355	159	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	354	266	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	354	215	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon X2 Dual Core L310</a>	2	353	405	13	S1	Laptop
⌵	<a href="#">Intel Celeron M 540 @ 1.86GHz</a>	1	353	NA	30	Î¼FCPGA-478	Laptop
⌵	<a href="#">Nakamichi</a>	4	353	238	NA	Unknown	Mobile/Embedded
⌵	<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	353	336	NA	BGA400	Laptop
⌵	<a href="#">AMD Athlon XP-M</a>	1	352	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 64 3800+</a>	1	350	658	45	AM2	Desktop
⌵	<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	350	530	31	PGA478	Laptop
⌵	<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
⌵	<a href="#">AMD Turion 64 Mobile MT-40</a>	1	349	NA	25	754	Laptop
⌵	<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	348	466	22	Unknown	Unknown
⌵	<a href="#">AMD Sempron LE-1600</a>	1	348	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
⌵	<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	347	429	10	BGA479	Laptop
⌵	<a href="#">AMD Opteron 146</a>	1	346	400	67	939	Server
⌵	<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	345	468	15	BGA479	Laptop
⌵	<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	344	277	3.5	BGA559	Laptop
⌵	<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
⌵	<a href="#">Qualcomm MSM8226</a>	4	344	234	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	343	247	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Unisoc SC7731e</a>	4	343	241	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 3000+</a>	1	342	623	89	Socket 754	Desktop
⌵	<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	341	528	31	PGA478	Laptop
⌵	<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Desktop
⌵	<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	340	148	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	339	632	31	PGA478	Laptop
⌵	<a href="#">VIA Nano U3100 (1.6GHz Capable)</a>	1	339	NA	9	BGA400	Laptop
⌵	<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
⌵	<a href="#">AMD E-300 APU</a>	2	338	395	18	FT1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">MT6739WM</a>	4	338	236	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 3600+</a>	1	337	490	62	AM2	Desktop
⌵	<a href="#">AMD Sempron LE-1250</a>	1	337	590	45	AM2	Desktop
⌵	<a href="#">Intel Celeron D 365 @ 3.60GHz</a>	1	337	NA	65	LGA775	Desktop
⌵	<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board PDM Mic Array</a>	4	337	217	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
⌵	<a href="#">ARM Cortex-A35 4 Core 1512 MHz</a>	4	336	157	NA	Unknown	Unknown
⌵	<a href="#">VIA Nano L3025@1600MHz</a>	1	336	NA	NA	BGA400	Laptop
⌵	<a href="#">ARM ARMv7 rev 0 (v7l) 4 Core 0 MHz</a>	4	335	405	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
⌵	<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	S1	Laptop
⌵	<a href="#">sun8iw11p1</a>	4	335	243	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
⌵	<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
⌵	<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	334	397	7	FCBGA1170	Laptop
⌵	<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	334	662	31	BGA479	Laptop
⌵	<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
⌵	<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	333	498	31	PGA478	Desktop
⌵	<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M</a>	1	333	NA	NA	Unknown	Laptop
⌵	<a href="#">Spreadtrum SC7731e</a>	4	333	230	NA	Unknown	Unknown
⌵	<a href="#">AMD Sempron M100</a>	1	332	546	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 3.20GHz</a>	1	332	547	82	PGA478	Desktop
⌵	<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A55 2 Core 0 MHz</a>	2	330	280	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	491	31	PGA478	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M (LV)</a>	1	330	NA	NA	Unknown	Laptop
⌵	<a href="#">Qualcomm APQ8026</a>	4	330	229	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 3200+</a>	1	329	NA	NA	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A35 4 Core 1200 MHz</a>	4	327	156	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
⌵	<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	326	282	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM ARMv7 rev 5 (v7I) 4 Core 1200 MHz</a>	4	325	232	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	325	509	31	BGA479	Laptop
⌵	<a href="#">AMD Athlon MP 2800+</a>	1	324	NA	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	323	158	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Athlon MP-M 2800+</a>	1	323	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon II Neo K125</a>	1	322	629	12	S1	Laptop
⌵	<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	320	572	30	PBGA479, PPGA478	Laptop
⌵	<a href="#">Intel Xeon 3.06GHz</a>	1	320	NA	NA	Unknown	Server
⌵	<a href="#">AMD Sempron LE-250</a>	1	319	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Turion 64 Mobile ML-34</a>	1	319	526	35	754	Laptop
⌵	<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A57 2 Core 1479 MHz</a>	2	318	207	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A7 4 Core 1392 MHz</a>	4	318	241	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 64 3400+</a>	1	317	547	89	754	Desktop
⌵	<a href="#">Intel Pentium 4 3.00GHz</a>	1	317	524	81.9	PGA478	Desktop
⌵	<a href="#">Mobile AMD Athlon XP-M 3200+</a>	1	317	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD C-60 APU</a>	2	316	357	9	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
⌵	<a href="#">AMD Athlon 3100+</a>	1	315	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD C-70 APU</a>	2	315	364	9	Unknown	Laptop, Mobile/Embedded
⌵	<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
⌵	<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
⌵	<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
⌵	<a href="#">ARM Cortex-A72 4 Core 2800 MHz</a>	4	314	243	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Rockchip RK3228A</a>	4	314	202	NA	Unknown	Mobile/Embedded
⌵	<a href="#">ARM Cortex-A53 4 Core 1008 MHz</a>	4	313	135	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
⌵	<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
⌵	<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 64 3200+</a>	1	311	631	62	AM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Opteron 248</a>	1	310	NA	89	940	Server
⌵	<a href="#">Qualcomm MSM8926</a>	4	310	193	NA	Unknown	Mobile/Embedded
⌵	<a href="#">UNIVERSAL3475</a>	4	310	199	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 2800+</a>	1	309	NA	NA	Unknown	Laptop
⌵	<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 3.06GHz</a>	1	307	544	NA	Unknown	Unknown
⌵	<a href="#">msm8960dt</a>	2	306	324	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Z-01</a>	2	305	294	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	305	645	35	LGA775	Desktop
⌵	<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	305	550	30	PGA478	Laptop
⌵	<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	304	239	8.5	BGA559	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	304	195	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon XP 2300+</a>	1	302	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 3.40GHz</a>	1	301	654	89	PGA478	Desktop
⌵	<a href="#">AMD Athlon 2400+</a>	1	300	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Sempron 3000+</a>	1	299	530	62	AM2	Desktop
⌵	<a href="#">AMD Athlon 3200+</a>	1	298	NA	62	AM2	Desktop
⌵	<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
⌵	<a href="#">AMD G-T40N</a>	2	298	323	9	FT1	Laptop
⌵	<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
⌵	<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760	Laptop
⌵	<a href="#">VIA Nano L1900@1400MHz</a>	1	298	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Desktop
⌵	<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
⌵	<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Socket 754	Laptop
⌵	<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Athlon 64 3000+</a>	1	293	NA	81.5	Unknown	Laptop
⌵	<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
⌵	<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
⌵	<a href="#">AMD Athlon 2600+</a>	1	289	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
⌵	<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1	Laptop
⌵	<a href="#">Mobile AMD Athlon 64 2800+</a>	1	287	NA	35	Unknown	Laptop
⌵	<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 3100+</a>	1	286	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
⌵	<a href="#">AMD Athlon 64 FX-51</a>	1	284	NA	89	940	Desktop
⌵	<a href="#">AMD Athlon MP 2400+</a>	1	284	NA	NA	Unknown	Unknown
⌵	<a href="#">Mobile AMD Sempron 3600+</a>	1	284	618	25	S1	Laptop
⌵	<a href="#">Intel Xeon 2.66GHz</a>	1	283	NA	NA	Unknown	Server
⌵	<a href="#">AMD Athlon Neo MV-40</a>	1	282	496	15	Unknown	Unknown
⌵	<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
⌵	<a href="#">AMD Sempron M120</a>	1	281	617	25	S1	Laptop
⌵	<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Rockchip RK3229</a>	4	280	181	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 800 MHz</a>	4	279	214	NA	Unknown	Mobile/Embedded
⌵	<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
⌵	<a href="#">AMD Opteron 142</a>	1	278	NA	84.7	940	Server
⌵	<a href="#">ARM Cortex-A7 4 Core 1000 MHz</a>	4	278	194	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
⌵	<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Socket 754	Laptop
⌵	<a href="#">VIA Nano U3300@1200MHz</a>	1	277	NA	7	BGA400	Laptop
⌵	<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	275	496	10	BGA956	Laptop
⌵	<a href="#">AMD Athlon QL-46</a>	1	274	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Turion 64 Mobile MT-37</a>	1	274	501	25	754	Laptop
⌵	<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	274	576	86	PLGA775	Desktop
⌵	<a href="#">AMD Turion 64 Mobile MT-28</a>	1	273	NA	25	754	Laptop
⌵	<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	272	559	5.5	BGA956	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">ARM Cortex-A7 4 Core 1008 MHz</a>	4	269	198	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Socket 754	Laptop
⌵	<a href="#">Mobile AMD Sempron 3400+</a>	1	269	489	25	Socket S1 (S1g1)	Laptop
⌵	<a href="#">Mobile AMD Sempron 3500+</a>	1	269	551	NA	S1	Laptop
⌵	<a href="#">AMD Athlon 2100+</a>	1	268	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
⌵	<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
⌵	<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
⌵	<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	266	196	NA	Unknown	Mobile/Embedded
⌵	<a href="#">SAMSUNG SERRANO</a>	2	266	330	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon TF-20</a>	1	265	454	15	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 3.06GHz</a>	1	264	573	81.8	PGA478	Desktop
⌵	<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
⌵	<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
⌵	<a href="#">AMD C-50</a>	2	262	308	9	FT1	Laptop
⌵	<a href="#">AMD K7</a>	1	262	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
⌵	<a href="#">AMD-K7</a>	1	262	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon XP2200+</a>	1	261	NA	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 1300 MHz</a>	4	261	205	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	260	208	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium M 756 @ 1.66GHz</a>	1	260	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
⌵	<a href="#">Mobile AMD Athlon 64 2700+</a>	1	259	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Opteron 140</a>	1	258	NA	84.7	940	Server
⌵	<a href="#">VIA Esther 2000MHz</a>	1	257	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
⌵	<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Socket 754	Laptop
⌵	<a href="#">AMD Sempron 2100+</a>	1	255	NA	8	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
⌵	<a href="#">AMD Athlon 2000+</a>	1	254	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
⌵	<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
⌵	<a href="#">ARM Cortex-A7 4 Core 1296 MHz</a>	4	253	198	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
⌵	<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	252	508	10	Unknown	Laptop
⌵	<a href="#">AMD Sempron 3200+</a>	1	251	456	62	AM2	Desktop
⌵	<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
⌵	<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	251	327	10	BGA559	Desktop
⌵	<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop
⌵	<a href="#">Mediatek MT6739W</a>	4	251	103	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 2650e</a>	1	250	461	15	AM2	Desktop
⌵	<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop
⌵	<a href="#">Intel Atom Z550 @ 2.00GHz</a>	1	248	NA	2.4	BGA441	Laptop
⌵	<a href="#">AMD Athlon 64 FX-34</a>	1	247	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
⌵	<a href="#">Mobile AMD Athlon MP-M 2000+</a>	1	246	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Sempron SI-42</a>	1	245	637	25	S1	Laptop
⌵	<a href="#">Intel Core2 Solo U3300 @ 1.20GHz</a>	1	245	NA	5.5	Unknown	Laptop
⌵	<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	S1	Laptop
⌵	<a href="#">AMD Athlon 2500+</a>	1	243	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Desktop
⌵	<a href="#">AMD Athlon XP2400+</a>	1	243	390	NA	Unknown	Unknown
⌵	<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 2200+</a>	1	243	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
⌵	<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium 4 2.80GHz</a>	1	240	514	69.7	PGA478	Desktop
⌵	<a href="#">Intel Pentium M 1.50GHz</a>	1	240	323	24.5	H-PBGA479, PPG	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">VIA C7-D 2000MHz</a>	1	240	NA	NA	BGA400	Desktop
⌵	<a href="#">AMD Athlon XP Pro3+</a>	1	239	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	239	505	30	PPGA478	Laptop
⌵	<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
⌵	<a href="#">Intel Celeron 2.93GHz</a>	1	238	362	NA	Unknown	Unknown
⌵	<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 3000+</a>	1	238	365	NA	Unknown	Laptop
⌵	<a href="#">VIA Nano L2007@1600MHz</a>	1	238	273	25	BGA400	Laptop
⌵	<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
⌵	<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Socket 754	Laptop
⌵	<a href="#">sun8iw7</a>	4	237	207	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon 2200+</a>	1	236	NA	NA	Unknown	Desktop
⌵	<a href="#">AMD Athlon XP 2400+</a>	1	234	375	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium M 2.13GHz</a>	1	234	472	27	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Intel T1200 @ 1.50GHz</a>	1	234	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
⌵	<a href="#">SAMSUNG EXPRESS2</a>	2	233	239	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
⌵	<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	232	166	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
⌵	<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
⌵	<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	231	464	35	LGA775	Desktop
⌵	<a href="#">AMD Athlon XP1900+</a>	1	230	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478	Laptop
⌵	<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	229	179	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z540 @ 1.86GHz</a>	1	227	NA	2.4	BGA441	Laptop
⌵	<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom E680 @ 1.60GHz</a>	1	225	NA	4.5	BGA676	Desktop
⌵	<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon XP 1700</a>	1	224	NA	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	224	207	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	306	6.5	BGA559	Laptop
⌵	<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	223	361	9	BGA479	Laptop
⌵	<a href="#">Intel Pentium 4 2.60GHz</a>	1	223	463	69	PGA478	Desktop
⌵	<a href="#">Mobile AMD Athlon XP-M 1900+</a>	1	223	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 2.53GHz</a>	1	222	396	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium M 1.86GHz</a>	1	222	499	27	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">AMD Athlon MP 1700+</a>	1	220	NA	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A53 4 Core 600 MHz</a>	4	220	137	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 2000+</a>	1	218	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A53 4 Core 1000 MHz</a>	4	215	169	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
⌵	<a href="#">AMD Athlon L110</a>	1	211	328	13	Unknown	Unknown
⌵	<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 1700+</a>	1	210	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
⌵	<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
⌵	<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
⌵	<a href="#">ARM Cortex-A53 4 Core 1333 MHz</a>	4	207	196	NA	Unknown	Mobile/Embedded
⌵	<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
⌵	<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon 4</a>	1	205	NA	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
⌵	<a href="#">Mobile Intel Pentium 4 - M 2.60GHz</a>	1	204	NA	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
⌵	<a href="#">Intel Core2 Solo U2200 @ 1.20GHz</a>	1	203	NA	5.5	Unknown	Laptop
⌵	<a href="#">Intel Pentium III 1266S @ 1266MHz</a>	1	201	NA	30.4	Socket 370	Desktop
⌵	<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	200	279	5.5	BGA559	Laptop
⌵	<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Laptop
⌵	<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
⌵	<a href="#">RK30board</a>	4	198	226	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1400MHz</a>	1	197	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
⌵	<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
⌵	<a href="#">AMD E-240</a>	1	195	403	18	FT1	Laptop
⌵	<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
⌵	<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
⌵	<a href="#">Intel Pentium M 1.60GHz</a>	1	194	427	24.5	H-PBGA479, PPG	Laptop
⌵	<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	193	273	5	FCBGA1170	Desktop
⌵	<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	193	287	NA	BGA559	Laptop
⌵	<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
⌵	<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 1600+</a>	1	193	NA	NA	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
⌵	<a href="#">Intel Celeron M 1.50GHz</a>	1	192	374	21	PPGA478, H-PBGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Celeron 1200MHz</a>	1	192	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
⌵	<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
⌵	<a href="#">AMD Geode NX 1750</a>	1	189	NA	25	Unknown	Unknown
⌵	<a href="#">Intel Celeron 1333MHz</a>	1	189	NA	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">686 Gen</a>	1	188	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	188	266	6.5	BGA559	Laptop
⌵	<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M (LV) 1500+</a>	1	188	NA	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium III - M 1133MHz</a>	1	188	NA	21.8	BGA2, microPGA2	Laptop
⌵	<a href="#">Mobile Intel Pentium III - M 1333MHz</a>	1	188	NA	22	BGA2, microPGA2	Laptop
⌵	<a href="#">AMD Athlon 7850 Dual-Core 2.8G</a>	1	187	NA	95	AM2+	Desktop
⌵	<a href="#">AMD Athlon XP2100+</a>	1	187	NA	NA	Unknown	Unknown
⌵	<a href="#">Google R11 BtWifi Evt1.1</a>	2	187	240	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1300MHz</a>	1	187	NA	NA	Unknown	Unknown
⌵	<a href="#">VIA C7-D 1500MHz</a>	1	187	NA	20	BGA400	Desktop
⌵	<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	187	256	8	BGA400	Laptop
⌵	<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	185	270	10	BGA559	Desktop
⌵	<a href="#">Intel Pentium III 1133 @ 1133MHz</a>	1	185	NA	29.1	Socket 370	Desktop
⌵	<a href="#">VIA C7 1500MHz</a>	1	185	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
⌵	<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
⌵	<a href="#">Intel Celeron 1133MHz</a>	1	184	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Laptop
⌵	<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
⌵	<a href="#">AMD Athlon XP 1500</a>	1	183	NA	NA	Unknown	Unknown
⌵	<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441	Laptop
⌵	<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Celeron 2.50GHz</a>	1	183	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon 4</a>	1	182	NA	NA	Unknown	Desktop
⌵	<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown
⌵	<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
⌵	<a href="#">Intel Pentium III 1200 @ 1200MHz</a>	1	181	NA	29.9	Socket 370	Desktop
⌵	<a href="#">Mobile Intel Pentium 4 2.30GHz</a>	1	181	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	180	241	10	BGA559	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
⌵	<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
⌵	<a href="#">Intel Celeron M 1200MHz</a>	1	179	NA	NA	Unknown	Unknown
⌵	<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
⌵	<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
⌵	<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
⌵	<a href="#">Intel Atom E660 @ 1.30GHz</a>	1	177	NA	3.3	FCBGA676	Laptop
⌵	<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
⌵	<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
⌵	<a href="#">ARM Cortex-A72 4 Core 1200 MHz</a>	4	174	178	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 215 @ 1.33GHz</a>	1	174	440	27	BGA479	Laptop
⌵	<a href="#">Mobile AMD Athlon 1400+</a>	1	173	NA	NA	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
⌵	<a href="#">AMD Geode NX</a>	1	172	NA	NA	Unknown	Unknown
⌵	<a href="#">Mobile Intel Pentium 4 2.40GHz</a>	1	172	NA	59.8	PGA478	Desktop
⌵	<a href="#">Mobile AMD Athlon XP-M 1500+</a>	1	170	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	169	185	4	BGA437	Desktop
⌵	<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
⌵	<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	169	485	27	PBGA479, PPGA478	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 1066MHz</a>	1	168	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium M 1100MHz</a>	1	168	NA	12	H-PBGA479	Laptop
⌵	<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
⌵	<a href="#">Mobile Intel Pentium 4 - M 2.50GHz</a>	1	167	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
⌵	<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
⌵	<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown
⌵	<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
⌵	<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
⌵	<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
⌵	<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded
⌵	<a href="#">Mobile Intel Pentium III - M 1000MHz</a>	1	163	NA	20.5	BGA2, microPGA2	Laptop
⌵	<a href="#">VIA Esther 1300MHz</a>	1	163	NA	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
⌵	<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
⌵	<a href="#">Intel Pentium III Mobile 1000MHz</a>	1	160	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 2.10GHz</a>	1	159	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
⌵	<a href="#">ARM Cortex-A7 2 Core 1000 MHz</a>	2	157	202	NA	Unknown	Unknown
⌵	<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	157	234	2.5	BGA437	Laptop
⌵	<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
⌵	<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
⌵	<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
⌵	<a href="#">Intel Pentium III 933S @ 933MHz</a>	1	155	NA	27.3	Socket 370	Desktop
⌵	<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
⌵	<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Desktop
⌵	<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
⌵	<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
⌵	<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
⌵	<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
⌵	<a href="#">Mobile Intel Pentium 4 - M 1.90GHz</a>	1	151	NA	NA	Unknown	Laptop
⌵	<a href="#">AMD Athlon MP</a>	1	150	NA	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
⌵	<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
⌵	<a href="#">AMD Sempron 200U</a>	1	149	311	8	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown
⌵	<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
⌵	<a href="#">Intel Pentium 4 4.00GHz</a>	1	145	NA	NA	Unknown	Desktop
⌵	<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
⌵	<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom Z515 @ 1.20GHz</a>	1	142	NA	1.4	BGA441	Laptop
⌵	<a href="#">Intel Pentium III Mobile 933MHz</a>	1	142	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A53 2 Core 0 MHz</a>	2	139	128	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
⌵	<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium III - M 866MHz</a>	1	138	NA	19.5	BGA2, microPGA2	Laptop
⌵	<a href="#">ARM Cortex-A7 2 Core 996 MHz</a>	2	137	191	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	136	174	2.5	BGA437	Laptop
⌵	<a href="#">Intel Pentium 4 Mobile 1.70GHz</a>	1	136	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
⌵	<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
⌵	<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
⌵	<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
⌵	<a href="#">Intel Celeron 2.66GHz</a>	1	131	359	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
⌵	<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
⌵	<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
⌵	<a href="#">Intel Pentium 4 Mobile 1.50GHz</a>	1	129	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom Z510 @ 1.10GHz</a>	1	127	NA	2	BGA441	Laptop
⌵	<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 - M 1.60GHz</a>	1	127	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Xeon 1500MHz</a>	1	126	NA	NA	Unknown	Server
⌵	<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
⌵	<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	<a href="#">Intel Pentium 4 1600MHz</a>	1	125	NA	38	PGA478	Desktop
⌵	<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
⌵	<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Celeron 1.50GHz</a>	1	123	NA	30	PPGA478	Laptop
⌵	<a href="#">Mobile Intel Celeron 1.60GHz</a>	1	123	NA	NA	Unknown	Laptop
⌵	<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441	Laptop
⌵	<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
⌵	<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
⌵	<a href="#">Intel Celeron M ULV 800MHz</a>	1	120	NA	7	Unknown	Laptop
⌵	<a href="#">Mobile AMD Athlon XP-M 1400+</a>	1	120	NA	25	Unknown	Laptop
⌵	<a href="#">ARM ARMv7 rev 4 (v7I) 2 Core 960 MHz</a>	2	119	168	NA	Unknown	Unknown
⌵	<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
⌵	<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
⌵	<a href="#">Neoverse-N1</a>	4	117	165	NA	Unknown	Server
⌵	<a href="#">AMD G-T44R</a>	1	116	294	9	FT1	Laptop
⌵	<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
⌵	<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
⌵	<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
⌵	<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
⌵	<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
⌵	<a href="#">ARM ARMv7 rev 5 (v7I) 2 Core 0 MHz</a>	2	113	161	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown	Unknown
⌵	<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Laptop
⌵	<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	111	160	NA	Unknown	Mobile/Embedded
⌵	<a href="#">Mobile Intel Celeron 1.20GHz</a>	1	111	NA	24.4	PPGA478	Laptop
⌵	<a href="#">Intel Pentium 4 1.40GHz</a>	1	107	NA	54.7	PGA423	Desktop
⌵	<a href="#">VIA C7-M 1000MHz</a>	1	107	NA	3.5	BGA400	Laptop
⌵	<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
⌵	<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
⌵	<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">VIA Eden 800MHz</a>	1	101	NA	NA	Unknown	Mobile/Embedded
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Celeron M 600MHz</a>	1	98	NA	7	H-PBGA479	Laptop
<a href="#">OMAP4 Espresso board</a>	2	98	222	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4 Mobile 1.40GHz</a>	1	97	NA	NA	Unknown	Laptop
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478	Desktop
<a href="#">Intel Celeron 600MHz</a>	1	96	NA	NA	Unknown	Unknown
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">VIA Eden 1200MHz</a>	1	93	97	7	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86	254	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop
<a href="#">AMD-K6-III</a>	1	70	NA	NA	Unknown	Desktop
<a href="#">Intel Pentium III Mobile 750MHz</a>	1	67	NA	NA	Unknown	Laptop
<a href="#">ARM Cortex-A53 1 Core 0 MHz</a>	1	65	101	NA	Unknown	Unknown
<a href="#">VIA C3 Ezra</a>	1	65	NA	NA	Unknown	Laptop
<a href="#">AMD-K6 3D</a>	1	59	NA	NA	Unknown	Desktop
<a href="#">VIA Samuel 2</a>	1	52	NA	NA	Unknown	Unknown
<a href="#">Cortex-A76</a>	4	51	32	NA	Unknown	Unknown

Showing 1 to 6,650 of 6,650 entries

[Previous](#) **1** [Next](#)**Notes:**<sup>1</sup> Price is obtained from our affiliates. "\*\*" after the price denotes the last seen price for products that are no longer available.<sup>2</sup> CPU Value is calculated by taking CPU Mark / Price.<sup>3</sup> Single Thread Value is calculated by taking Single Thread CPU Mark / Price.<sup>4</sup> Power Performance is calculated by taking CPU Mark / TDP.<sup>5</sup> Test Date is the date of our first benchmark submission.