

Last Updated: 30th of September 2024

Columns Show 100 entries

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	Search...	Min... -Max...	Min... -Max...	Min... -Max...	Min... -Max...		
»	[Dual CPU] AMD EPYC 9684X	96	157,672	2,881	400	SP5	Server
»	AMD Ryzen Threadripper PRO 7995WX	96	152,709	3,952	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 9474F	48	148,891	3,243	360	SP5	Server
»	[Dual CPU] AMD EPYC 9654	96	147,224	2,759	360	SP5	Server
»	[Dual CPU] AMD EPYC 9554	64	146,218	2,949	360	SP5	Server
»	[Dual CPU] AMD EPYC 9634	84	142,801	2,821	290	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8570	56	137,588	3,224	350	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 7985WX	64	135,597	3,998	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 9454	48	134,517	3,030	290	SP5	Server
»	AMD Ryzen Threadripper 7980X	64	134,251	3,953	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 9754	128	132,951	2,419	360	SP5	Server
»	[Dual CPU] AMD EPYC 9374F	32	131,140	3,383	320	SP5	Server
»	[Dual CPU] AMD EPYC 9734	112	130,034	2,369	340	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8488C	48	127,207	3,096	385	Unknown	Server
»	[Dual CPU] Intel Xeon Platinum 8468	48	126,838	3,156	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8568Y+	48	125,432	2,978	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8480+	56	125,165	2,942	350	FCLGA4677	Server
»	AMD EPYC 9684X	96	120,760	2,883	400	SP5	Server
»	[Dual CPU] AMD EPYC 7J13	64	119,134	2,594	NA	Unknown	Server
»	AMD EPYC 9654	96	117,179	2,908	360	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8458P	44	117,136	2,841	350	FCLGA4677	Server
»	AMD EPYC 9R14	96	116,475	2,920	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 7763	64	115,607	2,512	280	SP3	Server
»	[Dual CPU] AMD EPYC 7T83	64	114,770	2,532	280	SP3	Server
»	[Dual CPU] AMD EPYC 7713	64	114,468	2,590	225	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8562Y+	32	114,143	3,121	300	FCLGA4677	Server
»	AMD EPYC 9654P	96	113,949	2,616	360	SP5	Server
»	[Dual CPU] AMD Ryzen Threadripper PRO 3995WX	64	113,693	2,559	280	sWRX8	Desktop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
»	[Dual CPU] AMD EPYC 9274F	24	113,019	3,365	NA	SP5	Server
»	[Dual CPU] AMD EPYC 9354	32	112,027	2,881	280	SP5	Server
»	AMD EPYC 9554	64	111,794	2,937	360	SP5	Server
»	[Dual CPU] Intel Xeon Platinum 8462Y+	32	111,282	3,065	300	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 9334	32	110,928	3,076	NA	SP5	Server
»	AMD EPYC 9554P	64	110,790	2,942	360	SP5	Server
»	[Dual CPU] AMD EPYC 7773X	64	108,504	2,437	280	SP3	Server
»	[Dual CPU] AMD EPYC 7Y83	64	108,281	2,622	280	SP3	Mobile/Embedded
»	AMD EPYC 9634	84	107,944	2,924	290	SP5	Server
»	AMD EPYC 9474F	48	105,213	3,189	360	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6448Y	32	104,805	3,277	225	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7573X	32	103,531	2,650	280	SP3	Server
»	[Dual CPU] AMD EPYC 7B12	64	102,240	2,145	240	SP3	Server
»	[Dual CPU] AMD EPYC 7K83	64	102,053	2,458	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 75F3	32	101,429	2,664	280	SP3	Server
»	AMD EPYC 9754	128	100,460	2,433	360	SP5	Server
»	Intel Xeon w9-3595X	60	100,127	3,990	385	FCLGA4677	Server
»	[Dual CPU] AMD Ryzen Threadripper PRO 3975WX	32	98,811	2,676	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 7543	32	98,074	2,621	240	SP3	Server
»	AMD Ryzen Threadripper 7970X	32	97,972	4,148	350	sTR5	Desktop
»	[Dual CPU] Intel Xeon Gold 6530	32	97,607	3,280	270	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7H12	64	97,573	2,022	280	SP3	Server
»	[Dual CPU] AMD EPYC 7662	64	97,178	2,089	225	SP3	Server
»	[Dual CPU] AMD EPYC 7513	32	96,409	2,730	200	SP3	Server
»	AMD EPYC 9454P	48	95,891	2,993	290	SP5	Server
»	[Dual CPU] AMD EPYC 74F3	24	95,621	2,982	240	SP3	Server
»	AMD EPYC 9454	48	95,495	2,990	290	SP5	Server
»	AMD Ryzen Threadripper PRO 7975WX	32	95,430	4,063	350	sTR5	Desktop
»	[Dual CPU] AMD EPYC 7702	64	94,529	2,102	200	SP3	Server
»	[Dual CPU] AMD EPYC 7V73X	64	94,451	2,277	280	Unknown	Server
»	[Dual CPU] AMD EPYC 7742	64	94,081	2,046	225	SP3	Server
»	[Dual CPU] AMD EPYC 7642	48	94,050	2,140	225	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»	AMD EPYC 9534	64	93,884	2,579	280	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6438Y+	32	93,306	3,273	205	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 5995WX	64	93,192	3,207	280	sWRX8	Desktop, Server
»	[Dual CPU] Intel Xeon Gold 6442Y	24	92,983	3,190	225	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7R12	48	92,961	2,142	200	SP3	Server
»	[Dual CPU] AMD EPYC 9224	24	92,938	2,866	200	Unknown	Server
»	Intel Xeon w9-3495X	56	92,363	3,582	350	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7K62	48	91,903	2,134	NA	SP3	Server
»	AMD EPYC 7773X	64	91,491	2,570	280	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz	40	91,257	2,400	270	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 9174F	16	90,483	3,439	320	SP5	Unknown
»	Intel Xeon Platinum 8470 @2.00GHz	52	89,850	3,153	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 5420+	28	88,738	3,012	205	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7643	48	88,348	1,915	225	SP3	Server
»	[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz	28	88,102	2,379	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz	38	88,038	2,345	270	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8369B @ 2.90GHz	32	87,459	2,499	270	FCLGA4189	Server
»	Intel Xeon Max 9480	56	87,420	2,926	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8450H	28	87,103	2,902	250	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz	32	86,451	2,468	300	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6428N	32	86,030	2,672	185	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6454S	32	85,725	2,355	270	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6548Y+	32	85,587	2,446	205	FCLGA4677	Server
»	AMD EPYC 7J13	64	84,786	2,450	NA	Unknown	Server
»	AMD EPYC 7763	64	84,706	2,528	280	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6418H	24	84,526	2,901	185	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 9184X	16	84,253	3,222	320	SP5	Server
»	Intel Xeon Platinum 8592+	64	84,013	2,411	350	FCLGA4677	Server
»	[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	83,793	2,297	165	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 3995WX	64	83,697	2,598	280	sWRX8	Desktop, Server
»	[Quad CPU] Intel Xeon Gold 5320H @ 2.40GHz	20	83,263	2,571	150	FCLGA4189	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz	32	83,116	2,355	250	FCLGA4189	Server
»	AMD Ryzen Threadripper 7960X	24	83,071	4,083	350	sTR5	Desktop
»	AMD EPYC 7V13	64	82,878	2,729	240	SP3	Server
»	AMD EPYC 7713	64	82,666	2,637	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6430	32	82,407	2,497	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 7532	32	82,196	2,139	200	SP3	Server
»	AMD EPYC 7R13 64-Core	48	82,158	2,752	NA	Unknown	Unknown
»	AMD EPYC 7663	56	82,087	2,606	240	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz	32	82,052	2,378	240	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8338C @ 2.60GHz	32	81,817	2,439	250	FCLGA4189	Server
»	AMD EPYC 7T83	64	81,757	2,462	280	SP3	Server
»	Intel Xeon w9-3575X	44	81,519	3,995	340	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7473X	24	81,282	2,201	240	SP3	Server
»	AMD EPYC 7713P	64	81,201	2,609	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5418Y	24	81,141	3,000	185	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 7965WX	24	80,867	3,927	350	sTR5	Desktop
»	AMD Ryzen Threadripper 3990X	64	80,686	2,565	280	sTRX4	Desktop
»	[Dual CPU] AMD EPYC 7453	28	80,327	2,371	225	SP3	Server
»	[Dual CPU] AMD EPYC 7502	32	80,300	2,189	180	SP3	Server
»	AMD EPYC 9374F	32	79,826	3,055	320	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6544Y	16	79,819	3,227	270	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7452	32	77,746	2,160	155	SP3	Server
»	AMD EPYC 7B13	60	77,460	2,564	NA	Unknown	Server
»	Intel Xeon w7-3565X	32	76,649	3,972	335	FCLGA4677	Server
»	AMD EPYC 9354P	32	76,605	2,857	280	SP5	Server
»	[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	76,542	2,681	205	FCLGA3647	Server
»	Intel Xeon 6740E	96	76,167	1,997	250	FCLGA4710	Server
»	AMD EPYC 7643	48	76,050	2,691	225	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz	28	75,906	2,354	235	FCLGA4189	Server
»	AMD Ryzen Threadripper PRO 5975WX	32	75,609	3,314	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 7413	24	74,990	2,248	180	SP3	Server
»	Intel Xeon Platinum 8461V	48	74,982	2,855	300	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8336C	32	74,875	2,054	230	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 7373X	16	74,709	2,761	240	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD EPYC 7R32	48	74,520	1,918	NA	Unknown	Server
»	[Dual CPU] AMD EPYC 7343	16	73,934	2,806	190	SP3	Server
»	[Dual CPU] AMD EPYC 7542	32	73,885	2,073	225	SP3	Server
»	AMD EPYC 9274F	24	73,463	3,347	NA	SP5	Server
»	[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz	24	72,919	2,344	230	FCLGA4189	Server
»	[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	72,905	2,379	150	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 73F3	16	72,363	2,831	240	SP3	Server
»	AMD EPYC 7662	64	72,298	2,102	225	SP3	Server
»	[Dual CPU] AMD EPYC 7552	48	72,235	1,527	200	SP3	Server
»	AMD EPYC 8534P	64	71,900	2,441	200	SP6	Server
»	[Dual CPU] Intel Xeon Gold 6444Y	16	71,870	3,267	270	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz	24	71,408	2,542	185	FCLGA4189	Server
»	[Dual CPU] AMD EPYC 7443	24	71,156	2,380	200	SP3	Server
»	[Quad CPU] Intel Xeon Gold 5318H @ 2.50GHz	18	70,723	1,975	150	FCLGA4189	Server
»	AMD EPYC 7C13	64	70,474	2,607	NA	Unknown	Server
»	AMD EPYC 7702	64	70,107	2,095	200	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6526Y	16	69,689	3,095	195	FCLGA4677	Server
»	AMD EPYC 7742	64	69,663	2,162	225	SP3	Server
»	AMD EPYC 7H12	64	69,633	1,774	280	SP3	Server
»	AMD EPYC 7573X	32	69,432	2,674	280	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6426Y	16	68,988	3,082	185	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz	32	68,643	1,913	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz	32	68,563	2,185	205	FCLGA4189	Server
»	AMD EPYC 75F3	32	68,505	2,775	280	SP3	Server
»	Intel Xeon Platinum 8571N	52	68,385	1,969	300	FCLGA4677	Server
»	[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz	24	67,895	2,099	165	LGA2011-v3	Server
»	AMD EPYC 9354	32	67,842	2,310	280	SP5	Server
»	[Quad CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	67,444	2,190	125	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7313	16	67,180	2,626	155	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz	24	66,812	2,375	NA	Unknown	Server
»	AMD Ryzen Threadripper PRO 5965WX	24	66,732	3,358	280	sWRX8	Desktop, Server
»	AMD Ryzen 9 9950X	16	66,728	4,740	170	AM5	Desktop
»	AMD EPYC 9254	24	66,708	3,181	200	SP5	Server
»	AMD EPYC 7543P	32	66,687	2,741	225	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»»	[Dual CPU] Montage Jintide C6348	28	66,555	2,206	NA	LGA4189	Server
»»	AMD EPYC 8434P	48	66,490	2,448	200	SP6	Server
»»	AMD EPYC 7B12	64	66,044	1,927	240	SP3	Server
»»	[Dual CPU] AMD EPYC 7352	24	65,921	2,040	155	SP3	Server
»»	Intel Xeon w7-3465X	28	65,879	3,444	300	FCLGA4677	Server
»»	[Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz	32	65,860	1,955	185	FCLGA4189	Server
»»	Intel Xeon Gold 6530	32	65,533	3,330	270	FCLGA4677	Server
»»	Intel Xeon w9-3475X	36	65,034	3,419	300	FCLGA4677	Server
»»	[Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	64,957	2,260	125	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz	26	64,917	2,064	185	FCLGA4189	Server
»»	[Dual CPU] Intel Xeon Silver 4416+	20	64,909	2,676	165	FCLGA4677	Server
»»	AMD EPYC 9334	32	64,841	2,367	NA	SP5	Server
»»	[Dual CPU] AMD EPYC 7F52	16	64,806	2,439	240	SP3	Server
»»	AMD EPYC 7R32	48	64,727	1,922	NA	Unknown	Server
»»	[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz	18	64,422	2,484	205	FCLGA4189	Server
»»	[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz	28	64,291	2,356	205	FCLGA3647	Server
»»	[Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	64,115	1,921	165	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz	28	64,015	1,958	205	FCLGA4189	Server
»»	[Dual CPU] AMD EPYC 7402	24	63,999	1,980	180	SP3	Server
»»	[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz	28	63,984	2,346	205	FCLGA3647	Server
»»	[Dual CPU] AMD Ryzen Threadripper PRO 3955WX	16	63,885	2,439	280	sWRX8	Desktop, Server
»»	AMD EPYC 7702P	64	63,300	2,124	200	SP3	Server
»»	AMD Ryzen Threadripper 3970X	32	63,104	2,666	280	sTRX4	Desktop
»»	AMD Ryzen 9 7950X	16	62,732	4,277	170	AM5	Desktop
»»	Intel Core i9-14900KS	24	62,583	4,867	150	FCLGA1700	Desktop
»»	AMD Ryzen Threadripper PRO 3975WX	32	62,555	2,657	280	sWRX8	Desktop, Server
»»	AMD Ryzen 9 7950X3D	16	62,457	4,146	120	AM5	Desktop
»»	Intel Xeon Platinum 8454H	32	62,347	2,831	270	FCLGA4677	Server
»»	[Dual CPU] Intel Xeon Gold 5416S	16	62,325	3,028	150	FCLGA4677	Server
»»	Intel Xeon Platinum 8380 @ 2.30GHz	40	62,318	2,385	270	FCLGA4189	Server
»»	[Dual CPU] Intel Xeon Platinum 8268 @ 2.90GHz	24	62,130	2,347	205	FCLGA3647	Server
»»	AMD EPYC 4584PX	16	62,120	4,181	120	AM5	Server
»»	AMD EPYC 4564P	16	62,058	4,309	170	AM5	Server
»»	[Dual CPU] Intel Xeon Platinum 8269CY @ 2.50GHz	26	61,811	2,053	NA	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i9-13900KS	24	61,643	4,751	150	FCLGA1700	Desktop
»	Intel Xeon w7-2575X	22	61,402	3,958	250	FCLGA4677	Server
»	AMD EPYC 7552	48	61,282	2,163	200	SP3	Server
»	[Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	61,131	1,940	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6268CL @ 2.80GHz	24	61,095	2,364	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz	24	61,068	2,335	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 9124	16	60,915	2,229	200	SP5	Server
»	AMD EPYC 74F3	24	60,666	2,942	240	SP3	Server
»	[Quad CPU] Intel Xeon E7-8894 v4 @ 2.40GHz	24	60,496	1,858	165	FCLGA2011	Server
»	Intel Xeon Gold 6448Y	32	60,449	2,686	225	FCLGA4677	Server
»	Intel Xeon Gold 5512U	28	60,365	3,072	185	FCLGA4677	Server
»	Intel Core i9-14900K	24	60,314	4,743	125	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz	28	60,188	2,427	NA	Unknown	Server
»	AMD Ryzen Threadripper PRO 7955WX	16	59,759	4,078	350	sTR5	Desktop
»	Intel Core i9-14900KF	24	59,547	4,706	125	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz	28	59,385	2,133	205	FCLGA3647	Server
»	AMD EPYC 7513	32	59,285	2,442	200	SP3	Server
»	AMD EPYC 7473X	24	59,280	2,751	240	SP3	Server
»	Intel Core i9-13900K	24	59,101	4,623	125	FCLGA1700	Desktop
»	Intel Xeon W-3375 @ 2.50GHz	38	59,069	2,643	270	FCLGA4189	Server
»	Intel Xeon W-3365 @ 2.70GHz	32	59,038	2,625	270	FCLGA4189	Server
»	Intel Xeon Gold 6421N	32	58,797	2,978	185	FCLGA4677	Server
»	Intel Core i9-13900KF	24	58,453	4,614	125	FCLGA1700	Desktop
»	AMD EPYC 7543	32	58,303	2,307	240	SP3	Server
»	AMD EPYC 7642	48	58,248	2,045	225	SP3	Server
»	Intel Xeon w7-2495X	24	58,228	3,555	225	FCLGA4677	Server
»	Intel Xeon Gold 5420+	28	58,209	3,408	205	FCLGA4677	Server
»	AMD EPYC 7K62	48	58,203	2,120	NA	SP3	Server
»	AMD Ryzen 9 7945HX3D	16	58,038	4,119	55	FL1	Laptop
»	[Dual CPU] AMD EPYC 7551	32	57,865	1,789	180	SP3	Server
»	[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz	26	57,780	2,109	165	FCLGA3647	Server
»	Ampere ARM - 192 Core 3200 MHz	192	57,444	1,228	NA	Unknown	Server
»	Intel Xeon Gold 6423N	28	57,434	2,998	195	FCLGA4677	Server
»	ARM Neoverse-V2 72 Core 3465 MHz	72	57,369	2,328	NA	Unknown	Unknown
»	[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz	15	57,307	2,010	155	FCLGA2011	Server
»	[Dual CPU] Intel Xeon Silver 4510	12	57,247	3,277	150	FCLGA4677	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Neoverse-V2 72 Core 3519 MHz	72	57,240	2,340	NA	Unknown	Server
»	Intel Xeon Gold 6414U	32	57,200	2,610	250	FCLGA4677	Server
»	Intel Xeon w7-3455	24	57,164	3,350	270	FCLGA4677	Server
»	AMD EPYC 8324P	32	57,127	2,367	180	SP6	Server
»	AMD EPYC 7443P	24	57,088	2,916	200	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz	28	57,049	2,152	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz	24	56,985	2,063	165	FCLGA4189	Server
»	Intel Xeon w5-2565X	18	56,653	3,915	240	FCLGA4677	Server
»	AMD EPYC 7443	24	56,601	2,907	200	SP3	Server
»	Intel Xeon Gold 6442Y	24	56,263	2,992	225	FCLGA4677	Server
»	Intel Xeon Platinum 8375C @ 2.90GHz	32	56,202	2,474	300	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz	24	55,765	2,307	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz	16	55,568	2,461	205	FCLGA4189	Server
»	AMD EPYC 9174F	16	55,485	3,318	320	SP5	Unknown
»	[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz	24	55,297	2,472	165	LGA3647	Server
»	[Dual CPU] AMD EPYC 7401	24	55,280	1,850	155	SP3	Server
»	Intel Xeon w7-2475X	20	55,249	3,714	225	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7371	16	54,894	2,320	NA	SP3	Server
»	AMD Ryzen Threadripper 3960X	24	54,887	2,682	280	sTRX4	Desktop
»	[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz	24	54,849	2,042	210	LGA 3647	Server
»	AMD Ryzen 9 7945HX	16	54,740	4,058	55	FL1	Laptop
»	[Quad CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	54,647	1,657	150	FCLGA2011	Server
»	[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	54,621	1,786	120	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz	24	54,588	2,147	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz	24	54,515	2,287	150	FCLGA3647	Server
»	Intel Xeon Platinum 8358 @ 2.60GHz	32	54,416	2,382	250	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz	20	54,398	2,362	205	FCLGA3647	Server
»	AMD Ryzen 9 9900X	12	54,379	4,667	120	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz	18	54,255	2,345	200	FCLGA3647	Server
»	[Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	54,123	2,273	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz	16	54,086	2,354	185	FCLGA4189	Server
»	Intel Xeon Platinum 8360Y @ 2.40GHz	36	54,078	2,489	250	FCLGA4189	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon Gold 5320H @ 2.40GHz	20	53,931	2,485	150	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz	28	53,835	2,040	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz	26	53,762	2,245	150	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7601	32	53,737	1,765	180	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz	20	53,687	2,150	150	FCLGA4189	Server
»	AMD Ryzen 9 7940HX	16	53,658	3,933	55	AM5 (LGA 1718)	Desktop, Laptop
»	[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz	18	53,402	1,584	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz	24	53,398	2,217	150	FCLGA3647	Server
»	Intel Core i7-14700K	20	53,284	4,474	125	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz	28	53,264	1,993	165	FCLGA3647	Server
»	Intel Core i7-14700KF	20	53,212	4,476	125	FCLGA1700	Desktop
»	Intel Xeon Gold 6438N	32	52,789	2,315	205	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz	28	52,715	2,142	205	FCLGA3647	Server
»	AMD EPYC 7532	32	52,612	2,051	200	SP3	Server
»	AMD EPYC 7F72	24	52,597	2,381	240	SP3	Server
»	Intel Xeon Gold 5412U	24	52,557	3,119	185	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz	26	52,386	2,382	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7451	24	52,322	1,931	180	SP3	Server
»	Intel Xeon Gold 6348 @ 2.60GHz	28	52,276	2,459	235	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	52,066	2,065	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz	22	51,998	1,970	205	FCLGA3647	Server
»	Intel Xeon w5-2555X	14	51,912	3,967	210	FCLGA4677	Server
»	AMD Ryzen 9 7900X	12	51,742	4,258	170	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6534	8	51,562	3,450	195	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7282	16	51,546	2,046	120	SP3	Server
»	[Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz	18	51,476	1,634	165	LGA2011-1	Server
»	[Dual CPU] AMD EPYC 7302	16	51,405	1,936	155	SP3	Server
»	Intel Core i9-13900F	24	51,146	4,426	65	FCLGA1700	Desktop
»	AMD EPYC 4484PX	12	51,115	4,251	120	AM5	Server
»	AMD EPYC 7502P	32	50,667	2,014	180	SP3	Server
»	AMD EPYC 7453	28	50,575	2,522	225	SP3	Server
»	AMD Ryzen 9 7900X3D	12	50,359	4,129	120	AM5 (LGA 1718)	Desktop
»	[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz	28	50,348	2,144	165	FCLGA3647	Server
»	AMD EPYC 9184X	16	50,344	3,196	320	SP5	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD EPYC 7413	24	50,223	2,365	180	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5318H @ 2.50GHz	18	50,218	2,301	150	FCLGA4189	Server
»	Apple M2 Ultra 24 Core	24	50,199	4,194	NA	Unknown	Desktop
»	[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	50,157	1,574	150	LGA2011-1	Server
»	AMD Ryzen Threadripper PRO 5955WX	16	50,026	3,342	280	sWRX8	Desktop, Server
»	[Dual CPU] AMD EPYC 72F3	8	50,017	3,034	180	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz	24	49,891	2,255	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz	18	49,872	2,401	205	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 7945WX	12	49,599	4,086	350	sTR5	Desktop
»	Intel Xeon Platinum 8347C @ 2.10GHz	36	49,386	2,445	210	LGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz	18	49,294	2,186	200	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	49,282	2,037	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6252N @ 2.30GHz	24	49,269	1,942	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4410Y	12	49,077	3,147	150	FCLGA4677	Server
»	Montage Jintide C5418Y	24	49,045	2,341	185	LGA4677	Server
»	AMD EPYC 7R12	48	48,934	2,079	200	SP3	Server
»	[Quad CPU] Intel Xeon E7-8891 v4 @ 2.80GHz	10	48,879	2,104	165	FCLGA2011	Server
»	AMD Ryzen 9 7900	12	48,852	4,151	65	AM5	Desktop
»	AMD EPYC 4464P	12	48,793	4,124	NA	AM5	Server
»	[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz	18	48,775	2,019	NA	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz	18	48,736	2,308	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz	12	48,676	2,683	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz	16	48,396	2,402	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4410T	10	48,208	3,084	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6434	8	48,025	3,423	195	FCLGA4677	Server
»	Intel Xeon Gold 6314U @ 2.30GHz	32	48,013	2,217	205	FCLGA4189	Server
»	AMD EPYC 7502	32	47,983	2,021	180	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4514Y	16	47,978	2,077	150	FCLGA4677	Server
»	Intel Core i9-14900	24	47,885	4,522	65	FCLGA1700	Desktop
»	AMD Ryzen 9 PRO 7945	12	47,847	4,174	65	AM5 (LGA 1718)	Desktop, Server
»	Intel Core i9-14900F	24	47,786	4,509	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz	24	47,488	1,886	135	Unknown	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon Gold 6342 @ 2.80GHz	24	47,320	2,431	230	FCLGA4189	Server
»	Intel Core i9-13980HX	24	47,307	4,303	55	FCBGA1964	Laptop
»	Intel Core i9-13900	24	47,234	4,345	65	FCLGA1700	Desktop
»	Intel Xeon w7-3445	20	47,108	3,251	270	FCLGA4677	Server
»	Intel Xeon w5-2465X	16	46,906	3,543	200	FCLGA4677	Server
»	[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	46,766	2,634	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	46,724	2,102	165	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz	20	46,718	2,107	150	FCLGA3647	Server
»	Intel Xeon Platinum 8368Q @ 2.60GHz	38	46,681	2,568	270	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz	16	46,473	2,392	205	FCLGA3647	Server
»	Intel Core i7-13700K	16	46,459	4,361	125	FCLGA1700	Desktop
»	Intel Core i7-13700KF	16	46,408	4,361	125	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz	16	46,348	2,192	135	FCLGA4189	Server
»	Intel Core i7-13790F	16	46,309	4,159	65	FCLGA1700	Desktop
»	Intel Xeon w5-3435X	16	46,265	3,445	324	FCLGA4677	Server
»	Intel Xeon Silver 4416+	20	46,208	3,233	165	FCLGA4677	Server
»	AMD EPYC 73F3	16	46,103	2,883	240	SP3	Server
»	Intel Xeon Gold 6526Y	16	46,025	3,242	195	FCLGA4677	Server
»	[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz	16	46,001	1,730	165	FCLGA2011	Server
»	AMD Ryzen 9 5900XT	16	45,990	3,468	105	AM4	Desktop
»	[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz	22	45,967	2,050	140	FCLGA3647	Server
»	AMD EPYC 7402	24	45,873	2,125	180	SP3	Server
»	Intel Core i9-14900HX	24	45,790	4,297	55	FCBGA1964	Laptop
»	Intel Xeon W-3345 @ 3.00GHz	24	45,694	2,426	250	FCLGA4189	Server
»	AMD Ryzen 9 5950X	16	45,630	3,470	105	AM4	Desktop
»	AMD Ryzen 9 7845HX	12	45,559	3,964	55	FL1	Laptop
»	Intel Xeon Gold 6336Y @ 2.40GHz	24	45,517	2,522	185	FCLGA4189	Server
»	[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	45,066	1,798	155	LGA 2011-1	Server
»	[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz	20	45,041	2,128	125	FCLGA3647	Server
»	AMD EPYC 7542	32	45,003	2,102	225	SP3	Server
»	[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz	22	44,999	2,113	145	FCLGA2011-3	Server
»	AMD EPYC 8224P	24	44,990	2,367	160	SP6	Server
»	Intel Xeon Gold 6538N	32	44,895	1,725	205	FCLGA4677	Server
»	AMD EPYC 7452	32	44,759	1,990	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 5415+	8	44,674	3,248	150	FCLGA4677	Server
»	Intel Xeon Gold 5418Y	24	44,487	1,961	185	FCLGA4677	Server
»	[Dual CPU] AMD EPYC 7272	12	44,270	2,019	120	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i9-13900HX	24	44,209	4,128	55	FCBGA1964	Laptop
»	Intel Core i9-13900T	24	44,089	4,200	35	FCLGA1700	Desktop
»	AMD EPYC 7402P	24	44,068	2,028	180	SP3	Server
»	Intel Core i9-12900KS	16	44,007	4,345	150	LGA 1700	Desktop
»	AMD EPYC 9124	16	43,963	2,729	200	SP5	Server
»	Intel Core i7-14700F	20	43,944	4,315	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz	18	43,913	2,096	240	FCLGA3647	Server
»	Intel Core i9-13950HX	24	43,673	4,028	55	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz	22	43,594	2,107	145	FCLGA2011-3	Server
»	Intel Core i7-14700	20	43,514	4,220	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 6162 @ 1.90GHz	24	43,470	1,678	150	FCLGA3647	Server
»	AMD EPYC 7343	16	43,368	2,703	190	SP3	Server
»	ARM Neoverse-N1 128 Core 3000 MHz	128	43,229	1,323	NA	Unknown	Server
»	ARM Neoverse-N1 128 Core 2800 MHz	128	43,111	1,239	NA	Unknown	Server
»	Intel Xeon Gold 6330 @ 2.00GHz	28	43,056	2,034	205	FCLGA4189	Server
»	AMD EPYC 7D12	32	43,032	1,895	85	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	42,860	2,099	125	FCLGA3647	Server
»	AMD EPYC 9224	24	42,448	2,057	200	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz	12	42,206	2,490	165	FCLGA3647	Server
»	Intel Xeon Gold 6312U @ 2.40GHz	24	42,124	2,344	185	FCLGA4189	Server
»	Intel Xeon Gold 6338N @ 2.20GHz	32	42,086	2,066	185	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz	18	41,925	2,211	125	FCLGA3647	Server
»	Intel Xeon w5-2545	12	41,688	3,853	210	FCLGA4677	Server
»	AMD EPYC 7313P	16	41,657	2,685	155	SP3	Server
»	[Dual CPU] Intel Xeon Silver 4509Y	8	41,561	2,774	125	FCLGA4677	Server
»	Intel Core i9-12900K	16	41,479	4,163	241	FCLGA1700	Desktop
»	Intel Xeon Gold 6354 @ 3.00GHz	18	41,445	2,450	205	FCLGA4189	Server
»	[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz	22	41,314	2,119	150	FCLGA2011-3	Server
»	[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	41,232	1,446	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz	12	41,181	2,357	150	FCLGA4189	Server
»	Apple M1 Ultra 20 Core	20	41,176	3,869	60	Unknown	Desktop
»	Intel Core i9-12900KF	16	41,131	4,163	241	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	41,126	1,628	105	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz	16	41,082	1,785	110	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»	Intel Xeon W-3275 @ 2.50GHz	28	40,931	2,584	205	FCLGA3647	Server
»	Apple M3 Max 16 Core	16	40,846	4,781	78	Unknown	Laptop
»	Intel Xeon Platinum 8275CL @ 3.00GHz	24	40,794	2,386	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz	20	40,707	2,202	120	FCLGA3647	Server
»	[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	40,698	2,221	130	FCLGA3647	Server
»	Intel Xeon Gold 6416H	18	40,606	2,860	165	FCLGA4677	Server
»	AMD Ryzen Threadripper PRO 5945WX	12	40,565	3,355	280	sWRX8	Desktop, Server
»	[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz	20	40,534	2,193	125	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 3955WX	16	40,291	2,680	280	sWRX8	Desktop, Server
»	Intel Core i9-14900T	24	40,277	3,783	35	FCLGA1700	Desktop
»	Intel Xeon Gold 6258R @ 2.70GHz	28	40,252	2,080	205	FCLGA3647	Server
»	AMD EPYC 7F52	16	40,251	2,471	240	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz	18	40,210	1,954	NA	LGA 3647	Server
»	AMD EPYC 7352	24	40,096	1,969	155	SP3	Server
»	[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz	16	39,978	2,107	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz	18	39,883	2,103	140	FCLGA3647	Server
»	Intel Xeon W-3275M @ 2.50GHz	28	39,834	2,723	205	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7F32	8	39,712	2,415	180	SP3	Server
»	[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz	20	39,543	2,114	135	FCLGA2011-3	Server
»	Intel Core i5-14600KF	14	39,329	4,292	125	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz	15	39,311	1,610	130	LGA 2011	Server
»	Intel Xeon W-3335 @ 3.40GHz	16	39,293	2,673	250	FCLGA4189	Server
»	Intel Core i5-14600K	14	39,150	4,282	125	FCLGA1700	Desktop
»	AMD Ryzen 9 5900X	12	39,123	3,469	105	AM4	Desktop
»	AMD EPYC 7313	16	39,091	2,417	155	SP3	Server
»	Intel Core i7-13700F	16	38,869	4,127	65	FCLGA1700	Desktop
»	AMD Ryzen 9 3950X	16	38,757	2,704	105	AM4	Desktop
»	[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz	12	38,392	2,346	165	FCLGA3647	Server
»	Intel Xeon Platinum 8180 @ 2.50GHz	28	38,259	2,142	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz	18	38,248	2,091	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6426Y	16	38,159	2,714	185	FCLGA4677	Server
»	AMD EPYC 7551P	32	38,126	1,770	180	SP3	Server
»	Intel Core i7-13850HX	20	37,988	3,841	55	FCBGA1964	Laptop
»	Intel Core i5-13600K	14	37,958	4,138	125	FCLGA1700	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»»	[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz	20	37,891	2,055	135	FCLGA2011-3	Server
»»	[Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	37,875	1,647	150	FCLGA2011	Server
»»	Intel Xeon w5-2455X	12	37,857	3,549	200	FCLGA4677	Server
»»	Intel Core i5-13600KF	14	37,811	4,133	125	FCLGA1700	Desktop
»»	[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz	16	37,742	2,197	150	FCLGA3647	Server
»»	Intel Xeon Gold 6346 @ 3.10GHz	16	37,665	2,483	205	FCLGA4189	Server
»»	Intel Xeon Gold 5320 @ 2.20GHz	26	37,558	1,826	185	FCLGA4189	Server
»»	[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz	16	37,551	2,057	NA	FCLGA3647	Server
»»	Intel Xeon Gold 6238R @ 2.20GHz	28	37,511	2,362	165	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz	20	37,412	1,998	150	FCLGA3647	Server
»»	AMD Ryzen 7 9700X	8	37,406	4,613	65	AM5	Desktop
»»	Intel Core i7-14700HX	20	37,263	3,968	55	FCBGA1964	Laptop
»»	Intel Xeon W-3175X @ 3.10GHz	28	37,167	2,148	255	FCLGA3647	Desktop
»»	Intel Core i7-13700	16	37,040	4,129	65	FCLGA1700	Desktop
»»	Intel Xeon w5-3425	12	36,768	3,364	270	FCLGA4677	Server
»»	Intel Core i7-14650HX	16	36,765	3,974	157	FCBGA1964	Laptop
»»	[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz	20	36,497	1,915	125	FCLGA3647	Server
»»	Apple M3 Max 14 Core	14	36,481	4,769	78	Unknown	Laptop
»»	AMD EPYC 8124P	16	36,470	2,373	125	SP6	Server
»»	[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz	8	36,428	2,471	140	FCLGA4189	Server
»»	Intel Core i9-12900F	16	36,408	4,033	65	FCLGA1700	Desktop
»»	Intel Xeon Gold 6330N @ 2.20GHz	28	36,360	2,322	165	FCLGA4189	Server
»»	[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz	12	36,304	1,935	130	FCLGA2011	Server
»»	[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	36,266	1,554	115	FCLGA2011	Server
»»	Intel Xeon Gold 6248R @ 3.00GHz	24	36,186	2,301	205	FCLGA3647	Server
»»	AMD EPYC 4364P	8	36,124	4,246	105	AM5	Server
»»	AMD Ryzen 7 7700X	8	36,019	4,200	105	AM5	Desktop
»»	Intel Xeon Gold 5416S	16	35,976	2,888	150	FCLGA4677	Server
»»	[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	35,966	2,170	150	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz	16	35,888	2,101	150	FCLGA3647	Server
»»	AMD Ryzen AI 9 HX 370	12	35,822	4,075	28	FP8	Desktop, Laptop
»»	[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz	16	35,440	2,229	125	FCLGA3647	Server
»»	Intel Xeon Gold 6326 @ 2.90GHz	16	35,270	2,365	185	FCLGA4189	Server
»»	AMD EPYC 4344P	8	35,191	4,094	65	AM5	Server
»»	Intel Core i5-14600	14	35,187	4,100	65	FCLGA1700	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz	8	35,164	2,705	185	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz	8	35,117	2,518	165	FCLGA4189	Server
»	Intel Core i9-12900TE	16	35,057	3,926	35	FCLGA1700	Mobile/Embedded
»	[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz	16	35,036	2,014	105	Unknown	Server
»	[Dual CPU] AMD EPYC 7252	8	34,911	2,095	120	SP3	Server
»	[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz	18	34,852	1,889	120	FCLGA2011-3	Server
»	Intel Xeon w5-3433	16	34,849	2,657	220	FCLGA4677	Server
»	Intel Core i7-13700E	16	34,728	3,272	65	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 7 PRO 7745	8	34,652	4,083	65	AM5 (LGA 1718)	Desktop, Server
»	ARM Neoverse-N1 80 Core 3000 MHz	80	34,639	1,326	NA	Unknown	Server
»	Intel Core i7-12700K	12	34,608	4,030	190	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz	14	34,597	2,173	140	FCLGA3647	Server
»	AMD Ryzen 7 7700	8	34,587	4,060	65	AM5	Desktop
»	[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	34,583	1,787	150	LGA2011-1	Server
»	AMD Ryzen 9 PRO 5945	12	34,573	3,497	65	AM4	Desktop
»	Intel Xeon Gold 6268CL @ 2.80GHz	24	34,558	2,278	205	FCLGA3647	Server
»	Intel Xeon Platinum 8268 @ 2.90GHz	24	34,483	2,255	205	FCLGA3647	Server
»	AMD Ryzen 9 5900	12	34,400	3,449	65	AM4	Desktop
»	Intel Core i7-12700KF	12	34,364	4,011	190	FCLGA1700	Desktop
»	Intel Core i9-12900	16	34,292	4,048	65	FCLGA1700	Desktop
»	Intel Xeon Gold 6242R @ 3.10GHz	20	34,282	2,401	205	FCLGA3647	Server
»	AMD Ryzen 7 7800X3D	8	34,268	3,751	120	AM5	Desktop
»	[Dual CPU] AMD EPYC 7262	8	34,227	2,023	155	SP3	Server
»	Intel Xeon Silver 4510	12	34,170	3,396	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz	16	34,166	2,164	145	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	34,156	2,113	125	FCLGA3647	Server
»	[Dual CPU] AMD EPYC 7301	16	34,148	1,654	155	SP3	Server
»	[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz	18	34,115	1,968	145	LGA2011-v3	Server
»	AMD EPYC 7601	32	34,079	1,890	180	SP3	Server
»	Intel Core i9-12900HX	16	34,066	3,836	55	FCBGA1964	Laptop
»	Intel Core i9-13900E	24	34,049	3,592	65	FCLGA1700	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz	22	33,981	1,497	145	FCLGA2011-3	Server
»	Intel Xeon Platinum 8260M @ 2.30GHz	24	33,970	2,315	165	LGA3647	Server
»	Intel Xeon Gold 6338 @ 2.00GHz	32	33,814	2,206	205	FCLGA4189	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon W-3265M @ 2.70GHz	24	33,800	2,662	205	FCLGA3647	Desktop, Server
»	Intel Xeon D-2799 @ 2.40GHz	20	33,792	2,404	129	FCBGA2579	Server
»	Intel Xeon Gold 6230R @ 2.10GHz	26	33,724	2,236	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz	12	33,665	1,943	120	FCLGA4189	Server
»	[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz	18	33,650	1,831	145	FCLGA2011-3	Server
»	Intel Core i7-13700HX	16	33,638	3,872	55	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz	8	33,625	2,559	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz	16	33,586	1,939	125	FCLGA3647	Server
»	AMD Ryzen Threadripper PRO 3945WX	12	33,539	2,703	280	sWRX8	Desktop, Server
»	Intel Xeon Gold 6240R @ 2.40GHz	24	33,353	2,312	165	FCLGA3647	Server
»	Intel Xeon Gold 5318Y @ 2.10GHz	24	33,283	2,083	165	FCLGA4189	Server
»	AMD EPYC 7302	16	33,106	2,019	155	SP3	Server
»	Intel Xeon Platinum 8168 @ 2.70GHz	24	33,099	2,092	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz	18	32,867	2,047	145	LGA2011-v3	Server
»	Intel Xeon Gold 6278C @ 2.60GHz	26	32,835	2,019	185	FCLGA3647	Server
»	Intel Core i7-14700T	20	32,784	3,859	35	FCLGA1700	Desktop
»	Intel Xeon Platinum 8280 @ 2.70GHz	28	32,781	2,029	205	FCLGA3647	Server
»	Intel Core i9-10980XE @ 3.00GHz	18	32,770	2,652	165	FCLGA2066	Desktop
»	Intel Xeon Gold 5220R @ 2.20GHz	24	32,765	2,333	150	FCLGA3647	Server
»	AMD Ryzen 9 3900XT	12	32,673	2,746	105	AM4	Desktop
»	AMD Ryzen 7 7745HX	8	32,664	3,947	55	AM5 (LGA 1718)	Laptop
»	AMD EPYC 7302P	16	32,626	1,877	155	SP3	Server
»	AMD Ryzen 9 3900X	12	32,625	2,706	105	AM4	Desktop
»	Intel Core i5-14500	14	32,493	4,010	65	FCLGA1700	Desktop
»	[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	32,381	2,013	130	FCLGA2011	Server
»	Intel Core i9-12950HX	16	32,323	3,825	55	FCBGA1964	Laptop
»	Intel Xeon w5-2445	10	32,251	3,376	175	FCLGA4677	Server
»	Intel Core i7-12800HX	16	32,152	3,735	55	FCBGA1964	Laptop
»	[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz	10	32,150	1,563	95	FCLGA2011	Server
»	Intel Core i5-13600	14	32,148	4,044	65	FCLGA1700	Desktop
»	AMD Ryzen Threadripper 2990WX	32	32,109	2,281	250	sTR4	Desktop, Server
»	AMD Ryzen 7 PRO 8700G	8	32,070	3,973	65	AM5	Desktop
»	[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	32,062	2,203	125	FCLGA3647	Server
»	Intel Core i9-9980XE @ 3.00GHz	18	31,979	2,560	165	FCLGA2066	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz	14	31,933	2,098	135	FCLGA2011-3	Server
»	Intel Core i5-13500	14	31,906	3,884	65	FCLGA1700	Desktop
»	AMD Ryzen 7 8700G	8	31,802	3,947	65	AM5	Desktop
»	[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz	8	31,783	2,456	105	FCLGA4189	Server
»	Intel Xeon Gold 5320H @ 2.40GHz	20	31,718	2,428	150	FCLGA4189	Server
»	AMD Ryzen 9 PRO 3900	12	31,609	2,692	65	AM4	Desktop
»	Intel Core i9-13900HK	14	31,590	3,983	45	FCBGA1744	Laptop
»	Intel Xeon Gold 6254 @ 3.10GHz	18	31,513	2,363	200	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	31,494	1,549	135	FCLGA2011-3	Server
»	Intel Core i7-13650HX	14	31,403	3,820	55	FCBGA1964	Laptop
»	Intel Xeon Silver 4316 @ 2.30GHz	20	31,341	1,928	150	FCLGA4189	Server
»	[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz	16	31,258	2,006	135	LGA2011-v3	Server
»	AMD Ryzen 9 PRO 8945HS	8	31,160	3,932	45	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Platinum 8259CL @ 2.50GHz	24	31,142	1,955	210	LGA 3647	Server
»	AMD EPYC 7371	16	31,094	2,377	NA	SP3	Server
»	AMD Ryzen 7 8700F	8	31,045	3,907	65	AM5	Desktop
»	Intel Xeon W-3245 @ 3.20GHz	16	30,871	2,601	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz	8	30,808	2,390	130	FCLGA3647	Server
»	AMD Ryzen 9 3900	12	30,803	2,623	65	AM4	Desktop
»	AMD Ryzen 9 8945H	8	30,800	3,955	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Core i7-12700	12	30,799	3,911	65	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz	16	30,722	1,643	125	FCLGA3647	Server
»	Intel Xeon W-2295 @ 3.00GHz	18	30,668	2,634	165	FCLGA2066	Server
»	Intel Core i7-12850HX	16	30,661	3,707	55	FCBGA1964	Laptop
»	Intel Core i7-12700F	12	30,655	3,872	65	FCLGA1700	Desktop
»	AMD Ryzen Threadripper 2970WX	24	30,653	2,328	250	sTR4	Desktop, Server
»	Intel Xeon Platinum 8171M @ 2.60GHz	26	30,632	2,222	165	FCLGA3647	Server
»	Intel Core i5-13500HX	14	30,576	3,663	55	FCBGA1964	Laptop
»	AMD EPYC Embedded 7292P	16	30,542	2,091	NA	Unknown	Server
»	[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz	16	30,507	1,754	125	FCLGA3647	Server
»	Intel Xeon Gold 6246R @ 3.40GHz	16	30,468	2,341	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz	12	30,442	2,114	125	FCLGA3647	Server
»	AMD Ryzen 9 7940HS	8	30,369	3,900	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i9-9960X @ 3.10GHz	16	30,360	2,608	165	FCLGA2066	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Xeon Platinum 8260 @ 2.40GHz	24	30,347	2,239	165	FCLGA3647	Server
»	AMD Ryzen 7 PRO 8700GE	8	30,199	3,974	35	AM5	Desktop
»	Intel Core i9-13905H	14	30,184	3,694	45	FCBGA1792	Laptop
»	[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz	16	30,184	1,780	100	FCLGA3647	Server
»	Intel Core i9-9990XE @ 4.00GHz	14	30,162	2,970	255	LGA2066	Desktop
»	AMD EPYC 7282	16	30,128	1,899	120	SP3	Server
»	Intel Core i9-7980XE @ 2.60GHz	18	30,108	2,474	165	FCLGA2066	Desktop
»	Intel Xeon W-3265 @ 2.70GHz	24	30,105	2,572	205	FCLGA3647	Server
»	Intel Core i9-12900T	16	30,056	3,819	35	FCLGA1700	Desktop
»	Intel Xeon Platinum 8270 @ 2.70GHz	26	29,986	2,325	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz	8	29,954	2,466	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz	16	29,874	1,830	120	FCLGA2011-3	Server
»	Intel Xeon Gold 6248 @ 2.50GHz	20	29,831	2,284	150	FCLGA3647	Server
»	Intel Xeon E-2478	8	29,827	4,000	80	FCLGA1700	Server
»	AMD Ryzen 5 9600X	6	29,806	4,566	65	AM5	Desktop
»	Intel Core i7-12800HE	14	29,805	3,313	45	FCBGA1744	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz	10	29,629	2,334	165	FCLGA2011-3	Server
»	Intel Xeon E-2488	8	29,590	4,198	95	FCLGA1700	Server
»	[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz	14	29,566	1,730	105	FCLGA3647	Server
»	AMD Ryzen AI 9 365	10	29,509	3,888	28	FP8	Desktop, Laptop
»	Intel Core Ultra 9 185H	16	29,482	3,708	45	FCBGA2049	Laptop
»	AMD Ryzen Threadripper 2950X	16	29,452	2,459	180	sTR4	Desktop
»	Intel Core i7-12700E	12	29,384	3,777	65	FCLGA1700	Desktop, Mobile/Embedded
»	AMD Ryzen 9 8945HS	8	29,337	3,859	45	FP7 FP7r2 FP8	Desktop, Laptop
»	AMD Ryzen 7 PRO 8845HS	8	29,329	3,840	45	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Gold 5318H @ 2.50GHz	18	29,301	2,225	150	FCLGA4189	Server
»	[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz	12	29,295	1,989	100	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz	14	29,172	1,866	120	LGA2011-v3	Server
»	Intel Xeon Gold 6148 @ 2.40GHz	20	29,009	2,152	150	FCLGA3647	Server
»	Intel Xeon Silver 4314 @ 2.40GHz	16	28,954	2,215	135	FCLGA4189	Server
»	AMD Ryzen 7 7840HS	8	28,919	3,782	54	FP7 FP7r2 FP8	Laptop
»	Intel Xeon Gold 6210U @ 2.50GHz	20	28,915	2,203	150	FCLGA3647	Server
»	Intel Xeon Silver 4410T	10	28,859	3,094	150	FCLGA4677	Server
»	Intel Core i9-7960X @ 2.80GHz	16	28,836	2,498	165	FCLGA2066	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon Platinum 8160 @ 2.10GHz	24	28,825	2,077	150	FCLGA3647	Server
»	Intel Core i9-13900H	14	28,794	3,849	45	FCBGA1744	Laptop
»	AMD Ryzen 7 8845HS	8	28,755	3,762	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Xeon Gold 6238 @ 2.10GHz	22	28,668	1,878	140	FCLGA3647	Server
»	Intel Core i5-14490F	10	28,662	3,873	65	FCLGA1700	Desktop
»	Intel Xeon Gold 6154 @ 3.00GHz	18	28,632	2,239	200	FCLGA3647	Server
»	AMD Ryzen 9 7940H	8	28,608	3,996	54	FP7 FP7r2 FP8	Laptop
»	AMD EPYC 7303	16	28,572	1,460	130	SP3	Server
»	Intel Xeon Gold 6253CL @ 3.10GHz	18	28,549	2,311	205	FCLGA3647	Server
»	AMD EPYC 7401P	24	28,546	1,731	155	SP3	Server
»	Intel Xeon D-2795NT @ 2.00GHz	20	28,463	2,192	110	FCBGA2579	Server
»	AMD Ryzen 5 7600X	6	28,460	4,145	105	AM5	Desktop
»	[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz	12	28,428	2,090	160	FCLGA2011-3	Server
»	[Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz	4	28,424	2,270	140	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz	14	28,389	1,963	120	FCLGA2011-3	Server
»	AMD Ryzen 7 7840H	8	28,373	3,717	54	FP7 FP7r2 FP8	Laptop
»	Intel Xeon Gold 6240 @ 2.60GHz	18	28,369	1,990	150	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	28,326	2,202	130	FCLGA3647	Server
»	AMD Ryzen 7 5800X3D	8	28,290	3,232	105	AM4	Desktop
»	Intel Xeon w5-3423	12	28,273	2,895	270	FCLGA4677	Server
»	[Quad CPU] Intel Xeon E5-4650L @ 2.60GHz	8	28,193	1,439	115	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz	16	28,175	1,756	120	FCLGA2011-3	Server
»	Intel Xeon Platinum 8252C @ 3.80GHz	12	28,147	2,700	NA	Unknown	Server
»	Intel Xeon W-2191B @ 2.30GHz	18	28,076	2,500	140	FCLGA2066	Server
»	AMD Ryzen 9 PRO 7940HS	8	28,072	3,734	45	FP7 FP7r2	Laptop
»	ARM Neoverse-N1 64 Core 0 MHz	64	28,064	1,089	NA	Unknown	Server
»	Intel Core i5-13500E	14	28,036	3,858	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon Platinum 8173M @ 2.00GHz	28	28,025	2,058	165	FCLGA3647	Server
»	Intel Core i9-12900H	14	27,985	3,779	45	FCBGA1744	Laptop
»	Intel Xeon W-2195 @ 2.30GHz	18	27,978	2,443	140	FCLGA2066	Server
»	Intel Core i9-9940X @ 3.30GHz	14	27,976	2,627	165	FCLGA2066	Desktop
»	Intel Core i9-10940X @ 3.30GHz	14	27,902	2,665	165	FCLGA2066	Desktop
»	Intel Core i5-12600KF	10	27,880	3,933	150	FCLGA1700	Desktop
»	Intel Xeon W-2275 @ 3.30GHz	14	27,866	2,754	165	FCLGA2066	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-14600T	14	27,855	3,972	35	FCLGA1700	Desktop
»	AMD Ryzen 7 5800X	8	27,851	3,445	105	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz	14	27,797	1,748	105	FCLGA2011-3	Server
»	Intel Core i5-14450HX	10	27,773	3,803	55	FCBGA1964	Mobile/Embedded
»	AMD Ryzen 7 8845H	8	27,731	3,696	45	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Core i5-12600K	10	27,708	3,946	150	FCLGA1700	Desktop
»	[Dual CPU] Hygon C86 S316 16-core	16	27,680	1,677	NA	Unknown	Desktop
»	AMD Ryzen Threadripper 1950X	16	27,606	2,275	180	sTR4	Desktop
»	Intel Core i5-13600HX	14	27,606	3,673	55	FCBGA1964	Laptop
»	Intel Core i5-13490F	10	27,496	3,894	65	FCLGA1700	Desktop
»	AMD Ryzen 7 PRO 8840HS	8	27,495	3,798	28	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Xeon Gold 6212U @ 2.40GHz	24	27,470	2,013	165	FCLGA3647	Server
»	AMD EPYC 4244P	6	27,446	3,960	65	AM5	Server
»	Intel Xeon Gold 6150 @ 2.70GHz	18	27,446	2,114	165	FCLGA3647	Server
»	AMD EPYC 7571	32	27,445	1,934	120	SP3	Server
»	Intel Xeon Gold 5317 @ 3.00GHz	12	27,387	2,361	150	FCLGA4189	Server
»	Intel Core i9-12900HK	14	27,364	3,642	45	FCBGA1744	Laptop
»	Intel Core i5-13600T	14	27,351	3,710	35	FCLGA1700	Desktop
»	Intel Xeon Platinum 8124M @ 3.00GHz	18	27,336	2,091	NA	FCLGA3647	Server
»	Intel Xeon D-2775TE @ 2.00GHz	16	27,299	2,203	100	FCBGA2579	Unknown
»	Intel Core i7-13700H	14	27,258	3,646	45	FCBGA1744	Laptop
»	AMD EPYC 72F3	8	27,252	3,070	180	SP3	Server
»	Intel Core i7-13700T	16	27,237	3,878	35	FCLGA1700	Desktop
»	Intel Xeon Gold 6252 @ 2.10GHz	24	27,148	1,883	150	FCLGA3647	Server
»	AMD Ryzen 5 PRO 7645	6	27,106	3,901	65	AM5 (LGA 1718)	Unknown
»	AMD Ryzen 5 7600	6	27,096	3,910	65	AM5 (LGA 1718)	Desktop
»	Intel Core i7-13800H	14	27,089	3,575	45	FCBGA1744	Laptop
»	Intel Xeon Gold 6208U @ 2.90GHz	16	27,085	2,265	150	FCLGA3647	Server
»	Intel Xeon Gold 6230 @ 2.10GHz	20	27,069	2,269	125	FCLGA3647	Server
»	[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz	8	27,008	1,549	130	LGA2011	Server
»	AMD Ryzen 5 7500F	6	26,952	3,844	65	AM5 (LGA 1718)	Desktop
»	AMD Ryzen 5 7645HX	6	26,868	3,915	55	AM5 (LGA 1718)	Laptop
»	Intel Xeon W-3245M @ 3.20GHz	16	26,814	2,571	205	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz	14	26,794	1,499	105	Unknown	Server
»	[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz	14	26,776	1,940	145	LGA2011-v3	Server
»	Intel Core i5-14500HX	14	26,747	3,333	55	FCBGA1964	Laptop
»	AMD Ryzen 7 5700X	8	26,671	3,382	65	AM4	Desktop
»	Intel Core i9-12900E	16	26,666	3,515	65	FCLGA1700	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon Platinum 8175M @ 2.50GHz	24	26,659	1,903	NA	FCLGA3647	Server
»	AMD Ryzen 7 PRO 7840HS	8	26,632	3,487	54	FP7 FP7r2 FP8	Laptop
»	Apple M3 Pro 12 Core	12	26,595	4,603	27	Unknown	Laptop
»	Apple M2 Max 12 Core 3680 MHz	12	26,592	4,143	NA	Unknown	Laptop
»	Intel Core i5-13600HE	12	26,540	3,721	45	FCBGA1744	Mobile/Embedded
»	Apple M2 Pro 12 Core 3480 MHz	12	26,523	4,106	NA	Unknown	Laptop
»	[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz	14	26,403	1,906	105	FCLGA2011-3	Server
»	Intel Xeon w3-2435	8	26,358	3,404	165	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz	12	26,346	1,925	135	LGA2011-v3	Server
»	Intel Xeon D-2796TE @ 2.00GHz	20	26,342	2,172	118	FCBGA2579	Server
»	Snapdragon X Elite - X1E8010	12	26,323	4,018	NA	Unknown	Laptop
»	AMD Ryzen 7 5700X3D	8	26,303	2,976	105	AM4	Desktop
»	Intel Xeon Gold 6226R @ 2.90GHz	16	26,297	2,271	150	FCLGA3647	Server
»	Intel Xeon Gold 6242 @ 2.80GHz	16	26,288	2,196	150	FCLGA3647	Server
»	AMD Ryzen 5 7600X3D	6	26,276	3,635	65	AM5	Desktop
»	Intel Core i9-10920X @ 3.50GHz	12	26,167	2,715	165	FCLGA2066	Desktop
»	Intel Core i7-12700H	14	26,151	3,584	45	FCBGA1744	Laptop
»	Intel Core Ultra 7 165H	16	26,131	3,512	28	FCBGA2049	Laptop
»	[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz	12	26,054	1,786	85	FCLGA3647	Server
»	Intel Core i9-7940X @ 3.10GHz	14	26,036	2,487	165	FCLGA2066	Desktop
»	Intel Xeon W-2265 @ 3.50GHz	12	25,973	2,797	165	FCLGA2066	Server
»	[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz	15	25,966	1,316	130	LGA 2011-1	Server
»	AMD Ryzen 7 PRO 5845	8	25,961	3,439	65	AM4	Desktop
»	Intel Xeon W-3323 @ 3.50GHz	12	25,875	2,617	220	FCLGA4189	Desktop, Server
»	AMD Ryzen Threadripper 2990X	32	25,874	2,312	250	TR4	Desktop
»	AMD EPYC 7451	24	25,863	1,955	180	SP3	Server
»	[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	25,851	1,630	105	FCLGA2011-3	Server
»	AMD Ryzen 7 5800	8	25,760	3,389	65	AM4	Desktop
»	Intel Core i5-14400	10	25,747	3,790	148	FCLGA1700	Desktop
»	Intel Core i5-14400F	10	25,712	3,714	148	FCLGA1700	Desktop
»	AMD EPYC 7351P	16	25,657	1,788	155	SP3	Server
»	Intel Xeon E5-2699A v4 @ 2.40GHz	22	25,654	1,973	145	FCLGA2011-3	Server
»	Intel Xeon E5-2698R v4 @ 2.20GHz	20	25,605	2,243	NA	FCLGA2011-3	Server
»	Intel Xeon Gold 5515+	8	25,587	3,406	165	FCLGA4677	Server
»	Intel Xeon E-2468	8	25,579	3,948	65	FCLGA1700	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»»	Intel Xeon W-3235 @ 3.30GHz	12	25,558	2,637	180	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz	12	25,536	1,680	85	FCLGA3647	Server
»»	Intel Core i5-13450HX	10	25,525	3,578	55	FCBGA1964	Laptop
»»	Intel Xeon E5-2699 v4 @ 2.20GHz	22	25,485	1,978	145	FCLGA2011-3	Server
»»	[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz	8	25,455	2,089	115	FCLGA3647	Server
»»	AMD Ryzen Threadripper 2920X	12	25,443	2,490	180	sTR4	Desktop
»»	Intel Xeon Gold 6152 @ 2.10GHz	22	25,441	2,006	140	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz	14	25,440	1,643	65	FCLGA2011-3	Server
»»	[Dual CPU] AMD EPYC 7351	16	25,431	1,747	155	SP3	Server
»»	Intel Xeon Platinum 8167M @ 2.00GHz	26	25,396	1,455	NA	FCLGA3647	Server
»»	[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz	12	25,395	1,725	105	FCLGA3647	Server
»»	AMD Ryzen 5 8600G	6	25,331	3,883	65	AM5	Desktop
»»	AMD Ryzen 5 PRO 8600G	6	25,288	3,872	65	AM5	Desktop
»»	Intel Core i9-11900K @ 3.50GHz	8	25,251	3,517	125	FCLGA1200	Desktop
»»	Intel Xeon W-1390P @ 3.50GHz	8	25,240	3,544	125	FCLGA1200	Desktop, Server
»»	Intel Xeon Gold 6142 @ 2.60GHz	16	25,215	2,143	150	FCLGA3647	Server
»»	Intel Core i5-13400F	10	25,179	3,645	148	FCLGA1700	Desktop
»»	Intel Core i9-9920X @ 3.50GHz	12	25,163	2,639	165	FCLGA2066	Desktop
»»	AMD EPYC 7272	12	25,161	1,886	120	SP3	Server
»»	AMD Ryzen Z1 Extreme	8	25,076	3,600	NA	Unknown	Mobile/Embedded
»»	[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	25,055	1,790	155	LGA 2011-1	Server
»»	Apple M4 10 Core	10	25,049	4,465	NA	Unknown	Mobile/Embedded
»»	Intel Core Ultra 7 155H	16	25,047	3,535	28	Unknown	Laptop
»»	Intel Core i7-13620H	10	25,021	3,683	45	FCBGA1744	Laptop
»»	Intel Core i9-11900KF @ 3.50GHz	8	25,014	3,538	125	FCLGA1200	Desktop
»»	Intel Xeon Gold 5415+	8	24,951	3,247	150	FCLGA4677	Server
»»	AMD Ryzen 7 7840U	8	24,935	3,594	30	Unknown	Laptop
»»	AMD EPYC 7501	32	24,925	1,925	155	SP3	Server
»»	AMD Ryzen 7 PRO 7840U	8	24,876	3,711	30	Unknown	Laptop
»»	Intel Xeon E5-2696 v4 @ 2.20GHz	22	24,858	2,141	150	FCLGA2011-3	Server
»»	Intel Xeon Gold 6434	8	24,836	2,759	195	FCLGA4677	Server
»»	Intel Xeon Gold 6246 @ 3.30GHz	12	24,829	2,468	165	FCLGA3647	Server
»»	Intel Core i7-12800H	14	24,808	3,483	45	FCBGA1744	Laptop
»»	AMD Ryzen 9 6900HX	8	24,802	3,443	45	FP7	Laptop
»»	Intel Xeon Gold 6143 @ 2.80GHz	16	24,786	2,248	205	FCLGA3647	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Apple M3 Pro 11 Core	11	24,773	4,750	27	Unknown	Laptop
»	Intel Xeon Gold 6222V @ 1.80GHz	20	24,764	2,054	115	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz	10	24,760	1,853	85	FCLGA3647	Server
»	Intel Xeon Gold 5218R @ 2.10GHz	20	24,742	2,234	125	FCLGA3647	Server
»	Intel Xeon E E-2486	6	24,713	4,062	95	FCLGA1700	Server
»	AMD Ryzen 7 7840S	8	24,635	3,680	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i5-12600HE	12	24,599	3,772	65	BGA 1744	Mobile/Embedded
»	Intel Core i5-14400T	10	24,598	3,351	82	FCLGA1700	Desktop
»	Intel Core i7-11700K @ 3.60GHz	8	24,598	3,403	125	FCLGA1200	Desktop
»	[Quad CPU] Intel Xeon E7-4870 @ 2.40GHz	10	24,580	1,109	130	LGA1567	Server
»	AMD Ryzen 7 5700G	8	24,557	3,283	65	AM4	Desktop
»	AMD EPYC 7551	32	24,534	1,758	180	SP3	Server
»	Intel Xeon Gold 6140 @ 2.30GHz	18	24,445	2,109	140	FCLGA3647	Server
»	[Quad CPU] Intel Xeon E7-8870 @ 2.40GHz	10	24,434	1,124	130	LGA1567	Server
»	AMD Ryzen 7 PRO 5750G	8	24,421	3,315	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	24,421	1,575	120	FCLGA2011-3	Server
»	Intel Xeon Silver 4410Y	12	24,399	2,385	150	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz	12	24,371	1,783	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz	12	24,297	1,775	120	LGA2011-v3	Server
»	AMD Ryzen 5 PRO 8600GE	6	24,262	3,876	35	AM5	Desktop
»	Intel Core i5-13600H	12	24,255	3,696	45	FCBGA1744	Laptop
»	AMD Ryzen 7 5700	8	24,247	3,242	NA	AM4	Desktop
»	AMD Ryzen 7 8840HS	8	24,186	3,624	28	FP7 FP7r2 FP8	Desktop, Laptop
»	AMD Ryzen 7 7435HS	8	24,174	3,210	45	FP7r2	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz	10	24,160	1,943	160	LGA2011-v3	Server
»	Intel Xeon Gold 5220 @ 2.20GHz	18	24,154	2,266	125	FCLGA3647	Server
»	Intel Xeon E5-2679 v4 @ 2.50GHz	20	24,131	1,992	200	FCLGA2011-3	Server
»	Intel Xeon Gold 6138 @ 2.00GHz	20	24,121	2,058	125	FCLGA3647	Server
»	Qualcomm Snapdragon X Elite - X1E-84-100	12	24,111	3,958	NA	Unknown	Laptop
»	[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz	8	24,102	1,945	130	FCLGA3647	Server
»	[Dual CPU] Intel Xeon Platinum 8479 @2.00GHz	28	24,087	2,453	350	FCLGA4677	Server
»	[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz	8	24,086	2,191	135	FCLGA2011-3	Server
»	Intel Xeon Silver 4216R @ 2.20GHz	16	24,027	1,866	NA	FCLGA3647	Server
»	AMD Ryzen 7 7735H	8	24,025	3,310	54	FP7	Laptop
»	AMD Ryzen 7 7735HS	8	24,006	3,351	54	FP7	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz	14	23,992	1,635	120	LGA2011-v3	Server
»	Intel Core i7-11700KF @ 3.60GHz	8	23,962	3,383	125	FCLGA1200	Desktop
»	Intel Core i5-12600HX	12	23,949	3,630	55	FCBGA1964	Laptop
»	Intel Core i5-14500T	14	23,908	3,738	35	FCLGA1700	Desktop
»	Intel Xeon W-1390 @ 2.80GHz	8	23,902	3,414	80	FCLGA1200	Server
»	Intel Xeon W-2170B @ 2.50GHz	14	23,902	2,345	NA	FCLGA-2066	Server
»	AMD Ryzen 7 8840U	8	23,823	3,680	28	FP7 FP7r2 FP8	Desktop, Laptop
»	AMD Ryzen 7 PRO 8840U	8	23,796	3,640	28	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Gold 6122 @ 1.80GHz	20	23,781	2,157	120	FCLGA3647	Server
»	Intel Xeon E-2456	6	23,743	4,141	80	FCLGA1700	Server
»	Intel Core i9-7920X @ 2.90GHz	12	23,680	2,508	140	FCLGA2066	Desktop
»	Intel Core i7-13705H	14	23,662	3,477	45	FCBGA1792	Laptop
»	[Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz	10	23,631	1,949	135	LGA2011-v3	Server
»	Intel Xeon E-2388G @ 3.20GHz	8	23,616	3,444	95	FCLGA1200	Server
»	AMD Ryzen 9 6900HS	8	23,610	3,290	35	FP7	Laptop
»	Intel Xeon E5-2698 v4 @ 2.20GHz	20	23,608	2,143	135	FCLGA2011-3	Server
»	AMD Ryzen 7 3800XT	8	23,607	2,802	105	AM4	Desktop
»	[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz	10	23,593	1,808	85	FCLGA3647	Server
»	AMD EPYC 7351	16	23,566	1,821	155	SP3	Server
»	AMD Ryzen 9 5980HX	8	23,525	3,343	45	FP6	Laptop
»	AMD EPYC 7F32	8	23,453	2,466	180	SP3	Server
»	AMD Ryzen 7 6800H	8	23,426	3,249	45	FP7	Laptop
»	[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz	6	23,354	1,474	95	FCLGA2011	Server
»	Intel Xeon W-2175 @ 2.50GHz	14	23,345	2,471	140	FCLGA2066	Server
»	[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz	12	23,331	1,677	120	LGA2011	Server
»	Intel Xeon W-1370P @ 3.60GHz	8	23,306	3,479	125	FCLGA1200	Desktop, Server
»	Intel Xeon Gold 6146 @ 3.20GHz	12	23,296	2,309	165	FCLGA3647	Server
»	Qualcomm Snapdragon X Elite - X1E-80-100	12	23,285	3,321	NA	Unknown	Laptop
»	Intel Xeon Platinum 8176 @ 2.10GHz	28	23,179	2,048	165	FCLGA3647	Server
»	Intel Core i5-13500T	14	23,163	3,639	92	FCLGA1700	Desktop
»	AMD Ryzen 7 3800X	8	23,146	2,717	105	AM4	Desktop
»	Intel Core i5-13400	10	23,138	3,451	154	FCLGA1700	Desktop
»	AMD Ryzen 7 PRO 6850H	8	23,116	3,251	45	FP7	Laptop
»	AMD Ryzen Threadripper 1920X	12	23,089	2,316	180	sTR4	Desktop
»	AMD Ryzen 5 8400F	6	23,077	3,548	65	AM5	Desktop
»	Intel Core i7-13700TE	16	23,074	3,228	35	FCLGA1700	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz	12	23,022	1,727	105	FCLGA2011-3	Server
»	AMD Ryzen 7 6800HS	8	23,015	3,221	35	FP7	Laptop
»	Intel Xeon W-1370 @ 2.90GHz	8	22,926	3,478	80	FCLGA1200	Desktop, Server
»	AMD Ryzen 5 7640HS	6	22,907	3,622	54	FP7 FP7r2 FP8	Laptop
»	Intel Core i9-11900KB @ 3.30GHz	8	22,907	3,304	65	FCBGA1787	Desktop
»	AMD Ryzen 7 PRO 3700	8	22,898	2,686	65	AM4	Desktop
»	Intel Core Ultra 5 135H	14	22,896	3,572	28	FCBGA2049	Laptop
»	Intel Core i9-11980HK @ 2.60GHz	8	22,866	3,285	45	FCBGA1787	Laptop
»	Intel Core i5-12600H	12	22,859	3,563	45	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz	12	22,814	1,714	130	FCLGA2011	Server
»	Intel Core i9-11900 @ 2.50GHz	8	22,807	3,403	65	FCLGA1200	Desktop
»	Intel Core i9-10900K @ 3.70GHz	10	22,802	3,130	125	FCLGA1200	Desktop
»	AMD Ryzen 5 PRO 7640HS	6	22,778	3,685	54	FP7 FP7r2	Laptop
»	[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz	10	22,754	1,810	100	FCLGA3647	Server
»	[3-Way CPU] Intel Xeon E7-8860 v4 @ 2.20GHz	18	22,737	757	140	FCLGA2011	Server
»	AMD Ryzen 9 PRO 6950HS	8	22,697	3,405	35	FP7	Laptop
»	Intel Core i5-13500H	12	22,693	3,541	45	Unknown	Laptop
»	Intel Xeon Platinum P-8124 @ 3.00GHz	18	22,674	2,059	240	FCLGA3647	Server
»	Intel Xeon Silver 4310 @ 2.10GHz	12	22,642	2,187	120	FCLGA4189	Server
»	AMD Ryzen 9 PRO 6950H	8	22,626	3,205	45	FP7	Laptop
»	Intel Xeon W-11955M @ 2.60GHz	8	22,596	3,294	45	FCBGA1787	Laptop, Server
»	Intel Core i7-12650H	10	22,589	3,588	45	FCBGA1744	Laptop
»	Intel Core i7-11700B @ 3.20GHz	8	22,576	3,317	65	Unknown	Desktop
»	[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz	12	22,572	1,640	110	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz	12	22,559	1,573	105	FCLGA2011-3	Server
»	AMD Ryzen 7 3700X	8	22,548	2,660	65	AM4	Desktop
»	AMD Ryzen 9 5900HX	8	22,533	3,194	45	FP6	Laptop
»	Intel Core i9-10900KF @ 3.70GHz	10	22,532	3,116	125	FCLGA1200	Desktop
»	AMD Ryzen 5 8645HS	6	22,529	3,689	45	FP7 , FP7r2 , FP	Desktop, Laptop
»	Intel Core i9-10900X @ 3.70GHz	10	22,479	2,681	165	FCLGA2066	Desktop
»	Qualcomm Snapdragon X Elite - X1E-78-100	12	22,452	3,167	23	Unknown	Laptop
»	AMD Ryzen 5 PRO 8500G	6	22,440	4,008	65	AM5	Desktop
»	AMD Ryzen 7 5700GE	8	22,436	3,352	35	AM4	Desktop
»	Intel Xeon W-1290P @ 3.70GHz	10	22,435	3,169	125	FCLGA1200	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz	12	22,415	1,706	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz	6	22,415	2,132	115	FCLGA3647	Server
»	Intel Xeon E-2436	6	22,398	3,562	65	FCLGA1700	Server
»	Intel Core i9-10850K @ 3.60GHz	10	22,387	3,077	125	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz	8	22,379	1,810	85	FCLGA3647	Server
»	Intel Core Ultra 5 125H	14	22,374	3,530	28	FCBGA2049	Laptop
»	Apple M4 9 Core	9	22,371	4,497	NA	Unknown	Mobile/Embedded
»	Intel Xeon W-2255 @ 3.70GHz	10	22,369	2,712	165	FCLGA2066	Desktop, Server
»	[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz	10	22,336	1,951	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz	10	22,319	1,947	75	FCLGA2011-3	Server
»	Intel Core i9-11900F @ 2.50GHz	8	22,296	3,407	65	FCLGA1200	Desktop
»	Intel Xeon E5-2699C v4 @ 2.20GHz	22	22,283	1,527	145	FCLGA2011-3	Server
»	AMD Ryzen 7 PRO 6850HS	8	22,264	3,291	35	FP7	Laptop
»	AMD Ryzen 5 PRO 8500GE	6	22,195	3,991	35	AM5	Desktop
»	AMD Ryzen 7 7736U	8	22,195	3,338	28	FP7	Laptop
»	Qualcomm Snapdragon X Plus X1P-64-100	10	22,195	3,160	NA	Unknown	Laptop
»	Intel Xeon E5-2696 v3 @ 2.30GHz	18	22,140	2,097	145	LGA2011-v3	Server
»	AMD Ryzen 9 5900HS Creator Edition	8	22,138	3,275	35	Unknown	Laptop
»	[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz	10	22,108	1,804	105	LGA2011-v3	Server
»	Intel Xeon Gold 6132 @ 2.60GHz	14	22,099	2,121	140	FCLGA3647	Server
»	AMD Ryzen Threadripper 1920	12	22,066	2,299	140	sTR4	Desktop
»	Apple M1 Max 10 Core 3200 MHz	10	22,066	3,837	NA	Unknown	Desktop, Laptop
»	[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz	10	22,066	1,953	85	FCLGA3647	Server
»	AMD Ryzen 5 PRO 8640HS	6	22,041	3,735	28	FP7 FP7r2	Desktop, Laptop, Server
»	Intel Xeon Gold 5218 @ 2.30GHz	16	21,986	2,237	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz	10	21,959	1,849	130	FCLGA2011	Server
»	AMD Ryzen 5 5600X3D	6	21,953	3,196	105	AM4	Desktop
»	AMD Ryzen 5 PRO 5645	6	21,904	3,441	NA	AM4	Desktop
»	AMD Ryzen 5 5600X	6	21,888	3,361	65	AM4	Desktop
»	AMD Ryzen 7 PRO 5750GE	8	21,882	3,303	35	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz	12	21,875	1,718	120	LGA2011-v3	Server
»	AMD Ryzen 9 6900HS Creator Edition	8	21,872	3,327	35	FP7	Laptop
»	Apple M1 Pro 10 Core 3200 MHz	10	21,864	3,805	NA	Unknown	Desktop, Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz	12	21,856	1,576	105	LGA2011-v3	Server
»	Intel Core i9-9900X @ 3.50GHz	10	21,847	2,562	165	FCLGA2066	Desktop
»	Intel Xeon Gold 6262 @ 1.90GHz	24	21,823	1,701	135	Unknown	Server
»	Intel Xeon Gold 6130T @ 2.10GHz	16	21,804	1,698	125	FCLGA3647	Server
»	AMD Ryzen 5 8500G	6	21,747	3,918	65	AM5	Desktop
»	[Quad CPU] AMD Opteron 6376	8	21,745	1,185	115	Socket G34	Server
»	AMD Ryzen 7 6800HS Creator Edition	8	21,735	3,223	35	FP7	Laptop
»	Apple M2 Pro 10 Core 3480 MHz	10	21,713	4,100	NA	Unknown	Desktop, Laptop
»	AMD Ryzen 9 5900HS	8	21,671	3,163	35	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz	10	21,671	1,958	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz	12	21,649	1,599	115	LGA 2011	Server
»	AMD EPYC 7281	16	21,621	1,626	155	SP3	Server
»	Intel Xeon E7-8891 v3 @ 2.80GHz	10	21,615	1,715	165	LGA2011-v3	Server
»	AMD Ryzen 5 5600	6	21,574	3,258	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	21,548	1,291	115	FCLGA2011	Server
»	Intel Xeon E5-2697A v4 @ 2.60GHz	16	21,546	2,093	145	FCLGA2011-3	Server
»	Intel Core i7-12700T	12	21,542	3,631	35	FCLGA1700	Desktop
»	Intel Xeon Gold 6334 @ 3.60GHz	8	21,521	2,545	165	FCLGA4189	Server
»	Intel Core i5-13500TE	14	21,478	3,711	35	FCLGA1700	Mobile/Embedded
»	Intel Core i9-10910 @ 3.60GHz	10	21,445	3,161	125	FCLGA1200	Desktop
»	Intel Xeon Gold 5218T @ 2.10GHz	16	21,433	2,282	105	Unknown	Server
»	[Quad CPU] Intel Xeon E7-4850 @ 2.00GHz	10	21,385	931	130	LGA1567	Server
»	[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz	8	21,374	1,392	95	LGA2011	Server
»	AMD Ryzen 9 5980HS	8	21,318	3,192	35	FP6	Laptop
»	AMD Ryzen 5 PRO 7640U	6	21,287	3,726	28	FP7 FP7r2 FP8	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz	8	21,271	1,981	110	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz	10	21,269	1,785	115	FCLGA2011	Server
»	Intel Core i5-12600	6	21,266	3,813	65	LGA 1700	Desktop
»	AMD Ryzen 7 7735U	8	21,220	3,283	28	FP7	Laptop
»	[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz	8	21,203	2,021	130	LGA 2011	Server
»	Intel Core i9-11950H @ 2.60GHz	8	21,202	3,179	45	FCBGA1787	Laptop
»	AMD Ryzen 5 7640U	6	21,193	3,510	28	FP7 FP7r2 FP8	Laptop
»	AMD Ryzen 7 5800HS Creator Edition	8	21,166	3,100	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E-2378G @ 2.80GHz	8	21,153	3,352	80	FCLGA1200	Server
»	[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz	10	21,121	1,871	90	FCLGA2011-3	Server
»	Intel Core i5-12500H	12	21,119	3,466	45	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz	8	21,088	1,971	135	LGA2011-v3	Server
»	Intel Core i9-7900X @ 3.30GHz	10	21,086	2,557	140	FCLGA2066	Desktop
»	Intel Core i5-13400T	10	21,078	3,490	82	FCLGA1700	Desktop
»	Intel Xeon W-2155 @ 3.30GHz	10	21,059	2,604	140	FCLGA2066	Server
»	AMD Ryzen 5 8500GE	6	21,042	3,926	35	AM5	Desktop
»	AMD Ryzen 7 5800H	8	21,030	3,045	45	FP6	Laptop
»	Intel Core i7-7900X @ 3.30GHz	10	21,008	2,455	140	FCLGA2066	Desktop
»	Intel Core i7-11700F @ 2.50GHz	8	20,998	3,283	65	FCLGA1200	Desktop
»	Intel Xeon Silver 4310T @ 2.30GHz	10	20,973	2,288	105	FCLGA4189	Server
»	Intel Xeon Gold 6250 @ 3.90GHz	8	20,915	2,703	185	FCLGA3647	Server
»	Intel Xeon E5-2697 v4 @ 2.30GHz	18	20,906	1,991	145	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz	10	20,898	1,667	85	FCLGA3647	Server
»	AMD Ryzen 7 PRO 6860Z	8	20,863	3,167	28	Unknown	Laptop
»	Intel Xeon E5-2697R v4 @ 2.30GHz	18	20,843	2,007	145	FCLGA2011-3	Server
»	Intel Xeon Gold 5315Y @ 3.20GHz	8	20,820	2,480	140	FCLGA4189	Server
»	AMD Ryzen 7 PRO 6850U	8	20,799	3,234	28	FP7	Laptop
»	Intel Xeon Gold 6136 @ 3.00GHz	12	20,796	2,207	150	FCLGA3647	Server
»	AMD Ryzen 5 PRO 5650G	6	20,785	3,252	65	AM4	Desktop
»	AMD EPYC 7262	8	20,779	2,041	155	SP3	Server
»	AMD Ryzen 5 8640U	6	20,772	3,483	28	FP7 FP7r2 FP8	Desktop, Laptop
»	Intel Core i5-12600HL	12	20,739	2,503	45	FCLGA1700	Mobile/Embedded
»	Intel Core i5-12500E	6	20,699	3,735	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon Gold 6138T @ 2.00GHz	20	20,649	2,087	125	FCLGA3647	Server
»	Intel Xeon Gold 6130 @ 2.10GHz	16	20,647	2,065	125	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz	8	20,635	1,989	150	FCLGA2011	Server
»	Intel Xeon E5-2673 v4 @ 2.30GHz	20	20,631	2,107	135	FCLGA2011-3	Server
»	Intel Xeon D-2753NT @ 2.00GHz	12	20,626	2,082	87	FCBGA2579	Server
»	AMD Ryzen 7 6800U	8	20,625	3,211	28	Unknown	Laptop
»	Intel Xeon Silver 4216 @ 2.10GHz	16	20,613	1,807	100	FCLGA3647	Server
»	Intel Core i7-12650HX	14	20,612	2,457	55	FCBGA1964	Laptop, Mobile/Embedded
»	Intel Core i9-11900H @ 2.50GHz	8	20,571	3,130	45	FCBGA1787	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen 9 5900H	8	20,557	2,977	NA	AM4	Laptop
»	AMD EPYC 8024P	8	20,556	2,371	90	SP6	Server
»	Intel Xeon W-2150B @ 3.00GHz	10	20,524	2,680	NA	FCLGA2066	Server
»	Intel Core i7-11850H @ 2.50GHz	8	20,508	3,112	45	FCBGA1787	Laptop
»	AMD Ryzen 7 PRO 4750G	8	20,470	2,714	65	AM4	Desktop
»	Intel Core i7-11800H @ 2.30GHz	8	20,455	3,075	45	FCBGA1787	Laptop
»	Intel Xeon E5-2686 v4 @ 2.30GHz	18	20,434	1,811	145	FCLGA2011-3	Server
»	Intel Xeon Gold 6226 @ 2.70GHz	12	20,429	2,064	125	FCLGA3647	Server
»	Intel Core i7-1280P	14	20,392	3,321	28	FCBGA1744	Laptop
»	[Quad CPU] Intel Xeon E7-4860 @ 2.27GHz	10	20,367	1,092	130	LGA1567	Server
»	Intel Core i5-12490F	6	20,344	3,706	65	LGA1700	Desktop
»	Intel Xeon E5-2699 v3 @ 2.30GHz	18	20,328	1,899	145	LGA2011-v3	Server
»	Intel Xeon E5-4667 v4 @ 2.20GHz	18	20,319	1,757	135	FCLGA2011-3	Server
»	AMD Ryzen 5 5600GT	6	20,299	3,358	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz	10	20,294	1,722	135	FCLGA2011-3	Server
»	Intel Xeon D-1747NTE @ 2.50GHz	10	20,279	2,208	80	FCBGA2227	Server
»	ARM Neoverse-N1 64 Core 2200 MHz	64	20,250	917	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz	12	20,233	1,522	120	LGA2011-v3	Server
»	AMD Ryzen Embedded V3C48	8	20,203	2,804	45	Unknown	Mobile/Embedded
»	AMD Ryzen 5 5500GT	6	20,194	3,208	65	AM4	Desktop
»	Intel Core i7-1370P	14	20,157	3,540	28	FCBGA1744	Laptop
»	AMD Ryzen 7 4700G	8	20,148	2,742	65	AM4	Desktop
»	Intel Core i9-9820X @ 3.30GHz	10	20,148	2,456	165	FCLGA2066	Desktop
»	Intel Core i5-1250P	12	20,144	3,534	28	BGA1700	Laptop
»	AMD Ryzen 7 5800HS	8	20,087	3,027	35	FP6	Laptop
»	Intel Xeon W-1290 @ 3.20GHz	10	20,071	3,086	80	FCLGA1200	Server
»	Intel Core i5-1340PE	12	20,041	3,690	28	FCBGA1744	Mobile/Embedded
»	Intel Xeon Gold 6144 @ 3.50GHz	8	19,993	2,509	150	FCLGA3647	Server
»	[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz	8	19,981	1,012	105	LGA1567	Server
»	Intel CoreT i5-1350P	12	19,976	3,636	28	FCBGA1744	Mobile/Embedded
»	Intel Core i9-10900F @ 2.80GHz	10	19,949	3,029	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz	6	19,933	2,279	135	FCLGA2011-3	Server
»	Intel Core i5-12500	6	19,907	3,689	65	LGA 1700	Desktop
»	AMD Ryzen 7 Pro 7735U	8	19,895	3,219	28	FP7	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»	[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz	12	19,882	1,352	65	LGA2011-v3	Server
»	AMD Ryzen 5 5600G	6	19,880	3,190	65	AM4	Desktop
»	Intel Core i9-10900 @ 2.80GHz	10	19,841	3,030	65	FCLGA1200	Desktop
»	AMD Ryzen 7 4700GE	8	19,831	2,681	35	AM4	Desktop
»	AMD Ryzen 7 PRO 4700G	8	19,786	2,668	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz	10	19,755	1,800	55	FCLGA2011-3	Server
»	Intel Xeon W-1350P @ 4.00GHz	6	19,749	3,539	65	FCLGA1200	Server
»	[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz	10	19,743	1,618	105	LGA2011-v3	Server
»	Intel Core i7-11700 @ 2.50GHz	8	19,741	3,118	95	FCLGA1200	Desktop
»	[Dual CPU] Intel Core i5-12400F	6	19,680	3,630	65	FCLGA1700	Desktop
»	Intel Core i5-11600KF @ 3.90GHz	6	19,620	3,340	125	FCLGA1200	Desktop
»	Intel Xeon E-2386G @ 3.50GHz	6	19,613	3,393	95	FCLGA1200	Server
»	Intel Core i5-11600K @ 3.90GHz	6	19,598	3,349	125	FCLGA1200	Desktop
»	Intel Xeon W-11865MRE @ 2.60GHz	8	19,589	3,135	45	FCBGA1787	Server, Mobile/Embedded
»	AMD EPYC 3451	16	19,532	1,700	NA	Unknown	Server
»	Intel Core i5-12400F	6	19,529	3,503	65	FCLGA1700	Desktop
»	Intel Xeon E5-2690 v4 @ 2.60GHz	14	19,524	2,075	135	FCLGA2011-3	Server
»	AMD Ryzen 5 8640HS	6	19,512	3,556	28	FP7 , FP7r2 , FP	Desktop, Laptop
»	Intel Core i9-9900KS @ 4.00GHz	8	19,473	3,036	127	FCLGA1151-2	Desktop
»	Intel Xeon W-2245 @ 3.90GHz	8	19,468	2,738	155	FCLGA2066	Server
»	Intel Core i9-10900E @ 2.80GHz	10	19,456	2,891	65	FCLGA1200	Desktop, Mobile/Embedded
»	Intel Core i5-1350P	12	19,439	3,611	28	FCBGA1744	Laptop
»	AMD EPYC 7252	8	19,411	2,020	120	SP3	Server
»	AMD Ryzen 5 5500	6	19,405	3,058	65	AM4	Desktop
»	Intel Xeon D-2183IT @ 2.20GHz	16	19,377	1,719	100	FCBGA2518	Server
»	Intel Core i5-12400	6	19,373	3,521	65	LGA 1700	Desktop
»	Intel Xeon Gold 6137 @ 3.90GHz	16	19,365	2,499	205	FCLGA-3647	Server
»	Apple M3 8 Core	8	19,314	4,777	20	Unknown	Desktop, Laptop, Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz	10	19,216	1,725	85	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz	10	19,200	1,575	115	FCLGA2011	Server
»	Intel Core i7-1360P	12	19,196	3,539	28	FCBGA1744	Laptop
»	Intel Xeon Gold 6126 @ 2.60GHz	12	19,189	2,117	125	FCLGA3647	Server
»	AMD Ryzen 9 4900H	8	19,165	2,707	45	FP6	Laptop
»	Intel Core Ultra 7 258V	8	19,148	3,653	17	FCBGA2833	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E5-2695 v4 @ 2.10GHz	18	19,109	1,822	120	FCLGA2011-3	Server
»	Intel Xeon D-2752TER @ 1.80GHz	12	19,102	1,990	77	FCBGA2579	Server
»	Intel Xeon Silver 4309Y @ 2.80GHz	8	19,100	2,420	105	FCLGA4189	Server
»	Intel Xeon E5-2682 v4 @ 2.50GHz	16	19,051	1,856	120	FCLGA2011-3	Server
»	AMD Ryzen 7 PRO 7730U	8	19,045	3,077	15	Unknown	Laptop
»	[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz	10	19,028	1,373	95	LGA 2011	Server
»	Intel Core i5-12450HX	8	19,023	3,441	148	FCBGA1964	Laptop
»	[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz	10	19,022	1,555	95	LGA 1356	Server
»	Intel Xeon W-1350 @ 3.30GHz	6	19,007	3,482	80	FCLGA1200	Server
»	Intel Xeon Gold 6244 @ 3.60GHz	8	18,980	2,546	150	FCLGA3647	Server
»	Intel Xeon E5-2676 v4 @ 2.40GHz	16	18,978	1,730	145	FCLGA2011-3	Server
»	AMD Ryzen 9 4900HS	8	18,977	2,599	35	FP6	Laptop
»	Intel Core i9-11900T @ 1.50GHz	8	18,968	3,326	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz	8	18,948	1,761	85	FCLGA3647	Server
»	AMD Ryzen 5 PRO 6650H	6	18,928	3,214	45	FP7	Laptop
»	Intel Core i7-11850HE @ 2.60GHz	8	18,899	3,001	35	FCBGA1787	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2628L v4 @ 1.90GHz	12	18,895	1,462	75	FCLGA2011-3	Server
»	Intel Xeon E5-2698 v3 @ 2.30GHz	16	18,872	1,920	135	LGA2011-v3	Server
»	Intel Core i5-1340P	12	18,834	3,526	28	FCBGA1744	Laptop
»	Hygon C86 7255 16-core	16	18,831	1,490	NA	Unknown	Server
»	ARM Neoverse-N1 80 Core 2600 MHz	80	18,823	1,127	NA	Unknown	Server
»	Intel Core i7-10700K @ 3.80GHz	8	18,791	3,052	125	FCLGA1200	Desktop
»	Intel Xeon W-1290E @ 3.50GHz	10	18,786	2,806	95	FCLGA1200	Server
»	AMD Ryzen 5 7540U	6	18,749	3,689	28	FP7 FP7r2	Laptop
»	AMD Ryzen 5 PRO 5655GE	6	18,734	3,248	35	AM4	Desktop
»	AMD Ryzen 5 6600H	6	18,725	3,176	45	FP7	Laptop
»	AMD Ryzen Z1	6	18,674	3,725	30	Unknown	Mobile/Embedded
»	AMD Ryzen 5 5600GE	6	18,667	3,216	35	AM4	Desktop
»	Intel Xeon w3-2425	6	18,655	3,115	130	FCLGA4677	Server
»	AMD Ryzen 7 7730U	8	18,649	3,066	15	FP6	Laptop
»	AMD Ryzen 5 3600XT	6	18,641	2,759	95	AM4	Desktop
»	AMD EPYC 4124P	4	18,637	3,901	65	AM5	Server
»	Intel Xeon W-1270E @ 3.40GHz	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
»	Intel Xeon E5-2697 v3 @ 2.60GHz	14	18,606	1,977	145	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-10700KF @ 3.80GHz	8	18,585	3,042	125	FCLGA1200	Desktop
»	Intel Xeon E-2356G @ 3.20GHz	6	18,521	3,276	80	FCLGA1200	Server
»	AMD Ryzen 7 4800H	8	18,517	2,615	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz	10	18,491	1,423	95	LGA 2011	Server
»	Intel Core i5-13420H	8	18,487	3,461	45	FCBGA1744	Laptop
»	AMD Ryzen 7 PRO 4750GE	8	18,444	2,684	35	AM4	Desktop
»	AMD Ryzen 7 5800U	8	18,415	3,033	15	FP6	Laptop
»	AMD Ryzen 5 PRO 8540U	6	18,409	3,588	28	FP7 FP7r2	Desktop, Laptop, Mobile/Embedded
»	Intel Xeon W-1290T @ 1.90GHz	10	18,409	2,974	35	FCLGA1200	Server
»	AMD Ryzen 5 7535HS	6	18,396	3,161	35	FP7	Laptop
»	AMD Ryzen 5 PRO 5650GE	6	18,383	3,183	35	AM4	Desktop
»	AMD Ryzen 5 6600HS Creator Edition	6	18,361	3,125	35	FP7	Laptop
»	AMD Ryzen 7 5825U	8	18,351	3,056	15	AM4	Laptop
»	AMD Ryzen 7 4800HS	8	18,349	2,575	45	FP6	Laptop
»	Intel Xeon Silver 4214R @ 2.40GHz	12	18,275	1,975	100	FCLGA3647	Server
»	Intel Core i9-9900K @ 3.60GHz	8	18,268	2,929	95	FCLGA1151-2	Desktop
»	Intel Core i9-9900KF @ 3.60GHz	8	18,266	2,924	95	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz	10	18,250	1,529	95	LGA 2011	Server
»	Intel Xeon E7-8880 v3 @ 2.30GHz	18	18,244	1,612	150	LGA2011-1	Server
»	AMD Ryzen 5 3600X	6	18,195	2,653	95	AM4	Desktop
»	Intel Xeon W-2145 @ 3.70GHz	8	18,179	2,605	140	FCLGA2066	Server
»	Intel Xeon W-11855M @ 3.20GHz	6	18,160	3,256	45	FCBGA1787	Laptop, Server
»	Intel Xeon E5-2686 v3 @ 2.00GHz	18	18,148	1,910	120	LGA2011-v3	Server
»	AMD Ryzen 5 8540U	6	18,147	3,665	28	FP7 FP7r2	Desktop, Laptop
»	Intel Xeon Gold 5120T @ 2.20GHz	14	18,127	1,849	105	FCLGA3647	Server
»	Intel Xeon Gold 5120 @ 2.20GHz	14	18,111	1,741	105	FCLGA3647	Server
»	Intel Core i7-9800X @ 3.80GHz	8	18,091	2,571	165	FCLGA2066	Desktop
»	AMD Ryzen 5 PRO 7540U	6	18,071	3,538	30	FP7 FP7r2	Laptop
»	Intel Xeon D-2187NT @ 2.00GHz	16	18,070	1,425	110	FCBGA2518	Server
»	Intel Core i5-11600 @ 2.80GHz	6	18,052	3,292	65	FCLGA1200	Desktop
»	Intel Core i7-1270PE	12	17,960	3,715	28	FCBGA1744	Mobile/Embedded
»	Intel Xeon E5-2666 v4 @ 2.80GHz	12	17,958	2,052	145	FCLGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz	6	17,922	2,061	135	LGA2011-v3	Server
»	AMD 4700S	8	17,851	2,359	NA	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	17,849	1,512	95	FCLGA2011	Server
»	Intel Xeon D-1736NT @ 2.70GHz	8	17,826	2,392	67	FCBGA2227	Server
»	AMD Ryzen 5 Pro 7535U	6	17,756	3,286	28	FP7	Laptop
»	Intel Xeon E5-2687W v4 @ 3.00GHz	12	17,755	2,037	160	FCLGA2011-3	Server
»	Intel Xeon E5-2680 v4 @ 2.40GHz	14	17,754	1,955	120	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz	8	17,754	1,739	150	LGA2011	Server
»	Intel Xeon Gold 6234 @ 3.30GHz	8	17,752	2,393	130	FCLGA3647	Server
»	AMD Ryzen 5 3600	6	17,749	2,567	65	AM4	Desktop
»	Intel Core i5-1250PE	12	17,738	2,823	28	FCBGA1744	Mobile/Embedded
»	AMD EPYC 7232P	8	17,731	1,767	120	SP3	Server
»	Intel Core Ultra 5 135U	12	17,677	3,360	28	Unknown	Laptop
»	Intel Core Ultra 5 125U	12	17,674	3,364	15	FCBGA2049	Laptop
»	Intel Xeon E5-2683 v4 @ 2.10GHz	16	17,674	1,712	120	FCLGA2011-3	Server
»	Intel Xeon W-1270 @ 3.40GHz	8	17,641	3,026	80	FCLGA1200	Server
»	AMD Ryzen 5 PRO 3600	6	17,606	2,528	65	AM4	Desktop
»	Intel Core i5-12600T	6	17,576	3,480	35	FCLGA1700	Desktop
»	[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz	4	17,523	2,297	105	FCLGA3647	Server
»	AMD Ryzen 7 2700X	8	17,517	2,421	105	AM4	Desktop
»	Intel Core Ultra 7 165U	12	17,492	3,397	15	Unknown	Laptop
»	Intel Xeon E5-2680R v4 @ 2.40GHz	14	17,487	1,904	120	FCLGA2011-3	Server
»	Intel Xeon W-11555MRE @ 2.60GHz	6	17,484	3,201	45	FCBGA1787	Server, Mobile/Embedded
»	Intel Xeon E-2378 @ 2.60GHz	8	17,472	3,263	65	FCLGA1200	Server
»	AMD Ryzen 7 4980U Microsoft Surface Edition	8	17,469	2,752	15	FP6	Laptop
»	Intel Core i7-1270P	12	17,449	3,404	28	BGA1700	Laptop
»	Intel Xeon E-2288G @ 3.70GHz	8	17,444	2,905	95	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz	8	17,438	1,741	90	LGA2011-v3	Server
»	Intel Core i5-11500B @ 3.30GHz	6	17,437	3,184	65	Unknown	Desktop
»	Intel Xeon E5-4669 v3 @ 2.10GHz	18	17,430	1,474	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz	8	17,389	1,668	95	FCLGA2011	Server
»	Intel Core i7-6950X @ 3.00GHz	10	17,388	2,337	140	LGA2011-v3	Desktop
»	[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz	8	17,371	1,629	85	FCLGA3647	Server
»	Intel Core i5-11500 @ 2.70GHz	6	17,351	3,136	65	FCLGA1200	Desktop
»	[Quad CPU] Intel Xeon E7-8837 @ 2.67GHz	8	17,333	1,011	130	LGA1567	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon W-2140B @ 3.20GHz	8	17,330	2,552	NA	FCLGA2066	Server
»	Intel Atom P5362	24	17,276	1,193	83	FCBGA2106	Server
»	Intel Core i7-12700TE	12	17,189	2,875	35	FCLGA1700	Laptop, Mobile/Embedded
»	Apple M1 Pro 8 Core 3200 MHz	8	17,180	3,768	NA	Unknown	Desktop, Laptop
»	[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz	6	17,175	1,978	130	FCLGA2011	Server
»	Intel Core i7-7820X @ 3.60GHz	8	17,164	2,523	140	FCLGA2066	Desktop
»	AMD Ryzen 5 4400G	6	17,160	2,711	65	AM4	Desktop
»	Intel Core i5-1240P	12	17,149	3,272	28	FCBGA1744	Laptop
»	Intel Xeon W-1270P @ 3.80GHz	8	17,113	2,916	95	FCLGA1200	Server
»	Intel Xeon E-2278G @ 3.40GHz	8	17,082	2,950	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz	8	17,081	1,716	85	LGA2011-v3	Server
»	AMD Ryzen Embedded V3C18I	8	17,053	2,836	15	Unknown	Mobile/Embedded
»	Intel Xeon E5-2689 v4 @ 3.10GHz	10	17,049	2,309	165	FCLGA2011-3	Server
»	Intel Core i7-1260P	12	17,041	3,293	28	FCBGA1744	Laptop
»	Intel Core i5-11400F @ 2.60GHz	6	17,037	2,998	65	FCLGA1200	Desktop
»	Intel Xeon W-3223 @ 3.50GHz	8	17,028	2,444	160	FCLGA3647	Server
»	Intel Core i5-11400 @ 2.60GHz	6	17,025	3,027	65	FCLGA1200	Desktop
»	Intel Core i5-12450H	8	17,013	3,380	45	FCBGA1744	Laptop
»	AMD Ryzen 5 7535U	6	17,000	3,213	28	FP7	Laptop
»	AMD Ryzen 5 5600H	6	16,999	2,949	45	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	16,970	1,574	95	FCLGA2011	Server
»	AMD Ryzen 7 PRO 5850U	8	16,957	2,987	15	FP6	Laptop
»	AMD Ryzen 7 PRO 2700X	8	16,948	2,267	105	AM4	Desktop
»	Intel Core 5 120U	10	16,927	3,789	15	FCBGA1744	Mobile/Embedded
»	AMD Ryzen 7 Extreme Edition	8	16,903	2,457	NA	FP6	Laptop
»	[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz	6	16,902	NA	130	LGA 2011	Server
»	[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz	8	16,884	1,639	95	LGA 1356	Server
»	[Dual CPU] Intel Xeon Platinum 8156 @ 3.60GHz	4	16,852	2,245	105	FCLGA3647	Server
»	AMD Ryzen Threadripper 1900X	8	16,802	2,325	180	sTR4	Desktop
»	AMD Ryzen 5 6600U	6	16,792	3,195	25	FP7	Laptop
»	Intel Core Ultra 7 155U	12	16,791	3,454	15	FCBGA2049	Laptop
»	[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz	4	16,787	2,336	105	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz	8	16,751	1,676	135	LGA2011	Server
»	Intel Xeon E-2336 @ 2.90GHz	6	16,731	3,221	65	FCLGA1200	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen 5 PRO 6650U	6	16,727	3,192	28	FP7	Laptop
»	AMD Ryzen Embedded V2748	8	16,706	2,680	54	FP6	Mobile/Embedded
»	AMD Ryzen 7 4800U	8	16,693	2,571	15	FP6	Laptop
»	Intel Core i7-11600H @ 2.90GHz	6	16,685	3,106	45	FCBGA1787	Laptop
»	Intel Xeon Gold 6134 @ 3.20GHz	8	16,650	2,225	130	FCLGA3647	Server
»	Intel Xeon Gold 5118 @ 2.30GHz	12	16,627	1,785	105	FCLGA3647	Server
»	Intel Core i5-12500T	6	16,614	3,514	35	FCLGA1700	Desktop
»	Intel Core i7-10700E @ 2.90GHz	8	16,599	2,882	65	FCLGA1200	Laptop, Mobile/Embedded
»	Intel Xeon E E-2434	4	16,552	3,845	55	FCLGA1700	Server
»	Intel Xeon E5-2695 v3 @ 2.30GHz	14	16,509	1,804	120	LGA2011-v3	Server
»	Intel Core i9-9900 @ 3.10GHz	8	16,490	2,833	65	FCLGA1151-2	Desktop
»	Intel Xeon E7-4809 v2 @ 1.90GHz	6	16,471	1,006	105	FCLGA2011	Server
»	[Quad CPU] Intel Xeon X7560 @ 2.27GHz	8	16,464	1,148	130	LGA1567	Server
»	[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz	4	16,453	2,208	105	FCLGA3647	Server
»	Intel Xeon Silver 4214Y @ 2.20GHz	12	16,442	1,822	85	FCLGA3647	Server
»	Intel Core i7-10700F @ 2.90GHz	8	16,422	2,878	65	FCLGA1200	Desktop
»	Intel Core i7-10700 @ 2.90GHz	8	16,406	2,906	65	FCLGA1200	Desktop
»	Intel Xeon E5-2690 v3 @ 2.60GHz	12	16,405	1,929	135	LGA2011-v3	Server
»	Intel Xeon E-2278GE @ 3.30GHz	8	16,379	2,712	80	FCLGA1151-2	Server
»	AMD Ryzen 5 PRO 4400G	6	16,365	2,652	NA	Unknown	Desktop
»	AMD Ryzen 5 PRO 4655G	6	16,355	2,696	65	AM4	Desktop
»	AMD Ryzen 7 1800X	8	16,354	2,198	95	AM4	Desktop
»	Intel Xeon E5-2698B v3 @ 2.00GHz	16	16,287	1,666	NA	LGA2011-v3	Server
»	Intel Core i9-10900TE @ 1.80GHz	10	16,251	2,633	35	FCLGA1200	Mobile/Embedded
»	AMD Ryzen Embedded V2546	6	16,236	2,513	NA	FP6	Desktop
»	Intel Xeon D-2733NT @ 2.10GHz	8	16,206	2,257	80	FCBGA2579	Server
»	Intel Xeon Silver 4214 @ 2.20GHz	12	16,190	1,769	85	FCLGA3647	Server
»	Intel Core i5-12400T	6	16,185	3,354	74	FCLGA1700	Desktop
»	AMD Ryzen 5 PRO 4650G	6	16,163	2,653	65	AM4	Desktop
»	Intel Core i3-1220PE	8	16,146	3,474	35	FCBGA1744	Mobile/Embedded
»	AMD Ryzen 5 4500	6	16,131	2,595	65	AM4	Desktop
»	Intel Xeon E5-2669 v3 @ 2.30GHz	12	16,107	1,502	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz	8	16,080	1,676	85	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen 7 PRO 5875U	8	16,078	2,866	15	FP6	Laptop
»	Intel Core i5-11500H @ 2.90GHz	6	16,077	3,057	45	FCBGA1787	Laptop
»	AMD Ryzen Embedded V2718	8	16,075	2,240	15	FP6	Mobile/Embedded
»	AMD Ryzen 5 7530U	6	16,073	3,119	15	FP6	Laptop
»	AMD Ryzen 5 4600G	6	16,067	2,658	65	AM4	Desktop
»	[Quad CPU] AMD Opteron 6172	12	16,032	919	115	G34	Server
»	[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz	10	16,028	1,286	70	FCLGA2011	Server
»	Intel Core 7 150U	10	15,982	3,650	15	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz	12	15,980	1,047	NA	LGA 2011	Server
»	Intel Xeon W-11865MLE @ 1.50GHz	8	15,958	2,808	25	FCBGA1787	Server, Mobile/Embedded
»	Intel Xeon E5-2660 v4 @ 2.00GHz	14	15,934	1,751	105	FCLGA2011-3	Server
»	AMD Ryzen 7 4850U Mobile	8	15,920	2,654	15	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	15,898	1,972	130	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz	8	15,883	1,700	85	FCLGA2011-3	Server
»	Intel Xeon E5-4650 v4 @ 2.20GHz	14	15,871	1,610	105	FCLGA2011-3	Server
»	AMD Ryzen 7 5700U	8	15,841	2,588	15	FP6	Laptop
»	Intel Core i9-13900TE	24	15,819	2,209	35	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 5 4600GE	6	15,816	2,627	35	AM4	Desktop
»	Intel Xeon Gold 5117 @ 2.00GHz	14	15,816	1,531	105	Unknown	Server
»	[Quad CPU] AMD Opteron 6168	12	15,745	845	115	G34	Server
»	Intel Xeon W-10885M @ 2.40GHz	8	15,737	2,768	45	FCBGA1440	Laptop, Server
»	Intel Core i5-11260H @ 2.60GHz	6	15,733	2,930	45	FCBGA1787	Laptop
»	[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz	8	15,713	1,596	115	LGA 2011	Server
»	AMD Ryzen 7 2700	8	15,699	2,179	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz	8	15,698	1,497	115	LGA2011	Server
»	[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz	8	15,690	1,552	130	LGA2011	Server
»	AMD Ryzen 7 1700X	8	15,667	2,101	95	AM4	Desktop
»	Intel Core i5-11400H @ 2.70GHz	6	15,642	3,000	45	FCBGA1787	Laptop
»	Intel Xeon Gold 5215 @ 2.50GHz	10	15,624	1,835	85	FCLGA3647	Server
»	AMD Ryzen 5 7430U	6	15,586	3,012	15	AM4	Laptop
»	AMD Ryzen 7 PRO 1700X	8	15,577	2,141	95	AM4	Desktop
»	AMD Ryzen 5 PRO 4650GE	6	15,572	2,617	35	AM4	Desktop
»	Apple M2 8 Core 3500 MHz	8	15,528	3,904	NA	Unknown	Desktop, Laptop
»	Intel Xeon D-1726 @ 2.90GHz	6	15,511	2,477	70	FCBGA2227	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen 5 5600U	6	15,458	2,918	15	FP6	Laptop
»	Intel Core i7-11700T @ 1.40GHz	8	15,447	2,916	35	FCLGA1200	Desktop
»	Intel Core i9-10980HK @ 2.40GHz	8	15,433	2,775	45	FCBGA1440	Laptop
»	Intel Xeon Gold 5217 @ 3.00GHz	8	15,429	2,173	115	FCLGA3647	Server
»	Intel Xeon E5-4667 v3 @ 2.00GHz	16	15,397	1,461	135	FCLGA2011-3	Server
»	Intel Xeon E5-4660 v4 @ 2.20GHz	16	15,375	1,805	120	FCLGA2011-3	Server
»	Intel Core i3-14100F	4	15,306	3,774	110	FCLGA1700	Desktop
»	AMD Ryzen 7 PRO 2700	8	15,300	2,186	65	AM4	Desktop
»	Intel Xeon w3-2423	6	15,275	2,625	120	FCLGA4677	Server
»	AMD Ryzen 7 PRO 4750U	8	15,193	2,505	15	FP6	Laptop
»	Intel Xeon Silver 4116T @ 2.10GHz	12	15,187	1,781	85	FCLGA3647	Server
»	Intel Xeon E5-2680 v3 @ 2.50GHz	12	15,152	1,806	120	LGA2011-v3	Server
»	AMD Ryzen 5 5560U	6	15,137	2,832	15	AM4	Laptop
»	Intel Xeon Silver 4210R @ 2.40GHz	10	15,118	1,794	100	FCLGA3647	Server
»	Intel Core i5-1345U	10	15,115	3,511	15	FCBGA1744	Laptop
»	Intel Core Ultra 7 164U	12	15,106	3,151	9	FCBGA2551	Laptop
»	Intel Xeon D-2166NT @ 2.00GHz	12	15,105	1,751	85	FCBGA2518	Server
»	Intel Xeon E-2286M @ 2.40GHz	8	15,092	2,730	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz	10	15,084	1,144	105	FCLGA2011-3	Server
»	Intel Core 3 100U	6	15,072	3,847	15	FCBGA1744	Laptop
»	AMD Ryzen 5 PRO 7530U	6	15,042	3,028	15	FP6	Laptop
»	Intel Core i3-14100	4	15,036	3,737	60	FCLGA1700	Desktop
»	Intel Xeon Silver 4215R @ 3.20GHz	8	15,004	2,262	130	FCLGA3647	Server
»	AMD EPYC 7301	16	14,991	1,363	155	SP3	Server
»	AMD Ryzen 5 5625U	6	14,937	2,890	15	FP6	Laptop
»	AMD EPYC 7251	8	14,935	1,671	120	SP3	Server
»	AMD Ryzen 5 PRO 5650U	6	14,897	2,931	15	FP6	Laptop
»	Intel Core i7-10875H @ 2.30GHz	8	14,882	2,730	45	FCBGA1440	Laptop
»	Intel Xeon E5-2658A v3 @ 2.20GHz	12	14,879	1,688	105	FCLGA2011-3	Server
»	Intel Core i7-1365U	10	14,851	3,548	15	FCBGA1744	Laptop
»	Intel Xeon D-1733NT @ 2.00GHz	8	14,849	2,198	53	FCBGA2227	Server
»	Intel Core i9-10885H @ 2.40GHz	8	14,839	2,720	45	FCBGA1440	Laptop
»	Intel Core i7-1355U	10	14,823	3,503	15	FCBGA1744	Laptop
»	Intel Core i9-10900T @ 1.90GHz	10	14,822	2,469	35	FCLGA1200	Desktop
»	Intel Xeon E5-1681 v3 @ 2.90GHz	10	14,820	2,040	135	LGA2011-v3	Server
»	AMD Ryzen 7 1700	8	14,816	2,001	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
⌵	AMD Ryzen 5 PRO 4400GE	6	14,795	2,664	35	Unknown	Laptop
⌵	AMD Ryzen 3 PRO 8300GE	4	14,753	3,894	35	AM5	Desktop
⌵	Intel Xeon E5-2683 v3 @ 2.00GHz	14	14,749	1,673	120	LGA2011-v3	Server
⌵	Intel Core i5-1335U	10	14,742	3,419	15	FCBGA1744	Laptop
⌵	[Quad CPU] Intel Xeon X7550 @ 2.00GHz	8	14,723	920	130	LGA1567	Server
⌵	Intel Xeon E5-2678 v3 @ 2.50GHz	12	14,712	1,761	120	LGA2011-v3	Server
⌵	Intel Core i5-11600T @ 1.70GHz	6	14,679	2,870	35	FCLGA1200	Desktop
⌵	Intel Xeon Gold 5115 @ 2.40GHz	10	14,677	1,857	85	FCLGA3647	Server
⌵	[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz	8	14,672	1,615	55	LGA2011-v3	Server
⌵	Montage Jintide C4215R	8	14,672	2,134	130	LGA3647	Server
⌵	Intel Xeon Silver 4116 @ 2.10GHz	12	14,660	1,657	85	FCLGA3647	Server
⌵	AMD Ryzen 7 PRO 1700	8	14,658	2,027	65	AM4	Desktop
⌵	AMD Ryzen 7 2700E	8	14,657	2,410	45	AM4	Desktop
⌵	Intel Core i9-10880H @ 2.30GHz	8	14,642	2,765	45	FCBGA1440	Laptop
⌵	AMD Ryzen 5 PRO 5675U	6	14,639	2,963	15	FP6	Laptop
⌵	Intel Core i3-13100F	4	14,631	3,606	58	FCLGA1700	Desktop
⌵	[Quad CPU] AMD Opteron 6380	8	14,622	1,334	115	G34	Server
⌵	Intel Xeon E5-2687W v3 @ 3.10GHz	10	14,615	1,904	160	LGA2011-v3	Server
⌵	AMD Ryzen 3 PRO 8300G	4	14,605	3,834	65	AM5	Desktop
⌵	Intel Core i3-12300	4	14,540	3,620	60	LGA 1700	Desktop
⌵	Intel Core i5-12500TE	6	14,536	2,960	35	FCLGA1700	Laptop, Mobile/Embedded
⌵	Intel Core i3-1220P	10	14,482	3,410	28	FCBGA1744	Laptop
⌵	Intel Core i7-6900K @ 3.20GHz	8	14,474	2,330	140	FCLGA2011-3	Desktop
⌵	[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz	8	14,464	1,410	95	LGA 1356	Server
⌵	Intel Core i7-9700K @ 3.60GHz	8	14,460	2,875	95	FCLGA1151-2	Desktop
⌵	Intel CC150 @ 3.50GHz	8	14,459	2,155	NA	FCLGA1151	Unknown
⌵	Intel Xeon Silver 4215 @ 2.50GHz	8	14,439	2,060	85	FCLGA3647	Server
⌵	Intel Xeon W-2135 @ 3.70GHz	6	14,438	2,608	140	FCLGA2066	Server
⌵	AMD Ryzen 5 PRO 4655GE	6	14,436	2,662	35	AM4	Desktop
⌵	Intel Xeon E5-2658 v4 @ 2.30GHz	14	14,434	1,583	105	FCLGA2011-3	Server
⌵	Intel Core i7-10870H @ 2.20GHz	8	14,429	2,668	45	FCBGA1440	Laptop
⌵	AMD Ryzen 5 4600H	6	14,428	2,433	45	FP6	Laptop
⌵	Intel Xeon Silver 4123 @ 3.00GHz	8	14,405	1,967	105	Unknown	Server
⌵	Intel Xeon W-2235 @ 3.80GHz	6	14,367	2,646	130	FCLGA2066	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon W-1250P @ 4.10GHz	6	14,353	2,980	125	FCLGA1200	Desktop, Server
»	Intel Core i5-10600K @ 4.10GHz	6	14,307	2,922	125	FCLGA1200	Desktop
»	Intel Xeon E5-2666 v3 @ 2.90GHz	10	14,284	1,968	135	LGA2011-v3	Server
»	Intel Core i7-8086K @ 4.00GHz	6	14,274	2,850	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-2697 v2 @ 2.70GHz	12	14,263	1,794	130	FCLGA2011	Server
»	Intel Core i7-9700KF @ 3.60GHz	8	14,258	2,876	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-4660 v3 @ 2.10GHz	14	14,256	1,558	120	FCLGA2011-3	Server
»	Intel Xeon D-1732TE @ 1.90GHz	8	14,254	2,015	52	FCBGA2227	Server
»	Intel Core i3-12100E	4	14,250	3,481	60	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 5 4600HS	6	14,230	2,398	35	FP6	Laptop
»	Intel Xeon E5-2673 v3 @ 2.40GHz	12	14,230	1,740	110	LGA2011-v3	Server
»	Intel Core i5-10600KF @ 4.10GHz	6	14,226	2,918	125	FCLGA1200	Desktop
»	Intel Xeon E5-1680 v4 @ 3.40GHz	8	14,211	2,320	140	FCLGA2011-3	Server
»	Apple M1 8 Core 3200 MHz	8	14,166	3,692	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
»	Intel Core i7-1260U	10	14,127	3,181	9	FCBGA1781	Laptop
»	Intel Core i9-9980HK @ 2.40GHz	8	14,118	2,530	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz	8	14,117	1,355	115	LGA2011	Server
»	Intel Core i3-12100F	4	14,114	3,462	58	FCLGA1700	Desktop
»	Intel Core i7-1370PRE	14	14,103	1,583	28	FCBGA1744	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz	8	14,103	1,357	95	LGA2011	Server
»	Intel Xeon E5-2696 v2 @ 2.50GHz	12	14,096	1,705	120	LGA2011	Server
»	[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz	10	14,039	1,029	70	FCLGA2011	Server
»	Intel Xeon E-2286G @ 4.00GHz	6	14,020	2,856	95	FCLGA1151-2	Server
»	Intel Xeon E-2236 @ 3.40GHz	6	14,012	2,802	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz	4	13,968	2,198	135	FCLGA2011-3	Server
»	Intel Xeon E-2276G @ 3.80GHz	6	13,946	2,872	80	FCLGA1151-2	Server
»	AMD EPYC 3251	8	13,912	1,881	50	SP4r2	Server
»	AMD Ryzen 5 2600X	6	13,907	2,383	95	AM4	Desktop
»	AMD Ryzen 3 PRO 5350G	4	13,851	3,101	65	AM4	Desktop
»	AMD Ryzen 3 8300GE	4	13,846	3,837	35	Unknown	Desktop
»	Intel Xeon E5-2667 v4 @ 3.20GHz	8	13,825	2,189	135	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz	8	13,818	1,313	95	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E-2186G @ 3.80GHz	6	13,817	2,757	95	FCLGA1151-2	Server
»	Intel Core i7-1265U	10	13,796	3,193	15	FCBGA1744	Laptop, Mobile/Embedded
»	[Quad CPU] AMD Opteron 6278	16	13,733	1,007	115	Unknown	Server
»	Intel Core i3-14100T	4	13,727	3,506	69	FCLGA1700	Desktop
»	Intel Xeon E-2246G @ 3.60GHz	6	13,721	2,788	80	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz	8	13,713	1,430	130	LGA2011	Server
»	Intel Core i9-9880H @ 2.30GHz	8	13,702	2,492	45	FCBGA1440	Laptop
»	Intel Core i5-10600 @ 3.30GHz	6	13,688	2,934	65	FCLGA1200	Desktop
»	Intel Core i5-11400T @ 1.30GHz	6	13,668	2,569	35	FCLGA1200	Desktop
»	Intel Core i7-1255U	10	13,637	3,270	15	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz	6	13,629	1,572	80	FCLGA2011	Server
»	Intel Core i7-8700K @ 3.70GHz	6	13,628	2,727	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-1660 v4 @ 3.20GHz	8	13,610	2,206	140	FCLGA2011-3	Server
»	Intel Xeon W-1250 @ 3.30GHz	6	13,610	2,831	80	FCLGA1200	Server
»	Intel Xeon E-2374G @ 3.70GHz	4	13,607	3,416	80	FCLGA1200	Server
»	Intel Xeon E-2176G @ 3.70GHz	6	13,598	2,708	80	FCLGA1151-2	Server
»	Intel Core i3-12100	4	13,597	3,436	60	FCLGA1700	Desktop
»	Intel Xeon E5-2650 v4 @ 2.20GHz	12	13,584	1,702	105	FCLGA2011-3	Server
»	Intel Xeon E5-2670 v3 @ 2.30GHz	12	13,572	1,690	120	LGA2011-v3	Server
»	Intel Xeon D-1587 @ 1.70GHz	16	13,566	1,327	65	FCBGA1667	Server
»	Intel Xeon W-1270TE @ 2.00GHz	8	13,553	2,796	35	FCLGA1200	Server
»	AMD Ryzen 5 PRO 2600	6	13,509	2,275	65	AM4	Desktop
»	Intel Xeon E5-2676 v3 @ 2.40GHz	12	13,501	1,636	120	LGA2011-v3	Server
»	Intel Xeon E5-2690 v2 @ 3.00GHz	10	13,489	1,881	130	FCLGA2011	Server
»	Intel Xeon E5-2658 v3 @ 2.20GHz	12	13,487	1,711	105	LGA2011-v3	Server
»	[Dual CPU] AMD Opteron 6348	6	13,470	1,344	115	Unknown	Server
»	AMD Ryzen 5 4600U	6	13,470	2,438	15	FP6	Laptop
»	Intel Xeon E-2136 @ 3.30GHz	6	13,460	2,671	80	FCLGA1151-2	Server
»	Intel Xeon Silver 4210 @ 2.20GHz	10	13,457	1,725	85	FCLGA3647	Server
»	Intel Core i5-10500 @ 3.10GHz	6	13,426	2,825	65	FCLGA1200	Desktop
»	Intel Core i3-13100	4	13,424	3,384	60	FCLGA1700	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz	8	13,421	1,184	95	LGA 2011	Server
»	Intel Core i5-1235U	10	13,394	3,217	15	FCBGA1744	Laptop, Mobile/Embedded
»	AMD Ryzen 7 4700U	8	13,376	2,523	15	FP6	Laptop
»	Intel Core i5-1245U	10	13,376	3,120	15	FCBGA1744	Laptop, Mobile/Embedded
»	Intel Core i5-1334U	10	13,371	3,265	15	FCBGA1744	Laptop
»	Intel Core i7-10700TE @ 2.00GHz	8	13,368	2,594	35	FCLGA1200	Laptop
»	[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz	6	13,307	1,700	85	LGA2011-v3	Server
»	Intel Xeon E5-2695 v2 @ 2.40GHz	12	13,306	1,633	115	LGA 2011	Server
»	Intel Xeon D-1581 @ 1.80GHz	16	13,282	1,482	65	FCBGA1667	Server
»	Intel Xeon E-2146G @ 3.50GHz	6	13,259	2,674	80	FCLGA1151-2	Server
»	Intel Core i7-9700F @ 3.00GHz	8	13,249	2,752	65	FCLGA1151-2	Desktop
»	[Quad CPU] AMD Opteron 6378	8	13,236	1,065	115	G34	Server
»	[5-Way CPU] AMD Ryzen 9 5950X	16	13,220	2,972	105	AM4	Desktop
»	AMD Ryzen 5 2600	6	13,193	2,245	65	AM4	Desktop
»	Intel Xeon E5-2675 v3 @ 1.80GHz	16	13,180	1,186	NA	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz	4	13,176	2,047	135	LGA2011-v3	Server
»	Intel Core i7-9700 @ 3.00GHz	8	13,167	2,744	65	FCLGA1151-2	Desktop
»	AMD Ryzen 5 3500X	6	13,160	2,503	65	AM4	Desktop
»	Intel Xeon Silver 4114 @ 2.20GHz	10	13,139	1,719	85	FCLGA3647	Server
»	Intel Xeon E5-2660 v3 @ 2.60GHz	10	13,135	1,805	105	LGA2011-v3	Server
»	Intel Core i3-12300T	4	13,077	3,293	35	FCLGA1700	Desktop
»	AMD Ryzen 3 5300GE	4	13,074	3,098	35	AM4	Desktop
»	Intel Xeon E5-1680 v3 @ 3.20GHz	8	13,071	2,097	140	LGA2011-v3	Server
»	AMD Ryzen 5 1600X	6	13,057	2,198	95	AM4	Desktop
»	Intel Core i3-13100T	4	13,054	3,408	35	FCLGA1700	Desktop
»	Intel Core i5-11500T @ 1.50GHz	6	13,035	2,558	35	FCLGA1200	Desktop
»	AMD Ryzen Embedded V2516	6	13,016	2,439	15	FP6	Mobile/Embedded
»	AMD Ryzen 5 5500U	6	13,012	2,439	15	FP6	Laptop
»	Intel Xeon E-2334 @ 3.40GHz	4	13,011	3,356	65	FCLGA1200	Server
»	AMD Ryzen 3 7440U	4	12,991	2,614	28	FP7 FP7r2	Laptop
»	Apple A18	6	12,972	4,008	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-4627 v4 @ 2.60GHz	10	12,969	2,030	135	FCLGA2011-3	Server
»	Intel Core i9-9900T @ 2.10GHz	8	12,960	2,464	35	FCLGA1151-2	Desktop
»	Apple A18 Pro	6	12,959	4,172	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E5-2685 v3 @ 2.60GHz	12	12,944	1,726	120	LGA2011-v3	Server
»	[Dual CPU] Intel Xeon X5690 @ 3.47GHz	6	12,916	1,715	130	LGA1366	Server
»	AMD Ryzen 3 5300G	4	12,896	3,037	65	AM4	Desktop
»	Intel Core i7-7800X @ 3.50GHz	6	12,885	2,394	140	FCLGA2066	Desktop
»	Intel Xeon Gold 6128 @ 3.40GHz	6	12,881	2,104	115	FCLGA3647	Server
»	[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz	8	12,870	1,246	95	LGA2011	Server
»	Intel Core i7-10700T @ 2.00GHz	8	12,853	2,586	35	FCLGA1200	Desktop
»	Intel Core i7-8700 @ 3.20GHz	6	12,842	2,641	65	FCLGA1151-2	Desktop
»	AMD Ryzen 3 8440U	4	12,805	3,648	28	FP7, FP7r2	Desktop, Laptop
»	AMD Ryzen 5 3500	6	12,787	2,501	65	AM4	Desktop
»	Intel Core i5-1240U	10	12,778	3,078	29	FCBGA1744	Laptop
»	[Dual CPU] AMD Opteron 6386 SE	16	12,761	1,297	140	Socket G34	Server
»	Intel Core i7-5960X @ 3.00GHz	8	12,741	1,987	140	LGA2011-v3	Desktop
»	[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz	6	12,728	1,560	130	LGA2011	Server
»	Intel Xeon E5-2650L v4 @ 1.70GHz	14	12,719	1,443	65	FCLGA2011-3	Server
»	Intel Xeon W-2133 @ 3.60GHz	6	12,658	2,262	140	FCLGA2066	Server
»	Intel Xeon E5-2667 v3 @ 3.20GHz	8	12,644	2,009	135	LGA2011-v3	Server
»	Intel Xeon E5-2680 v2 @ 2.80GHz	10	12,640	1,788	115	FCLGA2011	Server
»	AMD Ryzen 3 3300X	4	12,632	2,672	65	AM4	Desktop
»	AMD Ryzen 5 PRO 4650U	6	12,631	2,420	15	FP6	Laptop
»	Intel Xeon W-10855M @ 2.80GHz	6	12,624	2,758	45	FCBGA1440	Laptop, Server
»	Intel Xeon E5-1680 v2 @ 3.00GHz	8	12,618	2,103	130	LGA 2011	Server
»	Intel Core i3-12100T	4	12,608	3,266	35	FCLGA1700	Desktop
»	[Quad CPU] AMD Opteron 6174	12	12,607	939	115	Socket G34	Server
»	Intel Core i7-9700E @ 2.60GHz	8	12,600	2,559	65	FCLGA1151-2	Desktop
»	Intel Xeon W-11555MLE @ 1.90GHz	6	12,591	2,542	25	FCBGA1787	Server
»	AMD Ryzen 3 PRO 5350GE	4	12,584	3,088	35	AM4	Desktop
»	[Dual CPU] Intel Xeon X5680 @ 3.33GHz	6	12,580	1,608	130	LGA1366	Server
»	Virtual @ 3.80GHz	12	12,575	3,738	NA	Unknown	Unknown
»	Intel Xeon E5-1660 v3 @ 3.00GHz	8	12,472	1,975	140	LGA2011-v3	Server
»	Intel Xeon E5-2640 v4 @ 2.40GHz	10	12,466	1,945	90	FCLGA2011-3	Server
»	Intel Xeon D-2143IT @ 2.20GHz	8	12,461	1,712	65	FCBGA2518	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E5-4628L v4 @ 1.80GHz	14	12,461	1,327	75	FCLGA2011	Mobile/Embedded
»	Intel Xeon E5-2618L v4 @ 2.20GHz	10	12,429	1,975	75	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz	6	12,414	1,381	60	LGA 2011	Server
»	Intel Xeon E5-2649 v3 @ 2.30GHz	10	12,399	1,674	105	LGA2011-v3	Server
»	[Dual CPU] AMD Opteron 6380	8	12,377	1,133	115	G34	Server
»	[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz	4	12,358	1,760	85	FCLGA3647	Server
»	[Dual CPU] AMD Opteron 6378	8	12,352	1,018	115	G34	Server
»	AMD Ryzen 3 PRO 7330U	4	12,331	3,108	15	FP6	Laptop
»	Hygon C86 3350 8-core	8	12,292	1,741	NA	Unknown	Unknown
»	Intel Atom P5342	16	12,291	1,187	71	FCBGA2106	Server
»	[Dual CPU] AMD Opteron 6376	8	12,278	1,131	115	Socket G34	Server
»	AMD Ryzen 5 1600	6	12,278	2,065	65	AM4	Desktop
»	Intel Core i3-1315U	6	12,277	3,534	15	FCBGA1744	Laptop
»	[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz	6	12,267	1,530	80	LGA 1356	Server
»	Intel Xeon E5-2667 v2 @ 3.30GHz	8	12,267	2,017	130	LGA 2011	Server
»	Apple A17 Pro	6	12,257	4,540	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2687W v2 @ 3.40GHz	8	12,254	2,041	150	FCLGA2011	Server
»	Intel Xeon W-1250E @ 3.50GHz	6	12,212	2,588	80	FCLGA1200	Server
»	Intel Core i5-10400F @ 2.90GHz	6	12,198	2,546	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz	6	12,183	1,374	60	LGA 1356	Server
»	AMD Ryzen 3 PRO 7335U	4	12,162	3,101	30	FP7r2	Desktop, Laptop
»	Intel Core i5-10505 @ 3.20GHz	6	12,156	2,804	65	FCLGA1200	Desktop
»	AMD Ryzen 3 7335U	4	12,131	2,937	28	FP7	Desktop, Laptop
»	Intel Core i5-10400 @ 2.90GHz	6	12,131	2,570	65	FCLGA1200	Desktop
»	Intel Xeon E5-2673 v2 @ 3.30GHz	8	12,128	1,947	110	LGA 2011	Server
»	Intel Xeon E5-2692 v2 @ 2.20GHz	12	12,119	1,571	115	LGA 2011	Server
»	AMD Ryzen 5 PRO 4500U	6	12,117	2,491	15	FP6	Laptop
»	Intel Xeon D-2141I @ 2.20GHz	8	12,117	1,713	65	FCBGA2518	Server
»	[Quad CPU] AMD Opteron 6282 SE	16	12,083	894	140	Unknown	Server
»	[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz	4	12,040	1,917	130	LGA 2011	Server
»	Intel Xeon E-2278GEL @ 2.00GHz	8	12,024	2,428	35	FCLGA1151-2	Server
»	[Dual CPU] Intel Xeon E7-4870 @ 2.40GHz	10	11,939	1,054	130	LGA1567	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E E-2414	4	11,923	3,732	55	FCLGA1700	Server
»	Intel Core i5-1335UE	10	11,921	3,373	28	FCBGA1744	Mobile/Embedded
»	Intel Core i7-8700B @ 3.20GHz	6	11,900	2,732	65	FCBGA1440	Laptop
»	Intel Xeon E5-2650L v3 @ 1.80GHz	12	11,880	1,399	65	LGA2011-v3	Server
»	Intel Core i7-10750H @ 2.60GHz	6	11,862	2,656	45	FCBGA1440	Laptop
»	Intel Core i3-12100TE	4	11,859	3,139	35	FCLGA1700	Laptop, Mobile/Embedded
»	Intel Xeon E-2276M @ 2.80GHz	6	11,846	2,626	45	FCBGA1440	Laptop
»	ARM Neoverse-N1 32 Core 1700 MHz	32	11,841	755	NA	Unknown	Server
»	Intel Core i7-11375H @ 3.30GHz	4	11,819	2,961	35	FCBGA1449	Laptop
»	Intel Xeon E5-2650 v3 @ 2.30GHz	10	11,805	1,649	105	LGA2011-v3	Server
»	Intel Core i7-10850H @ 2.70GHz	6	11,798	2,685	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz	6	11,796	1,381	80	FCLGA1356	Server
»	Intel Core Ultra 5 134U	12	11,783	2,929	30	FCBGA2551	Laptop, Mobile/Embedded
»	Intel Xeon E5-2663 v3 @ 2.80GHz	10	11,777	2,040	120	LGA2011-v3	Server
»	Snapdragon 8cx Gen 3 @ 3.0 GHz	8	11,762	2,413	NA	Unknown	Laptop, Mobile/Embedded
»	ARM Neoverse-N1 80 Core 2800 MHz	80	11,755	434	NA	Unknown	Server
»	Intel Xeon D-2146NT @ 2.30GHz	8	11,736	1,802	80	FCBGA2518	Server
»	Microsoft SQ3 @ 3.0 GHz	8	11,727	2,367	NA	Unknown	Laptop
»	[Dual CPU] Intel Xeon X5675 @ 3.07GHz	6	11,717	1,512	95	LGA1366	Server
»	[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz	8	11,711	1,040	70	LGA 1356	Server
»	[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz	4	11,701	1,948	105	LGA2011-v3	Server
»	Intel Core i7-11370H @ 3.30GHz	4	11,690	2,935	35	FCBGA1449	Laptop
»	Intel Core i7-1250U	10	11,689	2,752	9	FCBGA1781	Laptop
»	Intel Xeon Platinum 8481C @ 2.70GHz	4	11,681	2,479	350	Unknown	Server
»	AMD Ryzen 5 5500H	4	11,661	3,021	45	FP6	Laptop
»	Intel Core i3-13100E	4	11,650	2,750	65	FCLGA1700	Mobile/Embedded
»	Intel Xeon D-1577 @ 1.30GHz	16	11,645	1,319	45	FCBGA1667	Server
»	Intel Xeon E5-2630 v4 @ 2.20GHz	10	11,615	1,749	85	FCLGA2011-3	Server
»	Intel Xeon E5-4657L v2 @ 2.40GHz	12	11,613	1,483	115	FCLGA2011	Server
»	[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz	6	11,609	1,345	95	LGA2011	Server
»	AMD Ryzen 3 3100	4	11,600	2,420	65	AM4	Desktop
»	Intel Xeon E5-2648L v4 @ 1.80GHz	14	11,547	1,435	75	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E5-4669 v4 @ 2.20GHz	22	11,523	1,366	135	FCLGA2011-3	Server
»	QTI SM8650	8	11,521	2,961	NA	Unknown	Mobile/Embedded
»	Hygon C86 3250 8-core	8	11,476	1,741	NA	Unknown	Desktop
»	[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz	8	11,474	974	95	LGA 2011	Server
»	Intel Core i7-6850K @ 3.60GHz	6	11,466	2,404	140	FCLGA2011-3	Desktop
»	Intel Xeon E-2186M @ 2.90GHz	6	11,455	2,550	45	FCBGA1440	Laptop
»	Intel Xeon E5-1650 v4 @ 3.60GHz	6	11,450	2,381	140	FCLGA2011-3	Server
»	Intel Core i5-10600T @ 2.40GHz	6	11,419	2,443	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz	6	11,387	1,640	130	LGA 2011	Server
»	AMD Ryzen 3 PRO 5475U	4	11,381	2,905	15	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz	8	11,364	1,050	70	LGA 2011	Server
»	Intel Core i3-11100B @ 3.60GHz	4	11,357	2,912	65	Unknown	Desktop
»	Intel Xeon E5-4627 v3 @ 2.60GHz	10	11,344	1,749	135	FCLGA2011-3	Server
»	AMD Ryzen 3 5425U	4	11,339	2,916	15	FP6	Laptop
»	Intel Xeon E5-2670 v2 @ 2.50GHz	10	11,325	1,624	115	FCLGA2011	Server
»	AMD Ryzen 3 PRO 4200G	4	11,315	2,564	65	FP6	Desktop
»	Intel Core i3-11100HE @ 2.40GHz	4	11,289	3,070	45	FCBGA1787	Mobile/Embedded
»	Intel Xeon Silver 4208 @ 2.10GHz	8	11,259	1,774	85	FCLGA3647	Server
»	AMD Ryzen 5 PRO 1600	6	11,240	1,884	65	AM4	Desktop
»	Intel Core i5-10500H @ 2.50GHz	6	11,224	2,584	45	FCBGA1440	Laptop
»	AMD Ryzen 3 4300GE	4	11,211	2,552	35	AM4	Desktop
»	Intel Xeon E5-2618L v3 @ 2.30GHz	8	11,181	1,917	75	LGA2011-v3	Server
»	AMD Ryzen 5 7235HS	4	11,176	2,627	45	FP7r2	Desktop, Laptop
»	Intel Xeon E5-2643 v4 @ 3.40GHz	6	11,134	2,207	135	FCLGA2011-3	Server
»	Intel Xeon E-2226G @ 3.40GHz	6	11,110	2,816	80	FCLGA1151-2	Server
»	Intel Xeon E5-2640 v3 @ 2.60GHz	8	11,102	1,873	90	LGA2011-v3	Server
»	Intel Xeon Silver 4209T @ 2.20GHz	8	11,080	1,693	70	FCLGA3647	Server
»	Intel Xeon E5-2628L v4 @ 1.90GHz	12	11,079	1,433	75	FCLGA2011-3	Server
»	Apple A16 Bionic	6	11,074	4,076	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-4650 v2 @ 2.40GHz	10	11,064	1,501	95	FCLGA2011	Server
»	AMD Ryzen 3 4100	4	11,050	2,518	65	AM4	Desktop
»	Intel Core i7-9850H @ 2.60GHz	6	11,040	2,484	45	Unknown	Laptop
»	AMD Ryzen 3 5400U	4	11,039	2,740	15	FP6	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Apple A12X Bionic	8	11,032	2,652	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 PRO 5450U	4	11,021	2,733	15	FP6	Laptop
»	Intel Core i5-1230U	10	11,006	2,741	9	FCBGA1781	Laptop
»	Intel Core i5-11320H @ 3.20GHz	4	10,994	2,955	35	FCBGA1449	Laptop
»	AMD Ryzen 3 7330U	4	10,978	3,024	15	FP6	Laptop
»	[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz	8	10,978	1,260	95	LGA 1356	Server
»	AMD Ryzen 3 PRO 4350GE	4	10,971	2,528	35	AM4	Desktop
»	Samsung s5e9945	10	10,935	2,867	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 PRO 4200GE	4	10,930	2,540	35	Unknown	Laptop
»	AMD Ryzen 5 4500U	6	10,923	2,434	15	FP6	Laptop
»	AMD Ryzen 3 4300G	4	10,922	2,556	65	AM4	Desktop
»	[Dual CPU] Intel Xeon X5670 @ 2.93GHz	6	10,922	1,417	95	LGA1366	Server
»	AMD Ryzen 3 PRO 4350G	4	10,921	2,546	65	AM4	Desktop
»	Intel Core i5-11300H @ 3.10GHz	4	10,918	2,804	35	FCBGA1449	Laptop
»	Intel Xeon E5-4655 v4 @ 2.50GHz	8	10,912	1,952	135	FCLGA2011	Server
»	Intel Xeon E-2176M @ 2.70GHz	6	10,890	2,465	45	FCBGA1440	Laptop
»	Intel Core i3-1215U	6	10,885	3,313	15	FCBGA1744	Laptop
»	Intel Core i7-9850HE @ 2.70GHz	6	10,868	2,363	45	FCBGA1440	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz	6	10,843	1,282	80	FCLGA2011	Server
»	Intel Xeon E5-4650 v3 @ 2.10GHz	12	10,838	1,384	105	FCLGA2011-3	Server
»	Intel Core i5-10500E @ 3.10GHz	6	10,827	2,436	65	FCLGA1200	Mobile/Embedded
»	Intel Core i7-9750H @ 2.60GHz	6	10,819	2,425	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz	8	10,797	1,154	85	FCLGA3647	Server
»	Intel Core i7-9700T @ 2.00GHz	8	10,780	2,435	35	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz	6	10,779	1,275	95	LGA2011	Server
»	[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz	6	10,776	1,151	95	LGA 1356	Server
»	Intel Core i7-6800K @ 3.40GHz	6	10,769	2,270	140	LGA2011-v3	Desktop
»	[Quad CPU] AMD Opteron 6276	8	10,763	969	115	Socket G34	Server
»	Mediatek MT6989	8	10,763	2,430	NA	Unknown	Mobile/Embedded
»	Intel Core i7-1195G7 @ 2.90GHz	4	10,748	3,012	28	FCBGA1449	Laptop
»	Intel Core i5-9600KF @ 3.70GHz	6	10,681	2,738	95	FCLGA1151-2	Desktop
»	Intel Xeon E5-2470 v2 @ 2.40GHz	10	10,675	1,596	95	LGA 1356	Server
»	Intel Core i5-9600K @ 3.70GHz	6	10,670	2,739	95	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD Opteron 6284 SE	16	10,619	857	140	Socket G34	Server
»	Intel Core i7-9750HF @ 2.60GHz	6	10,608	2,428	45	FCBGA1440	Laptop
»	AMD Ryzen 3 PRO 4355GE	4	10,559	2,572	35	AM4	Desktop
»	Intel Xeon W-2225 @ 4.10GHz	4	10,539	2,664	105	FCLGA2066	Server
»	Intel Xeon E5-2658 v2 @ 2.40GHz	10	10,528	1,476	95	LGA 2011	Server
»	Intel Xeon E5-4620 v3 @ 2.00GHz	10	10,525	1,486	105	FCLGA2011-3	Server
»	Intel Core i3-1210U	6	10,513	3,367	9	BGA1781	Laptop
»	Intel Xeon E5-2660 v2 @ 2.20GHz	10	10,507	1,507	95	LGA 2011	Server
»	Intel Core i9-8950HK @ 2.90GHz	6	10,492	2,437	45	FCBGA1440	Laptop
»	Virtual @ 3.41GHz	10	10,480	2,451	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon X5660 @ 2.80GHz	6	10,471	1,354	95	LGA1366	Server
»	Intel Xeon E5-2643 v3 @ 3.40GHz	6	10,465	2,085	135	LGA2011-v3	Server
»	Intel Xeon D-1567 @ 2.10GHz	12	10,447	1,156	65	FCBGA1667	Server
»	Intel Core i5-9600 @ 3.10GHz	6	10,434	2,741	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-1650 v3 @ 3.50GHz	6	10,424	2,124	140	LGA2011-v3	Server
»	Intel Xeon E-2126G @ 3.30GHz	6	10,390	2,609	80	FCLGA1151-2	Server
»	Intel Xeon E5-2630 v3 @ 2.40GHz	8	10,382	1,763	85	LGA2011-v3	Server
»	Intel Core i7-1185G7 @ 3.00GHz	4	10,379	2,811	15	BGA1526	Laptop
»	Intel Xeon E5-4640 v3 @ 1.90GHz	12	10,372	1,514	105	FCLGA2011-3	Server
»	QTI QCS8550	8	10,369	3,332	NA	Unknown	Mobile/Embedded
»	Intel Xeon Silver 4109T @ 2.00GHz	8	10,348	1,445	70	FCLGA3647	Server
»	Intel Core i7-5930K @ 3.50GHz	6	10,325	2,052	140	LGA2011-v3	Desktop
»	[Dual CPU] AMD Opteron 6274	8	10,313	974	115	G34	Server
»	Intel Core i7-1365URE	10	10,278	3,078	15	FCBGA1744	Mobile/Embedded
»	Intel Core i3-10325 @ 3.90GHz	4	10,268	2,863	65	FCLGA1200	Desktop
»	Intel Xeon E5-1660 v2 @ 3.70GHz	6	10,268	2,101	130	LGA 2011	Server
»	[Dual CPU] AMD Opteron 6366 HE	8	10,265	1,167	85	Unknown	Server
»	Intel Core i7-1185G7E @ 2.80GHz	4	10,256	2,621	15	FCBGA1449	Laptop, Mobile/Embedded
»	Intel Xeon Silver 4110 @ 2.10GHz	8	10,215	1,595	85	FCLGA3647	Server
»	Intel Core i7-8850H @ 2.60GHz	6	10,212	2,385	45	FCBGA1440	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-9700TE @ 1.80GHz	8	10,203	2,214	35	FCLGA1151-2	Desktop, Laptop
»	Intel Core i5-8600K @ 3.60GHz	6	10,200	2,591	95	FCLGA1151-2	Desktop
»	Intel Core i7-1165G7 @ 2.80GHz	4	10,194	2,804	15	BGA1526	Laptop
»	Intel Core i7-8700T @ 2.40GHz	6	10,177	2,302	35	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon X5650 @ 2.67GHz	6	10,128	1,323	95	LGA1366	Server
»	Intel Core i5-1155G7 @ 2.50GHz	4	10,115	2,912	28	FCBGA1449	Laptop
»	Snapdragon 8cx Gen 3 @ 2.69 GHz	8	10,110	2,188	NA	Unknown	Mobile/Embedded
»	[Quad CPU] AMD Opteron 6328	4	10,076	1,252	115	G34	Server
»	Intel Core i5-10500T @ 2.30GHz	6	10,076	2,291	35	FCLGA1200	Desktop
»	Intel Core i7-4960X @ 3.60GHz	6	10,062	2,077	130	LGA2011	Desktop
»	[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz	8	10,057	1,069	85	FCLGA2011-3	Server
»	Intel Xeon D-1541 @ 2.10GHz	8	10,056	1,700	45	FCBGA1667	Server
»	[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz	8	10,053	1,096	95	LGA2011	Server
»	Intel Core i5-9500F @ 3.00GHz	6	10,031	2,601	65	FCLGA1151-2	Desktop
»	Intel Xeon W-2125 @ 4.00GHz	4	10,030	2,563	120	FCLGA2066	Server
»	Intel Xeon D-1540 @ 2.00GHz	8	10,025	1,617	45	FCBGA1667	Server
»	Intel Core i3-10320 @ 3.80GHz	4	10,011	2,839	65	FCLGA1200	Desktop
»	Intel Xeon E5-2687W @ 3.10GHz	8	9,996	1,667	150	LGA2011	Server
»	AMD Ryzen 3 PRO 4450U	4	9,979	2,349	15	FP6	Laptop
»	Intel Core i3-N305	8	9,974	2,212	15	FCBGA1264	Laptop, Mobile/Embedded
»	Intel Core i5-8600 @ 3.10GHz	6	9,961	2,580	65	FCLGA1151-2	Desktop
»	Intel Xeon E5-2628L v3 @ 2.00GHz	10	9,949	1,483	75	LGA2011-v3	Server
»	Intel Xeon E5-2630L v4 @ 1.80GHz	10	9,943	1,556	55	FCLGA2011-3	Server
»	[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz	8	9,940	899	70	LGA 2011	Server
»	[Quad CPU] Intel Xeon E7450 @ 2.40GHz	6	9,932	1,018	90	PGA604	Server
»	Intel Core i7-11390H @ 3.40GHz	4	9,929	2,869	35	FCBGA1449	Laptop
»	Apple A15 Bionic	6	9,907	3,603	NA	Unknown	Mobile/Embedded
»	Intel Xeon E-2274G @ 4.00GHz	4	9,892	2,838	83	FCLGA1151-2	Server
»	Intel Core i7-8750H @ 2.20GHz	6	9,888	2,305	45	FCBGA1440	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Firestorm-M1-Pro 8 Core 2064 MHz	8	9,872	2,999	NA	Unknown	Unknown
»	Intel Xeon E5-2650 v2 @ 2.60GHz	8	9,866	1,688	95	FCLGA2011	Server
»	Intel Core i5-9500TE @ 2.20GHz	6	9,861	2,370	35	FCLGA1151-2	Laptop
»	Intel Xeon E5-2648L v3 @ 1.80GHz	12	9,847	1,292	75	LGA2011-v3	Server
»	Intel Core i7-5820K @ 3.30GHz	6	9,845	1,995	140	LGA2011-v3	Desktop
»	Intel Core i5-9500 @ 3.00GHz	6	9,808	2,574	65	FCLGA1151-2	Desktop
»	Intel Core i5-1145G7 @ 2.60GHz	4	9,795	2,747	28	FCBGA1449	Laptop
»	Intel Core i7-13800HRE	14	9,781	1,437	45	FCBGA1744	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz	4	9,774	1,600	130	LGA2011	Server
»	Intel Core i3-1215UE	6	9,772	3,326	28	FCBGA1744	Mobile/Embedded
»	Intel Core i5-10400T @ 2.00GHz	6	9,771	2,154	35	FCLGA1200	Desktop
»	Intel Xeon E-2324G @ 3.10GHz	4	9,771	2,953	65	FCLGA1200	Server
»	[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz	6	9,763	1,130	95	LGA2011	Server
»	Intel Core i5-1135G7 @ 2.40GHz	4	9,760	2,681	15	BGA1526	Laptop
»	Intel Xeon E5-2690 @ 2.90GHz	8	9,739	1,659	135	LGA2011	Server
»	Intel Xeon D-1718T @ 2.60GHz	4	9,713	2,297	46	FCBGA2227	Server
»	[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz	8	9,706	1,006	85	FCLGA3647	Server
»	Intel Xeon E-2174G @ 3.80GHz	4	9,689	2,678	71	FCLGA1151-2	Server
»	AMD Ryzen 3 5300U	4	9,683	2,350	15	FP6	Laptop
»	Intel Xeon E5-2689 @ 2.60GHz	8	9,683	1,576	115	LGA 2011	Server
»	Intel Core i7-7700K @ 4.20GHz	4	9,649	2,719	95	LGA 1151	Desktop
»	AMD Ryzen 5 PRO 3350GE	4	9,643	2,340	35	Unknown	Desktop
»	[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz	6	9,635	1,192	60	FCLGA1356	Server
»	[Dual CPU] Intel Xeon X5679 @ 3.20GHz	6	9,634	1,526	115	LGA1366	Server
»	Intel Xeon E-2244G @ 3.80GHz	4	9,624	2,691	71	FCLGA1151-2	Server
»	Intel Core i5-9600T @ 2.30GHz	6	9,621	2,425	35	FCLGA1151-2	Desktop
»	Intel Core i3-1125G4 @ 2.00GHz	4	9,620	2,482	28	FCBGA1449	Laptop
»	Intel Core i7-7740X @ 4.30GHz	4	9,607	2,689	112	FCLGA2066	Desktop
»	Intel Xeon E5-4620 v2 @ 2.60GHz	8	9,590	1,569	95	FCLGA2011	Server
»	Intel Core i7-10710U @ 1.10GHz	6	9,585	2,344	15	FCBGA1528	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E7-4850 @ 2.00GHz	10	9,571	703	130	LGA1567	Server
»	[Dual CPU] Intel Xeon E5649 @ 2.53GHz	6	9,558	1,214	80	LGA1366	Server
»	Intel Xeon Bronze 3408U	8	9,557	1,430	125	FCLGA4677	Server
»	Intel Xeon E5-2651 v2 @ 1.80GHz	12	9,544	1,136	NA	LGA 2011	Server
»	Intel Core i5-8500 @ 3.00GHz	6	9,543	2,453	65	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz	6	9,513	1,224	95	LGA 1356	Server
»	[Dual CPU] AMD Opteron 6328	4	9,508	1,442	115	G34	Server
»	ARM HUAWEI,Kunpeng 920 24 Core 2600 MHz	24	9,496	733	NA	Unknown	Mobile/Embedded
»	Intel Xeon Gold 5222 @ 3.80GHz	4	9,489	2,347	105	FCLGA3647	Server
»	Intel U300E	5	9,478	3,546	15	FCBGA1744	Mobile/Embedded
»	Intel Core i7-1265UE	10	9,471	2,582	28	FCBGA1744	Laptop, Mobile/Embedded
»	AMD Ryzen 5 2500X	4	9,469	2,325	65	AM4	Desktop
»	Intel Core i5-9400F @ 2.90GHz	6	9,466	2,436	65	FCLGA1151-2	Desktop, Laptop
»	ZHAOXIN KaiXian KX-7000	8	9,450	1,523	NA	Unknown	Unknown
»	AMD Custom APU 0932	4	9,443	2,294	15	Unknown	Mobile/Embedded
»	[Quad CPU] Intel Xeon E7540 @ 2.00GHz	6	9,409	911	105	FCLGA1567	Server
»	[Dual CPU] Intel Xeon X5687 @ 3.60GHz	4	9,406	1,658	130	LGA1366	Server
»	Intel Core i7-4930K @ 3.40GHz	6	9,399	1,960	130	LGA2011	Desktop
»	Intel Xeon E5-2680 @ 2.70GHz	8	9,396	1,555	130	LGA2011	Server
»	Intel Xeon E5-4655 v3 @ 2.90GHz	6	9,377	1,817	135	FCLGA2011-3	Server
»	Intel Core i5-9400 @ 2.90GHz	6	9,375	2,436	65	FCLGA1151-2	Desktop
»	Apple A12Z Bionic	8	9,365	2,202	NA	Unknown	Mobile/Embedded
»	Snapdragon 8 Gen2 Mobile Platform for Galaxy	8	9,362	3,093	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3350GE	4	9,343	2,322	35	Unknown	Desktop
»	Intel Core i5-8600T @ 2.30GHz	6	9,331	2,279	35	FCLGA1151-2	Desktop
»	Intel Xeon E5-1650 v2 @ 3.50GHz	6	9,327	2,051	130	FCLGA2011	Server
»	Intel Xeon E5-4627 v2 @ 3.30GHz	8	9,320	1,786	130	FCLGA2011	Server
»	Intel Xeon E-2144G @ 3.60GHz	4	9,314	2,639	71	FCLGA1151-2	Server
»	Intel Core i3-10300 @ 3.70GHz	4	9,308	2,697	65	FCLGA1200	Desktop
»	Intel Xeon E3-1275 v6 @ 3.80GHz	4	9,303	2,554	73	FCLGA1151	Server
»	Intel Pentium Gold 8505	5	9,292	3,230	15	BGA1700	Laptop, Mobile/Embedded
»	Intel Core i3-10305 @ 3.80GHz	4	9,291	2,815	65	FCLGA1200	Desktop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon D-1557 @ 1.50GHz	12	9,285	1,090	45	FCBGA1667	Server
»	Intel Core i5-1245UE	10	9,283	2,476	15	FCBGA1744	Mobile/Embedded
»	AMD Ryzen 5 PRO 3350G	4	9,282	2,287	65	AM4	Desktop
»	Intel Core i5-1145G7E @ 2.60GHz	4	9,279	2,468	15	FCBGA1449	Mobile/Embedded
»	Intel Core i7-1068NG7 @ 2.30GHz	4	9,269	2,333	28	FCBGA1344	Laptop
»	AMD Ryzen 5 3400G	4	9,260	2,333	65	AM4	Desktop
»	[Dual CPU] AMD Opteron 4386	4	9,253	1,309	95	C32	Server
»	[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz	6	9,252	995	95	LGA1356	Server
»	Hygon C86 3185 8-core	8	9,243	1,881	95	Unknown	Desktop
»	[Dual CPU] AMD Opteron 6272	8	9,239	966	115	G34	Server
»	Intel Xeon E-2134 @ 3.50GHz	4	9,239	2,638	71	FCLGA1151-2	Server
»	Intel Core i5-8400 @ 2.80GHz	6	9,234	2,381	65	FCLGA1151-2	Desktop
»	AMD Ryzen 5 7520U	4	9,223	2,477	15	FP6	Laptop
»	Intel Xeon E5-2620 v4 @ 2.10GHz	8	9,198	1,634	85	FCLGA2011-3	Server
»	Intel Xeon E5-2643 v2 @ 3.50GHz	6	9,184	1,894	130	FCLGA2011	Server
»	Intel Core i7-1160G7 @ 1.20GHz	4	9,181	2,675	NA	FCBGA1598	Laptop
»	[Dual CPU] AMD Opteron 6276	8	9,168	916	115	Socket G34	Server
»	[Dual CPU] Intel Xeon E5645 @ 2.40GHz	6	9,150	1,176	80	LGA1366	Server
»	Intel Xeon E5-2629 v3 @ 2.40GHz	8	9,139	1,426	85	LGA2011-v3	Server
»	Mediatek MT6983W/CZA	8	9,136	3,238	NA	Unknown	Mobile/Embedded
»	QTI SM8550	8	9,118	2,899	NA	Unknown	Mobile/Embedded
»	Intel Xeon E-2234 @ 3.60GHz	4	9,114	2,770	71	FCLGA1151-2	Server
»	Mediatek MT8798Z/CNZA	8	9,110	3,111	NA	Unknown	Mobile/Embedded
»	Intel Xeon D-1715TER @ 2.40GHz	4	9,104	2,269	50	FCBGA2227	Server
»	AMD Ryzen 5 1500X	4	9,103	2,114	65	AM4	Desktop
»	AMD Ryzen 5 PRO 1500	4	9,099	2,129	65	AM4	Desktop
»	AMD Ryzen 5 PRO 3400G	4	9,090	2,301	65	AM4	Desktop
»	Intel Xeon D-1548 @ 2.00GHz	8	9,075	1,647	45	FCBGA1667	Server
»	Intel Xeon E5-4648 v3 @ 1.70GHz	12	9,061	1,317	105	FCLGA2011-3	Server
»	Intel Core i9-9900B @ 3.10GHz	8	9,060	2,018	65	FCLGA1151	Desktop
»	Intel Core i5-1140G7 @ 1.10GHz	4	9,056	2,569	15	FCBGA1598	Server
»	Google Tensor G4	8	9,048	2,848	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2450 v2 @ 2.50GHz	8	9,041	1,609	95	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E3-1280 v6 @ 3.90GHz	4	9,032	2,505	72	FCLGA1151	Server
»	[Dual CPU] Intel Xeon Bronze 3204 @ 1.90GHz	6	9,019	1,116	85	FCLGA3647	Server
»	Intel Core i3-10105F @ 3.70GHz	4	8,994	2,655	65	FCLGA1200	Desktop
»	AMD Ryzen 5 3350G	4	8,989	2,263	65	AM4	Desktop
»	[Dual CPU] Intel Xeon X5677 @ 3.47GHz	4	8,971	1,623	130	LGA1366	Server
»	Intel Xeon E5-2670 @ 2.60GHz	8	8,959	1,469	115	LGA2011	Server
»	Intel Core i5-8500B @ 3.00GHz	6	8,944	2,540	65	FCBGA1440	Laptop
»	Intel Xeon E3-1270 v6 @ 3.80GHz	4	8,931	2,458	72	FCLGA1151	Server
»	Intel Core i7-6700K @ 4.00GHz	4	8,929	2,504	95	LGA1151	Desktop
»	Intel Xeon Silver 4108 @ 1.80GHz	8	8,909	1,483	85	FCLGA3647	Server
»	AMD Ryzen 5 3400GE	4	8,907	2,295	35	AM4	Desktop
»	Intel Core i3-1315UE	6	8,906	3,170	15	FCBGA1744	Mobile/Embedded
»	Intel Core i5-1038NG7 @ 2.00GHz	4	8,905	2,168	28	FCBGA1344	Laptop
»	Intel Core i5-3170K @ 3.20GHz	4	8,882	2,510	NA	Unknown	Unknown
»	Intel Xeon Gold 5122 @ 3.60GHz	4	8,868	2,155	105	FCLGA3647	Server
»	AMD Ryzen 3 7320U	4	8,862	2,387	15	FP7	Laptop
»	Intel Core i3-1305U	5	8,850	3,310	15	FCBGA1744	Laptop
»	Intel Xeon E5-2648L v2 @ 1.90GHz	10	8,828	1,194	70	FCLGA2011	Server
»	[Dual CPU] Intel Xeon X5672 @ 3.20GHz	4	8,825	1,503	95	LGA1366	Server
»	Intel Xeon E3-1245 v6 @ 3.70GHz	4	8,790	2,420	73	FCLGA1151	Server
»	Intel Core i3-10100F @ 3.60GHz	4	8,763	2,592	65	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz	6	8,760	1,152	60	LGA 2011	Server
»	AMD Ryzen 5 2400G	4	8,728	2,147	65	AM4	Desktop
»	Intel Xeon E5-2630L v3 @ 1.80GHz	8	8,701	1,543	55	LGA2011-v3	Server
»	Intel Core i3-N300	8	8,693	2,068	7	FCBGA1264	Laptop
»	ARM - 32 Core 3300 MHz	32	8,684	585	NA	Unknown	Mobile/Embedded
»	ARM X-Gene 32 Core 3300 MHz	32	8,684	583	NA	Unknown	Mobile/Embedded
»	AMD EPYC 3201	8	8,672	1,564	30	SP4r2	Server
»	Intel Core i3-10100 @ 3.60GHz	4	8,652	2,615	65	FCLGA1200	Desktop
»	Intel Core i7-7700 @ 3.60GHz	4	8,646	2,453	65	LGA1151	Desktop
»	Intel Xeon E3-1240 v6 @ 3.70GHz	4	8,645	2,369	72	FCLGA1151	Server
»	[Dual CPU] AMD Opteron 6234	6	8,644	887	115	G34	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Atom C5125	8	8,631	1,486	50	FCBGA2106	Server
»	Intel Xeon E5-4650 @ 2.70GHz	8	8,630	1,476	130	LGA2011	Server
»	AMD Ryzen 3 7320C	4	8,614	2,436	15	FT6	Laptop
»	ARM - 8 Core 2424 MHz	8	8,610	3,083	NA	Unknown	Mobile/Embedded
»	QTI SM7675	8	8,597	2,141	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz	6	8,595	1,110	80	LGA2011-v3	Server
»	QTI SM8635	8	8,593	2,373	NA	Unknown	Mobile/Embedded
»	Intel Xeon W-2223 @ 3.60GHz	4	8,583	2,179	120	FCLGA2066	Server
»	Intel Core i3-10105 @ 3.70GHz	4	8,569	2,679	65	FCLGA1200	Desktop
»	Intel Core i5-1130G7 @ 1.10GHz	4	8,564	2,389	15	BGA 1449	Laptop
»	[Dual CPU] AMD Opteron 4284	4	8,560	1,369	95	Socket C32	Server
»	AMD Ryzen Embedded V1807B	4	8,553	2,213	45	FP5	Laptop, Mobile/Embedded
»	Intel Core i7-8809G @ 3.10GHz	4	8,546	2,386	100	BGA2270	Laptop
»	Apple A14 Bionic	6	8,545	3,393	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3970X @ 3.50GHz	6	8,541	1,850	150	LGA2011	Desktop
»	Intel Core i5-1145GRE @ 2.60GHz	4	8,536	2,072	15	FCBGA1449	Mobile/Embedded
»	Intel Xeon E3-1285 v6 @ 4.10GHz	4	8,536	2,579	79	FCLGA1151	Server
»	Intel Xeon E5-4650L @ 2.60GHz	8	8,533	1,409	115	LGA 2011	Server
»	Mediatek MT8792	8	8,526	2,664	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 PRO 2400G	4	8,514	2,155	65	AM4	Desktop
»	[Dual CPU] Intel Xeon X5667 @ 3.07GHz	4	8,511	1,443	95	LGA1366	Server
»	[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz	4	8,506	1,409	85	FCLGA2011-3	Server
»	Intel Core i5-10400H @ 2.60GHz	4	8,503	2,632	45	FCBGA1440	Laptop
»	Intel Xeon W-11155MLE @ 1.80GHz	4	8,502	1,862	25	FCBGA1787	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz	6	8,500	899	60	FCLGA1356	Server
»	Intel Xeon E3-1275 v5 @ 3.60GHz	4	8,493	2,354	80	FCLGA1151	Server
»	AMD Ryzen Embedded R2544	4	8,486	2,102	45	FP5	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5640 @ 2.27GHz	6	8,474	1,155	60	LGA1366	Server
»	Intel Xeon W-2123 @ 3.60GHz	4	8,465	2,191	120	FCLGA2066	Server
»	Intel Core i5-10500TE @ 2.30GHz	6	8,449	1,688	35	FCLGA1200	Laptop, Mobile/Embedded
»	Intel Xeon E5-2628 v3 @ 2.50GHz	8	8,447	1,754	85	LGA2011-v3	Server
»	Intel Core i7-3960X @ 3.30GHz	6	8,446	1,800	130	LGA2011	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Mediatek MT8195	8	8,419	2,647	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-1660 @ 3.30GHz	6	8,413	1,806	130	LGA2011	Server
»	Intel Xeon E3-1585 v5 @ 3.50GHz	4	8,408	2,402	65	FCBGA1440	Server
»	Intel Xeon E3-1280 v5 @ 3.70GHz	4	8,407	2,322	80	FCLGA1151	Server
»	Intel Atom x7835RE	8	8,400	1,974	12	FCBGA1264	Mobile/Embedded
»	Intel Core i7-8559U @ 2.70GHz	4	8,381	2,525	28	FCBGA1528	Laptop
»	AMD EPYC 3151	4	8,376	1,883	45	SP4r2	Server
»	Intel Core i5-10300H @ 2.50GHz	4	8,372	2,558	45	FCBGA1440	Desktop, Laptop
»	[Dual CPU] Intel Xeon X5647 @ 2.93GHz	4	8,369	1,418	130	LGA1366	Server
»	Intel Core i3-10100E @ 3.20GHz	4	8,365	2,333	65	FCLGA1200	Desktop, Mobile/Embedded
»	Intel Xeon E3-1270 v5 @ 3.60GHz	4	8,356	2,313	80	FCLGA1151	Server
»	Intel Core i5-9400T @ 1.80GHz	6	8,355	2,115	35	FCLGA1151-2	Desktop
»	Intel U300	5	8,299	3,037	15	FCBGA1744	Laptop
»	Intel Xeon E5-2665 @ 2.40GHz	8	8,298	1,400	115	LGA2011	Server
»	Intel Core i7-1065G7 @ 1.30GHz	4	8,295	2,319	15	FCBGA-1526	Laptop
»	Intel Xeon E5-2470 @ 2.30GHz	8	8,295	1,426	95	LGA 1356	Server
»	Intel Core i7-1180G7 @ 1.30GHz	4	8,293	2,490	15	FCBGA1598	Laptop
»	AMD Opteron 6386 SE	16	8,291	1,305	140	Socket G34	Server
»	AMD Ryzen Embedded V1756B	4	8,291	2,102	45	FP5	Desktop, Mobile/Embedded
»	AMD Ryzen 5 PRO 3400GE	4	8,285	2,240	35	AM4	Desktop
»	AMD Athlon Gold PRO 4150GE	4	8,259	2,384	35	FP6	Laptop
»	Intel Xeon E3-1240 v5 @ 3.50GHz	4	8,247	2,295	80	FCLGA1151	Server
»	ARM Avalanche-M2 4 Core 2424 MHz	4	8,233	3,290	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8569U @ 2.80GHz	4	8,230	2,599	28	FCBGA1528	Laptop
»	Intel Xeon E3-1260L v5 @ 2.90GHz	4	8,226	2,307	45	FCLGA1151	Server
»	Intel Core i5-9500T @ 2.20GHz	6	8,212	2,164	35	FCLGA1151-2	Desktop
»	Intel Xeon E3-1230 v6 @ 3.50GHz	4	8,212	2,203	72	FCLGA1151	Server
»	Intel Core i7-1185GRE @ 2.80GHz	4	8,208	2,264	15	FCBGA1449	Mobile/Embedded
»	[Dual CPU] AMD Opteron 6238	6	8,206	1,076	115	Socket G34	Server
»	Intel Core i7-3930K @ 3.20GHz	6	8,205	1,747	130	LGA2011	Desktop
»	ARM X-Gene 32 Core 3000 MHz	32	8,202	608	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E-2276ME @ 2.80GHz	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
»	Intel Core i7-10810U @ 1.10GHz	6	8,160	2,276	15	FCBGA1528	Laptop
»	Intel Xeon E5-2660 @ 2.20GHz	8	8,149	1,397	95	LGA2011	Server
»	Google Tensor G3	9	8,147	2,423	NA	Unknown	Mobile/Embedded
»	Intel Xeon E-2314 @ 2.80GHz	4	8,146	2,732	65	FCLGA1200	Server
»	Intel Core i5-10200H @ 2.40GHz	4	8,139	2,435	45	FCBGA1440	Laptop
»	Intel Core i3-10305T @ 3.00GHz	4	8,136	2,457	35	FCLGA1200	Desktop
»	ARM - 32 Core 2911 MHz	32	8,132	541	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-1650 @ 3.20GHz	6	8,113	1,736	130	LGA2011	Server
»	Intel Core i5-1035G7 @ 1.20GHz	4	8,108	2,205	15	FCBGA1526	Laptop
»	AMD Ryzen 7 3750H	4	8,103	2,080	35	FP5	Laptop
»	Intel Xeon E3-1585L v5 @ 3.00GHz	4	8,083	2,188	45	FCBGA1440	Server
»	Intel Core i7-6700 @ 3.40GHz	4	8,081	2,291	65	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz	6	8,079	1,054	85	FCLGA3647	Server
»	Intel Xeon E3-1285L v4 @ 3.40GHz	4	8,074	2,350	65	LGA1150	Server
»	Intel Core i7-4790K @ 4.00GHz	4	8,066	2,466	88	LGA1150	Desktop
»	CentaurHauls @2500MHz	8	8,055	1,384	NA	Unknown	Desktop
»	[Dual CPU] Intel Xeon X7560 @ 2.27GHz	8	8,028	892	130	LGA1567	Server
»	Intel Xeon E3-1245 v5 @ 3.50GHz	4	8,027	2,243	80	FCLGA1151	Server
»	Intel Xeon D-1559 @ 1.50GHz	12	8,015	1,033	45	FCBGA1667	Server
»	AMD Ryzen 7 2800H	4	8,013	2,173	45	FP5	Laptop
»	Intel Xeon E3-1575M v5 @ 3.00GHz	4	8,006	2,204	45	FCBGA1440	Server
»	Intel Core i3-10105T @ 3.00GHz	4	7,994	2,357	35	FCLGA1200	Desktop
»	[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz	6	7,992	1,081	85	FCLGA2011-3	Server
»	Intel Xeon D-2712T @ 1.90GHz	4	7,990	1,956	65	FCBGA2579	Server
»	Intel Core i3-10300T @ 3.00GHz	4	7,975	2,337	35	FCLGA1200	Desktop
»	[Dual CPU] AMD Opteron 6136	8	7,964	1,059	115	Socket G34	Server
»	[Dual CPU] AMD Opteron 6220	4	7,951	1,235	115	Socket G34	Server
»	Intel Core i7-8709G @ 3.10GHz	4	7,947	2,313	100	BGA2270	Laptop
»	Intel Xeon E3-1535M v6 @ 3.10GHz	4	7,941	2,290	35	FCBGA1440	Laptop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E3-1515M v5 @ 2.80GHz	4	7,938	2,148	45	FCBGA1440	Server
»	Intel Xeon E3-1230 v5 @ 3.40GHz	4	7,921	2,193	80	FCLGA1151	Server
»	Intel Core i5-9400H @ 2.50GHz	4	7,918	2,409	45	FCBGA1440	Laptop
»	Intel Core i7-9850HL @ 1.90GHz	6	7,897	1,723	25	FCBGA1440	Desktop, Laptop
»	Mediatek Dimensity 9200 (MT6985)	8	7,878	2,343	NA	Unknown	Mobile/Embedded
»	Intel Core i5-1035G4 @ 1.10GHz	4	7,877	2,193	15	FCBGA1526	Laptop
»	Intel Core i5-8259U @ 2.30GHz	4	7,873	2,200	28	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon X7550 @ 2.00GHz	8	7,873	1,067	130	LGA1567	Server
»	Intel Core i7-995X @ 3.60GHz	6	7,862	1,718	NA	Unknown	Desktop
»	AMD Ryzen 5 2600H	4	7,860	2,075	45	FP5	Laptop
»	AMD Opteron 6348	6	7,850	1,333	115	Unknown	Server
»	[Quad CPU] Intel Xeon X7350 @ 2.93GHz	4	7,836	1,186	130	604	Server
»	[Dual CPU] AMD Opteron 6176 SE	12	7,818	963	140	G34	Server
»	Intel Xeon E3-1545M v5 @ 2.90GHz	4	7,813	2,117	45	FCBGA1440	Laptop, Server
»	Intel Xeon E3-1285 v4 @ 3.50GHz	4	7,808	2,313	95	FCLGA1150	Server
»	Intel Core i7-5950HQ @ 2.90GHz	4	7,807	2,310	47	FCBGA1364	Laptop
»	ARM Firestorm 4 Core 2064 MHz	4	7,804	2,941	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2620 v3 @ 2.40GHz	6	7,804	1,690	85	LGA2011-v3	Server
»	ARM Firestorm-M1 4 Core 2064 MHz	4	7,798	2,962	NA	Unknown	Mobile/Embedded
»	AMD Ryzen Embedded V1807F	4	7,775	1,838	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3550H	4	7,764	2,027	35	FP5	Laptop
»	AMD Ryzen 5 1400	4	7,753	1,896	65	AM4	Desktop
»	[Quad CPU] AMD Opteron 8378	4	7,726	1,044	115	F (1207)	Server
»	Mediatek MT6983Z/CZA	8	7,726	2,255	NA	Unknown	Mobile/Embedded
»	Intel Core i5-8500T @ 2.10GHz	6	7,723	2,012	35	FCLGA1151-2	Desktop
»	AMD Athlon Gold PRO 3150G	4	7,702	2,321	65	AM4	Desktop
»	Intel Core i3-9350K @ 4.00GHz	4	7,700	2,783	91	FCLGA1151	Desktop
»	Intel Core i7-5775C @ 3.30GHz	4	7,693	2,276	65	FCLGA1150	Desktop
»	Intel Core i7-8705G @ 3.10GHz	4	7,689	2,209	65	BGA2270	Laptop
»	Mediatek MT6895Z_A/TCZA	8	7,686	2,308	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3550U	4	7,681	2,053	15	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon E3-1270L v4 @ 3.00GHz	4	7,662	2,378	45	LGA1150	Server
»	Intel Xeon E5-2440 v2 @ 1.90GHz	8	7,655	1,139	95	LGA 1356	Server
»	AMD Ryzen 5 PRO 2400GE	4	7,654	2,122	35	AM4	Desktop
»	Intel Core i5-8400H @ 2.50GHz	4	7,647	2,348	45	FCBGA1440	Laptop
»	Intel Xeon E-2224G @ 3.50GHz	4	7,639	2,732	71	FCLGA1151-2	Server
»	MediaTek MT6895	8	7,615	2,281	NA	Unknown	Mobile/Embedded
»	Intel Core i7-5775R @ 3.30GHz	4	7,609	2,252	65	LGA1150	Desktop
»	Intel Xeon D-1531 @ 2.20GHz	6	7,592	1,482	45	FCBGA1667	Server
»	Intel Xeon E5-2640 v2 @ 2.00GHz	8	7,590	1,270	95	LGA 2011	Server
»	Intel Xeon E5-2650L v2 @ 1.70GHz	10	7,586	979	70	FCLGA2011	Server
»	Intel Xeon E5-1630 v4 @ 3.70GHz	4	7,585	2,320	140	FCLGA2011-3	Server
»	Intel Core i7-7700T @ 2.90GHz	4	7,581	2,144	35	FCLGA1151	Desktop
»	Intel Core i5-9300H @ 2.40GHz	4	7,578	2,290	45	FCBGA1440	Laptop
»	AMD Ryzen 3 2300X	4	7,568	2,355	65	AM4	Desktop
»	[Quad CPU] Intel Xeon E5-4607 v2 @ 2.60GHz	6	7,557	1,378	95	FCLGA2011	Server
»	Intel Core i3-9350KF @ 4.00GHz	4	7,549	2,668	91	FCLGA1151-2	Desktop
»	Intel Core i7-7820EQ @ 3.00GHz	4	7,542	2,173	45	FCBGA1440	Laptop
»	Intel Xeon E3-1271 v3 @ 3.60GHz	4	7,534	2,279	80	FCLGA1150	Server
»	Intel Xeon E5-2450 @ 2.10GHz	8	7,534	1,180	95	LGA 1356	Server
»	Intel Xeon E5-2667 @ 2.90GHz	6	7,524	1,586	130	LGA2011	Server
»	AMD Ryzen 5 2400GE	4	7,521	2,100	35	AM4	Desktop
»	Intel Xeon E3-1535M v5 @ 2.90GHz	4	7,511	2,117	45	FCBGA1440	Laptop, Server
»	Intel Xeon E3-1276 v3 @ 3.60GHz	4	7,508	2,283	84	FCLGA1150	Server
»	Intel Core i5-8257U @ 1.40GHz	4	7,487	2,270	15	FCBGA1528	Laptop
»	Intel Core i5-8260U @ 1.60GHz	4	7,485	2,245	15	FCBGA1528	Laptop
»	Intel Xeon E5-2630 v2 @ 2.60GHz	6	7,473	1,569	80	FCLGA2011	Server
»	Intel Core i5-8279U @ 2.40GHz	4	7,469	2,295	28	FCBGA1528	Laptop
»	Intel Core i5-8300H @ 2.30GHz	4	7,466	2,277	45	FCLGA1151-2	Laptop
»	Intel Xeon E3-1505M v6 @ 3.00GHz	4	7,466	2,230	45	Unknown	Server
»	AMD Ryzen 7 PRO 3700U	4	7,465	2,026	15	FP5	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5640 @ 2.67GHz	4	7,455	1,252	80	LGA1366	Server
»	Intel Xeon E3-1281 v3 @ 3.70GHz	4	7,452	2,329	82	LGA1150	Server
»	Intel Xeon E5-2608L v4 @ 1.60GHz	8	7,447	1,092	50	FCLGA2011-3	Server
»	Intel Xeon D-1537 @ 1.70GHz	8	7,444	1,225	35	FCBGA1667	Server
»	Intel Xeon E5-2637 v4 @ 3.50GHz	4	7,444	2,218	135	FCLGA2011-3	Server
»	Mediatek MT6897	8	7,444	2,055	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 4300U	4	7,441	2,308	15	FP6	Laptop
»	Intel Core i5-8400T @ 1.70GHz	6	7,440	1,919	35	FCLGA1151-2	Desktop
»	Mediatek Dimensity 8200-Ultimate (MT6896)	8	7,435	2,296	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1286 v3 @ 3.70GHz	4	7,418	2,391	84	LGA1150	Server
»	Intel Xeon E5-1630 v3 @ 3.70GHz	4	7,395	2,107	140	LGA2011-v3	Server
»	Intel Xeon E3-1280 v3 @ 3.60GHz	4	7,393	2,275	82	LGA1150	Server
»	Intel Core i7-7820HK @ 2.90GHz	4	7,385	2,116	45	FCBGA1440	Laptop
»	Intel Xeon E5-1620 v4 @ 3.50GHz	4	7,384	2,227	140	FCLGA2011-3	Server
»	Intel Atom P5322	8	7,378	1,198	55	FCBGA2106	Server
»	Intel Xeon E5-2650 @ 2.00GHz	8	7,375	1,223	95	LGA2011	Server
»	[3-Way CPU] ARM ARMv8 rev 1 (v8l) 12 Core 2201 MHz	12	7,371	1,183	NA	Unknown	Mobile/Embedded
»	Intel Core i5-1035G1 @ 1.00GHz	4	7,367	2,233	15	FCBGA1526	Laptop
»	Intel Core i7-7920HQ @ 3.10GHz	4	7,367	2,223	45	FCBGA1440	Laptop
»	Intel Xeon E-2124G @ 3.40GHz	4	7,365	2,686	71	FCLGA1151-2	Server
»	Intel Xeon @ 2.00GHz	6	7,363	939	NA	Unknown	Unknown
»	Intel Core i3-9320 @ 3.70GHz	4	7,358	2,711	62	FCLGA1151-2	Desktop
»	Intel Core i7-6920HQ @ 2.90GHz	4	7,351	2,101	45	FCBGA1440	Laptop
»	Intel Core i7-8557U @ 1.70GHz	4	7,342	2,326	15	FCBGA1528	Laptop
»	Intel Core i5-9300HF @ 2.40GHz	4	7,322	2,281	45	FCBGA1440	Laptop
»	Google GS201	8	7,317	2,265	NA	Unknown	Mobile/Embedded
»	Intel Xeon E-2224 @ 3.40GHz	4	7,317	2,554	71	FCLGA1151-2	Server
»	QTI SM7475	8	7,310	1,994	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 3200GE	4	7,309	2,206	35	AM4	Desktop
»	Intel Xeon Phi 7210 @ 1.30GHz	64	7,306	460	215	SVLCLGA3647	Server
»	Intel Xeon E3-1246 v3 @ 3.50GHz	4	7,296	2,217	84	FCLGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Mediatek MT6891Z_T/CZA	8	7,294	2,268	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8706G @ 3.10GHz	4	7,287	2,322	65	BGA2270	Laptop
»	QTI SM8475	8	7,285	2,426	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6281	8	7,279	1,129	NA	Socket G34	Server
»	Intel Core i3-10100T @ 3.00GHz	4	7,273	2,259	35	FCLGA1200	Laptop
»	AMD Ryzen 5 3580U	4	7,271	1,981	15	FP5	Laptop
»	Intel Core i7-4790 @ 3.60GHz	4	7,269	2,232	84	FCLGA1150	Desktop
»	Intel Xeon E3-1270 v3 @ 3.50GHz	4	7,267	2,191	80	LGA1150	Server
»	Mediatek MT8797Z/CNZA	8	7,260	2,284	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2637 v3 @ 3.50GHz	4	7,246	2,025	135	LGA2011-v3	Server
»	AMD Ryzen 5 Microsoft Surface Edition	4	7,243	1,815	15	FP5	Laptop
»	[Dual CPU] AMD Opteron 4238	3	7,236	1,313	95	Socket C32	Server
»	AMD Ryzen 3 PRO 1300	4	7,234	2,187	65	AM4	Desktop
»	[Quad CPU] Intel Xeon E7530 @ 1.87GHz	6	7,231	887	105	FCLGA1567	Server
»	Intel Xeon E5-4610 v3 @ 1.70GHz	10	7,229	1,027	105	FCLGA2011-3	Server
»	Intel Xeon W3690 @ 3.47GHz	6	7,226	1,613	130	LGA1366	Server
»	[Dual CPU] Intel Xeon L5638 @ 2.00GHz	6	7,217	944	60	LGA1366	Server
»	Samsung s5e8845	8	7,215	2,372	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6700T @ 2.80GHz	4	7,213	2,070	35	LGA 1151	Desktop
»	Intel Xeon E3-1275 v3 @ 3.50GHz	4	7,213	2,201	95	LGA1150	Server
»	AMD Ryzen 7 PRO 2700U	4	7,196	1,957	15	FP5	Laptop
»	Intel Xeon E5-2628L v2 @ 1.90GHz	8	7,181	1,106	70	LGA 2011	Server
»	Intel Xeon D-1539 @ 1.60GHz	8	7,175	1,179	35	FCBGA1667	Server
»	Intel Core i7-7820HQ @ 2.90GHz	4	7,167	2,122	45	FCBGA1440	Laptop
»	Intel 300	2	7,160	3,235	46	FCLGA1700	Desktop
»	AMD Ryzen 7 3700U	4	7,158	1,976	15	FP5	Laptop
»	vendor Kirin9000E	8	7,141	2,687	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1241 v3 @ 3.50GHz	4	7,139	2,173	80	LGA1150	Server
»	Intel Core i3-9300 @ 3.70GHz	4	7,137	2,561	62	FCLGA1151-2	Desktop
»	Intel Core i7-4771 @ 3.50GHz	4	7,137	2,194	84	LGA1150	Desktop
»	Intel Core i7-4770K @ 3.50GHz	4	7,131	2,162	84	LGA1150	Desktop
»	[Dual CPU] AMD Opteron 6282 SE	16	7,130	517	140	Unknown	Server
»	AMD Ryzen 3 3200G	4	7,129	2,206	65	AM4	Desktop
»	AMD Athlon Gold 3150G	4	7,112	2,265	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	7,111	2,377	28	FCBGA1528	Laptop, Mobile/Embedded
»	<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,111	1,579	130	LGA1366	Desktop
»	<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
»	<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,087	1,944	45	FCBGA1440	Laptop
»	<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,059	2,169	84	LGA1150	Desktop
»	<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	7,055	1,991	45	FCBGA1440	Laptop
»	<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,053	2,150	80	LGA1150	Server
»	<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	7,045	2,149	80	FCLGA1150	Server
»	<a href="#">Mediatek MT6895Z_B/TCZA</a>	8	7,044	2,204	NA	Unknown	Mobile/Embedded
»	<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	7,043	2,542	112	FCLGA2066	Desktop
»	<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	7,039	1,425	80	LGA 1356	Server
»	<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	7,037	1,207	95	LGA 2011	Server
»	<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	7,037	1,637	130	LGA1366	Server
»	<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
»	<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,021	2,147	84	LGA1150	Server
»	<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	7,013	2,206	65	LGA1150	Desktop
»	<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,012	1,233	95	LGA2011	Server
»	<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	7,011	1,954	15	FP5	Laptop
»	<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,006	2,165	35	AM4	Desktop
»	<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	7,001	1,997	45	FCBGA1440	Laptop
»	<a href="#">AMD Ryzen Embedded R2514</a>	4	6,998	1,933	15	FP5	Mobile/Embedded
»	<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,995	1,570	130	LGA1366	Server
»	<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,992	2,011	140	LGA2011-v3	Server
»	<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,991	2,190	65	AM4	Desktop
»	<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
»	<a href="#">AMD Ryzen 3 1300X</a>	4	6,974	2,126	65	AM4	Desktop
»	<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,974	2,213	84	LGA1150	Server
»	<a href="#">AMD Ryzen 7 3780U</a>	4	6,961	1,937	15	FP5	Laptop
»	<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	6,955	2,005	45	FCBGA1440	Server
»	<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-8305G @ 2.80GHz	4	6,951	2,048	65	BGA2270	Laptop
»	AMD Ryzen 5 3500U	4	6,943	1,948	15	FP5	Laptop
»	Intel Xeon E5-2623 v4 @ 2.60GHz	4	6,940	1,761	85	FCLGA2011-3	Server
»	Intel Core i7-980 @ 3.33GHz	6	6,936	1,539	130	LGA1366	Desktop
»	Intel Xeon E3-1286L v3 @ 3.20GHz	4	6,929	2,329	65	LGA1150	Server
»	AMD Opteron 6287 SE	16	6,925	1,091	NA	G34	Server
»	Intel Xeon E-2124 @ 3.30GHz	4	6,915	2,495	71	FCLGA1151-2	Server
»	vendor Kirin9000	8	6,914	2,592	NA	Unknown	Mobile/Embedded
»	Intel Core i7-7700HQ @ 2.80GHz	4	6,908	2,057	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz	6	6,900	925	85	LGA2011-v3	Server
»	Mediatek Dimensity 7300-Ultra (MT6878)	8	6,874	2,264	NA	Unknown	Mobile/Embedded
»	Intel Core i3-9100E @ 3.10GHz	4	6,868	2,334	65	FCLGA1151	Mobile/Embedded
»	Intel Core i7-5850HQ @ 2.70GHz	4	6,866	2,219	47	FCBGA1364	Laptop
»	Intel Core i3-8350K @ 4.00GHz	4	6,865	2,475	91	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon E5630 @ 2.53GHz	4	6,847	1,171	80	LGA1366	Server
»	[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz	4	6,844	1,383	80	LGA 2011	Server
»	Intel Xeon X5680 @ 3.33GHz	6	6,833	1,533	130	LGA1366	Server
»	Intel Core i7-4940MX @ 3.10GHz	4	6,830	2,183	57	FPGA946,FPGA947	Laptop
»	Intel Xeon D-1528 @ 1.90GHz	6	6,823	1,487	35	FCBGA1667	Laptop, Server
»	Intel Core i7-6820HQ @ 2.70GHz	4	6,820	1,953	45	FCBGA1440	Laptop
»	Intel Xeon E3-1230 v3 @ 3.30GHz	4	6,816	2,079	80	LGA1150	Server
»	AMD Ryzen 3 PRO 2200G	4	6,812	2,066	65	AM4	Desktop
»	Intel Core i7-980X @ 3.33GHz	6	6,811	1,528	130	LGA1366	Desktop
»	Intel Core i5-7600K @ 3.80GHz	4	6,803	2,548	91	FCLGA1151	Desktop
»	Intel Xeon E3-1285L v3 @ 3.10GHz	4	6,803	2,149	65	LGA1150	Server
»	AMD Ryzen 7 2700U	4	6,796	1,811	15	FP5	Laptop
»	[Quad CPU] Intel Xeon E7330 @ 2.40GHz	4	6,792	933	80	PGA604, PPGA604	Server
»	Intel Xeon E5-2623 v3 @ 3.00GHz	4	6,790	1,866	105	LGA2011-v3	Server
»	AMD FX-9590 Eight-Core	4	6,789	1,813	220	AM3+	Desktop
»	ARM Firestorm 8 Core 2064 MHz	8	6,775	2,804	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2448L v2 @ 1.80GHz	10	6,774	1,235	70	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen 3 2200G	4	6,756	2,049	65	AM4	Desktop
»	Intel Core i7-4770S @ 3.10GHz	4	6,747	2,123	65	LGA1150	Desktop
»	Intel Core i3-9100F @ 3.60GHz	4	6,737	2,499	65	FCLGA1151-2	Desktop
»	Intel Pentium Gold G7400	2	6,735	3,000	46	LGA1700,BGA1700	Desktop
»	Qualcomm SM8250	8	6,734	2,449	NA	Unknown	Mobile/Embedded
»	Snapdragon 8cx Gen 2 @ 3.0 GHz	8	6,728	1,737	NA	Unknown	Laptop, Mobile/Embedded
»	Google Tensor	8	6,727	2,293	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 3450U	4	6,722	1,905	15	FP5	Laptop
»	QTI SG8175P	8	6,713	2,140	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2630L v2 @ 2.40GHz	6	6,703	1,396	60	LGA 2011	Server
»	AMD Ryzen 3 PRO 3200GE	4	6,701	2,133	35	AM4	Laptop
»	Intel Core i7-10610U @ 1.80GHz	4	6,697	2,258	15	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz	4	6,690	995	95	LGA 2011	Server
»	AMD Opteron 6380	8	6,687	1,092	115	G34	Server
»	AMD Ryzen Embedded V1605B	4	6,677	1,908	15	FP5	Laptop, Mobile/Embedded
»	Intel Xeon D-2123IT @ 2.20GHz	4	6,676	1,725	60	FCBGA2518	Server
»	HiSilicon Kirin	8	6,669	2,246	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 5 PRO 2500U	4	6,657	1,796	15	FP5	Laptop
»	Snapdragon 8cx Gen 2 @ 3.15 GHz	8	6,657	1,953	7	Unknown	Laptop, Mobile/Embedded
»	Mediatek MT6891Z/CZA	8	6,644	2,219	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon W5590 @ 3.33GHz	4	6,640	1,612	130	LGA1366	Server
»	Mediatek MT8789	8	6,640	2,296	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1275 V2 @ 3.50GHz	4	6,635	2,121	77	LGA1155	Server
»	Intel Core i3-9100 @ 3.60GHz	4	6,623	2,482	65	FCLGA1151-2	Desktop
»	Mediatek MT6895Z/TCZA	8	6,621	2,215	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4770R @ 3.20GHz	4	6,620	2,179	65	FCBGA1364	Desktop
»	MediaTek MT6983	8	6,615	2,229	NA	Unknown	Mobile/Embedded
»	QTI SM7550	8	6,609	2,240	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8350AC	8	6,588	2,758	NA	Unknown	Mobile/Embedded
»	Intel Core i7-10510U @ 1.80GHz	4	6,586	2,289	15	FCBGA1528	Laptop
»	QTI SM8250	8	6,582	2,257	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1280 V2 @ 3.60GHz	4	6,563	2,164	69	LGA1155	Server
»	Qualcomm Technologies, Inc SA8195P	8	6,554	1,741	NA	Unknown	Mobile/Embedded
»	MT8797Z/CNZA	8	6,550	1,799	NA	Unknown	Mobile/Embedded
»	CentaurHauls @2000MHz	8	6,549	1,118	NA	Unknown	Desktop
»	Intel Core i7-970 @ 3.20GHz	6	6,546	1,467	130	LGA1366	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm SM8350	8	6,545	2,175	NA	Unknown	Mobile/Embedded
»	[Quad CPU] Intel Xeon E7340 @ 2.40GHz	4	6,544	960	80	PGA604	Server
»	Intel Xeon E5-1620 v2 @ 3.70GHz	4	6,543	2,020	130	FCLGA2011	Server
»	AMD Ryzen 5 2500U	4	6,541	1,817	15	FP5	Laptop
»	QTI SM8350	8	6,540	2,298	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7600 @ 3.50GHz	4	6,538	2,461	65	FCLGA1151	Desktop
»	Intel Xeon E3-1290 V2 @ 3.70GHz	4	6,526	2,127	87	LGA1155	Server
»	Intel Core i7-4980HQ @ 2.80GHz	4	6,525	2,171	47	FCBGA1364	Laptop
»	Intel Core i7-6700HQ @ 2.60GHz	4	6,523	1,911	45	FCBGA1440	Laptop
»	[Dual CPU] Intel Xeon E5620 @ 2.40GHz	4	6,523	1,089	80	LGA1366	Server
»	Intel Xeon E3-1240L v5 @ 2.10GHz	4	6,511	1,909	25	FCLGA1151	Server
»	Mediatek MT6891Z_Z/CZA	8	6,509	1,668	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4820K @ 3.70GHz	4	6,495	1,959	130	FCLGA2011	Desktop
»	Intel Xeon E3-1270 V2 @ 3.50GHz	4	6,488	2,078	69	LGA1155	Server
»	MT6893Z_Z/CZA	8	6,485	2,046	NA	Unknown	Mobile/Embedded
»	Samsung s5e9925	8	6,483	2,122	NA	Unknown	Mobile/Embedded
»	Microsoft SQ2 @ 3.15 GHz	8	6,477	1,912	NA	Unknown	Laptop
»	MT6893Z/CZA	8	6,467	2,158	NA	Unknown	Mobile/Embedded
»	Intel Core i7-1060NG7 @ 1.20GHz	4	6,466	1,855	10	FCBGA1526	Laptop
»	Intel Core i7-3770K @ 3.50GHz	4	6,464	2,072	77	LGA1155	Desktop
»	Intel Xeon E5-4610 @ 2.40GHz	6	6,460	1,401	95	FCLGA2011	Server
»	Intel Xeon E5-2637 v2 @ 3.50GHz	4	6,457	1,902	130	LGA 2011	Server
»	Odin based on Qualcomm Technologies, Inc SM8350	8	6,456	1,751	NA	Unknown	Mobile/Embedded
»	redwood based Qualcomm Technologies, Inc. SM7325	8	6,448	2,150	NA	Unknown	Mobile/Embedded
»	Intel Xeon Silver 4112 @ 2.60GHz	4	6,446	1,707	85	FCLGA3647	Server
»	Intel Xeon W3670 @ 3.20GHz	6	6,436	1,496	130	LGA1366	Server
»	Intel Core i5-10310U @ 1.70GHz	4	6,432	2,197	15	FCBGA1528	Laptop
»	Qualcomm Technologies, Inc SM7325	8	6,431	2,170	NA	Unknown	Mobile/Embedded
»	Mediatek MT6893Z_T/CZA	8	6,430	2,480	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8250_AC	8	6,416	2,621	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2608L v3 @ 2.00GHz	6	6,415	1,210	52	LGA2011-v3	Server
»	Mediatek MT6889	8	6,415	1,898	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-3770 @ 3.40GHz	4	6,414	2,073	77	LGA1155	Desktop
»	Mediatek MT6883Z/CZA	8	6,413	1,761	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 PRO 2200GE	4	6,407	2,057	35	AM4	Desktop
»	[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz	4	6,395	1,282	80	FCLGA1356	Server
»	Intel Xeon X5675 @ 3.07GHz	6	6,395	1,485	95	LGA1366	Server
»	AMD Opteron 6282 SE	16	6,385	953	140	Unknown	Server
»	[Dual CPU] Intel Xeon W5580 @ 3.20GHz	4	6,384	1,485	130	LGA1366	Server
»	QTI SM8450	8	6,382	2,431	NA	Unknown	Mobile/Embedded
»	MT6893Z_B/CZA	8	6,371	1,901	NA	Unknown	Mobile/Embedded
»	taoyao based Qualcomm Technologies, Inc. Yupik IDP	8	6,359	1,818	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1240 V2 @ 3.40GHz	4	6,358	2,034	69	LGA1155	Server
»	Intel Xeon E5-2420 v2 @ 2.20GHz	6	6,356	1,386	80	FCLGA1356	Server
»	Intel Xeon E-2276ML @ 2.00GHz	6	6,353	1,222	25	FCBGA1440	Server
»	AMD Opteron 6276	8	6,348	1,033	115	Socket G34	Server
»	Intel Core i7-4930MX @ 3.00GHz	4	6,348	2,060	57	FCPGA946	Laptop
»	AMD Ryzen 7 3700C	4	6,346	2,267	15	FP5	Laptop, Mobile/Embedded
»	Intel Core i7-4790T @ 2.70GHz	4	6,346	2,094	45	LGA1150	Desktop
»	Intel Core i7-4960HQ @ 2.60GHz	4	6,344	2,083	47	FCBGA1364	Laptop
»	[Dual CPU] AMD Opteron 8439 SE	6	6,340	1,204	105	F (1207)	Server
»	[Dual CPU] AMD Opteron 6128 HE	8	6,339	883	85	Socket G34	Server
»	Intel Xeon E3-1268L v5 @ 2.40GHz	4	6,334	1,721	35	FCLGA1151	Laptop, Server
»	Intel Xeon E-2254ML @ 1.70GHz	4	6,333	2,029	25	FCBGA1440	Server
»	Intel Core i5-6600K @ 3.50GHz	4	6,321	2,325	91	FCLGA1151	Desktop
»	Mediatek MT6893	8	6,313	2,090	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4870HQ @ 2.50GHz	4	6,309	2,051	47	FCBGA1364	Laptop
»	Intel Xeon E3-1245 V2 @ 3.40GHz	4	6,308	2,026	77	LGA1155	Server
»	Intel Xeon E5-2640 @ 2.50GHz	6	6,308	1,350	95	LGA2011	Server
»	Intel Core i7-4760HQ @ 2.10GHz	4	6,300	1,944	47	FCBGA1364	Laptop
»	Intel Xeon E5-4617 @ 2.90GHz	6	6,298	1,552	130	LGA 2011	Server
»	Intel Core i3-8300 @ 3.70GHz	4	6,296	2,261	62	FCLGA1151-2	Desktop
»	Intel Xeon E3-1275L v3 @ 2.70GHz	4	6,290	2,149	45	LGA1150	Server
»	AMD Ryzen 3 1200	4	6,282	1,930	65	AM4	Desktop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm Technologies, Inc KONA-IOT	8	6,282	2,510	NA	Unknown	Mobile/Embedded
»	Intel Core i7-8650U @ 1.90GHz	4	6,267	2,128	15	FC-BGA1356	Laptop
»	Intel Xeon E5-1428L v2 @ 2.20GHz	6	6,255	1,096	60	FCLGA1356	Server
»	Intel Core i7-8665U @ 1.90GHz	4	6,246	2,184	15	FCBGA1528	Laptop
»	Intel Xeon E5-2620 v2 @ 2.10GHz	6	6,246	1,290	80	FCLGA2011	Server
»	[Dual CPU] Intel Xeon X5570 @ 2.93GHz	4	6,244	1,447	95	LGA1366	Server
»	Intel Core i7-4860HQ @ 2.40GHz	4	6,242	1,893	47	FCBGA1364	Laptop
»	Intel Core i3-10100TE @ 2.30GHz	4	6,237	1,715	35	LGA 1200	Mobile/Embedded
»	Intel Core i7-4910MQ @ 2.90GHz	4	6,235	2,024	47	FCPGA946	Laptop
»	[Dual CPU] Intel Xeon E7-4807 @ 1.87GHz	6	6,223	721	95	LGA1567	Server
»	Intel Core i5-8350U @ 1.70GHz	4	6,219	2,023	15	FC-BGA1356	Laptop
»	Intel Xeon D-1622 @ 2.60GHz	4	6,205	1,875	40	FCBGA1667	Server
»	Intel Xeon E3-1265L v3 @ 2.50GHz	4	6,204	2,062	45	FCLGA1150	Server
»	Intel Xeon E3-1230 V2 @ 3.30GHz	4	6,196	1,989	69	LGA1155	Server
»	AMD FX-9370 Eight-Core	4	6,195	1,691	220	AM3+	Desktop
»	Intel Core i5-10210U @ 1.60GHz	4	6,195	2,162	15	FCBGA1528	Laptop
»	Intel Xeon E5-2650L @ 1.80GHz	8	6,192	1,083	70	LGA 2011	Server
»	Intel Xeon E5-2430L v2 @ 2.40GHz	6	6,190	1,318	60	LGA 1356	Server
»	Intel Core i7-8565UC @ 1.80GHz	4	6,187	2,527	15	FCBGA1528	Laptop
»	Intel Xeon E5-2630 @ 2.30GHz	6	6,183	1,286	95	LGA2011	Server
»	Intel Core i3-1025G1 @ 1.20GHz	4	6,180	2,368	NA	BGA 1526	Laptop
»	Intel Core i7-3770S @ 3.10GHz	4	6,179	2,039	65	LGA1155	Desktop
»	AMD FX-8370 Eight-Core	4	6,171	1,625	125	AM3+	Desktop
»	Intel Core i3-9300T @ 3.20GHz	4	6,164	2,302	35	FCLGA1151-2	Desktop
»	Intel Core i3-1215UL	6	6,161	2,046	15	FCLGA1700	Mobile/Embedded
»	AMD Ryzen 3 PRO 1200	4	6,154	1,914	65	AM4	Desktop
»	[Dual CPU] AMD Opteron 6128	8	6,141	862	115	G34	Server
»	MT6893Z_C/CZA	8	6,139	1,767	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6700TE @ 2.40GHz	4	6,135	2,042	35	LGA 1151	Desktop
»	SM8350	8	6,134	2,445	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4850HQ @ 2.30GHz	4	6,133	1,939	47	FCBGA1364	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	vendor Kirin990	8	6,132	2,011	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 990	8	6,130	1,799	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8350	8	6,117	2,163	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4900MQ @ 2.80GHz	4	6,109	1,990	47	FCPGA946	Laptop
»	Intel Core i3-8100 @ 3.60GHz	4	6,107	2,217	65	FCLGA1151-2	Desktop
»	Intel Core i5-8365U @ 1.60GHz	4	6,107	2,124	15	FCBGA1528	Laptop
»	Intel Xeon X5670 @ 2.93GHz	6	6,104	1,400	95	LGA1366	Server
»	Intel Xeon E5-2440 @ 2.40GHz	6	6,091	1,304	95	LGA 1356	Server
»	Intel Core i7-5675C @ 3.10GHz	4	6,089	2,249	65	LGA1150	Desktop
»	Intel Xeon E3-1505L v6 @ 2.20GHz	4	6,088	1,848	25	FCBGA1440	Laptop, Server
»	Qualcomm SM7325	8	6,077	2,035	NA	Unknown	Mobile/Embedded
»	SM7325	8	6,074	2,127	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2658 @ 2.10GHz	8	6,073	1,156	95	LGA2011	Server
»	AMD Opteron 6344	6	6,069	1,231	115	Unknown	Server
»	Intel Core i7-8565U @ 1.80GHz	4	6,069	2,147	15	FCBGA1356	Laptop
»	Qualcomm QCM6490	8	6,068	1,921	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4810MQ @ 2.80GHz	4	6,067	2,027	47	FCPGA946	Laptop
»	AMD FX-8350 Eight-Core	4	6,064	1,581	125	AM3+	Desktop
»	Intel Core i7-4770HQ @ 2.20GHz	4	6,060	1,912	47	FCBGA1364	Laptop
»	Intel Core i7-5700HQ @ 2.70GHz	4	6,059	2,016	47	FCBGA1364	Laptop
»	Intel Core i3-1115G4 @ 3.00GHz	2	6,056	2,628	15	FCBGA1449	Laptop
»	Intel Core i5-6600 @ 3.30GHz	4	6,054	2,259	65	LGA 1151	Desktop
»	[Dual CPU] AMD Opteron 6134	8	6,053	898	115	G34	Server
»	AMD EPYC 3101 4-Core	4	6,050	1,787	NA	Unknown	Unknown
»	MT6893Z_A/CZA	8	6,050	2,341	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8100B @ 3.60GHz	4	6,045	2,339	65	FCBGA1440	Laptop
»	Intel Core i5-7500 @ 3.40GHz	4	6,037	2,264	65	LGA1151	Desktop
»	AMD Ryzen Embedded R2314	4	6,031	1,921	NA	Unknown	Mobile/Embedded
»	Snapdragon 7cPlus Gen 3 @ 2.40 GHz	8	6,028	1,719	NA	Unknown	Mobile/Embedded
»	MT6891Z/CZA	8	6,025	1,668	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 2200GE	4	6,018	1,931	35	AM4	Desktop
»	Samsung s5e8835	8	6,017	2,028	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5660 @ 2.80GHz	6	6,015	1,372	95	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Ryzen Embedded V1404I	4	6,007	1,621	15	Unknown	Desktop, Mobile/Embedded
»	ARM Cortex-X1C 4 Core 2438 MHz	4	6,007	1,244	NA	Unknown	Unknown
»	Intel Xeon E3-1225 v5 @ 3.30GHz	4	5,977	2,108	80	FCLGA1151	Server
»	Intel Core i7-4770T @ 2.50GHz	4	5,973	1,931	45	LGA1150	Desktop
»	Intel Core i5-8265U @ 1.60GHz	4	5,953	2,064	15	FCBGA1528	Laptop
»	AMD Ryzen 3 PRO 3300U	4	5,950	1,931	15	FP5	Laptop
»	Intel Core i5-7600T @ 2.80GHz	4	5,927	2,168	35	FCLGA1151	Desktop
»	QTI SM7325	8	5,919	1,968	NA	Unknown	Mobile/Embedded
»	Intel Xeon E-2104G @ 3.20GHz	4	5,913	1,956	65	FCLGA1151-2	Server
»	Intel Core i7-3840QM @ 2.80GHz	4	5,909	1,929	45	rPGA988B	Laptop
»	Intel Core i7-8550U @ 1.80GHz	4	5,904	2,049	15	FC-BGA1356	Laptop
»	[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz	4	5,891	1,151	80	LGA2011	Server
»	AMD Opteron 6378	8	5,889	1,127	115	G34	Server
»	Intel Xeon E5-2450L @ 1.80GHz	8	5,880	1,002	70	LGA 1356	Server
»	Intel Core i5-8250U @ 1.60GHz	4	5,869	1,906	15	FC-BGA1356	Laptop
»	[Dual CPU] Intel Xeon X5560 @ 2.80GHz	4	5,864	1,390	95	LGA1366	Server
»	Intel Xeon E5-1620 @ 3.60GHz	4	5,861	1,769	130	LGA2011	Server
»	Qualcomm Technologies, Inc SM8250	8	5,857	2,243	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4710MQ @ 2.50GHz	4	5,844	1,893	47	FCPGA946	Laptop
»	AMD Ryzen 3 3350U	4	5,822	1,925	15	Unknown	Laptop
»	MT6891	8	5,817	1,764	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3940XM @ 3.00GHz	4	5,815	1,904	55	rPGA988B	Laptop
»	Intel Xeon E3-1220 v5 @ 3.00GHz	4	5,805	2,064	80	FCLGA1151	Server
»	Intel Core i7-5700EQ @ 2.60GHz	4	5,803	2,092	47	FCBGA1364	Laptop
»	Intel N97	4	5,802	2,035	12	FCBGA1264	Mobile/Embedded
»	AMD Ryzen 3 PRO 2300U	4	5,795	1,834	15	FP5	Laptop
»	Intel Xeon E3-1220 v6 @ 3.00GHz	4	5,783	1,884	72	FCLGA1151	Server
»	AMD Opteron 4274 HE	4	5,776	1,060	65	C32	Server
»	[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz	2	5,775	1,654	80	FCLGA2011	Server
»	Intel Core i7-4720HQ @ 2.60GHz	4	5,770	1,871	47	BGA1364	Laptop
»	Intel Xeon E3-1268L v3 @ 2.30GHz	4	5,770	1,879	45	LGA1150	Server
»	[Dual CPU] Intel Xeon L5639 @ 2.13GHz	6	5,768	1,010	60	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-3820 @ 3.60GHz	4	5,765	1,745	130	LGA2011	Desktop
»	Intel Xeon E3-1225 v6 @ 3.30GHz	4	5,765	2,038	73	FCLGA1151	Server
»	Intel Xeon Bronze 3106 @ 1.70GHz	8	5,753	1,002	85	FCLGA3647	Server
»	Microsoft SQ1 @ 3.0 GHz	8	5,750	1,829	15	Unknown	Laptop
»	Intel Core i3-8300T @ 3.20GHz	4	5,749	1,987	25	FCLGA1151-2	Desktop
»	Intel Core i7-2700K @ 3.50GHz	4	5,748	1,824	95	LGA1155	Desktop
»	Spreadtrum UIS7885(prototype)	8	5,741	1,932	NA	Unknown	Mobile/Embedded
»	Intel Core i5-1030NG7 @ 1.10GHz	4	5,740	1,763	10	BGA1526	Laptop
»	Intel Pentium Gold G7400T	2	5,737	2,549	35	Unknown	Desktop
»	MT8195AV/ZA	8	5,735	1,840	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-1410 v2 @ 2.80GHz	4	5,715	1,656	80	LGA 1356	Server
»	Intel Xeon X5650 @ 2.67GHz	6	5,715	1,294	95	LGA1366	Server
»	Intel Core i7-4800MQ @ 2.70GHz	4	5,712	1,910	47	rPGA946B	Laptop
»	Intel Core i5-7440EQ @ 2.90GHz	4	5,711	2,131	45	FCBGA1440	Laptop
»	Intel Core i5-8365UE @ 1.60GHz	4	5,711	2,188	15	FCBGA1528	Laptop
»	Intel Core i7-3920XM @ 2.90GHz	4	5,710	1,916	55	FCPGA988	Laptop
»	MT6893Z_D/CZA	8	5,701	2,262	NA	Unknown	Mobile/Embedded
»	Apple A13 Bionic	6	5,700	2,326	NA	Unknown	Mobile/Embedded
»	Intel Xeon D-1521 @ 2.40GHz	4	5,696	1,685	45	FCBGA1667	Server
»	Intel Core i7-3740QM @ 2.70GHz	4	5,694	1,875	45	rPGA988B	Laptop
»	Intel Core i5-4690K @ 3.50GHz	4	5,688	2,193	88	LGA1150	Desktop
»	Intel Core i7-4750HQ @ 2.00GHz	4	5,687	1,748	47	FCBGA1364	Laptop
»	Intel Xeon E5649 @ 2.53GHz	6	5,686	1,327	80	LGA1366	Server
»	AMD Ryzen 5 3500C	4	5,682	1,984	15	FP5	Laptop
»	Intel Xeon E3-1205 v6 @ 3.00GHz	4	5,682	1,875	65	FCLGA1151	Server
»	AMD Ryzen 3 3300U	4	5,679	1,841	15	FP5	Laptop
»	Qualcomm SM8150	8	5,677	1,816	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3720QM @ 2.60GHz	4	5,669	1,865	45	BGA1224	Laptop
»	Intel Xeon Platinum 8151 @ 3.40GHz	2	5,669	2,364	NA	Unknown	Server
»	MT6883Z/CZA	8	5,665	1,694	NA	Unknown	Mobile/Embedded
»	QTI SM6450	8	5,665	1,908	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc KONA	8	5,662	2,336	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD Opteron 4174 HE	6	5,656	950	65	C32	Server
»	Intel Xeon E3-1240L v3 @ 2.00GHz	4	5,655	1,739	25	FCLGA1150	Server
»	AMD Opteron 6274	8	5,643	871	115	G34	Server
»	Intel Core i7-4700HQ @ 2.40GHz	4	5,631	1,793	47	FCBGA1364	Laptop
»	Intel Core i7-3820QM @ 2.70GHz	4	5,630	1,865	45	BGA1224	Laptop
»	SM8325	8	5,629	1,945	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6238	6	5,625	1,157	115	Socket G34	Server
»	Intel Core i5-6500 @ 3.20GHz	4	5,622	2,107	65	LGA 1151	Desktop
»	QTI SM7435	8	5,622	1,582	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4722HQ @ 2.40GHz	4	5,620	1,844	37	FCBGA1364	Laptop
»	Intel Xeon E3-1280 @ 3.50GHz	4	5,615	1,804	95	LGA1155	Server
»	AMD Opteron 6366 HE	8	5,613	1,003	85	Unknown	Server
»	Intel Core i5-5675C @ 3.10GHz	4	5,606	2,234	65	FCLGA1150	Desktop
»	Intel Core i5-6600T @ 2.70GHz	4	5,603	2,059	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon X5550 @ 2.67GHz	4	5,603	1,312	95	LGA1366	Server
»	Intel Core i7-3615QE @ 2.30GHz	4	5,601	1,802	45	BGA1224	Laptop
»	QTI SM7350	8	5,589	1,910	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6376	8	5,572	1,165	115	Socket G34	Server
»	Intel Core i5-4690 @ 3.50GHz	4	5,572	2,193	84	LGA1150	Desktop
»	Intel Atom x7425E	4	5,570	2,040	12	FCBGA1264	Mobile/Embedded
»	Intel Core i5-4670K @ 3.40GHz	4	5,564	2,145	84	LGA1150	Desktop
»	Intel Core i5-5675R @ 3.10GHz	4	5,561	2,256	65	FCBGA1364	Desktop
»	Snapdragon 7325	8	5,561	2,026	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM778G	8	5,553	2,070	NA	Unknown	Mobile/Embedded
»	Intel Xeon W-2104 @ 3.20GHz	4	5,552	1,814	120	FCLGA2066	Server
»	Snapdragon 855 @ 2.84 GHz	8	5,547	1,556	NA	Unknown	Mobile/Embedded
»	AMD Ryzen 3 2300U	4	5,544	1,748	15	FP5	Laptop
»	ARM Neoverse-N2 8 Core 2500 MHz	8	5,544	1,361	NA	Unknown	Unknown
»	Intel Xeon E3-1226 v3 @ 3.30GHz	4	5,540	2,105	84	FCLGA1150	Server
»	Intel Xeon E5-2430L @ 2.00GHz	6	5,539	1,096	60	FCLGA1356	Server
»	Intel Core i7-4710HQ @ 2.50GHz	4	5,537	1,781	47	FCBGA1364	Laptop
»	ARM Phytium D3000 8 Core 2500 MHz	8	5,528	1,247	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-4690S @ 3.20GHz	4	5,518	2,200	65	LGA1150	Desktop
»	Intel Xeon E3-1275 @ 3.40GHz	4	5,516	1,773	95	LGA1155	Server
»	Intel N100	4	5,508	1,947	6	FCBGA1264	Mobile/Embedded
»	Intel Core i7-4785T @ 2.20GHz	4	5,503	1,757	35	FCLGA1150	Desktop
»	Intel Core i7-4860EQ @ 1.80GHz	4	5,500	1,754	47	FCBGA1364	Laptop
»	Intel Core i5-7440HQ @ 2.80GHz	4	5,496	2,077	45	BGA1440	Laptop
»	Intel Core i5-4670 @ 3.40GHz	4	5,493	2,136	84	LGA1150	Desktop
»	Intel Xeon E5-2430 @ 2.20GHz	6	5,492	1,175	95	LGA 1356	Server
»	Intel Core i7-2600K @ 3.40GHz	4	5,489	1,745	95	LGA1155	Desktop
»	Intel Core i3-1115G4E @ 3.00GHz	2	5,483	2,516	15	BGA 1449	Mobile/Embedded
»	vendor Kirin985	8	5,481	1,852	NA	Unknown	Mobile/Embedded
»	QTI SM7450	8	5,479	1,849	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 2100	8	5,476	2,008	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7400 @ 3.00GHz	4	5,473	2,083	65	FCLGA1151	Desktop
»	ARM Cortex-A72 16 Core 2200 MHz	16	5,470	601	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5492 @ 3.40GHz	4	5,469	1,467	150	LGA771	Server
»	Intel Core i3-9100T @ 3.10GHz	4	5,467	2,071	35	FCLGA1151-2	Desktop
»	lisa based Qualcomm Technologies, Inc. SM7325	8	5,456	1,882	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6440EQ @ 2.70GHz	4	5,445	2,045	45	FCBGA1440	Laptop
»	AMD FX-8320 Eight-Core	4	5,444	1,468	125	AM3+	Desktop
»	Intel Core i7-3770T @ 2.50GHz	4	5,444	1,830	45	LGA1155	Desktop
»	Intel Xeon E5-2609 v4 @ 1.70GHz	8	5,443	1,020	85	FCLGA2011-3	Server
»	Intel Core i5-760S @ 2.53GHz	4	5,440	1,578	NA	Unknown	Unknown
»	Intel Xeon E5-2643 @ 3.30GHz	4	5,433	1,615	130	LGA2011	Server
»	Intel Xeon E3-1290 @ 3.60GHz	4	5,429	1,834	95	LGA1155	Server
»	AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz	4	5,417	1,286	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4700EQ @ 2.40GHz	4	5,417	1,765	47	FCBGA1364	Desktop
»	Mediatek MT6891	8	5,412	1,369	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1240 @ 3.30GHz	4	5,403	1,723	80	LGA1155	Server
»	Venus based on Qualcomm Technologies, Inc SM8350	8	5,398	2,158	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Quad CPU] AMD Opteron 8356	4	5,397	929	75	F (1207)	Server
»	[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz	4	5,394	1,041	80	LGA 1356	Server
»	Spreadtrum T820	8	5,384	1,864	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2418L v2 @ 2.00GHz	6	5,380	1,078	50	FCLGA1356	Server
»	Intel Xeon E3-1270 @ 3.40GHz	4	5,376	1,750	80	LGA1155	Server
»	Intel N95	4	5,374	1,931	15	Unknown	Laptop, Mobile/Embedded
»	Intel Core i5-4590 @ 3.30GHz	4	5,367	2,085	84	LGA1150	Desktop
»	Intel Pentium Silver N6005 @ 2.00GHz	4	5,367	1,769	10	FCBGA1338	Laptop, Mobile/Embedded
»	Intel Core i5-6402P @ 2.80GHz	4	5,365	2,004	65	LGA 1151	Desktop
»	Haydn based on Qualcomm Technologies, Inc SM8350	8	5,359	1,892	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4712HQ @ 2.30GHz	4	5,352	1,727	37	FCBGA1364	Laptop
»	Intel Core i7-2600 @ 3.40GHz	4	5,346	1,741	95	LGA1155	Desktop
»	Intel Core i7-4700MQ @ 2.40GHz	4	5,345	1,760	47	rPGA946B	Laptop
»	Intel Core i7-4702HQ @ 2.20GHz	4	5,339	1,633	37	FCBGA1364	Laptop
»	Intel Xeon E3-1245 @ 3.30GHz	4	5,334	1,717	95	LGA1155	Server
»	QTI SM8150	8	5,331	1,807	NA	Unknown	Mobile/Embedded
»	AMD FX-8300 Eight-Core	4	5,318	1,495	95	AM3+	Desktop
»	Intel Xeon X5687 @ 3.60GHz	4	5,309	1,636	130	LGA1366	Server
»	QTI QCM4490	8	5,308	2,171	NA	Unknown	Mobile/Embedded
»	AMD FX-8370E Eight-Core	4	5,306	1,463	95	AM3+	Desktop
»	AMD Opteron 6328	4	5,306	1,419	115	G34	Server
»	Intel Xeon E5-2630L @ 2.00GHz	6	5,305	1,119	60	LGA 2011	Server
»	Intel Core i7-4712MQ @ 2.30GHz	4	5,304	1,807	37	FCPGA946	Laptop
»	Intel Xeon E3-1225 v3 @ 3.20GHz	4	5,297	2,009	84	LGA1150	Server
»	Vili based on Qualcomm Technologies, Inc SM8350	8	5,296	1,592	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2620 @ 2.00GHz	6	5,291	1,109	95	LGA2011	Server
»	Snapdragon 860 @ 2.96 GHz	8	5,291	1,545	NA	Unknown	Mobile/Embedded
»	[Quad CPU] Intel Xeon E7320 @ 2.13GHz	4	5,286	811	80	604	Server
»	Intel Core i3-8100T @ 3.10GHz	4	5,274	1,881	35	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon L5630 @ 2.13GHz	4	5,267	964	40	LGA1366	Server
»	Intel Xeon E5-2648L @ 1.80GHz	8	5,262	981	70	LGA 2011	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
»	[Dual CPU] AMD Opteron 2435	6	5,260	1,122	75	F (1207)	Server
»	MT6877V/TTZA	8	5,253	2,152	NA	Unknown	Mobile/Embedded
»	vendor Kirin980	8	5,252	1,718	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1230L v3 @ 1.80GHz	4	5,251	1,619	25	LGA1150	Server
»	AMD FX-8150 Eight-Core	4	5,250	1,432	125	AM3+	Desktop
»	Mediatek MT6875	8	5,249	1,254	NA	Unknown	Mobile/Embedded
»	Intel Core i7-6822EQ @ 2.00GHz	4	5,241	1,572	25	LGA 1151	Laptop
»	Star based on Qualcomm Technologies, Inc SM8350	8	5,241	1,962	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6272	8	5,240	753	115	G34	Server
»	Intel Core i5-4670R @ 3.00GHz	4	5,233	2,164	65	FCBGA1364	Desktop
»	Mars based on Qualcomm Technologies, Inc SM8350	8	5,230	1,984	NA	Unknown	Mobile/Embedded
»	Mediatek MT6879V_T/ZA	8	5,230	2,183	NA	Unknown	Mobile/Embedded
»	Snapdragon 8c @ 2.46 GHz	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Core i5-4570 @ 3.20GHz	4	5,225	2,034	84	LGA1150	Desktop
»	Intel Core i5-7500T @ 2.70GHz	4	5,215	1,917	35	FCLGA1151	Desktop
»	[Dual CPU] Intel Xeon E5530 @ 2.40GHz	4	5,214	1,155	80	LGA1366	Server
»	Intel Xeon D-1527 @ 2.20GHz	4	5,213	1,552	35	FCBGA1667	Server
»	Intel Xeon E5-1607 v4 @ 3.10GHz	4	5,200	1,922	140	FCLGA2011-3	Server
»	Intel Core i7-3615QM @ 2.30GHz	4	5,194	1,707	45	BGA1224	Laptop
»	Intel Pentium Gold 7505 @ 2.00GHz	2	5,188	2,258	15	FCBGA1449	Laptop
»	Intel Core i7-4702MQ @ 2.20GHz	4	5,184	1,703	37	FCPGA946	Laptop
»	Intel Xeon E3-1220 v3 @ 3.10GHz	4	5,179	1,953	80	LGA1150	Server
»	Intel Core i7-8665UE @ 1.70GHz	4	5,170	1,621	15	FCBGA1528	Laptop
»	Intel Core i5-6400 @ 2.70GHz	4	5,163	1,955	65	LGA 1151	Desktop
»	Intel Core i5-4670S @ 3.10GHz	4	5,160	2,089	65	FCLGA1150	Desktop
»	AMD FX-8310 Eight-Core	4	5,149	1,416	95	AM3+	Desktop
»	Intel N200	4	5,145	1,917	6	FCBGA1264	Mobile/Embedded
»	Intel Xeon E3-1265L V2 @ 2.50GHz	4	5,145	1,654	45	LGA1155	Server
»	Intel Xeon E3-1230 @ 3.20GHz	4	5,136	1,665	80	LGA1155	Server
»	Intel Core i5-4590S @ 3.00GHz	4	5,134	2,046	65	LGA1150	Desktop
»	Intel Core i7-4765T @ 2.00GHz	4	5,127	1,629	35	FCLGA1150	Desktop
»	[Dual CPU] Intel Xeon X5470 @ 3.33GHz	4	5,125	1,421	120	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-3610QM @ 2.30GHz	4	5,121	1,666	45	PGA988B	Laptop
»	MT8188JV/A	8	5,120	1,881	NA	Unknown	Mobile/Embedded
»	Intel Core i7-3630QM @ 2.40GHz	4	5,117	1,685	45	rPGA988B	Laptop
»	Intel Atom C3758R @ 2.40GHz	8	5,116	956	26	FCBGA1310	Server
»	MT6893	8	5,102	1,902	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5482 @ 3.20GHz	4	5,100	1,406	150	LGA771	Server
»	Intel Core i5-6440HQ @ 2.60GHz	4	5,099	1,963	45	LGA 1151	Laptop
»	AMD FX-8320E Eight-Core	4	5,089	1,433	95	AM3+	Desktop
»	Intel Core i5-7300HQ @ 2.50GHz	4	5,088	1,954	45	Unknown	Laptop
»	Hisilicon Kirin9000	8	5,083	2,490	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1505L v5 @ 2.00GHz	4	5,083	1,548	25	FCBGA1440	Laptop, Server
»	Intel Xeon W-2102 @ 2.90GHz	4	5,079	1,691	120	FCLGA2066	Server
»	Intel Core i5-5575R @ 2.80GHz	4	5,078	2,094	65	LGA1150	Desktop
»	Intel Core i5-8265UC @ 1.60GHz	4	5,073	2,020	NA	FCBGA1528	Laptop
»	vendor Kirin820	8	5,067	1,693	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5460 @ 3.16GHz	4	5,066	1,357	120	LGA771	Server
»	Intel Xeon E3-1235 @ 3.20GHz	4	5,053	1,607	95	LGA1155	Server
»	Intel Xeon E5645 @ 2.40GHz	6	5,046	1,156	80	LGA1366	Server
»	Intel Xeon X5677 @ 3.47GHz	4	5,043	1,618	130	LGA1366	Server
»	Intel Core i5-4670K CPT @ 3.40GHz	4	5,034	2,042	84	LGA1150	Desktop
»	Snapdragon 8cx @ 2.84 GHz	8	5,032	1,715	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Xeon E5-2420 @ 1.90GHz	6	5,030	1,089	95	LGA1356	Server
»	Intel Core i7-3610QE @ 2.30GHz	4	5,026	1,582	45	rPGA988B	Laptop
»	Intel Core i5-4570S @ 2.90GHz	4	5,020	2,004	65	LGA1150	Desktop
»	[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz	4	5,017	991	80	LGA 2011	Server
»	Intel Xeon E3-1235L v5 @ 2.00GHz	4	5,013	1,761	25	FCLGA1151	Server
»	Mediatek MT6877	8	5,009	2,022	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5672 @ 3.20GHz	4	4,996	1,546	95	LGA1366	Server
»	Mediatek MT6877V/TTZA	8	4,981	2,004	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon X5472 @ 3.00GHz	4	4,979	1,326	120	LGA771	Server
»	Apple A12 Bionic	6	4,972	1,985	NA	Unknown	Mobile/Embedded
»	Mediatek MT8791V/TN	8	4,972	2,216	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5607 @ 2.27GHz	4	4,969	1,009	80	LGA1366	Server
»	Intel Core i3-7350K @ 4.20GHz	2	4,967	2,576	60	FCLGA1151	Desktop
»	Intel Core i5-3570K @ 3.40GHz	4	4,953	2,047	77	LGA1155	Desktop
»	Intel Xeon E5-1607 v3 @ 3.10GHz	4	4,950	1,815	140	LGA2011-v3	Server
»	Intel Core i5-3570 @ 3.40GHz	4	4,929	2,046	77	LGA1155	Desktop
»	Intel Core i7-3612QE @ 2.10GHz	4	4,929	1,678	35	BGA1224	Laptop
»	Intel Core i3-1005G1 @ 1.20GHz	2	4,918	2,189	15	FCBGA1526	Laptop
»	Intel Xeon D-1520 @ 2.20GHz	4	4,917	1,270	45	BGA 1667	Server
»	Intel Xeon E5-1410 @ 2.80GHz	4	4,915	1,487	80	LGA1356	Server
»	Intel Core i7-10510Y @ 1.20GHz	4	4,905	1,895	7	UTFCBGA1377	Laptop
»	SM8450	8	4,896	1,278	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4460 @ 3.20GHz	4	4,889	1,904	84	LGA1150	Desktop
»	Intel Core i7-4770TE @ 2.30GHz	4	4,877	1,653	45	LGA1150	Desktop
»	MT6877V/TZA	8	4,871	1,871	NA	Unknown	Mobile/Embedded
»	Renoir based on Qualcomm Technologies, Inc SM7350	8	4,869	1,815	NA	Unknown	Mobile/Embedded
»	AMD FX-8140 Eight-Core	4	4,860	1,273	95	AM3+	Desktop
»	Samsung Technologies, Inc Exynos E1080	8	4,846	2,029	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7320 @ 4.10GHz	2	4,844	2,504	51	FCLGA1151	Desktop
»	Intel Core i5-7442EQ @ 2.10GHz	4	4,834	1,819	25	FCBGA1440	Laptop
»	Mediatek MT6877V/TZA	8	4,834	1,784	NA	Unknown	Mobile/Embedded
»	Intel Xeon Bronze 3204 @ 1.90GHz	6	4,832	1,101	85	FCLGA3647	Server
»	Intel Core i7-3635QM @ 2.40GHz	4	4,816	1,702	45	Unknown	Laptop
»	[Dual CPU] Intel Xeon X5450 @ 3.00GHz	4	4,814	1,292	120	LGA771	Server
»	Intel Core i5-3550 @ 3.30GHz	4	4,811	1,996	77	LGA1155	Desktop
»	[Dual CPU] Intel Xeon X7460 @ 2.66GHz	6	4,803	922	130	PGA604	Server
»	Intel Core i5-6500T @ 2.50GHz	4	4,793	1,792	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon E5540 @ 2.53GHz	4	4,793	1,104	80	LGA1366	Server
»	Intel Core i3-9100TE @ 2.20GHz	4	4,791	1,676	35	FCLGA1151-2	Laptop
»	Intel Core i5-4440 @ 3.10GHz	4	4,787	1,859	84	FCLGA1150	Desktop
»	MT6877V/ZA	8	4,787	1,954	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-6500TE @ 2.30GHz	4	4,772	1,837	35	LGA 1151	Desktop
»	[Dual CPU] Intel Xeon E5472 @ 3.00GHz	4	4,765	1,326	80	LGA771	Server
»	Mediatek MT6877V/ZA	8	4,757	1,839	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2960XM @ 2.70GHz	4	4,754	1,598	55	PGA988B	Laptop
»	AMD Opteron 6220	4	4,753	1,203	115	Socket G34	Server
»	Intel Xeon E3-1225 V2 @ 3.20GHz	4	4,752	1,934	77	LGA1155	Server
»	Intel Core i5-4470S @ 3.00GHz	4	4,742	1,756	65	LGA1150	Desktop
»	AMD Athlon Gold 7220U	2	4,740	2,094	15	FP6	Laptop
»	Spreadtrum T760	8	4,735	1,537	NA	Unknown	Mobile/Embedded
»	Mediatek Dimensity 7200-Pro (MT6886)	8	4,732	1,979	NA	Unknown	Mobile/Embedded
»	MT8771V/PZA	8	4,723	1,700	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7400T @ 2.40GHz	4	4,715	1,759	35	LGA1151	Desktop
»	[Dual CPU] Intel Xeon E5450 @ 3.00GHz	4	4,710	1,289	80	LGA771	Server
»	Intel Atom C3858 @ 2.00GHz	12	4,707	652	25	FCBGA1310	Server
»	Intel Core i7-3632QM @ 2.20GHz	4	4,702	1,586	35	rPGA988B	Laptop
»	Intel Core i5-6300HQ @ 2.30GHz	4	4,697	1,791	45	LGA 1151	Laptop
»	Intel Xeon E5-2603 v4 @ 1.70GHz	6	4,695	1,046	85	FCLGA2011-3	Server
»	Intel Xeon E5-1603 v4 @ 2.80GHz	4	4,683	1,753	140	FCLGA2011-3	Server
»	Intel Core i5-3470 @ 3.20GHz	4	4,676	1,940	77	LGA1155	Desktop
»	Intel Xeon E3-1220 V2 @ 3.10GHz	4	4,676	1,875	69	LGA1155	Server
»	AMD Opteron 4284	4	4,665	1,181	95	Socket C32	Server
»	Intel Core i5-4430 @ 3.00GHz	4	4,661	1,799	84	LGA1150	Desktop
»	Intel Xeon X5667 @ 3.07GHz	4	4,659	1,460	95	LGA1366	Server
»	Intel Core i7-3612QM @ 2.10GHz	4	4,655	1,539	35	PGA988B, FCBGA12	Laptop
»	Intel Xeon L5640 @ 2.27GHz	6	4,645	1,117	60	LGA1366	Server
»	AMD FX-8120 Eight-Core	4	4,640	1,334	125	AM3+	Desktop
»	AMD Athlon Silver PRO 3125GE	2	4,633	2,074	35	AM4	Desktop
»	AMD Ryzen Embedded V1500B	4	4,633	1,211	16	BGA1140	Mobile/Embedded
»	Intel Core i7-6970HQ @ 2.80GHz	4	4,632	1,532	45	FCBGA1440	Laptop
»	Intel Core i5-3570S @ 3.10GHz	4	4,630	1,989	65	LGA1155	Desktop
»	Intel Core i7-2600S @ 2.80GHz	4	4,628	1,733	65	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] Intel Xeon E5520 @ 2.27GHz	4	4,617	1,108	80	LGA1366	Server
»	Intel Atom C3758 @ 2.20GHz	8	4,614	867	25	FCBGA1310	Server
»	Intel Atom x7433RE	4	4,611	1,646	9	FCBGA1264	Mobile/Embedded
»	Intel Core i5-4690T @ 2.50GHz	4	4,608	1,902	45	LGA1150	Desktop
»	Snapdragon 8350	8	4,608	2,484	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8150	8	4,593	1,773	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 980	8	4,584	1,871	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4460S @ 2.90GHz	4	4,583	1,847	65	LGA1150	Desktop
»	Mediatek Dimensity 7025 (MT6855)	8	4,577	1,877	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5520 @ 2.27GHz	4	4,561	969	60	LGA1366	Server
»	Qualcomm SC7180P	8	4,558	1,852	NA	Unknown	Mobile/Embedded
»	Intel Celeron G6900	2	4,550	2,728	46	LGA1700,BGA1700	Desktop
»	AMD FX-6350 Six-Core	3	4,548	1,559	125	AM3+	Desktop
»	MT6877T	8	4,548	1,641	NA	Unknown	Mobile/Embedded
»	AMD Athlon Silver 3050GE	2	4,545	2,016	35	AM4	Laptop
»	AMD Athlon 240GE	2	4,534	1,968	35	AM4	Desktop
»	Intel Core i5-4570R @ 2.70GHz	4	4,534	1,796	65	FCBGA1364	Desktop
»	Intel Xeon D-1518 @ 2.20GHz	4	4,532	1,364	35	FCBGA1667	Server
»	[Dual CPU] Intel Xeon E5462 @ 2.80GHz	4	4,527	1,241	80	LGA771	Server
»	Intel Core i3-1115GRE @ 3.00GHz	2	4,524	2,125	15	FCBGA1449	Mobile/Embedded
»	Intel Core i3-7300 @ 4.00GHz	2	4,523	2,411	51	FCLGA1151	Desktop
»	Intel Core i7-2860QM @ 2.50GHz	4	4,521	1,549	45	BGA1224	Laptop
»	[Dual CPU] AMD Opteron 2382	4	4,516	1,157	115	F (1207)	Server
»	Intel Pentium Gold G6605 @ 4.30GHz	2	4,509	2,619	58	FCLGA1200	Desktop
»	Mediatek MT8390AV/A	8	4,509	1,979	NA	Unknown	Mobile/Embedded
»	Samsung s5e8535	8	4,507	1,966	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4280	4	4,504	1,141	95	Socket C32	Server
»	MT6889Z/CZA	8	4,504	1,798	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3450 @ 3.10GHz	4	4,501	1,870	77	LGA1155	Desktop
»	[Dual CPU] AMD Opteron 2427	6	4,499	906	75	F (1207)	Server
»	Qualcomm Technologies, Inc SM8150P	8	4,495	1,914	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6442EQ @ 1.90GHz	4	4,487	1,649	25	FCBGA1440	Laptop
»	AMD Athlon 3000G	2	4,484	1,983	35	AM4	Desktop
»	Intel Core i5-10210Y @ 1.00GHz	4	4,475	1,858	7	UTFCBGA1377	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i3-6320 @ 3.90GHz	2	4,473	2,308	51	LGA 1151	Desktop
»	Mediatek DM700	8	4,471	1,566	NA	Unknown	Mobile/Embedded
»	Mediatek MT6833GP	8	4,471	1,656	NA	Unknown	Mobile/Embedded
»	Samsung s5e8825	8	4,470	1,909	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4670T @ 2.30GHz	4	4,441	1,771	45	FCLGA1150	Desktop
»	Intel Xeon X5647 @ 2.93GHz	4	4,441	1,363	130	LGA1366	Server
»	SM6375	8	4,441	1,956	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5440 @ 2.83GHz	4	4,440	1,241	80	LGA771	Server
»	Intel Xeon Bronze 3104 @ 1.70GHz	6	4,437	1,013	85	FCLGA3647	Server
»	AMD FX-6330 Six-Core	3	4,433	1,531	95	AM3+	Desktop
»	[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz	4	4,433	873	80	LGA 2011	Server
»	Intel Core i3-7101E @ 3.90GHz	2	4,430	2,407	54	FCLGA1151	Desktop
»	Intel Xeon E5-2609 v3 @ 1.90GHz	6	4,430	1,097	80	LGA2011-v3	Server
»	Mediatek MT6833G	8	4,430	1,119	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-1603 v3 @ 2.80GHz	4	4,427	1,616	140	LGA2011-v3	Server
»	AMD Athlon 220GE	2	4,424	1,959	35	AM4	Laptop
»	Intel Pentium 6805 @ 1.10GHz	2	4,424	1,834	15	FCBGA1526	Laptop
»	Intel Core i5-3550S @ 3.00GHz	4	4,422	1,961	65	LGA1155	Desktop
»	Intel Xeon L5639 @ 2.13GHz	6	4,419	1,102	60	LGA1366	Server
»	Apple A11 Bionic	6	4,415	1,321	NA	Unknown	Mobile/Embedded
»	Mediatek MT8771V/PZA	8	4,414	1,425	NA	Unknown	Mobile/Embedded
»	Rockchip RK3588	8	4,411	1,457	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM845	8	4,409	1,465	NA	Unknown	Mobile/Embedded
»	AMD Athlon 320GE	2	4,399	1,929	35	AM4	Desktop
»	Intel Core i5-4440S @ 2.80GHz	4	4,393	1,796	65	LGA1150	Desktop
»	MT6875	8	4,393	1,187	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8121U @ 2.20GHz	2	4,391	1,944	15	Unknown	Laptop
»	Intel Core i5-3470S @ 2.90GHz	4	4,387	1,889	65	LGA1155	Desktop
»	AMD Opteron 4386	4	4,378	1,012	95	C32	Server
»	Intel Core i5-3450S @ 2.80GHz	4	4,375	1,873	65	LGA1155	Desktop
»	Intel Core i7-2760QM @ 2.40GHz	4	4,374	1,535	45	BGA1224	Laptop
»	Hisilicon Kirin980	8	4,373	1,741	NA	Unknown	Mobile/Embedded
»	Mediatek MT8781V/NA	8	4,372	1,557	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G6505 @ 4.20GHz	2	4,371	2,649	58	FCLGA1200	Desktop
»	Mediatek MT6879V/ZA	8	4,367	1,869	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-2820QM @ 2.30GHz	4	4,366	1,483	45	BGA1224	Laptop
»	AMD FX-6130 Six-Core	3	4,353	1,390	125	AM3+	Desktop
»	[Dual CPU] Intel Xeon X5365 @ 3.00GHz	4	4,350	1,215	150	LGA771	Server
»	Qualcomm Technologies, Inc SDM750G	8	4,350	1,869	NA	Unknown	Mobile/Embedded
»	Intel Celeron J6413 @ 1.80GHz	4	4,349	1,515	10	FCBGA1296	Mobile/Embedded
»	Intel Core i3-6300 @ 3.80GHz	2	4,343	2,280	51	LGA 1151	Desktop
»	Intel Core i5-4430S @ 2.70GHz	4	4,335	1,767	65	LGA1150	Desktop
»	Intel Core i3-7100 @ 3.90GHz	2	4,327	2,303	51	FCLGA1151	Desktop
»	Intel Core i3-8100H @ 3.00GHz	4	4,310	1,823	45	FCBGA1440	Mobile/Embedded
»	AMD Athlon PRO 300GE	2	4,308	1,911	35	AM4	Desktop
»	QTI SM7225	8	4,306	1,821	NA	Unknown	Mobile/Embedded
»	QTI SM7250	8	4,304	1,892	NA	Unknown	Mobile/Embedded
»	Mediatek MT8789V/T	8	4,293	1,475	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3350P @ 3.10GHz	4	4,287	1,793	69	LGA1155	Desktop
»	[Dual CPU] Intel Xeon E5430 @ 2.66GHz	4	4,287	1,161	80	LGA771	Server
»	Intel Core i5-6400T @ 2.20GHz	4	4,280	1,636	35	LGA 1151	Desktop
»	Intel Core i5-3475S @ 2.90GHz	4	4,277	1,836	65	LGA1155	Desktop
»	Mediatek MT6789V/CD	8	4,277	1,508	NA	Unknown	Mobile/Embedded
»	AMD Athlon 300GE	2	4,273	1,869	35	AM4	Desktop
»	Intel Pentium Gold G6600 @ 4.20GHz	2	4,273	2,507	58	FCLGA1200	Desktop
»	Intel Pentium Gold G5620 @ 4.00GHz	2	4,272	2,461	54	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon L5430 @ 2.66GHz	4	4,269	1,131	50	LGA771	Server
»	Qualcomm Technologies, Inc SM6375	8	4,266	1,889	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8109U @ 3.00GHz	2	4,262	2,122	28	FCBGA1528	Laptop
»	Mediatek MT6833V/ZA	8	4,259	1,441	NA	Unknown	Mobile/Embedded
»	天玑900	8	4,259	1,567	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5606 @ 2.13GHz	4	4,258	882	80	LGA1366	Server
»	[Dual CPU] Intel Xeon E5507 @ 2.27GHz	4	4,256	1,026	80	LGA1366	Server
»	Intel Core i5-6350HQ @ 2.30GHz	4	4,255	1,420	45	LGA 1151	Laptop
»	Intel Pentium Gold G6405 @ 4.10GHz	2	4,244	2,512	58	FCLGA1200	Desktop
»	Intel Core i7-2920XM @ 2.50GHz	4	4,240	1,426	55	FCPGA988	Laptop
»	MediaTek G99 Ultimate (MT6789)	8	4,237	1,525	NA	Unknown	Mobile/Embedded



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i3-1110G4 @ 1.80GHz	2	4,236	2,206	NA	FCBGA1598	Mobile/Embedded
»	Intel Core i3-8140U @ 2.10GHz	2	4,227	2,135	15	FCBGA1528	Laptop
»	Intel Core i5-3340 @ 3.10GHz	4	4,227	1,769	77	LGA1155	Desktop
»	[Dual CPU] Intel Xeon L5420 @ 2.50GHz	4	4,221	1,100	50	LGA771	Server
»	vendor Kirin810	8	4,219	1,565	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM8150_Plus	8	4,212	1,523	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7300T @ 3.50GHz	2	4,211	2,136	35	FCLGA1151	Desktop
»	AMD FX-6300 Six-Core	3	4,209	1,488	95	AM3+	Desktop
»	Intel Core i5-2450P @ 3.20GHz	4	4,203	1,679	95	LGA1155	Desktop
»	[Dual CPU] AMD Opteron 4130	4	4,200	1,086	95	F (1207)	Server
»	QTI SM6375	8	4,184	1,867	NA	Unknown	Mobile/Embedded
»	Mediatek MT6781V/CDZAMB-H	8	4,182	1,468	NA	Unknown	Mobile/Embedded
»	Intel Pentium J6426 @ 2.00GHz	4	4,180	1,565	10	FCBGA1493	Mobile/Embedded
»	Intel Xeon E5-1607 v2 @ 3.00GHz	4	4,173	1,636	130	LGA 2011	Server
»	MT6833V/PNZA	8	4,164	1,522	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin985	8	4,162	1,823	NA	Unknown	Mobile/Embedded
»	MT6833P	8	4,158	1,377	NA	Unknown	Mobile/Embedded
»	QTI SM6350	8	4,152	1,694	NA	Unknown	Mobile/Embedded
»	AMD Ryzen Embedded R1606G	2	4,144	1,894	15	FP5	Desktop, Mobile/Embedded
»	Intel Core i3-6100 @ 3.70GHz	2	4,142	2,188	51	LGA 1151	Desktop
»	Intel Pentium Gold G6500 @ 4.10GHz	2	4,140	2,488	58	FCLGA1200	Desktop
»	Qualcomm SM7150	8	4,138	1,521	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3380	8	4,134	1,107	65	Unknown	Server
»	Intel Core i5-2550K @ 3.40GHz	4	4,134	1,755	95	LGA1155	Desktop
»	Mediatek MT6853V/TNZA	8	4,128	1,477	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G5600F @ 3.90GHz	2	4,124	2,255	54	FCLGA1151-2	Desktop
»	Intel Pentium Gold G6400 @ 4.00GHz	2	4,122	2,467	58	FCLGA1200	Desktop
»	MT8789V/CT	8	4,119	1,441	NA	Unknown	Mobile/Embedded
»	Intel Celeron N5095A @ 2.00GHz	4	4,117	1,514	15	FCBGA1338	Desktop
»	Intel Core i5-2500K @ 3.30GHz	4	4,117	1,698	95	LGA1155	Desktop
»	Intel Core i5-2500 @ 3.30GHz	4	4,115	1,703	95	LGA1155	Desktop
»	AMD Athlon 200GE	2	4,114	1,799	35	AM4	Desktop
»	Mediatek MT8370AV/A	6	4,107	1,798	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2387	4	4,105	1,107	75	F (1207)	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Opteron 3365	4	4,105	1,132	65	AM3+	Server
»	MT6833V/ZA	8	4,104	1,462	NA	Unknown	Mobile/Embedded
»	MT8789V/T	8	4,104	1,466	NA	Unknown	Mobile/Embedded
»	Intel Core i3-8145UE @ 2.20GHz	2	4,099	2,335	15	FCBGA1528	Laptop
»	[Dual CPU] Intel Xeon E5420 @ 2.50GHz	4	4,099	1,087	80	LGA771	Server
»	AMD FX-6200 Six-Core	3	4,097	1,408	125	AM3+	Desktop
»	Intel Core i5-3330 @ 3.00GHz	4	4,097	1,720	77	LGA1155	Desktop
»	MediaTek MT6873	8	4,087	1,322	NA	Unknown	Mobile/Embedded
»	Intel Celeron N5095 @ 2.00GHz	4	4,085	1,504	15	FCBGA1338	Desktop
»	AMD Athlon PRO 300U	2	4,080	1,931	15	FP5	Laptop
»	ARM - 8 Core 1766 MHz	8	4,080	1,205	NA	Unknown	Mobile/Embedded
»	Mediatek MT8781V/CA	8	4,078	1,504	NA	Unknown	Mobile/Embedded
»	Intel Core i7-7660U @ 2.50GHz	2	4,075	2,152	15	BGA1356	Laptop
»	Intel Core i7-7567U @ 3.50GHz	2	4,074	2,194	28	BGA1356	Laptop
»	AMD Opteron 6234	6	4,072	547	115	G34	Server
»	Intel Core i5-4590T @ 2.00GHz	4	4,071	1,653	35	LGA1150	Desktop
»	Intel Xeon E3-1260L @ 2.40GHz	4	4,063	1,455	45	LGA1155	Server
»	AMD Ryzen 3 PRO 2100GE	2	4,062	1,809	35	AM4	Desktop
»	Mediatek MT6833	8	4,055	1,392	NA	Unknown	Mobile/Embedded
»	Intel Celeron N5105 @ 2.00GHz	4	4,053	1,510	10	FCBGA1338	Mobile/Embedded
»	Mediatek MT6853V/NZA	8	4,049	1,219	NA	Unknown	Mobile/Embedded
»	AMD FX-8100 Eight-Core	4	4,046	1,137	95	AM3+	Desktop
»	Intel Core i7-2710QE @ 2.10GHz	4	4,044	1,393	45	PGA988B	Laptop
»	Mediatek MT6833V/PNZA	8	4,037	1,455	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5506 @ 2.13GHz	4	4,019	967	60	LGA1366	Server
»	Intel Core i3-6098P @ 3.60GHz	2	4,017	2,113	54	LGA 1151	Desktop
»	AMD Opteron 6212	4	4,007	1,085	115	Socket G34	Server
»	QTI QCM5430	6	4,006	1,910	NA	Unknown	Mobile/Embedded
»	Intel Celeron G6900T	2	4,003	2,343	35	FCLGA1700	Desktop
»	Intel Core i3-6300T @ 3.30GHz	2	4,002	2,018	35	LGA 1151	Desktop
»	Intel Core i7-2720QM @ 2.20GHz	4	4,000	1,368	45	BGA1224	Laptop
»	AMD Athlon Gold 3150U	2	3,992	1,764	15	FP5	Laptop
»	Intel Core i5-7260U @ 2.20GHz	2	3,987	1,987	15	BGA1356	Laptop
»	Qualcomm SC7180	8	3,978	1,583	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon L5410 @ 2.33GHz	4	3,974	1,009	50	LGA771	Server
»	Intel Core i5-4470 @ 3.30GHz	4	3,971	1,475	84	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MT6781V/CD	8	3,969	1,477	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin 990	8	3,965	1,658	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3570T @ 2.30GHz	4	3,962	1,695	45	LGA1155	Desktop
»	Intel Core i3-7101TE @ 3.40GHz	2	3,957	2,020	35	FCLGA1151	Desktop
»	AMD Opteron 4334	3	3,949	1,269	95	Socket C32	Server
»	QTI SM4375	8	3,947	1,777	NA	Unknown	Mobile/Embedded
»	Mediatek MT8789V/CT	8	3,946	1,477	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3340S @ 2.80GHz	4	3,942	1,756	65	LGA1155	Desktop
»	AMD A9-9820	8	3,938	800	NA	Unknown	Desktop
»	Samsung Exynos 9820	8	3,933	1,660	NA	Unknown	Mobile/Embedded
»	Intel Atom C3958 @ 2.00GHz	16	3,929	737	31	FCBGA1310	Server
»	Intel Core i7-985 @ 3.47GHz	4	3,928	1,579	NA	LGA1366	Unknown
»	QTI SM4450	8	3,918	1,664	NA	Unknown	Mobile/Embedded
»	Qualcomm SM7250	8	3,914	1,580	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4332 HE	6	3,911	1,362	65	Socket C32	Server
»	ARM Kunpeng-920 8 Core 2600 MHz	8	3,910	735	NA	Unknown	Mobile/Embedded
»	Intel Xeon E3-1225 @ 3.10GHz	4	3,909	1,581	95	LGA1155	Server
»	Intel Pentium Gold G6400E @ 3.80GHz	2	3,908	2,384	58	FCLGA1200	Mobile/Embedded
»	Intel Atom x6425E @ 2.00GHz	4	3,905	1,516	12	FCBGA1493	Mobile/Embedded
»	Intel Atom x6413E @ 1.50GHz	4	3,903	1,509	9	FCBGA1493	Mobile/Embedded
»	Intel Core i3-10110U @ 2.10GHz	2	3,901	2,197	15	FCBGA1528	Laptop
»	QTI SM7125	8	3,900	1,573	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin820	8	3,893	1,402	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3330S @ 2.70GHz	4	3,889	1,708	65	LGA1155	Desktop
»	AMD FX-6120 Six-Core	3	3,887	1,409	95	AM3+	Desktop
»	Rockchip RK3576	8	3,885	1,050	NA	Unknown	Mobile/Embedded
»	MT6781	8	3,875	1,356	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G6500T @ 3.50GHz	2	3,874	2,238	35	FCLGA1200	Desktop
»	Intel Celeron J6412 @ 2.00GHz	4	3,870	1,382	10	FCBGA1493	Mobile/Embedded
»	AMD PRO A12-8870	4	3,869	1,782	65	AM4	Desktop
»	AMD Athlon 300U	2	3,867	1,774	15	FP5	Laptop
»	Intel Core i5-2400 @ 3.10GHz	4	3,867	1,580	95	LGA1155	Desktop
»	AMD Phenom II X6 1100T	6	3,866	1,500	125	AM3	Desktop
»	AMD Ryzen Embedded R2312	2	3,865	1,943	25	FP5	Mobile/Embedded
»	Qualcomm Technologies, Inc	8	3,865	1,469	NA	Unknown	Mobile/Embedded
»	MT8186	8	3,862	1,479	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i3-4370 @ 3.80GHz	2	3,857	2,156	54	LGA1150	Desktop
»	Snapdragon 7c Gen 2 @ 2.55 GHz	8	3,853	1,481	7	Unknown	Laptop, Mobile/Embedded
»	Intel Core i5-7360U @ 2.30GHz	2	3,851	2,101	15	FCBGA1356	Laptop
»	Intel Xeon E3-1220 @ 3.10GHz	4	3,847	1,525	80	LGA1155	Server
»	Intel Core i7-2840QM @ 2.40GHz	4	3,842	1,493	NA	rPGA988B	Laptop
»	[Dual CPU] Intel Xeon E5410 @ 2.33GHz	4	3,829	1,013	80	LGA771	Server
»	Intel Core i7-2675QM @ 2.20GHz	4	3,828	1,288	45	BGA1224	Laptop
»	Intel Pentium Gold G5600 @ 3.90GHz	2	3,825	2,276	54	FCLGA1151-2	Desktop
»	Intel Core i5-6287U @ 3.10GHz	2	3,823	1,995	28	FCBGA1356	Laptop
»	Intel Pentium Gold G5500 @ 3.80GHz	2	3,823	2,247	54	FCLGA1151-2	Desktop
»	[Dual CPU] Intel Xeon X5355 @ 2.66GHz	4	3,819	1,055	120	LGA771	Server
»	Samsung Exynos 9825	8	3,819	1,602	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2603 v3 @ 1.60GHz	6	3,817	930	85	LGA2011-v3	Server
»	AMD Ryzen 3 3250U	2	3,814	1,773	15	FP5	Laptop
»	AMD Athlon X4 970	4	3,811	1,700	65	AM4	Desktop
»	Mediatek MT6781	8	3,809	1,289	NA	Unknown	Mobile/Embedded
»	AMD Ryzen Embedded R1505G	2	3,805	1,827	15	FP5	Laptop, Mobile/Embedded
»	Qualcomm SM6225	8	3,801	1,202	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2380P @ 3.10GHz	4	3,797	1,607	95	LGA1155	Desktop
»	AMD Ryzen 3 3200U	2	3,793	1,807	15	FP5	Laptop
»	AMD Athlon X4 845	2	3,792	1,678	65	FM2+	Desktop
»	Intel Core i3-8145U @ 2.10GHz	2	3,792	2,099	15	FCBGA1528	Laptop
»	Intel Core i7-7560U @ 2.40GHz	2	3,792	1,975	15	BGA1356	Laptop
»	Intel Xeon E5630 @ 2.53GHz	4	3,790	1,186	80	LGA1366	Server
»	MT6833	8	3,784	1,390	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5640 @ 2.67GHz	4	3,782	1,175	80	LGA1366	Server
»	Virtual @ 2.56GHz	8	3,778	1,058	NA	Unknown	Unknown
»	ARM Cortex-A57 8 Core 1766 MHz	8	3,766	1,153	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X6 1090T	6	3,762	1,454	125	AM3	Desktop
»	QTI SM7150	8	3,761	1,436	NA	Unknown	Mobile/Embedded
»	QTI QCS5430	6	3,760	1,892	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 9810	8	3,759	1,303	NA	Unknown	Mobile/Embedded
»	Intel Core i3-7100T @ 3.40GHz	2	3,758	1,940	35	FCLGA1151	Desktop
»	Intel Pentium G4620 @ 3.70GHz	2	3,754	2,249	51	FCLGA1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD PRO A10-8850B	2	3,752	1,611	95	FM2+	Desktop
»	Mediatek MT6781V/CD	8	3,746	1,456	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7287U @ 3.30GHz	2	3,743	2,157	28	Unknown	Laptop
»	Qualcomm SM7125	8	3,742	1,542	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2670QM @ 2.20GHz	4	3,739	1,311	45	PGA988B	Laptop
»	Intel Pentium Gold G5420 @ 3.80GHz	2	3,738	2,250	54	FCLGA1151-2	Desktop
»	Intel Pentium Gold G5400 @ 3.70GHz	2	3,736	2,197	54	FCLGA1151-2	Desktop
»	Intel Xeon E5-1607 @ 3.00GHz	4	3,731	1,438	130	LGA2011	Server
»	Intel Xeon E3-1265L @ 2.40GHz	4	3,726	1,395	45	LGA1155	Server
»	AMD Opteron 3280	8	3,723	1,036	65	AM3+	Server
»	Intel Core i5-3335S @ 2.70GHz	4	3,721	1,711	65	LGA1155	Desktop
»	QTI SM4350	8	3,719	1,473	NA	Unknown	Mobile/Embedded
»	Snapdragon 7c @ 1.96 GHz	8	3,712	1,519	NA	Unknown	Laptop, Mobile/Embedded
»	[Dual CPU] Intel Xeon E5506 @ 2.13GHz	4	3,710	911	80	LGA1366	Server
»	Intel Core i7-7600U @ 2.80GHz	2	3,708	2,023	15	FCBGA1356	Laptop
»	Intel Xeon L5638 @ 2.00GHz	6	3,707	862	60	LGA1366	Server
»	AMD PRO A12-9800	4	3,705	1,686	65	AM4	Desktop
»	Intel Pentium Gold G6505T @ 3.60GHz	2	3,698	2,271	35	FCLGA1200	Desktop
»	AMD Opteron 6174	12	3,697	488	115	Socket G34	Server
»	AMD Athlon PRO 200GE	2	3,693	1,736	35	AM4	Desktop
»	ZHAOXIN KaiXian KX-U6780@2.7GHz	8	3,693	851	NA	Unknown	Unknown
»	AMD Ryzen 3 2200U	2	3,690	1,675	15	FP5	Laptop
»	AMD FX-6100 Six-Core	3	3,685	1,316	95	AM3+	Desktop
»	Intel Core i7-6567U @ 3.30GHz	2	3,673	2,085	28	FCBGA1356	Laptop
»	[Dual CPU] AMD Opteron 2374 HE	4	3,667	915	55	F (1207)	Server
»	Intel Core i5-2320 @ 3.00GHz	4	3,666	1,520	95	LGA1155	Desktop
»	AMD Athlon X4 880K	2	3,659	1,633	95	FM2+	Desktop
»	Intel Core i5-2310 @ 2.90GHz	4	3,656	1,491	95	LGA1155	Desktop
»	Intel Core i5-7300U @ 2.60GHz	2	3,653	1,903	15	FCBGA1356	Laptop
»	AMD PRO A10-9700	2	3,652	1,644	65	AM4	Desktop
»	Intel Core i3-6100T @ 3.20GHz	2	3,652	1,867	35	LGA 1151	Desktop
»	MediaTek Kompanio 520/528 (MT8186/MT8186T)	8	3,650	1,351	4	Unknown	Mobile/Embedded
»	MediaTek MT6785V/CD	8	3,649	1,309	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4360 @ 3.70GHz	2	3,647	2,091	54	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-4460T @ 1.90GHz	4	3,647	1,487	35	LGA1150	Desktop
»	Intel Core i7-7500U @ 2.70GHz	2	3,646	1,921	15	FCBGA1356	Laptop
»	ZHAOXIN KaiXian KX-U6780A@2.7GHz	8	3,643	776	NA	Unknown	Unknown
»	MT6833V/NZA	8	3,641	1,419	NA	Unknown	Mobile/Embedded
»	Mediatek MT6833P	8	3,640	1,236	NA	Unknown	Mobile/Embedded
»	Intel Core i5-7267U @ 3.10GHz	2	3,634	1,972	28	BGA1356	Laptop
»	DG1301SML87HY	8	3,624	727	NA	Unknown	Unknown
»	Mediatek MT6785	8	3,618	1,304	NA	Unknown	Mobile/Embedded
»	MT6853V/TNZA	8	3,616	1,532	NA	Unknown	Mobile/Embedded
»	Intel Pentium G4600 @ 3.60GHz	2	3,610	2,169	51	FCLGA1151	Desktop
»	Intel Xeon W3580 @ 3.33GHz	4	3,609	1,557	130	LGA1366	Server
»	Intel Core i7-6650U @ 2.20GHz	2	3,605	1,807	15	FCBGA1356	Laptop
»	Intel Pentium Gold G5600T @ 3.30GHz	2	3,601	2,025	35	FCLGA1151	Desktop
»	AMD A12-9800	2	3,597	1,668	65	AM4	Desktop
»	AMD Athlon X4 950	4	3,596	1,638	65	AM4	Desktop
»	Intel Core i7-6660U @ 2.40GHz	2	3,592	1,933	15	FCBGA1356	Laptop
»	Intel Xeon E5620 @ 2.40GHz	4	3,590	1,103	80	LGA1366	Server
»	Mediatek MT6833V/NZA	8	3,588	1,328	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4170 @ 3.70GHz	2	3,581	2,052	54	LGA1150	Desktop
»	Qualcomm SM4350	8	3,575	1,453	NA	Unknown	Mobile/Embedded
»	AMD PRO A10-8770	4	3,574	1,596	65	AM4	Desktop
»	Intel Core i3-1000NG4 @ 1.10GHz	2	3,569	1,766	9	BGA1526	Laptop
»	AMD Opteron 6176 SE	12	3,564	507	140	G34	Server
»	MT6785	8	3,555	1,321	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2630QM @ 2.00GHz	4	3,553	1,226	45	PGA988B	Laptop
»	Intel Core i3-8130U @ 2.20GHz	2	3,550	1,884	15	FCBGA1356	Laptop
»	Intel Core i3-4350 @ 3.60GHz	2	3,548	1,973	54	LGA1150	Desktop
»	[Dual CPU] Intel Xeon E5603 @ 1.60GHz	4	3,548	710	80	LGA1366	Server
»	AMD A10-9700	4	3,546	1,615	65	AM4	Desktop
»	Intel Pentium Gold G6400T @ 3.40GHz	2	3,545	2,092	35	FCLGA1200	Desktop
»	AMD A8-7680	4	3,544	1,619	45	FM2+	Laptop
»	Intel Core i3-4330 @ 3.50GHz	2	3,544	1,973	54	LGA1150	Desktop
»	Intel Pentium G4560 @ 3.50GHz	2	3,536	2,096	54	FCLGA1151	Desktop
»	Intel Pentium N6415 @ 1.20GHz	4	3,532	1,539	6.5	FCBGA1493	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»	AMD A10-7890K	2	3,525	1,573	95	FM2+	Desktop
»	Snapdragon 835 @ 2.45 GHz	8	3,524	954	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDMMAGPIEP	8	3,523	1,523	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4160 @ 3.60GHz	2	3,522	1,998	54	FCLGA1150	Desktop
»	[Dual CPU] AMD Opteron 2373 EE	4	3,521	865	60	F (1207)	Server
»	QTI SM6225	8	3,521	1,166	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8998	8	3,520	1,072	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2418L @ 2.00GHz	4	3,518	977	50	LGA 1356	Server
»	AMD Ryzen Embedded V1202B	2	3,512	1,624	15	FP5	Laptop, Mobile/Embedded
»	MT6853V/ZA	8	3,505	1,247	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2407 v2 @ 2.40GHz	4	3,504	1,068	80	FCLGA1356	Server
»	Intel Core i7-975 @ 3.33GHz	4	3,493	1,499	130	LGA1366	Desktop
»	AMD Opteron 4365 EE	4	3,485	958	40	Socket C32	Server
»	AMD Opteron 6164 HE	12	3,478	399	85	Socket G34	Server
»	[3-Way CPU] ARM ARMv8 rev 0 (v8I) 6 Core 1907 MHz	6	3,477	697	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc ATOLL-AB	8	3,475	1,590	NA	Unknown	Mobile/Embedded
»	AMD A12-9800E	4	3,471	1,617	35	AM4	Desktop
»	Intel Xeon E5-1603 @ 2.80GHz	4	3,463	1,338	130	LGA2011	Server
»	Intel Core i3-4340 @ 3.60GHz	2	3,460	1,979	54	LGA1150	Desktop
»	Qualcomm Technologies, Inc SM7250	8	3,459	1,557	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5345 @ 2.33GHz	4	3,458	946	80	LGA771	Server
»	Intel Core i7-6498DU @ 2.50GHz	2	3,454	1,808	15	BGA1356	Laptop
»	AMD A10 PRO-7850B APU	2	3,453	1,572	95	FM2+	Desktop
»	Intel Xeon X5698 @ 4.40GHz	2	3,447	1,922	130	LGA1366	Server
»	Snapdragon 845 @ 2.8 GHz	8	3,446	1,349	NA	Unknown	Mobile/Embedded
»	Mediatek MT6779	8	3,443	1,112	NA	Unknown	Mobile/Embedded
»	AMD A10-7870K	2	3,442	1,506	95	FM2+	Desktop
»	AMD Opteron X3421 APU	4	3,440	1,515	35	Unknown	Server
»	AMD A10-8850	2	3,438	1,608	NA	Unknown	Desktop
»	AMD Athlon X4 860K	2	3,432	1,528	95	FM2+	Desktop
»	Intel Core i5-2300 @ 2.80GHz	4	3,431	1,428	95	LGA1155	Desktop
»	Intel Core i3-7100H @ 3.00GHz	2	3,430	1,668	35	FCBGA1440	Laptop
»	Intel Core i7-6600U @ 2.60GHz	2	3,430	1,796	15	FCBGA1356	Laptop
»	AMD Embedded R-Series RX-418GD Radeon R6	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MediaTek MT6853T	8	3,425	1,473	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM765G 5G	8	3,425	1,638	NA	Unknown	Mobile/Embedded
»	Intel Core i7-965 @ 3.20GHz	4	3,424	1,475	130	LGA1366	Desktop
»	AMD Phenom II X6 1075T	6	3,423	1,379	125	AM3	Desktop
»	AMD A8-7500	2	3,422	1,410	65	FM2+	Desktop
»	Qualcomm Technologies, Inc LAGOON	8	3,418	1,640	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 870K	2	3,410	1,558	95	FM2+	Desktop
»	Intel Pentium Gold G5420T @ 3.20GHz	2	3,408	1,944	35	FCLGA1151-2	Desktop
»	Intel Core i7-2635QM @ 2.00GHz	4	3,406	1,206	45	BGA1224	Laptop
»	MediaTek MT6785V/CC	8	3,406	1,244	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc KHAJE	8	3,405	1,149	NA	Unknown	Mobile/Embedded
»	Intel Pentium Silver N5020 @ 1.10GHz	4	3,404	1,307	6	FCBGA1090	Laptop
»	[Dual CPU] Intel Xeon E5405 @ 2.00GHz	4	3,402	875	80	LGA771	Server
»	AMD Opteron 4226	3	3,400	1,157	95	Socket C32	Server
»	Intel Core i3-4150 @ 3.50GHz	2	3,396	1,940	54	FCLGA1150	Desktop
»	AMD A10-7850K APU	2	3,395	1,498	95	FM2+	Desktop
»	Snapdragon 7c @ 2.40 GHz	8	3,395	1,225	9	Unknown	Laptop, Mobile/Embedded
»	Intel Core i5-2500S @ 2.70GHz	4	3,391	1,644	65	LGA1155	Desktop
»	Intel Xeon E5-4603 @ 2.00GHz	4	3,391	953	95	LGA 2011	Server
»	Qualcomm Technologies, Inc SM7225	8	3,390	1,768	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X6 1065T	6	3,387	1,362	95	AM3	Desktop
»	Intel Core i5-L16G7 @ 1.40GHz	5	3,386	1,612	7	FC-CSP1016	Laptop
»	Intel Core i5-7200U @ 2.50GHz	2	3,385	1,749	15	FCBGA1356	Laptop
»	QTI SM6150	8	3,385	1,345	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM730G AIE	8	3,384	1,463	NA	Unknown	Mobile/Embedded
»	AMD Opteron 6136	8	3,381	549	115	Socket G34	Server
»	Intel Core i5-4340M @ 2.90GHz	2	3,376	2,036	37	Unknown	Laptop
»	Intel Core i5-6267U @ 2.90GHz	2	3,370	1,835	28	FCBGA1356	Laptop
»	Qualcomm Technologies, Inc SDM845	8	3,370	1,345	NA	Unknown	Mobile/Embedded
»	AMD FX-B4150 Quad-Core	2	3,369	1,425	95	AM3+	Desktop
»	Intel Xeon E5-2609 v2 @ 2.50GHz	4	3,369	1,356	80	LGA 2011	Server
»	Intel Core i3-7167U @ 2.80GHz	2	3,368	1,705	28	Unknown	Laptop
»	Intel Xeon W5580 @ 3.20GHz	4	3,368	1,499	130	LGA1366	Server
»	Mediatek MT8788	8	3,367	941	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon X4 850	4	3,366	1,575	65	FM2+	Unknown
»	Intel Xeon W3565 @ 3.20GHz	4	3,366	1,504	130	LGA1366	Server
»	AMD Ryzen Embedded R1600	2	3,365	1,779	25	FC-BGA1140	Mobile/Embedded
»	Qualcomm Technologies, Inc SM7125	8	3,365	1,581	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4370T @ 3.30GHz	2	3,361	1,911	35	FCLGA1150	Desktop
»	Intel Core i7-6560U @ 2.20GHz	2	3,358	1,694	15	Unknown	Laptop
»	Intel Core i7-960 @ 3.20GHz	4	3,347	1,458	130	LGA1366	Desktop
»	Intel Xeon Platinum 8575C	1	3,342	2,593	NA	Unknown	Server
»	Intel Xeon W5590 @ 3.33GHz	4	3,342	1,564	130	LGA1366	Server
»	Intel Pentium Gold G6405T @ 3.50GHz	2	3,341	1,936	35	FCLGA1200	Desktop
»	Qualcomm Technologies, Inc LITO	8	3,339	1,568	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X6 1405T	6	3,335	1,247	95	AM2+,AM3	Desktop
»	MT6853V/NZA	8	3,330	1,258	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X6 1055T	6	3,328	1,330	125	AM3	Desktop
»	AMD FX-4150 Quad-Core	4	3,327	1,465	125	AM3+	Desktop
»	Snapdragon 850 @ 2.96 GHz	8	3,326	1,424	5	Unknown	Laptop, Mobile/Embedded
»	AMD FX-9830P	4	3,322	1,578	35	FP4	Laptop
»	AMD PRO A8-9600	2	3,322	1,513	65	AM4	Desktop
»	AMD Athlon X4 840	2	3,321	1,487	65	FM2+	Desktop
»	AMD A10 PRO-7800B APU	2	3,319	1,493	65	FM2+	Desktop
»	Intel Core i7-880 @ 3.07GHz	4	3,319	1,442	95	LGA1156	Desktop
»	Intel Core i3-6100E @ 2.70GHz	2	3,315	1,688	35	LGA 1151	Laptop
»	Intel Core i3-4130 @ 3.40GHz	2	3,314	1,883	54	LGA1150	Desktop
»	AMD FX-4350 Quad-Core	2	3,313	1,618	125	AM3+	Desktop
»	Intel Celeron N5100 @ 1.10GHz	4	3,313	1,390	6	FCBGA1338	Laptop
»	Intel Pentium Gold G5500T @ 3.20GHz	2	3,311	1,951	35	FCLGA1151-2	Desktop
»	Intel Xeon X5570 @ 2.93GHz	4	3,310	1,397	95	LGA1366	Server
»	AMD A8-9600	4	3,307	1,488	65	AM4	Desktop
»	[Dual CPU] Intel Xeon E5504 @ 2.00GHz	4	3,305	870	80	LGA1366	Server
»	AMD Embedded R-Series RX-421BD	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
»	Mediatek MT8786V/CT	8	3,300	1,178	NA	Unknown	Mobile/Embedded
»	Intel Xeon L5609 @ 1.87GHz	4	3,298	1,160	40	LGA1366	Server
»	Intel Core i3-10110Y @ 1.00GHz	2	3,297	2,020	7	UTFCBGA1377	Laptop
»	AMD Athlon Gold 3150C	2	3,292	1,706	15	FP5	Laptop, Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM - 8 Core 1800 MHz	8	3,292	1,016	NA	Unknown	Unknown
»	Intel Celeron 6600HE @ 2.60GHz	2	3,286	1,764	35	FCBGA1787	Mobile/Embedded
»	Intel Core i3-4360T @ 3.20GHz	2	3,286	1,873	35	LGA1150	Desktop
»	Qualcomm Technologies, Inc SDM720G	8	3,285	1,620	NA	Unknown	Mobile/Embedded
»	AMD A10-7860K	2	3,283	1,498	65	FM2+	Desktop
»	Intel Xeon Platinum 8475B	1	3,280	2,581	NA	Unknown	Server
»	Intel Core i7-6500U @ 2.50GHz	2	3,276	1,694	15	FCBGA1356	Laptop
»	Intel Xeon X3480 @ 3.07GHz	4	3,273	1,409	95	LGA1156	Server
»	Intel Xeon X3470 @ 2.93GHz	4	3,268	1,400	95	LGA1156	Server
»	Intel Xeon W3570 @ 3.20GHz	4	3,267	1,466	130	LGA1366	Server
»	Qualcomm Technologies, Inc SM7150	8	3,264	1,415	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6167U @ 2.70GHz	2	3,255	1,636	28	FCBGA1356	Laptop
»	Intel Pentium Silver J5040 @ 2.00GHz	4	3,254	1,348	10	FCBGA1090	Desktop
»	Intel Core i5-4400E @ 2.70GHz	2	3,251	1,804	37	BGA1364	Desktop
»	Intel Core i3-4570T @ 2.90GHz	2	3,244	1,693	35	FCLGA1150	Desktop
»	[Dual CPU] AMD Opteron 2354	4	3,242	899	115	F (1207)	Server
»	Intel Pentium D1508 @ 2.20GHz	2	3,240	1,760	25	FCBGA1667	Server
»	MT6833GP	8	3,238	1,425	NA	Unknown	Mobile/Embedded
»	BCM2712	4	3,236	1,400	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM670	8	3,235	1,146	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4330M @ 2.80GHz	2	3,232	1,885	37	Unknown	Laptop
»	Mediatek MT6768G	8	3,232	1,212	NA	Unknown	Mobile/Embedded
»	Intel Core i5-6300U @ 2.40GHz	2	3,230	1,658	15	FCBGA1356	Laptop
»	MT8667	8	3,230	1,160	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc TRINKET-IOT	8	3,230	966	NA	Unknown	Mobile/Embedded
»	AMD A10-9700E	4	3,229	1,501	35	AM4	Desktop
»	AMD A10-8750	2	3,228	1,516	65	FM2+	Desktop
»	AMD FX-870K Quad Core	2	3,227	1,470	NA	Unknown	Unknown
»	ZHAOXIN KaiXian KX-U6580@2.5GHz	8	3,227	745	NA	Unknown	Unknown
»	Intel Core i5-4570T @ 2.90GHz	2	3,224	1,913	35	LGA1150	Desktop
»	Intel Core i7-2715QE @ 2.10GHz	4	3,221	1,287	45	BGA1023	Laptop
»	AMD A8-7600 APU	2	3,219	1,449	65	FM2+	Desktop
»	Intel Core i3-4170T @ 3.20GHz	2	3,218	1,824	35	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon W3550 @ 3.07GHz	4	3,218	1,407	130	LGA1366	Server
»	Intel Core i7-4610M @ 3.00GHz	2	3,217	1,875	37	FPGA946,FPGA947	Laptop
»	Intel Core i7-950 @ 3.07GHz	4	3,213	1,379	130	LGA1366	Desktop
»	AMD PRO A8-8650B	4	3,211	1,490	65	FM2+	Desktop
»	Intel Core i5-6260U @ 1.80GHz	2	3,211	1,652	15	FCBGA1356	Laptop
»	AMD A10-7800 APU	2	3,210	1,462	65	FM2+	Desktop
»	AMD Athlon Silver 7120U	2	3,209	1,965	15	FP6	Laptop
»	AMD A10-7700K APU	2	3,203	1,435	95	FM2+	Desktop
»	AMD Phenom II X6 1045T	6	3,200	1,282	95	AM3	Desktop
»	Intel Atom x6427FE @ 1.90GHz	4	3,196	1,016	12	FCBGA1493	Mobile/Embedded
»	AMD A8-7670K	4	3,192	1,485	95	FM2+	Desktop
»	AMD A10-6800K APU	2	3,189	1,596	100	FM2	Desktop
»	Intel Core i7-4600M @ 2.90GHz	2	3,186	1,857	37	PGA946	Laptop
»	QTI SM611	8	3,180	999	NA	Unknown	Mobile/Embedded
»	Intel Pentium Gold G5400T @ 3.10GHz	2	3,173	1,814	35	FCLGA1151-2	Server
»	AMD PRO A12-9800E	4	3,171	1,518	35	AM4	Desktop
»	Intel Atom C1110	4	3,170	1,233	13	Unknown	Mobile/Embedded
»	Mediatek MT8786V/N	8	3,168	1,152	NA	Unknown	Mobile/Embedded
»	Samsung "Exynos 9610"	8	3,168	1,012	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDMMAGPIE	8	3,159	1,435	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2405S @ 2.50GHz	4	3,157	1,434	65	LGA1155	Desktop
»	Intel Core i5-2400S @ 2.50GHz	4	3,156	1,471	65	LGA1155	Desktop
»	Intel Xeon Gold 6262V @ 1.90GHz	3	3,155	1,486	135	FCLGA3647	Server
»	AMD Ryzen 3 3250C	2	3,153	1,911	15	FP5	Laptop, Mobile/Embedded
»	Intel Core i3-6100TE @ 2.70GHz	2	3,152	1,636	35	LGA 1151	Desktop
»	Unisoc T616	8	3,152	1,189	NA	Unknown	Mobile/Embedded
»	AMD FX-4320	2	3,150	1,564	95	AM3+	Desktop
»	MediaTek MT8188	8	3,144	1,883	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4350T @ 3.10GHz	2	3,142	1,762	35	LGA1150	Laptop
»	Samsung Exynos 8895	8	3,142	990	NA	Unknown	Mobile/Embedded
»	MT8786V/CA	8	3,137	1,160	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 1800 MHz	4	3,135	996	NA	Unknown	Mobile/Embedded
»	Intel Core i7-870 @ 2.93GHz	4	3,130	1,383	95	LGA1156	Desktop
»	AMD A8-7650K	2	3,129	1,405	65	FM2+	Desktop
»	Qualcomm Technologies, Inc BENGALP-IOT	8	3,127	968	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5560 @ 2.80GHz	4	3,124	1,384	95	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD FX-4200 Quad-Core	4	3,119	1,313	125	AM3+	Desktop
»	Intel Core i3-4330T @ 3.00GHz	2	3,115	1,726	35	LGA1150	Desktop
»	Intel Core i5-6198DU @ 2.30GHz	2	3,115	1,645	15	BGA1356	Laptop
»	Intel Core i3-4160T @ 3.10GHz	2	3,112	1,748	35	LGA1150	Desktop
»	Intel Xeon W3540 @ 2.93GHz	4	3,109	1,297	130	LGA1366	Server
»	[Dual CPU] ARM Cortex-A76 4 Core 1800 MHz	4	3,108	980	NA	Unknown	Mobile/Embedded
»	Qualcomm SM6115	8	3,107	973	NA	Unknown	Mobile/Embedded
»	AMD A10-6800B APU	2	3,106	1,654	100	FM2	Desktop
»	Intel Core i5-6360U @ 2.00GHz	2	3,106	1,738	15	FCBGA1356	Laptop
»	Intel Core i5-5287U @ 2.90GHz	2	3,105	1,943	28	FCBGA1168	Laptop
»	AMD A10-6700 APU	4	3,104	1,604	65	FM2	Desktop
»	Intel Core i7-4578U @ 3.00GHz	2	3,101	1,933	28	FCBGA1168	Laptop
»	Intel Pentium Silver J5005 @ 1.50GHz	4	3,101	1,206	10	FCBGA1090	Desktop
»	AMD FX-4330	2	3,098	1,559	95	AM3+	Desktop
»	Intel Core i5-4310M @ 2.70GHz	2	3,097	1,799	37	Unknown	Laptop
»	Intel Core i7-5557U @ 3.10GHz	2	3,090	1,914	28	FCBGA1168	Laptop
»	Intel Core i7-875K @ 2.93GHz	4	3,090	1,352	95	LGA1156	Desktop
»	Intel Core i5-4200H @ 2.80GHz	2	3,089	1,792	47	BGA1364	Desktop
»	MediaTek MT6779V/CE	8	3,087	1,244	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SM4350	8	3,087	1,348	NA	Unknown	Mobile/Embedded
»	MT6771V/CL	8	3,079	924	NA	Unknown	Mobile/Embedded
»	Mediatek MT6769	8	3,077	1,161	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4570TE @ 2.70GHz	2	3,074	1,622	35	LGA1150	Desktop
»	AMD A10-6790K APU	2	3,071	1,551	100	FM2	Desktop
»	[Dual CPU] Intel Xeon E5335 @ 2.00GHz	4	3,069	815	80	LGA771	Server
»	Intel Core i5-4210H @ 2.90GHz	2	3,068	1,781	47	FCBGA1364	Laptop
»	Intel Xeon W3530 @ 2.80GHz	4	3,068	1,338	130	LGA1366	Server
»	Intel Core i3-9100HL @ 1.60GHz	4	3,065	1,008	25	FCBGA1440	Mobile/Embedded
»	[Quad CPU] Intel Xeon E5-2420 @ 1.90GHz	6	3,065	1,108	95	LGA1356	Server
»	Intel Pentium G4600T @ 3.00GHz	2	3,062	1,775	35	FCLGA1151	Desktop
»	AMD Opteron 2435	6	3,061	593	75	F (1207)	Server
»	Intel Core i5-24050S @ 2.50GHz	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Pentium Silver N6000 @ 1.10GHz	4	3,059	1,411	6	FCBGA1338	Mobile/Embedded
»	vendor Kirin970	8	3,056	896	NA	Unknown	Mobile/Embedded
»	Spreadtrum T612	8	3,051	1,107	NA	Unknown	Mobile/Embedded
»	AMD Opteron X3418 APU	4	3,043	1,427	25	Unknown	Server
»	AMD PRO A12-8870E	4	3,043	1,440	35	AM4	Desktop
»	Intel Core i3-6100H @ 2.70GHz	2	3,041	1,543	35	LGA 1151	Laptop
»	Intel Core i7-5600U @ 2.60GHz	2	3,038	1,776	15	FCBGA1168	Laptop
»	AMD PRO A10-8770E	4	3,036	1,446	35	AM4	Desktop
»	AMD A10-5800B APU	2	3,034	1,579	100	FM2	Desktop
»	AMD FX-4170 Quad-Core	2	3,034	1,464	125	AM3+	Desktop
»	Intel Xeon X5550 @ 2.67GHz	4	3,027	1,270	95	LGA1366	Server
»	AMD Embedded R-Series RX-421ND	4	3,024	1,337	35	FP4	Mobile/Embedded
»	Intel Core i3-7130U @ 2.70GHz	2	3,021	1,564	15	FCBGA1356	Laptop
»	Intel Xeon L5630 @ 2.13GHz	4	3,018	1,033	40	LGA1366	Server
»	ARM Cortex-A78 4 Core 2000 MHz	4	3,016	1,121	NA	Unknown	Laptop, Mobile/Embedded
»	Intel Pentium GOLD 6500Y @ 1.10GHz	2	3,016	1,758	5	Unknown	Mobile/Embedded
»	ARM Cortex-A55 8 Core 1800 MHz	8	3,013	959	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4558U @ 2.80GHz	2	3,013	1,841	28	BGA1168	Laptop
»	Intel Core i7-5650U @ 2.20GHz	2	3,011	1,897	15	FCBGA1168	Laptop
»	[Dual CPU] AMD Opteron 2356	4	3,009	894	75	F (1207)	Server
»	AMD A8-6600K APU	2	3,007	1,538	100	FM2	Desktop
»	SMDK4x12	8	3,006	1,271	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3470T @ 2.90GHz	2	3,001	1,840	35	LGA1155	Desktop
»	AMD Phenom II X6 1035T	6	3,000	1,226	95	AM3	Desktop
»	AMD A8-8650	4	2,996	1,483	65	FM2+	Desktop
»	Intel Core i5-6200U @ 2.30GHz	2	2,995	1,553	15	FCBGA1356	Laptop
»	Intel Core i7-860 @ 2.80GHz	4	2,994	1,329	95	LGA1156	Desktop
»	AMD Athlon Silver 3050U	2	2,992	1,702	15	FP5	Laptop
»	MT8786V/N	8	2,992	1,165	NA	Unknown	Mobile/Embedded
»	Intel Atom x6425RE @ 1.90GHz	4	2,990	1,020	12	FCBGA1493	Mobile/Embedded
»	AMD PRO A8-8670E	4	2,989	1,382	35	AM4	Desktop
»	Qualcomm SM6150	8	2,989	1,111	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4174 HE	6	2,986	1,035	65	C32	Server
»	AMD FX-4300 Quad-Core	2	2,985	1,481	95	AM3+	Desktop
»	AMD PRO A10-9700E	2	2,985	1,418	35	AM4	Desktop
»	AMD A12-9730P	4	2,980	1,386	35	FP4	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD FX-670K Quad-Core	2	2,980	1,578	65	FM2	Desktop
»	AMD FX-770K Quad-Core	2	2,978	1,449	65	FM2+	Desktop
»	Intel Xeon E5-2637 @ 3.00GHz	2	2,978	1,526	80	FCLGA2011	Server
»	Intel Core i7-3540M @ 3.00GHz	2	2,977	1,791	35	rPGA988B	Laptop
»	Intel Pentium G4560T @ 2.90GHz	2	2,974	1,708	35	FCLGA1151	Desktop
»	AMD Athlon X4 760K Quad Core	2	2,971	1,533	100	FM2	Desktop
»	Intel Core i5-4300M @ 2.60GHz	2	2,970	1,730	37	PGA946	Laptop
»	AMD A10-5800K APU	2	2,962	1,495	100	FM2	Desktop
»	AMD A8 PRO-7600B APU	4	2,962	1,387	65	FM2+	Desktop
»	Intel Core i7-930 @ 2.80GHz	4	2,962	1,270	130	LGA1366	Desktop
»	Intel Xeon X3460 @ 2.80GHz	4	2,957	1,250	95	LGA1156	Server
»	Spreadtrum T616	8	2,957	1,070	NA	Unknown	Mobile/Embedded
»	Intel Celeron J4125 @ 2.00GHz	4	2,956	1,161	10	FCBGA1090	Desktop
»	AMD Ryzen Embedded R1305G	2	2,953	1,587	8	FP5	Laptop, Mobile/Embedded
»	AMD Athlon Silver 3050e	2	2,952	1,448	6	Unknown	Laptop
»	Intel Core i7-4560U @ 1.60GHz	2	2,950	1,782	NA	Unknown	Laptop
»	Intel Core i7-940 @ 2.93GHz	4	2,947	1,310	130	LGA1366	Desktop
»	Snapdragon 850 @ 2.40 GHz	8	2,946	1,198	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin810	8	2,945	1,515	NA	Unknown	Mobile/Embedded
»	Spreadtrum T618	8	2,941	1,134	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2431	6	2,936	570	75	F (1207)	Server
»	Hisilicon Kirin 955	8	2,936	756	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4308U @ 2.80GHz	2	2,935	1,827	28	FCBGA1364	Laptop
»	Intel Xeon W3520 @ 2.67GHz	4	2,935	1,276	130	LGA1366	Server
»	AMD Opteron 6128 HE	8	2,932	823	85	Socket G34	Server
»	Qualcomm Technologies, Inc SM6150	8	2,931	1,283	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2500T @ 2.30GHz	4	2,929	1,485	45	LGA1155	Desktop
»	Rockchip RK3399	8	2,925	979	NA	Unknown	Mobile/Embedded
»	Unisoc ums9230H	8	2,924	1,086	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3380M @ 2.90GHz	2	2,916	1,775	35	FCPGA988, FCBGA1	Laptop
»	Qualcomm SM6125	8	2,916	992	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5492 @ 3.40GHz	4	2,912	1,464	150	LGA771	Server
»	[Dual CPU] Intel Xeon E5320 @ 1.86GHz	4	2,911	762	80	LGA771	Server
»	AMD A10-9630P	4	2,909	1,397	35	FP4	Laptop
»	HiSilicon Kirin 970	8	2,908	1,110	NA	Unknown	Mobile/Embedded



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Celeron J4105 @ 1.50GHz	4	2,908	1,093	10	FCBGA1090	Desktop
»	Intel N50	2	2,907	1,790	6	FCBGA1264	Mobile/Embedded
»	QTI SM6125	8	2,904	967	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 830	2	2,901	1,292	65	FM2+	Desktop
»	Intel Xeon X5470 @ 3.33GHz	4	2,901	1,400	120	LGA771	Server
»	Unisoc ums9230T	8	2,897	1,097	NA	Unknown	Mobile/Embedded
»	Intel Core i3-10100Y @ 1.30GHz	2	2,896	1,635	5	BGA 1528	Mobile/Embedded
»	Intel Core i5-4210M @ 2.60GHz	2	2,890	1,693	37	FCPGA946	Laptop
»	AMD A8-6500B APU	2	2,886	1,506	65	FM2	Desktop
»	Intel Core i3-4130T @ 2.90GHz	2	2,885	1,623	35	LGA1150	Desktop
»	QTI SM6115	8	2,881	935	NA	Unknown	Mobile/Embedded
»	AMD Athlon Silver 3050C	2	2,879	1,809	15	FP5	Laptop
»	AMD PRO A10-8750B	2	2,879	1,303	65	FM2+	Desktop
»	Intel Core m3-8100Y @ 1.10GHz	2	2,874	1,717	5	FCBGA1515	Laptop
»	Intel Core i5-3360M @ 2.80GHz	2	2,873	1,755	35	BGA1023	Laptop
»	Intel Xeon E5-2403 v2 @ 1.80GHz	4	2,873	991	80	FCLGA1356	Server
»	AMD Opteron 4184	6	2,872	630	95	C32	Server
»	Intel Core i7-3520M @ 2.90GHz	2	2,868	1,741	35	BGA1023	Laptop
»	Intel Core i3-4150T @ 3.00GHz	2	2,864	1,591	35	FCLGA1150	Desktop
»	Intel Core i7-5550U @ 2.00GHz	2	2,864	1,703	15	FCBGA1168	Laptop
»	AMD Athlon X4 750K Quad Core	2	2,861	1,465	100	FM2	Unknown
»	Intel Xeon E5-2609 @ 2.40GHz	4	2,858	1,118	80	LGA2011	Server
»	AMD A8-5600K APU	4	2,857	1,430	100	FM2	Desktop
»	AMD FX-7600P APU	4	2,856	1,436	35	FP3	Laptop
»	Intel Xeon X3450 @ 2.67GHz	4	2,853	1,221	95	LGA1156	Server
»	Qualcomm Technologies, Inc SDA660	8	2,853	984	NA	Unknown	Mobile/Embedded
»	AMD FX-8800P	2	2,851	1,380	35	FP4	Laptop
»	QTI SDM660	8	2,850	968	NA	Unknown	Mobile/Embedded
»	Intel Celeron G5925 @ 3.60GHz	2	2,849	2,229	58	FCLGA1200	Desktop
»	AMD Phenom II X4 980	4	2,839	1,511	125	AM3	Desktop
»	MT6768G	8	2,838	1,172	NA	Unknown	Mobile/Embedded
»	Intel Core i7-920 @ 2.67GHz	4	2,837	1,216	130	LGA1366	Desktop
»	Qualcomm SDM450	8	2,836	846	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4278U @ 2.60GHz	2	2,833	1,713	28	FCBGA1168	Laptop
»	Qualcomm Technologies, Inc MSM8998	8	2,830	1,047	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Opteron 6128	8	2,826	447	115	G34	Server
»	T606	8	2,824	989	NA	Unknown	Mobile/Embedded
»	AMD A8-6500 APU	2	2,822	1,473	65	FM2	Desktop
»	vendor Kirin710	8	2,818	944	NA	Unknown	Mobile/Embedded
»	HiSilicon Kirin 960	8	2,813	1,097	NA	Unknown	Mobile/Embedded
»	Unisoc T610	8	2,812	1,073	NA	Unknown	Mobile/Embedded
»	Intel Core i5-5257U @ 2.70GHz	2	2,811	1,726	23	FCBGA1168	Laptop
»	Intel Core i5-4200M @ 2.50GHz	2	2,808	1,622	37	PGA946	Laptop
»	ARM Cortex-A76 8 Core 1800 MHz	8	2,792	994	NA	Unknown	Mobile/Embedded
»	Intel Atom C2750 @ 2.40GHz	8	2,789	694	20	FCBGA1283	Server
»	AMD RX-427BB	4	2,788	1,301	35	FP3	Laptop
»	Intel Celeron G5905 @ 3.50GHz	2	2,785	2,164	58	FCLGA1200	Desktop
»	Intel Core i7-5500U @ 2.40GHz	2	2,784	1,653	15	FCBGA1168	Laptop
»	Intel Xeon E5540 @ 2.53GHz	4	2,783	1,203	80	LGA1366	Server
»	T610S-Unisoc	8	2,781	1,191	NA	Unknown	Mobile/Embedded
»	Intel Core2 Extreme X9775 @ 3.20GHz	4	2,780	1,451	150	LGA771	Desktop
»	Intel Pentium G4500 @ 3.50GHz	2	2,776	2,152	51	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc QCM6125	8	2,775	979	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3440 @ 2.53GHz	4	2,773	1,147	95	LGA1156	Server
»	Spreadtrum T606	8	2,772	970	NA	Unknown	Mobile/Embedded
»	T618	8	2,772	1,179	NA	Unknown	Mobile/Embedded
»	MediaTek G88 (MT6769H)	8	2,768	1,029	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6157U @ 2.40GHz	2	2,767	1,435	28	BGA1356	Laptop
»	Intel Core i7-870S @ 2.67GHz	4	2,765	1,493	82	LGA1156	Desktop
»	Intel Core i5-8210Y @ 1.60GHz	2	2,760	1,673	7	FCBGA1515	Laptop
»	Mediatek MT6768	8	2,758	953	NA	Unknown	Mobile/Embedded
»	MT8788	8	2,756	859	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5482 @ 3.20GHz	4	2,755	1,400	150	LGA771	Server
»	Intel Core 860 @ 2.80GHz	4	2,754	1,142	NA	Unknown	Unknown
»	Spreadtrum T610	8	2,747	1,113	NA	Unknown	Mobile/Embedded
»	MediaTek G85 (MT6769Z)	8	2,742	1,098	NA	Unknown	Mobile/Embedded
»	AMD A10-5700 APU	2	2,741	1,430	65	FM2	Desktop
»	AMD Phenom II X4 970	4	2,739	1,417	125	AM3	Desktop
»	Intel Core i5-5300U @ 2.30GHz	2	2,736	1,634	15	FCBGA1168	Laptop
»	Intel Xeon E5-2603 v2 @ 1.80GHz	4	2,735	993	80	LGA 2011	Server
»	Intel Core m3-7Y32 @ 1.10GHz	2	2,733	1,628	4.5	FCBGA1515	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i3-7100U @ 2.40GHz	2	2,723	1,385	15	FCBGA1356	Laptop
»	ARM Phytium,FT-2000/4 8 Core 2300 MHz	8	2,720	603	NA	Unknown	Mobile/Embedded
»	AMD A6-9400	2	2,717	1,664	10	FT4	Laptop
»	Intel Core i7-4600U @ 2.10GHz	2	2,716	1,654	15	FCBGA1168	Laptop
»	MediaTek MT6769V/CU	8	2,715	1,066	NA	Unknown	Mobile/Embedded
»	Intel Celeron G4950 @ 3.30GHz	2	2,714	2,041	54	FCLGA1151	Desktop
»	AMD 3015e	2	2,712	1,339	6	Unknown	Laptop
»	MediaTek MT6779V/CV	8	2,712	1,098	NA	Unknown	Mobile/Embedded
»	Intel Pentium G4520 @ 3.60GHz	2	2,707	2,008	51	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc SDM710	8	2,701	1,179	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3350 HE	4	2,699	1,263	45	Unknown	Server
»	[Quad CPU] AMD Opteron 885	2	2,696	NA	95	949	Server
»	Intel Core i5-3340M @ 2.70GHz	2	2,696	1,648	35	BGA1023	Laptop
»	Qualcomm Technologies, Inc SM6225	8	2,692	1,067	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-9800B	4	2,691	1,392	15	FP4	Laptop
»	AMD Phenom II X4 B65	4	2,690	1,370	NA	AM2+/AM3	Desktop
»	ARM Phytium,D2000/8 8 Core 2300 MHz	8	2,690	591	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5530 @ 2.40GHz	4	2,690	1,144	80	LGA1366	Server
»	Intel Core2 Extreme X9770 @ 3.20GHz	4	2,689	1,395	136	LGA775	Desktop
»	Intel Celeron J4115 @ 1.80GHz	4	2,687	1,068	NA	Unknown	Desktop
»	AMD FX-4130 Quad-Core	2	2,686	1,336	125	AM3+	Desktop
»	Intel Xeon E5607 @ 2.27GHz	4	2,686	1,002	80	LGA1366	Server
»	Hisilicon Kirin970	8	2,681	919	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4402E @ 1.60GHz	2	2,681	1,510	25	FCBGA1364	Laptop
»	MediaTek MT6771V/C	8	2,681	893	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4110M @ 2.60GHz	2	2,678	1,389	37	FCPGA946	Laptop
»	ARM D2000/8 8 Core 2300 MHz	8	2,674	589	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3610ME @ 2.70GHz	2	2,666	1,579	35	BGA1023	Laptop
»	QTI SDM845	8	2,666	986	NA	Unknown	Mobile/Embedded
»	Unisoc T606	8	2,663	988	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3320M @ 2.60GHz	2	2,662	1,617	35	BGA1023	Laptop
»	AMD A12-9720P	4	2,661	1,317	15	FP4	Laptop
»	MediaTek MT6771V/CT	8	2,659	910	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5-2407 @ 2.20GHz	4	2,658	940	80	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i3-3250T @ 3.00GHz	2	2,650	1,684	35	FCLGA1155	Desktop
»	AMD RX-425BB	4	2,648	1,192	35	FP3	Mobile/Embedded
»	Intel Core i5-680 @ 3.60GHz	2	2,647	1,614	73	LGA1156	Desktop
»	Intel Core i5-7Y54 @ 1.20GHz	2	2,645	1,514	4.5	FCBGA1515	Laptop
»	Intel Core i7-3687U @ 2.10GHz	2	2,645	1,598	17	BGA1023	Laptop
»	Intel Core i7-7Y75 @ 1.30GHz	2	2,644	1,588	4.5	FCBGA1515	Desktop, Laptop
»	Unisoc T700	8	2,644	1,068	NA	Unknown	Mobile/Embedded
»	Intel Celeron G5900 @ 3.40GHz	2	2,643	2,107	58	FCLGA1200	Desktop
»	Intel Core i5-4258U @ 2.40GHz	2	2,640	1,586	28	FCBGA1168	Laptop
»	AMD Phenom II X4 965	4	2,636	1,364	125	AM3	Desktop
»	Intel Core i5-4288U @ 2.60GHz	2	2,635	1,631	28	FCBGA1168	Laptop
»	Unisoc T612	8	2,632	1,061	NA	Unknown	Mobile/Embedded
»	Intel Core i3-6100U @ 2.30GHz	2	2,631	1,332	15	FCBGA1356	Laptop
»	Intel Core i5-760 @ 2.80GHz	4	2,630	1,292	95	LGA1156	Desktop
»	[Dual CPU] Intel Xeon E5310 @ 1.60GHz	4	2,629	641	80	LGA771	Server
»	AMD Phenom II X4 B60	4	2,627	1,346	NA	Unknown	Desktop
»	AMD Athlon X4 740 Quad Core	2	2,626	1,355	65	FM2	Desktop
»	AMD Athlon X4 750 Quad Core	4	2,625	1,497	65	FM2	Desktop
»	MediaTek MT6779V/CU	8	2,622	1,173	NA	Unknown	Mobile/Embedded
»	AMD Athlon PRO 3045B	2	2,618	1,493	15	FP5	Laptop
»	AMD Opteron 6172	12	2,615	564	115	G34	Server
»	Qualcomm Technologies, Inc BENGALP	8	2,614	940	NA	Unknown	Mobile/Embedded
»	Intel Pentium Silver N5000 @ 1.10GHz	4	2,613	1,135	6	FCBGA1090	Laptop
»	AMD A8-5500 APU	2	2,612	1,336	65	FM2	Desktop
»	AMD A8-5500B APU	2	2,612	1,327	65	FM2	Desktop
»	AMD FX-4100 Quad-Core	2	2,610	1,286	95	AM3+	Desktop
»	ARM Cortex-A76 4 Core 3100 MHz	4	2,610	1,328	NA	Unknown	Unknown
»	Unisoc ums512	8	2,608	1,113	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 559	4	2,602	1,399	NA	Unknown	Desktop
»	Unisoc UIS7862S	8	2,601	1,082	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 8890	8	2,596	931	NA	Unknown	Mobile/Embedded
»	Intel Core i3-5157U @ 2.50GHz	2	2,593	1,392	28	FCBGA1168	Laptop
»	Intel Celeron G4930 @ 3.20GHz	2	2,591	1,987	54	FCLGA1151-2	Desktop
»	Intel Core i5-7Y57 @ 1.20GHz	2	2,590	1,618	4.5	FCBGA1515	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-4510U @ 2.00GHz	2	2,590	1,537	15	FCBGA1168	Laptop
»	Qualcomm SM4250	8	2,587	799	NA	Unknown	Mobile/Embedded
»	Intel Core m3-7Y30 @ 1.00GHz	2	2,586	1,409	4.5	FCBGA1515	Laptop
»	Intel Pentium Silver N5030 @ 1.10GHz	4	2,584	1,240	6	FCBGA1090	Laptop
»	AMD FX-7600P	4	2,582	1,253	35	FP3	Laptop
»	Intel Core i3-7020U @ 2.30GHz	2	2,582	1,322	15	FCBGA1356	Laptop
»	Intel Pentium G4400 @ 3.30GHz	2	2,582	2,006	54	FCLGA1151	Desktop
»	Qualcomm Technologies, Inc SDM712	8	2,581	1,218	NA	Unknown	Mobile/Embedded
»	AMD PRO A12-8800B	2	2,580	1,315	15	FP4	Laptop
»	ARM Cortex-A76 4 Core 3400 MHz	4	2,580	1,282	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 3200 MHz	4	2,579	1,291	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5450 @ 3.00GHz	4	2,579	1,287	80	LGA771	Server
»	Intel Celeron G5920 @ 3.50GHz	2	2,577	2,123	58	FCLGA1200	Desktop
»	Samsung Exynos 9611	8	2,574	991	NA	Unknown	Mobile/Embedded
»	Intel Xeon X5460 @ 3.16GHz	4	2,572	1,349	120	LGA771	Server
»	Intel Core i5-5350U @ 1.80GHz	2	2,571	1,645	15	FCBGA1168	Laptop
»	Intel Xeon X3380 @ 3.16GHz	4	2,568	1,357	95	LGA775	Server
»	AMD Athlon II X4 557	4	2,567	1,345	160	AM3	Desktop
»	Unisoc T618	8	2,563	1,163	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3230M @ 2.60GHz	2	2,562	1,580	35	PGA988	Laptop
»	MediaTek MT6769T	8	2,560	1,100	NA	Unknown	Mobile/Embedded
»	UIS7862A	8	2,557	1,062	NA	Unknown	Mobile/Embedded
»	MediaTek MT8183	8	2,551	900	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM670	8	2,551	1,098	NA	Unknown	Mobile/Embedded
»	ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz	6	2,550	807	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 3000 MHz	4	2,550	1,298	NA	Unknown	Mobile/Embedded
»	AMD PRO A10-9700B	4	2,545	1,294	15	FP4	Laptop
»	AMD FX-9800P	4	2,543	1,228	15	Unknown	Laptop
»	Mediatek MT6769V/CT	8	2,543	1,019	NA	Unknown	Mobile/Embedded
»	AMD A10-9620P	4	2,540	1,269	15	Unknown	Laptop
»	AMD Phenom II X4 B97	4	2,539	1,320	95	AM2+/AM3	Desktop
»	T610-Unisoc	8	2,539	1,067	NA	Unknown	Mobile/Embedded
»	Intel Core i5-750 @ 2.67GHz	4	2,538	1,234	95	LGA1156	Desktop
»	AMD Phenom II X4 975	4	2,536	1,350	125	AM3	Desktop
»	AMD Phenom II X4 B99	4	2,536	1,377	95	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-670 @ 3.47GHz	2	2,533	1,530	73	LGA1156	Desktop
»	ARM Kryo-4XX-Gold 8 Core 1804 MHz	8	2,531	1,128	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 555	4	2,526	1,244	NA	Unknown	Desktop
»	Intel Core i5-4310U @ 2.00GHz	2	2,526	1,508	15	FCBGA1168	Laptop
»	Intel Xeon E5520 @ 2.27GHz	4	2,524	1,053	80	LGA1366	Server
»	Intel Xeon L5530 @ 2.40GHz	4	2,522	1,169	60	LGA1366	Server
»	Intel Core i3-7102E @ 2.10GHz	2	2,521	1,292	25	FCBGA1440	Laptop
»	Intel Core i3-4100M @ 2.50GHz	2	2,519	1,397	37	FCPGA946	Laptop
»	AMD PRO A12-8830B	4	2,517	1,321	15	BGA (FP4)	Laptop
»	Apple A9X	2	2,516	1,510	NA	Unknown	Mobile/Embedded
»	QTI QCM4290	8	2,512	798	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 955	4	2,510	1,292	125	AM3	Desktop
»	Intel Core i5-5200U @ 2.20GHz	2	2,501	1,498	15	FCBGA1168	Laptop
»	AMD Athlon II X4 651 Quad-Core	4	2,500	1,287	100	FM1	Desktop
»	ARM Phytium,D2000/8 E8C 8 Core 2300 MHz	8	2,500	587	NA	Unknown	Mobile/Embedded
»	Intel Celeron G4920 @ 3.20GHz	2	2,500	1,960	54	FCLGA1151-2	Desktop
»	samsung exynos7885	8	2,498	1,019	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4300U @ 1.90GHz	2	2,497	1,484	15	FCBGA1168	Laptop
»	Intel Xeon L7455 @ 2.13GHz	6	2,494	601	65	PGA604	Server
»	ARM Cortex-A76 4 Core 3300 MHz	4	2,493	1,288	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2390T @ 2.70GHz	2	2,493	1,516	35	LGA1155	Desktop
»	Intel Core i7-4500U @ 1.80GHz	2	2,484	1,491	15	BGA1168	Laptop
»	AMD Phenom II X4 B55	4	2,483	1,322	NA	AM2+/AM3	Desktop
»	AMD Opteron 8439 SE	6	2,479	590	105	F (1207)	Server
»	MT6769V/CT	8	2,477	1,061	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4120 @ 1.10GHz	4	2,476	1,085	6	FCBGA1090	Laptop
»	Intel Core i7-8500Y @ 1.50GHz	2	2,474	1,448	5	FCBGA1515	Laptop
»	Intel Core2 Quad Q9650 @ 3.00GHz	4	2,471	1,283	95	LGA775	Desktop
»	Intel Celeron 7305	5	2,470	814	15	FCBGA1744	Laptop
»	Intel Xeon L3426 @ 1.87GHz	4	2,470	1,231	45	LGA1156	Server
»	Intel Core i5-661 @ 3.33GHz	2	2,469	1,446	87	LGA1156	Desktop
»	Intel Core i5-3210M @ 2.50GHz	2	2,466	1,526	35	PGA988B	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Cortex-A76 4 Core 2900 MHz	4	2,465	1,342	NA	Unknown	Mobile/Embedded
»	Intel Core i7-2640M @ 2.80GHz	2	2,465	1,496	35	BGA1023	Laptop
»	Intel Xeon X3370 @ 3.00GHz	4	2,465	1,253	95	LGA775	Server
»	ARM Cortex-A76 4 Core 2800 MHz	4	2,460	1,207	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4650U @ 1.70GHz	2	2,460	1,571	15	BGA1168	Laptop
»	Intel Xeon D-1602 @ 2.50GHz	2	2,459	1,435	27	FCBGA1667	Server
»	HiSilicon Kirin 950	8	2,457	857	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4100 @ 1.10GHz	4	2,456	1,008	6	FCBGA1090	Laptop
»	Qualcomm Technologies, Inc TRINKET	8	2,452	901	NA	Unknown	Mobile/Embedded
»	Samsung A04S EUR OPEN REV03C board based on EXYNOS	8	2,452	688	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4610Y @ 1.70GHz	2	2,446	1,583	11.5	BGA1168	Desktop
»	MediaTek MT6771V/W	8	2,445	878	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc BENGAL	8	2,445	882	NA	Unknown	Mobile/Embedded
»	Qualcomm SDM660	8	2,444	795	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3250 @ 3.50GHz	2	2,442	1,837	55	LGA1155	Desktop
»	AMD 3020e	2	2,439	1,407	6	Unknown	Laptop
»	Hisilicon Kirin710	8	2,438	942	NA	Unknown	Mobile/Embedded
»	Intel Core i5-5250U @ 1.60GHz	2	2,438	1,514	15	FCBGA1168	Laptop
»	AMD A12-9700P	4	2,437	1,214	15	FP4	Laptop
»	Qualcomm Technologies, Inc SDM660	8	2,431	964	NA	Unknown	Mobile/Embedded
»	Snapdragon 662	8	2,431	908	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3470 @ 3.60GHz	2	2,428	2,089	53	LGA1150	Desktop
»	AMD Athlon II X4 650	4	2,426	1,305	95	Unknown	Desktop
»	Intel Atom C3558 @ 2.20GHz	4	2,426	855	16	FCBGA1310	Server
»	Intel Core i5-4350U @ 1.40GHz	2	2,425	1,585	15	BGA1168	Laptop
»	Intel Core i7-2620M @ 2.70GHz	2	2,423	1,459	35	BGA1023	Laptop
»	Samsung Exynos	8	2,423	868	NA	Unknown	Mobile/Embedded
»	MediaTek MT6769V/CB	8	2,419	1,122	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 553	4	2,418	1,204	NA	Unknown	Desktop
»	Intel Xeon L3360 @ 2.83GHz	4	2,412	1,224	65	LGA775	Server
»	MT8395AV/ZA	8	2,410	1,200	NA	Unknown	Mobile/Embedded
»	ARM Phytium,D2000/8 8 Core 2000 MHz	8	2,409	513	NA	Unknown	Mobile/Embedded
»	Intel Celeron 7305E	5	2,404	805	15	FCBGA1744	Mobile/Embedded



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core2 Extreme X9650 @ 3.00GHz	4	2,404	1,258	130	LGA775	Desktop
»	Intel Pentium J4205 @ 1.50GHz	4	2,404	915	10	FCBGA1296	Desktop
»	Intel Core i7-3667U @ 2.00GHz	2	2,402	1,494	17	BGA1023	Laptop
»	AMD Phenom II X4 840	4	2,401	1,297	95	AM2+/AM3	Desktop
»	AMD Phenom II X4 B95	4	2,401	1,242	95	AM3	Desktop
»	AMD Phenom II X4 850	4	2,400	1,230	95	AM2+/AM3	Desktop
»	Intel Pentium G4500T @ 3.00GHz	2	2,399	1,865	35	FCLGA1151	Desktop
»	Intel Xeon X3360 @ 2.83GHz	4	2,398	1,237	95	LGA775	Server
»	T700-Unisoc	8	2,398	1,011	NA	Unknown	Mobile/Embedded
»	Intel Atom C2758 @ 2.40GHz	8	2,397	576	20	BGA 1283	Laptop, Mobile/Embedded
»	Intel Core i5-2560M @ 2.70GHz	2	2,397	1,437	NA	Unknown	Laptop
»	Intel Celeron G4900 @ 3.10GHz	2	2,394	1,836	54	FCLGA1151-2	Desktop
»	Intel Core i5-660 @ 3.33GHz	2	2,394	1,424	73	LGA1156	Desktop
»	[Dual CPU] Intel Xeon X5260 @ 3.33GHz	2	2,389	NA	80	LGA771	Server
»	Intel Xeon X5450 @ 3.00GHz	4	2,389	1,256	120	LGA771	Server
»	Qualcomm SDM630	8	2,388	636	NA	Unknown	Mobile/Embedded
»	MediaTek MT6771V/WT	8	2,387	897	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 945	4	2,386	1,233	125	AM3	Desktop
»	Intel Core i7-3517UE @ 1.70GHz	2	2,384	1,433	17	BGA1023	Laptop
»	AArch64 rev 2 (aarch64)	8	2,383	901	NA	Unknown	Mobile/Embedded
»	AMD Opteron 4170 HE	6	2,382	476	65	C32	Server
»	Mediatek MT8768N	8	2,382	669	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SDM665	8	2,381	899	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 B50	4	2,379	1,281	NA	AM2+/AM3	Desktop
»	Intel Core i3-3245 @ 3.40GHz	2	2,379	1,791	55	LGA1155	Desktop
»	AMD Phenom II X4 977	4	2,377	1,368	95	Unknown	Desktop
»	Apple A8X	3	2,376	933	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 2700 MHz	4	2,375	1,168	NA	Unknown	Mobile/Embedded
»	AMD A8-3850 APU	4	2,374	1,214	100	FM1	Desktop
»	Intel Xeon E5440 @ 2.83GHz	4	2,374	1,228	80	LGA771	Server
»	Intel Celeron G6900TE	2	2,373	1,393	35	FCLGA1700	Mobile/Embedded
»	Intel Xeon E5-2403 @ 1.80GHz	4	2,367	802	80	LGA 1356	Server
»	Intel Xeon E5606 @ 2.13GHz	4	2,365	942	80	LGA1366	Server
»	Intel Core i5-2540M @ 2.60GHz	2	2,364	1,408	35	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Atom T5700 @ 1.70GHz	4	2,363	906	NA	Unknown	Laptop
»	[Dual CPU] Intel Xeon 5160 @ 3.00GHz	2	2,361	1,198	80	LGA771	Server
»	Intel Celeron G3920 @ 2.90GHz	2	2,358	1,781	51	FCLGA1151	Desktop
»	Intel Xeon X3363 @ 2.83GHz	4	2,358	1,240	80	LGA771	Server
»	Intel Pentium 6405U @ 2.40GHz	2	2,356	1,378	15	FCBGA1528	Laptop
»	AMD Phenom II X4 960T	4	2,353	1,299	95	AM3	Desktop
»	Intel Core i3-6102E @ 1.90GHz	2	2,349	1,068	25	FCBGA1440	Laptop
»	AMD Athlon II X4 645	4	2,348	1,256	95	AM3	Desktop
»	Intel Core2 Extreme X9750 @ 3.16GHz	4	2,348	1,352	NA	Unknown	Desktop
»	AMD Opteron 4130	4	2,347	1,149	95	F (1207)	Server
»	AMD Phenom II X4 940	4	2,345	1,212	125	AM2+	Desktop
»	Intel Core m5-6Y57 @ 1.10GHz	2	2,345	1,332	7	FCBGA1515	Laptop
»	Intel Core2 Quad Q9550 @ 2.83GHz	4	2,345	1,221	95	LGA775	Desktop
»	AMD PRO A10-8730B	4	2,344	1,185	15	FP4	Laptop
»	Intel Pentium G4400T @ 2.90GHz	2	2,344	1,757	35	FCLGA1151	Desktop
»	Intel Core i7-3537U @ 2.00GHz	2	2,342	1,444	17	BGA1023	Laptop
»	AMD A10-9600P	4	2,339	1,148	15	FP4	Laptop
»	Intel Core m7-6Y75 @ 1.20GHz	2	2,338	1,360	7	FCBGA1515	Laptop
»	Intel Xeon X5365 @ 3.00GHz	4	2,331	1,223	150	LGA771	Server
»	AMD Phenom II X4 840T	4	2,330	1,264	95	AM2+/AM3	Desktop
»	MediaTek MT6768V/CA	8	2,328	1,052	NA	Unknown	Mobile/Embedded
»	Intel Celeron G3950 @ 3.00GHz	2	2,322	1,851	51	FCLGA1151	Desktop
»	ARM Cortex-A76 4 Core 2600 MHz	4	2,320	1,129	NA	Unknown	Mobile/Embedded
»	AMD A8-3870K APU	4	2,319	1,210	100	FM1	Desktop
»	AMD Phenom II X4 B35	4	2,319	1,182	NA	AM2+/AM3	Desktop
»	Intel Xeon E5-2603 @ 1.80GHz	4	2,319	871	80	LGA 2011	Server
»	Intel Core i3-3240 @ 3.40GHz	2	2,317	1,781	55	LGA1155	Desktop
»	AMD Athlon II X4 641 Quad-Core	4	2,313	1,189	100	FM1	Desktop
»	Intel Core i5-4210U @ 1.70GHz	2	2,311	1,378	15	FCBGA1168	Laptop
»	Intel Core i3-2140 @ 3.50GHz	2	2,307	1,535	65	Unknown	Unknown
»	Intel Core i5-4260U @ 1.40GHz	2	2,304	1,454	15	FCBGA1168	Laptop
»	Intel Core2 Extreme Q6850 @ 3.00GHz	4	2,304	1,231	130	LGA775	Desktop
»	AMD Phenom II X4 B70	4	2,303	1,209	65	AM2+ (938-pin)	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i5-3437U @ 1.90GHz	2	2,301	1,424	17	BGA1023	Laptop
»	AMD A10-6700T APU	2	2,299	1,290	45	FM2	Desktop
»	Intel Xeon X3430 @ 2.40GHz	4	2,299	1,032	95	LGA1156	Server
»	MT6771V/WL	8	2,299	886	NA	Unknown	Mobile/Embedded
»	Allwinner A527	8	2,297	678	NA	Unknown	Mobile/Embedded
»	Intel Celeron G4930T @ 3.00GHz	2	2,297	1,769	35	FCLGA1151	Desktop
»	Intel Xeon E3-1220L @ 2.20GHz	2	2,295	1,604	20	LGA1155	Server
»	AMD PRO A8-9600B	4	2,292	1,194	15	FP4	Laptop
»	ARM Cortex-A72 4 Core 2208 MHz	4	2,290	623	NA	Unknown	Unknown
»	Intel Xeon E5472 @ 3.00GHz	4	2,286	1,211	80	LGA771	Server
»	Intel Pentium 1403 v2 @ 2.60GHz	2	2,284	1,391	80	Unknown	Server
»	AMD Opteron 3260 HE	2	2,283	900	45	AM3+	Server
»	Intel Core i7-860S @ 2.53GHz	4	2,280	1,093	82	LGA1156	Desktop
»	Intel Core i3-6006U @ 2.00GHz	2	2,279	1,159	15	FCBGA1356	Laptop
»	AMD Athlon X4 730	2	2,278	937	65	FM2	Desktop
»	Intel Xeon L5520 @ 2.27GHz	4	2,274	1,001	60	LGA1366	Server
»	Mediatek MT8768CX	8	2,274	643	NA	Unknown	Mobile/Embedded
»	Intel Core i7-4550U @ 1.50GHz	2	2,272	1,290	15	BGA1168	Laptop
»	AMD Phenom II X4 925	4	2,271	1,151	95	AM3	Desktop
»	ARM - 8 Core 2208 MHz	8	2,270	607	NA	Unknown	Unknown
»	Intel Core m5-6Y54 @ 1.10GHz	2	2,269	1,296	7	FCBGA1515	Laptop
»	AMD Phenom II X4 B45	4	2,267	1,235	NA	Unknown	Desktop
»	Intel Celeron N4505 @ 2.00GHz	2	2,266	1,509	10	FCBGA1338	Mobile/Embedded
»	Qualcomm Technologies, Inc SM6125	8	2,266	881	NA	Unknown	Mobile/Embedded
»	Unisoc ums9230	8	2,266	906	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3220 @ 3.30GHz	2	2,264	1,728	55	LGA1155	Desktop
»	Intel Xeon X3350 @ 2.66GHz	4	2,263	1,158	95	LGA775	Server
»	Samsung Exynos 9610	8	2,261	954	NA	Unknown	Mobile/Embedded
»	Intel Xeon L5430 @ 2.66GHz	4	2,260	1,154	50	LGA771	Server
»	Intel Pentium 5405U @ 2.30GHz	2	2,257	1,310	15	FCBGA1528	Laptop
»	Intel Celeron J3455 @ 1.50GHz	4	2,254	812	10	FCBGA1296	Desktop
»	Intel Core i5-3427U @ 1.80GHz	2	2,254	1,360	17	BGA1023	Laptop
»	mt6779	8	2,251	674	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 638 Quad-Core	4	2,250	1,163	65	FM1	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Celeron G3930 @ 2.90GHz	2	2,249	1,780	51	FCLGA1151	Desktop
»	Intel Xeon E3-1220L V2 @ 2.30GHz	2	2,248	1,505	17	LGA1155	Server
»	Intel Core i5-650 @ 3.20GHz	2	2,247	1,369	73	LGA1156	Desktop
»	AMD A10-8700P	2	2,245	1,146	35	FP4	Laptop
»	AMD Athlon II X4 640	4	2,245	1,212	95	AM3	Desktop
»	Intel Celeron N6211 @ 1.20GHz	2	2,245	1,586	6.5	FCBGA1493	Mobile/Embedded
»	Intel Pentium 4417U @ 2.30GHz	2	2,245	1,297	15	FCBGA1356	Laptop
»	AMD A8-8600P	2	2,240	1,103	15	FP4	Laptop
»	Intel Core i5-2520M @ 2.50GHz	2	2,240	1,357	35	PGA988B	Laptop
»	Intel Celeron G4900T @ 2.90GHz	2	2,239	1,737	35	FCLGA1151-2	Desktop
»	Intel Core i3-3225 @ 3.30GHz	2	2,239	1,700	55	LGA1155	Desktop
»	AMD Phenom II X4 B40	4	2,238	1,231	NA	Unknown	Desktop
»	Intel Core i7-3555LE @ 2.50GHz	2	2,238	1,336	25	BGA1023	Laptop
»	Intel Xeon E5430 @ 2.66GHz	4	2,238	1,158	80	LGA771	Server
»	AMD Athlon II X4 635	4	2,237	1,168	95	AM3	Desktop
»	Qualcomm Technologies, Inc SDM662	8	2,237	938	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4415U @ 2.30GHz	2	2,232	1,280	15	BGA1356	Laptop
»	Intel Pentium G3460 @ 3.50GHz	2	2,231	1,986	53	LGA1150	Desktop
»	Intel Xeon X3353 @ 2.66GHz	4	2,229	1,173	80	LGA775	Server
»	MT6769V	8	2,229	1,060	NA	Unknown	Mobile/Embedded
»	MT6969T	8	2,228	1,125	NA	Unknown	Mobile/Embedded
»	Intel Core i3-3210 @ 3.20GHz	2	2,227	1,705	55	LGA1155	Desktop
»	MediaTek MT6771V/WM	8	2,225	805	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q9500 @ 2.83GHz	4	2,224	1,215	95	LGA775	Desktop
»	ARM Kryo-3XX-Gold 4 Core 1766 MHz	4	2,222	877	NA	Unknown	Unknown
»	Intel Celeron G3930TE @ 2.70GHz	2	2,218	1,706	35	FCLGA1151	Desktop
»	AMD PRO A10-8700B	2	2,212	1,122	15	BGA (FP4)	Laptop
»	MediaTek MT6797X	10	2,212	581	NA	Unknown	Mobile/Embedded
»	Snapdragon 835	8	2,211	1,035	9	Unknown	Laptop, Mobile/Embedded
»	Intel Core i3-5020U @ 2.20GHz	2	2,208	1,250	15	FCBGA1168	Laptop
»	Intel Celeron G5905T @ 3.30GHz	2	2,206	1,809	35	FCLGA1200	Desktop
»	AMD Phenom II X4 973	4	2,204	1,180	NA	Unknown	Desktop
»	Intel Pentium G3440 @ 3.30GHz	2	2,202	1,917	53	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon X5472 @ 3.00GHz	4	2,197	1,220	120	LGA771	Server
»	Intel Core i3-5010U @ 2.10GHz	2	2,195	1,236	15	FCBGA1168	Laptop
»	Qualcomm SDM439	8	2,195	613	NA	Unknown	Mobile/Embedded
»	Intel Celeron J3455E @ 1.50GHz	4	2,193	846	10	FCBGA1296	Desktop
»	Intel Core i3-21050 @ 3.10GHz	2	2,193	1,429	NA	Unknown	Unknown
»	MediaTek MT6769V/WB	8	2,192	1,118	NA	Unknown	Mobile/Embedded
»	AMD PRO A8-8600B	4	2,190	1,090	15	BGA (FP4)	Laptop
»	Intel Pentium G4400TE @ 2.40GHz	2	2,190	1,481	35	FCLGA1151	Laptop
»	Intel Core2 Quad Q9450 @ 2.66GHz	4	2,189	1,128	95	LGA775	Desktop
»	Intel Core i7-940XM @ 2.13GHz	4	2,187	1,122	55	PGA988	Laptop
»	Qualcomm Technologies, Inc SDM636	8	2,187	816	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 2016 MHz	4	2,186	614	NA	Unknown	Unknown
»	Mediatek MT6765V/WA	8	2,186	675	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4200U @ 1.60GHz	2	2,181	1,288	15	BGA1168	Laptop
»	Intel Pentium G3450 @ 3.40GHz	2	2,178	1,897	53	FCLGA1150	Desktop
»	AMD A8-3820 APU	4	2,174	1,131	65	FM1	Desktop
»	Intel Atom C2750 @ 2.41GHz	8	2,174	291	20	BGA 1283	Server
»	Intel Core i5-8200Y @ 1.30GHz	2	2,174	1,385	5	FCBGA1515	Laptop
»	AMD A6-3670 APU	4	2,171	1,144	100	FM1	Desktop
»	Intel Pentium N4200 @ 1.10GHz	4	2,170	858	6	FCBGA1296	Laptop
»	[Quad CPU] Intel Xeon @ 2.20GHz	1	2,167	1,177	61	PPGA603	Server
»	Mediatek MT8786	8	2,167	894	NA	Unknown	Mobile/Embedded
»	Intel Core m3-6Y30 @ 0.90GHz	2	2,166	1,170	4.5	FCBGA1515	Laptop
»	Intel Celeron G3900 @ 2.80GHz	2	2,165	1,706	51	FCLGA1151	Desktop
»	Samsung Exynos 7420	8	2,164	833	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 B93	4	2,159	1,142	95	AM3	Desktop
»	AMD A8-7690K	4	2,157	1,441	95	FM2+	Desktop
»	AMD Phenom II X4 920	4	2,156	1,130	125	AM2+	Desktop
»	Intel Core2 Quad Q9505 @ 2.83GHz	4	2,156	1,184	95	LGA775	Desktop
»	Intel Celeron G5900T @ 3.20GHz	2	2,155	1,640	35	FCLGA1200	Desktop
»	AMD A8-7200P	4	2,154	1,054	35	FP3	Laptop
»	AMD Athlon II X4 630	4	2,153	1,129	95	AM3	Desktop
»	AMD FirePro A320 APU	4	2,153	1,193	100	FM2	Desktop
»	Intel Core i5-4250U @ 1.30GHz	2	2,149	1,340	15	BGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm Technologies, Inc APQ8053	8	2,149	567	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A76 4 Core 2400 MHz	4	2,148	1,051	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5462 @ 2.80GHz	4	2,146	1,148	80	LGA771	Server
»	Intel Core2 Extreme Q6800 @ 2.93GHz	4	2,145	1,124	75	LGA775	Desktop
»	Intel Xeon L5420 @ 2.50GHz	4	2,143	1,100	50	LGA771	Server
»	QTI MSM8937	8	2,142	606	NA	Unknown	Mobile/Embedded
»	MT6765H	8	2,132	639	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X4 910e	4	2,131	1,082	65	AM3	Desktop
»	Intel Core2 Quad Q9400 @ 2.66GHz	4	2,131	1,138	95	LGA775	Desktop
»	MediaTek MT6763V/CE	8	2,130	1,104	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3430 @ 3.30GHz	2	2,127	1,912	54	FCLGA1150	Desktop
»	Qualcomm MSM8956	6	2,127	853	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X4 631 Quad-Core	4	2,122	1,115	100	FM1	Desktop
»	Qualcomm Technologies, Inc SM4250	8	2,120	733	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4405U @ 2.10GHz	2	2,117	1,203	15	FCBGA1356	Laptop
»	AMD Athlon X4 640	4	2,115	1,224	95	Unknown	Unknown
»	Hardkernel ODROID-N2Plus	6	2,115	888	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3330 @ 2.66GHz	4	2,111	1,152	95	LGA775	Server
»	AMD Phenom II X4 B25	4	2,108	1,040	NA	AM2+/AM3	Desktop
»	Intel Pentium G3440T @ 2.80GHz	2	2,107	1,615	35	LGA1150	Desktop
»	AMD 3015Ce	2	2,099	1,337	6	FT5	Mobile/Embedded
»	MT6797M	10	2,099	887	NA	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2222	2	2,098	964	95	F (1207)	Server
»	Mediatek MT6765H	8	2,098	631	NA	Unknown	Mobile/Embedded
»	Intel Atom x7-E3950 @ 1.60GHz	4	2,096	742	12	BGA1296	Laptop
»	Qualcomm Technologies, Inc SDM632	8	2,096	772	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q6700 @ 2.66GHz	4	2,093	1,077	105	LGA775	Desktop
»	Samsung Exynos7870	8	2,093	507	NA	Unknown	Mobile/Embedded
»	Intel Pentium G2140 @ 3.30GHz	2	2,092	1,842	55	LGA1155	Desktop
»	Intel Pentium G3260 @ 3.30GHz	2	2,092	1,868	53	LGA1150	Desktop
»	Intel Core i5-3337U @ 1.80GHz	2	2,090	1,282	17	BGA1023	Laptop
»	Samsung Exynos 850	8	2,088	592	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2125 @ 3.30GHz	2	2,083	1,570	65	LGA1155	Desktop
»	Intel Core i7-3517U @ 1.90GHz	2	2,083	1,328	17	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Phenom II X4 820	4	2,081	1,121	95	AM3	Desktop
»	AMD Opteron 1389	4	2,079	1,102	75	AM2	Server
»	AMD A10-7400P	4	2,078	1,033	35	FP3	Laptop
»	AMD Athlon II X4 655	4	2,078	1,473	95	AM2+ (940-pin)	Desktop
»	Intel Core i5-2450M @ 2.50GHz	2	2,076	1,284	35	BGA1023	Laptop
»	Intel Pentium G3258 @ 3.20GHz	2	2,076	1,857	53	FCLGA1150	Desktop
»	Intel Celeron 6305 @ 1.80GHz	2	2,075	1,194	NA	FCBGA1449	Laptop
»	AMD Opteron 2384	4	2,074	1,074	75	F (1207)	Server
»	Intel Core i7-610E @ 2.53GHz	2	2,071	1,420	35	BGA1288	Laptop
»	AMD A6-3650 APU	4	2,070	1,038	100	FM1	Desktop
»	AMD Phenom II X4 830	4	2,070	1,084	95	AM2+/AM3	Desktop
»	Apple A9	2	2,068	1,188	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2435M @ 2.40GHz	2	2,067	1,299	35	BGA1023	Laptop
»	Intel Core i7-640M @ 2.80GHz	2	2,066	1,373	35	BGA1288	Laptop
»	Intel Core2 Quad Q8400 @ 2.66GHz	4	2,066	1,144	95	LGA775	Desktop
»	QTI MSM8953	8	2,065	613	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3250 HE	2	2,061	1,003	45	AM3+	Server
»	AMD Opteron 4162 EE	6	2,058	382	35	F (1207)	Server
»	Qualcomm Technologies, Inc MSM8976SG	8	2,057	746	NA	Unknown	Mobile/Embedded
»	Intel Xeon X3230 @ 2.66GHz	4	2,052	1,091	95	LGA775	Server
»	AMD A8-3800 APU	4	2,049	1,068	65	FM1	Desktop
»	SAMSUNG Exynos7420	8	2,047	717	NA	Unknown	Mobile/Embedded
»	rk3399	6	2,046	841	NA	Unknown	Mobile/Embedded
»	AMD A10-5750M APU	4	2,044	1,161	35	FS1r2	Laptop
»	[Dual CPU] Intel Xeon 5150 @ 2.66GHz	2	2,043	1,065	65	LGA771	Server
»	Intel Core i3-2130 @ 3.40GHz	2	2,042	1,562	65	LGA1155	Desktop
»	Qualcomm Technologies, Inc SDM460	8	2,041	743	NA	Unknown	Mobile/Embedded
»	Intel Celeron G3930T @ 2.70GHz	2	2,040	1,657	35	FCLGA1151	Desktop
»	Intel Core i3-3240T @ 2.90GHz	2	2,037	1,547	35	LGA1155	Desktop
»	Intel Celeron G3900E @ 2.40GHz	2	2,034	1,499	35	FCBGA1440	Laptop
»	Intel Core M-5Y71 @ 1.20GHz	2	2,032	1,281	4.5	FCBGA1234	Laptop
»	MediaTek MT8768CT	8	2,031	620	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2102 @ 3.10GHz	2	2,029	1,400	65	FCLGA1155	Desktop
»	Intel Xeon E7- 2830 @ 2.13GHz	4	2,027	559	105	LGA1567	Server
»	Intel Core i3-5005U @ 2.00GHz	2	2,023	1,146	15	FCBGA1168	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Giada JHS558 (Android)	6	2,022	835	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4330TE @ 2.40GHz	2	2,022	1,327	35	LGA1150	Desktop
»	Intel Xeon E5420 @ 2.50GHz	4	2,022	1,060	80	LGA771	Server
»	Intel Celeron G3900T @ 2.60GHz	2	2,020	1,560	35	Unknown	Desktop
»	AMD Athlon II X4 620	4	2,018	1,062	95	AM3	Desktop
»	Intel Core i5-655K @ 3.20GHz	2	2,017	1,446	73	LGA1156	Desktop
»	Intel Core i5-3317U @ 1.70GHz	2	2,016	1,255	17	BGA1023	Laptop
»	Intel Pentium G3450T @ 2.90GHz	2	2,016	1,135	35	LGA1150	Desktop
»	Intel Core2 Extreme Q9200 @ 2.40GHz	4	2,011	1,080	NA	Unknown	Desktop
»	Intel Core M-5Y51 @ 1.10GHz	2	2,009	1,308	4.5	FCBGA1234	Laptop
»	AMD Athlon II X3 460	3	2,008	1,395	95	AM3	Desktop
»	Intel Celeron 6305E @ 1.80GHz	2	2,008	1,176	15	FCBGA1449	Mobile/Embedded
»	Intel Xeon E5410 @ 2.33GHz	4	2,007	1,023	80	LGA771	Server
»	Intel Core i5-2430M @ 2.40GHz	2	2,004	1,240	35	PGA988B	Laptop
»	AMD Phenom II X4 810	4	2,003	1,047	95	AM3	Desktop
»	AMD Athlon II X4 615e	4	2,000	1,037	45	AM3	Desktop
»	Intel Core i7-2655LE @ 2.20GHz	2	1,999	1,231	25	BGA1023	Desktop
»	AMD A10-5757M APU	4	1,998	1,151	35	FP2	Laptop
»	AMD Athlon II X4 605e	4	1,997	1,009	45	AM3	Desktop
»	MediaTek MT8768WT	8	1,997	623	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2427	6	1,995	386	75	F (1207)	Server
»	Intel Celeron N6210 @ 1.20GHz	2	1,995	1,360	6.5	Unknown	Mobile/Embedded
»	[Dual CPU] AMD Opteron 2218	2	1,994	964	95	F (1207)	Server
»	Intel Pentium G3250 @ 3.20GHz	2	1,988	1,803	53	LGA1150	Desktop
»	Intel Xeon X3320 @ 2.50GHz	4	1,986	1,097	95	LGA775	Server
»	Intel Core2 Quad Q9300 @ 2.50GHz	4	1,984	1,081	95	LGA775	Desktop
»	Intel Celeron N3450 @ 1.10GHz	4	1,982	768	6	FCBGA1296	Laptop
»	Intel Core i7-620M @ 2.67GHz	2	1,979	1,288	35	BGA1288	Laptop
»	Intel Xeon X5355 @ 2.66GHz	4	1,979	1,060	120	LGA771	Server
»	Intel Celeron N4500 @ 1.10GHz	2	1,978	1,378	6	FCBGA1338	Mobile/Embedded
»	Qualcomm Technologies, Inc 450	8	1,978	459	NA	Unknown	Mobile/Embedded
»	AMD FX-7500 APU	4	1,977	976	19	FP3	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»»	Intel Xeon X3220 @ 2.40GHz	4	1,973	926	105	LGA775	Server
»»	Intel Core i7-3689Y @ 1.50GHz	2	1,967	1,209	13	FCBGA1023	Laptop
»»	Intel Core2 Extreme Q9300 @ 2.53GHz	4	1,966	1,081	45	PGA478	Desktop
»»	AMD Athlon II X4 610e	4	1,964	1,037	45	AM3	Desktop
»»	MT8169A	6	1,962	661	NA	Unknown	Mobile/Embedded
»»	AMD Phenom II X4 805	4	1,959	1,017	95	AM3	Desktop
»»	Intel Core i3-4025U @ 1.90GHz	2	1,959	1,091	15	FCBGA1168	Laptop
»»	Intel Core i3-2120 @ 3.30GHz	2	1,958	1,512	65	LGA1155	Desktop
»»	Intel Atom E3900 @ 1.60GHz	4	1,953	675	NA	Unknown	Laptop
»»	Intel Core i5-580M @ 2.67GHz	2	1,951	1,284	35	BGA1288	Laptop
»»	Intel Core i7-920XM @ 2.00GHz	4	1,950	1,022	55	PGA988B	Laptop
»»	Qualcomm Technologies, Inc QCS610	8	1,949	1,407	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-4120U @ 2.00GHz	2	1,948	1,177	15	FCBGA1168	Laptop
»»	Intel Core i5-2415M @ 2.30GHz	2	1,948	1,207	35	BGA1023	Desktop
»»	AMD Phenom 9850B Quad-Core	4	1,946	992	95	Unknown	Desktop
»»	Intel Core i7-840QM @ 1.87GHz	4	1,945	1,132	45	PGA988A	Laptop
»»	Intel Xeon E5506 @ 2.13GHz	4	1,944	928	80	LGA1366	Server
»»	Intel Atom x5-E3940 @ 1.60GHz	4	1,941	672	9.5	BGA1296	Laptop
»»	MT6757W	8	1,941	606	NA	Unknown	Mobile/Embedded
»»	Intel Core i3-3220T @ 2.80GHz	2	1,940	1,489	35	LGA1155	Desktop
»»	Intel Core i5-2410M @ 2.30GHz	2	1,940	1,200	35	FCBGA1023, PPG	Laptop
»»	Intel Xeon L5410 @ 2.33GHz	4	1,940	1,029	50	LGA771	Server
»»	AMD A10-4600M APU	2	1,938	1,080	35	FS1r2	Laptop
»»	AMD Phenom II X4 905e	4	1,936	1,012	65	AM3	Desktop
»»	Intel Xeon X6550 @ 2.00GHz	4	1,936	390	130	LGA1567	Server
»»	Intel Xeon E5603 @ 1.60GHz	4	1,935	712	80	LGA1366	Server
»»	Intel Pentium G3240 @ 3.10GHz	2	1,933	1,742	53	FCLGA1150	Desktop
»»	Intel Pentium G3420 @ 3.20GHz	2	1,933	1,753	54	FCLGA1150	Desktop
»»	AMD A8-6500T APU	2	1,929	1,111	45	FM2	Desktop
»»	Intel Xeon E5507 @ 2.27GHz	4	1,928	997	80	LGA1366	Server
»»	Intel Pentium G2130 @ 3.20GHz	2	1,926	1,748	55	FCLGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	Intel Core i3-4158U @ 2.00GHz	2	1,921	1,075	28	FCBGA1168	Laptop
»	Qualcomm Technologies, Inc SDM630	8	1,921	607	NA	Unknown	Mobile/Embedded
»	AMD Opteron 3320 EE	2	1,918	838	25	AM3+	Server
»	AMD A10 PRO-7350B APU	4	1,915	917	19	FP3	Laptop
»	Intel Core2 Quad Q9100 @ 2.26GHz	4	1,915	986	45	PGA478	Laptop
»	Intel Core i7-2677M @ 1.80GHz	2	1,912	1,260	17	BGA1023	Laptop
»	Intel Pentium G3420T @ 2.70GHz	2	1,912	1,570	35	LGA1150	Desktop
»	MT8768CA	10	1,912	545	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc BENGAL-IOT	8	1,912	727	NA	Unknown	Mobile/Embedded
»	AMD Opteron X2170 APU	4	1,911	832	25	FT3	Server
»	P22	8	1,908	537	NA	Unknown	Mobile/Embedded
»	Intel Core i5-3439Y @ 1.50GHz	2	1,907	1,197	13	BGA1023	Desktop
»	Intel Core i5-4422E @ 1.80GHz	2	1,907	1,048	25	FCBGA1364	Laptop
»	AMD Phenom II X4 B05e	4	1,906	974	NA	Unknown	Desktop
»	AMD PRO A6-8570	2	1,906	1,646	65	AM4	Desktop
»	Intel Core M-5Y10a @ 0.80GHz	2	1,905	993	4.5	FCBGA1234	Laptop
»	Intel Core i5-560M @ 2.67GHz	2	1,903	1,239	35	BGA1288	Laptop
»	MediaTek MT6797	10	1,903	799	NA	Unknown	Mobile/Embedded
»	Allwinner A523	8	1,902	589	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2419 EE	6	1,902	396	60	F (1207)	Server
»	Intel Celeron G1850 @ 2.90GHz	2	1,900	1,567	54	FCLGA1150	Desktop
»	Intel Core i3-3130M @ 2.60GHz	2	1,900	1,285	35	BGA1023	Laptop
»	Intel Core M-5Y31 @ 0.90GHz	2	1,899	1,241	4.5	FCBGA1234	Laptop
»	AMD Opteron 1385	4	1,898	1,035	115	AM2+,AM3	Server
»	Intel Pentium G3220 @ 3.00GHz	2	1,894	1,702	54	FCLGA1150	Desktop
»	HiSilicon Kirin 659	8	1,893	670	NA	Unknown	Mobile/Embedded
»	Intel Core M-5Y10c @ 0.80GHz	2	1,892	1,115	4.5	FCBGA1234	Laptop
»	Intel Core2 Quad Q8300 @ 2.50GHz	4	1,892	1,060	95	LGA775	Desktop
»	Intel Pentium G2120 @ 3.10GHz	2	1,892	1,715	55	FCLGA1155	Desktop
»	MT6765V/WB	8	1,891	613	NA	Unknown	Mobile/Embedded
»	Intel Atom C3538 @ 2.10GHz	4	1,889	744	15	FCBGA1310	Server
»	Intel Core i5-2510E @ 2.50GHz	2	1,889	1,183	35	PGA988B	Laptop
»	AMD Phenom 9950 Quad-Core	4	1,884	1,027	125	AM2+	Desktop
»	MediaTek MT6765V/CB	8	1,884	601	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD PRO A6-8550B	1	1,882	1,631	65	FM2+	Desktop
»	Intel Core i5-2515E @ 2.50GHz	2	1,882	1,189	35	BGA1023	Desktop
»	AMD Athlon II X3 455	3	1,879	1,332	95	AM3	Desktop
»	Intel Core i3-4030U @ 1.90GHz	2	1,873	1,023	15	FCBGA1168	Laptop
»	AMD A6-9500	2	1,869	1,624	65	AM4	Desktop
»	Intel Core i3-5015U @ 2.10GHz	2	1,869	1,036	15	FCBGA1168	Laptop
»	Intel Xeon E5345 @ 2.33GHz	4	1,868	954	80	LGA771	Server
»	AMD Athlon 5370 APU	4	1,867	755	25	AM1,FS1B	Desktop
»	AMD Opteron 2378	4	1,864	936	75	F (1207)	Server
»	AMD A8-5550M APU	4	1,862	1,036	35	FS1r2	Laptop
»	Rockchip RK3399 EVB IND LPDDR4 Board lvs (Android	6	1,862	832	NA	Unknown	Mobile/Embedded
»	Intel Core i3-4110U @ 1.90GHz	2	1,860	1,055	NA	Unknown	Laptop
»	Intel Core i3-2100 @ 3.10GHz	2	1,856	1,421	65	LGA1155	Desktop
»	Intel Core i7-2637M @ 1.70GHz	2	1,854	1,144	17	BGA1023	Laptop
»	Intel Core i5-4230U @ 1.90GHz	2	1,853	1,620	15	FCBGA1364	Laptop
»	[Dual CPU] Intel Xeon E5502 @ 1.87GHz	2	1,853	825	80	LGA1366	Server
»	ARM Cortex-A53 6 Core 1896 MHz	6	1,851	751	NA	Unknown	Mobile/Embedded
»	Intel Pentium 1403 @ 2.60GHz	2	1,851	990	80	LGA1356	Server
»	Intel Celeron G3900TE @ 2.30GHz	2	1,850	1,402	35	FCLGA1151	Laptop
»	Intel Core i3-4100E @ 2.40GHz	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
»	AMD Athlon II X3 450	3	1,847	1,301	95	AM3	Desktop
»	MediaTek MT6757V	8	1,846	596	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2310E @ 2.10GHz	2	1,845	733	35	FCBGA1023	Laptop
»	AMD Phenom II X3 B77	3	1,844	1,310	95	AM2+/AM3	Desktop
»	AMD A6-3620 APU	4	1,843	979	65	FM1	Desktop
»	AMD Phenom 9750 Quad-Core	4	1,843	949	125	AM2+	Desktop
»	MediaTek MT6765V/CA	8	1,842	615	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2105 @ 3.10GHz	2	1,837	1,415	65	LGA1155	Desktop
»	Intel Pentium G3260T @ 2.90GHz	2	1,837	1,609	35	LGA1150	Desktop
»	Intel Xeon X3323 @ 2.50GHz	4	1,837	1,059	80	LGA775	Server
»	Samsung Exynos 7904	8	1,837	755	NA	Unknown	Mobile/Embedded
»	AMD A6-7480	2	1,836	1,558	65	FM2+	Desktop
»	Samsung Exynos 7885	8	1,835	864	NA	Unknown	Mobile/Embedded
»	Intel Atom x6211E @ 1.30GHz	2	1,833	1,208	6	FCBGA1493	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Phenom II X4 B15e	4	1,825	1,069	NA	AM2+/AM3	Desktop
»	MT6765	8	1,825	615	NA	Unknown	Mobile/Embedded
»	Intel Core i7-740QM @ 1.73GHz	4	1,824	1,012	45	PGA988A	Laptop
»	AMD Athlon II X3 445	3	1,823	1,274	95	AM3	Desktop
»	Intel Core i3-2330E @ 2.20GHz	2	1,823	1,063	35	rPGA988	Desktop
»	Intel Core M-5Y70 @ 1.10GHz	2	1,823	1,081	4.5	BGA1234	Laptop
»	AMD Phenom 9600B Quad-Core	4	1,822	934	95	AM2+	Desktop
»	ARM Cortex-A73 4 Core 1989 MHz	4	1,820	556	NA	Unknown	Mobile/Embedded
»	MT6765V/WA	8	1,820	617	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8953	8	1,819	531	NA	Unknown	Mobile/Embedded
»	Intel Core2 Quad Q6600 @ 2.40GHz	4	1,817	951	105	LGA775	Desktop
»	AArch64 rev 4 (aarch64)	8	1,813	588	NA	Unknown	Mobile/Embedded
»	AMD A8-7410 APU	4	1,813	804	25	Unknown	Laptop
»	Snapdragon 8cx Gen 3 @ 3.0	1	1,811	2,463	NA	Unknown	Mobile/Embedded
»	AMD Athlon X4 620	4	1,810	1,033	95	Unknown	Unknown
»	Mediatek MT6762	8	1,810	539	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3250T @ 2.80GHz	2	1,809	1,594	35	LGA1150	Desktop
»	Spreadtrum T603	8	1,809	547	NA	Unknown	Mobile/Embedded
»	Intel Celeron 4305U @ 2.20GHz	2	1,807	1,365	15	FCBGA1528	Mobile/Embedded
»	AMD PRO A4-3350B APU	4	1,805	795	15	FT3b	Laptop
»	Intel Core i5-540M @ 2.53GHz	2	1,805	1,157	35	BGA1288	Laptop
»	Samsung Exynos 7880	8	1,805	467	NA	Unknown	Mobile/Embedded
»	AMD A8-5557M APU	4	1,801	1,037	35	FP2	Laptop
»	AMD A6-7470K	1	1,799	1,576	65	FM2+	Desktop
»	AMD Opteron 1381	4	1,797	1,011	75	AM3	Server
»	AMD Phenom II X940 Quad-Core	4	1,797	785	45	S1	Laptop
»	AMD GX-420MC SOC	4	1,796	695	17.5	FTB3b	Laptop
»	AMD GX-424CC SOC	4	1,796	802	25	FT3b	Laptop
»	Intel Atom C3508 @ 1.60GHz	4	1,796	636	11.5	FCBGA1310	Server
»	AMD Athlon II X4 600e	4	1,795	913	45	AM3	Desktop
»	MT6763V/CT	8	1,794	443	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8976	8	1,788	719	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon E5503 @ 2.00GHz	2	1,787	783	80	LGA1366	Server
»	AMD Athlon X4 530	4	1,786	690	25	AM1	Desktop
»	[Dual CPU] Intel Xeon 5140 @ 2.33GHz	2	1,786	921	65	LGA771	Server
»	MediaTek MT6757CD	8	1,786	644	NA	Unknown	Mobile/Embedded
»	Mediatek MT8768WE	8	1,785	552	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Phenom X4 Quad-Core GP-9730	4	1,784	957	NA	AM2+ (940-pin)	Desktop
»	AMD Athlon X3 455	3	1,783	1,227	95	AM2+/AM3	Unknown
»	AMD Athlon X3 435	3	1,781	1,192	95	Unknown	Unknown
»	AMD Phenom II X3 B75	3	1,781	1,256	95	AM3	Desktop
»	Intel Core i3-4000M @ 2.40GHz	2	1,781	1,267	37	FCPGA946	Laptop
»	AMD Athlon 5350 APU	4	1,780	699	25	AM1,FS1B	Desktop
»	AMD GX-420CA SOC	4	1,780	676	25	FT3 (769-BGA)	Laptop
»	AMD A10-5745M APU	4	1,779	951	25	FP2	Laptop
»	Intel Celeron G1840 @ 2.80GHz	2	1,778	1,582	53	FCLGA1150	Desktop
»	Intel Core2 Quad Q8200 @ 2.33GHz	4	1,777	998	95	LGA775	Desktop
»	AMD Phenom II X4 910	4	1,776	988	95	AM3	Desktop
»	Intel Core i7-820QM @ 1.73GHz	4	1,774	1,022	45	PGA988A	Laptop
»	AMD R-464L APU	4	1,773	1,123	35	FS1r2	Laptop, Mobile/Embedded
»	AMD A8-6410 APU	4	1,771	783	15	BGA769 (FT3b)	Laptop
»	[Dual CPU] AMD Opteron 2216	2	1,771	865	95	F (1207)	Server
»	ASUS Tinker Board 2/2S	6	1,771	910	NA	Unknown	Mobile/Embedded
»	Mediatek MT6765V/WB	8	1,771	607	NA	Unknown	Mobile/Embedded
»	MT6757WD	8	1,771	632	NA	Unknown	Mobile/Embedded
»	AMD PRO A6-9500	2	1,770	1,520	65	AM4	Desktop
»	Intel Xeon L5408 @ 2.13GHz	4	1,769	936	40	LGA771	Server
»	AMD Phenom II N830 3+1	4	1,768	935	35	S1	Laptop
»	AMD A10-4657M APU	4	1,759	940	35	FP2	Laptop
»	AMD A6-9500E	2	1,756	1,347	35	AM4	Desktop
»	Intel Pentium G2030 @ 3.00GHz	2	1,747	1,606	55	FCLGA1155	Desktop
»	AMD Opteron 2373 EE	4	1,744	876	60	F (1207)	Server
»	AMD A10-7300 APU	4	1,742	863	19	FP3	Laptop
»	HP Hexa-Core 2.0GHz	4	1,741	804	NA	Unknown	Unknown
»	Intel Xeon L5335 @ 2.00GHz	4	1,737	822	50	LGA771	Server
»	MT6752M	8	1,735	398	NA	Unknown	Mobile/Embedded
»	MT6762	8	1,735	579	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2356	4	1,733	849	75	F (1207)	Server
»	Intel Celeron 3965U @ 2.20GHz	2	1,732	1,339	15	FCBGA1356	Laptop
»	MT6752	8	1,728	486	NA	Unknown	Mobile/Embedded
»	AMD A6-7310 APU	4	1,724	775	25	Unknown	Laptop
»	Intel Core i5-520M @ 2.40GHz	2	1,724	1,096	35	BGA1288	Laptop
»	AMD Phenom X2 Dual-Core GE-6060	2	1,722	1,160	NA	Unknown	Desktop
»	Intel Xeon E5405 @ 2.00GHz	4	1,718	877	80	LGA771	Server
»	Intel Celeron G1820 @ 2.70GHz	2	1,715	1,539	53	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Phenom 9650 Quad-Core	4	1,713	904	95	AM2+	Desktop
»	Intel Core i5-2557M @ 1.70GHz	2	1,713	1,081	17	BGA1023	Laptop
»	AMD Athlon II X3 440	3	1,712	1,194	95	AM3	Desktop
»	AMD Phenom 9850 Quad-Core	4	1,712	938	125	AM2+	Desktop
»	Qualcomm Technologies, Inc APQ8096	4	1,708	1,039	NA	Unknown	Mobile/Embedded
»	Intel Celeron G1630 @ 2.80GHz	2	1,707	1,553	55	FCLGA1155	Desktop
»	Intel Pentium 4425Y @ 1.70GHz	2	1,704	958	6	FCBGA1515	Laptop
»	Unisoc UIS8581A	8	1,704	507	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1356	4	1,703	918	75	AM2	Server
»	Intel Core i3-3120M @ 2.50GHz	2	1,700	1,283	35	PGA988	Laptop
»	AMD Phenom FX-5200 Quad-Core	4	1,699	919	65	AM3	Desktop
»	Intel Celeron 4305UE @ 2.00GHz	2	1,699	1,163	15	FCBGA1528	Laptop, Mobile/Embedded
»	AMD A6-3600 APU	4	1,697	909	65	FM1	Desktop
»	AMD A6 PRO-7400B	1	1,696	1,505	65	FM2+	Desktop
»	Intel Atom x6211E @ 1.20GHz	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
»	MediaTek MT8768WA	8	1,693	534	NA	Unknown	Mobile/Embedded
»	Intel Pentium G2100T @ 2.60GHz	2	1,691	1,460	35	LGA1155	Desktop
»	Mediatek MT6765	8	1,688	584	NA	Unknown	Mobile/Embedded
»	AMD A8-3550MX APU	4	1,687	962	45	FS1	Laptop
»	AMD A8-4500M APU	2	1,687	921	35	FS1r2	Laptop
»	AMD Phenom II N970 Quad-Core	4	1,687	904	35	S1	Laptop
»	Intel Core i7-2617M @ 1.50GHz	2	1,687	1,092	17	BGA1023	Laptop
»	Intel Pentium G2020 @ 2.90GHz	2	1,686	1,555	55	FCLGA1155	Desktop
»	AMD A6-6310 APU	4	1,677	742	15	FT3	Laptop
»	Qualcomm Technologies, Inc APQ8076	8	1,673	585	NA	Unknown	Mobile/Embedded
»	QTI SDM450	8	1,672	540	NA	Unknown	Mobile/Embedded
»	AMD A4-6250J APU	4	1,671	695	25	Unknown	Laptop, Mobile/Embedded
»	Spreadtrum SC9863A Board	8	1,671	519	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X920 Quad-Core	4	1,669	944	45	S1	Laptop
»	AMD A6-5200 APU	4	1,665	664	25	FT3	Laptop
»	Intel Core i3-4005U @ 1.70GHz	2	1,663	913	15	FCBGA1168	Laptop
»	AMD PRO A6-9500E	2	1,662	1,493	35	AM4	Desktop
»	Intel Core i3-560 @ 3.33GHz	2	1,662	1,359	73	LGA1156	Desktop
»	[Dual CPU] Intel Xeon 5130 @ 2.00GHz	2	1,660	818	65	LGA771	Server
»	AMD A10-4655M APU	2	1,658	909	25	FP2	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD A9-9430	2	1,658	1,427	NA	Unknown	Desktop
»	Qualcomm MSM8996PRO-AB	4	1,658	944	NA	Unknown	Mobile/Embedded
»	Intel Pentium G3240T @ 2.70GHz	2	1,657	1,484	35	LGA1150	Desktop
»	AMD A4-7210 APU	4	1,656	725	25	BGA	Laptop
»	AMD Phenom 9550 Quad-Core	4	1,656	862	95	AM2+	Desktop
»	Intel Core i3-4010U @ 1.70GHz	2	1,654	901	15	BGA1168	Laptop
»	Intel Core i3-4030Y @ 1.60GHz	2	1,654	901	11.5	FCBGA1168	Laptop
»	ARM Falkor V1/Kryo 8 Core 1900 MHz	8	1,652	542	NA	Unknown	Mobile/Embedded
»	AMD PRO A4-8350B	1	1,651	1,433	65	FM2+	Desktop
»	Intel Core i7-720QM @ 1.60GHz	4	1,651	922	45	PGA988A	Laptop
»	MediaTek MT6765G	8	1,650	563	NA	Unknown	Mobile/Embedded
»	AMD Phenom X4 Quad-Core GP-9600	4	1,649	764	95	AM2+	Desktop
»	AMD A4 PRO-3340B	4	1,645	676	25	BGA769 (FT3)	Laptop
»	AMD PRO A6-8570E	2	1,642	1,349	35	Unknown	Desktop
»	AMD A8-7100 APU	4	1,638	840	19	FP3	Laptop
»	Nvidia Tegra T210	4	1,635	722	NA	Unknown	Mobile/Embedded
»	AMD A6-7400K APU	2	1,634	1,440	65	FM2+	Desktop
»	Intel Core i3-3110M @ 2.40GHz	2	1,634	1,239	35	BGA1023	Laptop
»	AMD A8-3510MX APU	4	1,631	898	45	FS1	Laptop
»	Intel Celeron G1820T @ 2.40GHz	2	1,631	1,394	35	LGA1150	Desktop
»	AMD Athlon II X3 435	3	1,630	1,166	95	AM3	Desktop
»	AMD Embedded R-Series RX-216GD	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
»	Intel Core M-5Y10 @ 0.80GHz	2	1,628	955	4.5	Unknown	Laptop
»	AMD Athlon X3 445	3	1,626	1,270	95	Unknown	Unknown
»	MediaTek MT6762V/CB	8	1,620	526	NA	Unknown	Mobile/Embedded
»	Intel Core i5 E 520 @ 2.40GHz	2	1,619	1,032	35	BGA1288	Desktop
»	AMD A6-6400B APU	1	1,616	1,608	65	FM2	Desktop
»	Intel Pentium G2120T @ 2.70GHz	2	1,613	1,493	35	FCLGA1155	Desktop
»	High Performance Datacenter v	1	1,610	1,595	NA	Unknown	Unknown
»	Mediatek MT6765V/XBA	8	1,610	592	NA	Unknown	Mobile/Embedded
»	Intel Core i3-550 @ 3.20GHz	2	1,609	1,339	73	LGA1156	Desktop
»	Intel Pentium G3220T @ 2.60GHz	2	1,609	1,466	35	LGA1150	Desktop
»	AMD A8-3530MX APU	4	1,608	938	45	FS1	Laptop
»	MT6755V/W	8	1,608	555	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2000E @ 2.20GHz	2	1,607	1,282	37	FCBGA1364	Laptop
»	MediaTek MT6797T	10	1,605	523	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD A6-8550	2	1,604	1,474	65	FM2+	Desktop
»	AMD GX-416RA SOC	4	1,604	561	NA	FT3	Mobile/Embedded
»	AMD PRO A6-8500B	2	1,601	1,340	15	FP4	Laptop
»	Spreadtrum T310	4	1,600	1,185	NA	Unknown	Mobile/Embedded
»	AMD Phenom FX-5000 Quad-Core	4	1,599	826	65	AM2+	Desktop
»	Hisilicon Kirin 935	8	1,599	352	NA	Unknown	Mobile/Embedded
»	Intel Pentium G2010 @ 2.80GHz	2	1,599	1,500	55	FCLGA1155	Desktop
»	Z3-6540M@2.1GHz	4	1,599	788	NA	Unknown	Unknown
»	AMD Phenom 9600 Quad-Core	4	1,597	887	95	AM2+	Desktop
»	ZHAOXIN KaiXian KX-6640MA@2.1+GHz	4	1,597	784	NA	Unknown	Desktop
»	Intel Core i5-4220Y @ 1.60GHz	2	1,591	952	11.5	FCBGA1364	Laptop
»	AMD Phenom 9350e Quad-Core	4	1,590	795	65	AM2+	Desktop
»	Intel Core i5-3339Y @ 1.50GHz	2	1,589	905	13	BGA1023	Desktop
»	Qualcomm MSM8953	8	1,589	486	NA	Unknown	Mobile/Embedded
»	AMD Embedded G-Series GX-420GI Radeon R7E	4	1,587	834	16.1	FP4	Laptop, Mobile/Embedded
»	AMD Phenom II N950 Quad-Core	4	1,587	859	35	S1	Laptop
»	MediaTek MT6763V/V	8	1,585	547	NA	Unknown	Mobile/Embedded
»	AMD Phenom II N930 Quad-Core	4	1,584	817	35	S1	Laptop
»	Intel Pentium 4415Y @ 1.60GHz	2	1,581	866	6	FCBGA1515	Laptop
»	Intel Pentium G2030T @ 2.60GHz	2	1,581	1,442	35	LGA1155	Desktop
»	ARM phytiun FT1500a 4 Core 2000 MHz	4	1,579	716	NA	Unknown	Mobile/Embedded
»	Intel Core i5-4210Y @ 1.50GHz	2	1,577	980	11	BGA1168	Desktop
»	AMD A6-6420K APU	2	1,576	1,553	65	FM2	Desktop
»	AMD Athlon II X3 425	3	1,576	1,084	95	AM3	Desktop
»	Intel Celeron G1840T @ 2.50GHz	2	1,576	1,431	35	LGA1150	Desktop
»	AMD Phenom II X3 720	3	1,575	1,105	95	AM3	Desktop
»	Intel Core2 Quad Q9000 @ 2.00GHz	4	1,575	881	45	PGA478	Laptop
»	Intel Pentium G3320TE @ 2.30GHz	2	1,570	1,312	35	FCLGA1150	Desktop
»	MediaTek MT6762V/WD	8	1,569	484	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 7884	8	1,569	649	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8996pro	4	1,568	808	NA	Unknown	Mobile/Embedded
»	AMD A8-5545M APU	4	1,567	832	19	FP2	Laptop
»	AMD Phenom X2 Dual-Core GE-5060	2	1,566	1,053	NA	Unknown	Desktop
»	Qualcomm Technologies, Inc APQ8094	8	1,564	552	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ZHAOXIN KaiXian KX-6640MA@2.2+GHz	4	1,561	733	70	Unknown	Unknown
»	Intel Celeron G1620 @ 2.70GHz	2	1,560	1,451	55	FCLGA1155	Desktop
»	Intel Celeron G1830 @ 2.80GHz	2	1,560	1,513	53	LGA1150	Desktop
»	Intel Core i5-4200Y @ 1.40GHz	2	1,558	944	11.5	BGA1168	Desktop
»	AMD Athlon II X3 420e	3	1,557	1,058	45	AM3	Desktop
»	QTI SDM439	8	1,556	554	NA	Unknown	Mobile/Embedded
»	MT6755V/C	8	1,554	409	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4020 @ 1.10GHz	2	1,553	1,150	6	FCBGA1090	Laptop
»	AMD Phenom II X3 710	3	1,551	1,070	95	AM3	Desktop
»	AMD A6-6420B APU	1	1,550	1,629	65	FM2	Desktop
»	Intel Celeron J4005 @ 2.00GHz	2	1,550	1,082	10	FCBGA1090	Desktop
»	AMD Phenom 9500 Quad-Core	4	1,549	861	95	AM2+	Desktop
»	Intel Xeon E5335 @ 2.00GHz	4	1,549	817	80	LGA771	Server
»	AMD Opteron 1352	4	1,547	857	75	AM2	Server
»	ARM Cortex-A73 4 Core 1900 MHz	4	1,547	610	NA	Unknown	Mobile/Embedded
»	ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz	4	1,547	556	NA	Unknown	Unknown
»	MediaTek MT6762V/WR	8	1,545	523	NA	Unknown	Mobile/Embedded
»	AMD A4 PRO-7350B	1	1,544	1,438	65	FM2+	Desktop
»	Intel Atom x6414RE @ 1.50GHz	4	1,544	608	9	FCBGA1493	Mobile/Embedded
»	MT6763V/B	8	1,544	552	NA	Unknown	Mobile/Embedded
»	Intel Celeron G1620T @ 2.40GHz	2	1,541	1,332	35	LGA1155	Desktop
»	AMD Phenom II X3 B73	3	1,538	1,056	95	AM3	Desktop
»	AMD R-460L APU	4	1,538	928	25	BGA827 (FP2)	Laptop
»	Intel Pentium G870 @ 3.10GHz	2	1,537	1,465	65	FCLGA1155	Desktop
»	Intel Core i3-540 @ 3.07GHz	2	1,535	1,271	73	LGA1156	Desktop
»	Intel Celeron N4020C @ 1.10GHz	2	1,534	1,118	6	FCBGA1090	Laptop, Mobile/Embedded
»	[Dual CPU] AMD Opteron 2220	2	1,533	1,013	95	F (1207)	Server
»	Rockchip RK3399 Excavator Board edp avb (Android)	6	1,533	839	NA	Unknown	Mobile/Embedded
»	AMD A4-6320 APU	1	1,530	1,529	65	FM2	Desktop
»	AMD A4-7300 APU	1	1,529	1,477	65	FM2	Desktop
»	AMD A8 PRO-7150B APU	4	1,528	763	19	FP3	Laptop
»	Intel Core i3-2120T @ 2.60GHz	2	1,528	1,165	35	LGA1155	Desktop
»	Samsung A13 USA SINGLE REV02B board based on EXYNO	8	1,528	459	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4405Y @ 1.50GHz	2	1,526	886	6	FCBGA1515	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core i7-640LM @ 2.13GHz	2	1,525	1,053	25	BGA1288	Laptop
»	Intel Xeon X5270 @ 3.50GHz	2	1,524	1,485	80	LGA771	Server
»	Mediatek MT8768A	8	1,524	454	NA	Unknown	Mobile/Embedded
»	AMD A9-9410	2	1,523	1,338	25	FP4	Laptop
»	AMD Phenom 9750B Quad-Core	4	1,520	913	95	AM2+	Desktop
»	Intel Xeon E5504 @ 2.00GHz	4	1,519	825	80	LGA1366	Server
»	Intel Celeron G1610 @ 2.60GHz	2	1,518	1,376	55	FCLGA1155	Desktop
»	Qualcomm Technologies, Inc SDA450	8	1,518	469	NA	Unknown	Mobile/Embedded
»	AMD Athlon X3 425	3	1,516	845	95	Unknown	Unknown
»	Intel Core i5-4302Y @ 1.60GHz	2	1,516	920	11.5	FCBGA1168	Desktop
»	AMD E2-7110 APU	4	1,515	611	15	FP4 BGA	Laptop
»	Apple A8	2	1,515	914	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8956	6	1,515	744	NA	Unknown	Mobile/Embedded
»	AMD A9-9425	2	1,511	1,316	15	BGA (FT4)	Laptop
»	Intel Core i5-4202Y @ 1.60GHz	2	1,511	966	11.5	FCBGA1168	Desktop
»	[Dual CPU] Intel Xeon 3.73GHz	2	1,511	776	NA	Unknown	Server
»	AMD Opteron 2354	4	1,509	857	115	F (1207)	Server
»	AMD Phenom II X4 900e	4	1,505	917	65	AM3	Desktop
»	Intel Core i5-4300Y @ 1.60GHz	2	1,505	1,008	11.5	BGA1168	Desktop
»	AMD Athlon X2 370K Dual Core	1	1,504	1,514	65	Unknown	Unknown
»	AMD A4-6210 APU	4	1,501	610	15	FT3b	Laptop
»	AMD A6-6400K APU	1	1,501	1,449	65	FM2	Desktop
»	Intel Celeron 2970M @ 2.20GHz	2	1,501	1,245	37	FCPGA946	Laptop
»	Intel Core i3-2100T @ 2.50GHz	2	1,501	1,100	35	LGA1155	Desktop
»	Intel Core i3-530 @ 2.93GHz	2	1,499	1,166	73	LGA1156	Desktop
»	AMD A9-9420	2	1,498	1,294	15	Unknown	Laptop
»	ZHAOXIN KaiXian ZX-D D4600@2.0GHz	4	1,492	602	NA	Unknown	Unknown
»	ARM Cortex-A76 4 Core 1500 MHz	4	1,488	649	NA	Unknown	Unknown
»	[Dual CPU] Intel Xeon 5120 @ 1.86GHz	2	1,486	770	65	LGA771	Server
»	Intel Celeron 3955U @ 2.00GHz	2	1,485	1,180	15	FCBGA1356	Laptop
»	Qualcomm Technologies, Inc SDM439	8	1,479	517	NA	Unknown	Mobile/Embedded
»	AMD Opteron X3216 APU	2	1,475	1,264	15	Unknown	Server
»	Intel Core m5-7Y54 @ 1.20GHz	2	1,475	746	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Pentium Dual-Core E6000 @ 3.46GHz	2	1,472	1,542	NA	Unknown	Unknown
»	MediaTek MT6762V/WA	8	1,470	485	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5320 @ 1.86GHz	4	1,469	770	80	LGA771	Server
»	Intel Xeon E7320 @ 2.13GHz	4	1,469	776	80	604	Server
»	Intel Celeron 3867U @ 1.80GHz	2	1,467	1,092	15	FCBGA1356	Laptop
»	AMD Phenom 8600B Triple-Core	3	1,464	969	95	AM2+	Desktop
»	Intel Celeron J4025 @ 2.00GHz	2	1,463	1,140	10	FCBGA1090	Desktop
»	Intel Core i3-4020Y @ 1.50GHz	2	1,462	788	11.5	BGA1168	Desktop
»	AMD A6-5400B APU	1	1,459	1,408	65	FM2	Desktop
»	Intel Pentium G860 @ 3.00GHz	2	1,459	1,393	65	FCLGA1155	Desktop
»	AMD A4 PRO-7300B APU	1	1,458	1,445	65	Unknown	Desktop
»	Rockchip RK3399 Board (Android)	6	1,456	810	NA	Unknown	Mobile/Embedded
»	AMD Phenom 9450e Quad-Core	4	1,455	841	65	AM2+	Desktop
»	Intel Pentium J3710 @ 1.60GHz	4	1,455	709	6.5	Unknown	Desktop
»	AMD Phenom II X3 700e	3	1,451	961	65	AM3	Desktop
»	Intel Xeon X5272 @ 3.40GHz	2	1,451	1,411	80	LGA771	Server
»	Spreadtrum SC9863A	8	1,450	462	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1354	4	1,449	859	75	AM2	Server
»	MediaTek MT6762V/WB	8	1,449	495	NA	Unknown	Mobile/Embedded
»	AMD A6-3430MX APU	4	1,448	822	45	FS1	Laptop
»	AMD A8-3520M APU	4	1,448	845	35	FS1	Laptop
»	Intel Core i5-2467M @ 1.60GHz	2	1,448	848	17	BGA1023	Laptop
»	Intel Xeon E5240 @ 3.00GHz	2	1,448	1,312	65	LGA771	Server
»	AMD A6-8500P	2	1,445	1,253	15	BGA (FP4)	Laptop
»	AMD Phenom 8750 Triple-Core	3	1,445	976	95	AM2+	Desktop
»	ARM Cortex-A73 6 Core 2016 MHz	6	1,445	605	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 565	2	1,442	1,376	80	AM2+/AM3	Desktop
»	AMD Athlon II X3 415e	3	1,441	1,028	45	AM3	Desktop
»	[Dual CPU] AMD Opteron 285	2	1,441	989	95	940	Server
»	AMD Athlon X3 440	3	1,438	1,129	95	Unknown	Unknown
»	Intel Pentium G850 @ 2.90GHz	2	1,435	1,349	65	FCLGA1155	Desktop
»	Intel Pentium G6960 @ 2.93GHz	2	1,433	1,279	73	LGA1156	Desktop
»	Unisoc SC9863a	8	1,433	486	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 B59	2	1,431	1,395	80	AM2+/AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	[Dual CPU] AMD Opteron 290	2	1,430	1,046	95	940	Server
»	Intel Pentium G2020T @ 2.50GHz	2	1,430	1,298	35	FCLGA1155	Desktop
»	Intel Xeon E3113 @ 3.00GHz	2	1,429	1,282	65	LGA775	Server
»	Intel Celeron 5205U @ 1.90GHz	2	1,427	1,102	15	FCBGA1528	Laptop
»	AMD A10 Micro-6700T APU	4	1,426	722	5	FT3b	Laptop
»	AMD A4-6300 APU	1	1,426	1,403	65	FM2	Desktop
»	Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP	8	1,426	404	NA	Unknown	Mobile/Embedded
»	Samsung M13 EUR OPEN REV02 board based on EXYNOS85	8	1,425	516	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X3 740	3	1,424	982	95	Unknown	Desktop
»	Intel Atom C2558 @ 2.40GHz	4	1,424	512	15	BGA 1283	Laptop, Mobile/Embedded
»	Qualcomm MSM8996	4	1,424	734	NA	Unknown	Mobile/Embedded
»	Intel Celeron N4000 @ 1.10GHz	2	1,423	1,037	6	FCBGA1090	Laptop
»	Intel Atom C2550 @ 2.40GHz	4	1,422	554	14	FCBGA1283	Server
»	Intel Pentium G645 @ 2.90GHz	2	1,422	1,338	65	LGA1155	Desktop
»	AMD A6-3500 APU	3	1,420	963	65	FM1	Desktop
»	Qualcomm Technologies, Inc MSM8996	4	1,420	856	NA	Unknown	Mobile/Embedded
»	Unisoc T310	4	1,420	1,098	NA	Unknown	Mobile/Embedded
»	Hisilicon Kirin 930	8	1,415	430	NA	Unknown	Mobile/Embedded
»	AMD GX-415GA SOC	4	1,414	515	15	FT3 (769-BGA)	Laptop
»	AMD Phenom 9150e Quad-Core	4	1,414	721	65	AM2+	Desktop
»	Intel Pentium 2030M @ 2.50GHz	2	1,413	1,222	35	FCPGA988	Laptop
»	Intel Core i7-2610UE @ 1.50GHz	2	1,409	972	17	BGA1023	Laptop
»	Intel Core2 Duo E8290 @ 2.83GHz	2	1,408	1,302	65	LGA775	Desktop
»	Intel Xeon E3120 @ 3.16GHz	2	1,408	1,370	65	LGA775	Server
»	Intel Xeon E3-1220L v3 @ 1.10GHz	2	1,407	777	13	LGA1150	Server
»	Intel Celeron 1020E @ 2.20GHz	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
»	Intel Celeron N4000C @ 1.10GHz	2	1,406	1,004	6	FCBGA1090	Laptop
»	Intel Core i7-620LM @ 2.00GHz	2	1,406	1,010	25	rPGA988A	Laptop
»	MT8176	6	1,406	1,033	NA	Unknown	Mobile/Embedded
»	AMD A8-3500M APU	4	1,400	813	35	FS1	Laptop
»	Intel Pentium 3825U @ 1.90GHz	2	1,399	1,103	15	FCBGA1168	Laptop
»	Unisoc SC9863A1	8	1,399	455	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MT6750V/C	8	1,396	403	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 570	2	1,395	1,412	80	AM3	Desktop
»	Intel Pentium N3710 @ 1.60GHz	4	1,391	687	6	FCBGA1170	Laptop
»	MT6755V/WS	8	1,389	538	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5150 APU	4	1,388	545	25	AM1,FS1b	Desktop
»	Intel Celeron G555 @ 2.70GHz	2	1,388	1,289	65	LGA1155	Desktop
»	AMD Phenom II P960 Quad-Core	4	1,386	737	35	S1	Laptop
»	AMD E1-6050J APU	2	1,385	787	10	Unknown	Unknown
»	Intel Xeon L5310 @ 1.60GHz	4	1,385	662	50	LGA771	Server
»	Intel Pentium 4410Y @ 1.50GHz	2	1,384	755	6	FCBGA1515	Laptop
»	Intel Pentium G6951 @ 2.80GHz	2	1,383	1,173	73	LGA1156	Desktop
»	Samsung EXYNOS5430	8	1,380	595	NA	Unknown	Mobile/Embedded
»	Intel Pentium 2020M @ 2.40GHz	2	1,379	1,268	35	FCPGA988	Laptop
»	ZHAOXIN Z3-6540M@2.1+GHz	4	1,378	690	NA	Unknown	Desktop
»	Intel Core2 Duo E8600 @ 3.33GHz	2	1,376	1,401	65	LGA775	Desktop
»	AMD Phenom II X2 560	2	1,375	1,389	80	AM2+/AM3	Desktop
»	MT6763V/WT	8	1,375	624	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 521	2	1,374	1,409	65	AM2+/AM3	Desktop
»	[Dual CPU] Intel Xeon 5110 @ 1.60GHz	2	1,373	652	65	LGA771	Server
»	AMD PRO A6-9500B	2	1,371	1,235	15	FP4	Laptop
»	ARM Cortex-A73 4 Core 1844 MHz	4	1,368	656	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2370M @ 2.40GHz	2	1,368	1,054	35	PGA988B	Laptop
»	Intel Celeron 4205U @ 1.80GHz	2	1,366	1,039	15	FCBGA1528	Laptop
»	Intel Core i3-3217UE @ 1.60GHz	2	1,362	711	17	BGA1023	Laptop
»	Intel Core i3-4010Y @ 1.30GHz	2	1,358	748	11.5	BGA1168	Desktop
»	Intel Pentium G640 @ 2.80GHz	2	1,358	1,307	65	LGA1155	Desktop
»	AMD A4-5300 APU	2	1,357	1,329	65	FM2	Desktop
»	AMD Athlon II X2 280	2	1,355	1,462	65	AM3	Desktop
»	Qualcomm	8	1,354	358	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2332M @ 2.20GHz	2	1,353	936	35	rPGA988B	Laptop
»	VIA QuadCore C4650@2.0GHz	4	1,352	559	NA	Unknown	Unknown
»	Qualcomm Technologies, Inc SDM450	8	1,348	430	NA	Unknown	Mobile/Embedded
»	AMD A4-5100 APU	4	1,346	540	15	FT3	Laptop
»	Intel Pentium 3560M @ 2.40GHz	2	1,345	1,221	37	FCPGA946	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon L3110 @ 3.00GHz	2	1,338	1,279	45	LGA775	Server
»	Intel Xeon L5240 @ 3.00GHz	2	1,337	1,299	40	LGA771	Server
»	Intel Pentium G630 @ 2.70GHz	2	1,336	1,246	65	LGA1155	Desktop
»	AMD A8-4555M APU	2	1,331	789	19	FP2	Laptop
»	AMD Athlon II X3 405e	3	1,331	973	45	AM3	Desktop
»	AMD A6-9225	2	1,330	1,158	15	BGA (FT4)	Laptop
»	Intel Pentium 3550M @ 2.30GHz	2	1,330	1,184	37	FCPGA946	Laptop
»	AMD A9-9400	2	1,329	1,195	10	FP4	Laptop
»	AMD A4-5050 APU	4	1,328	538	13.5	FT3	Laptop
»	AMD A4-6300B APU	1	1,328	1,373	65	Unknown	Desktop
»	Intel Atom x7-Z8700 @ 1.60GHz	4	1,328	650	4	BGA1380	Laptop
»	AMD Athlon X2 280	2	1,327	1,258	65	AM3	Unknown
»	Intel Celeron G1610T @ 2.30GHz	2	1,327	1,207	35	LGA1155	Desktop
»	Intel Core i5 750S @ 2.40GHz	4	1,326	1,039	82	LGA1156	Desktop
»	AMD Phenom II N870 Triple-Core	3	1,324	900	35	S1	Laptop
»	Intel Xeon @ 2.20GHz	1	1,324	1,383	61	PPGA603	Server
»	Intel Core i5-480M @ 2.67GHz	2	1,323	1,156	35	BGA1288	Laptop
»	MT8768WE	8	1,323	518	NA	Unknown	Mobile/Embedded
»	Intel Celeron 3865U @ 1.80GHz	2	1,321	1,034	15	BGA1356	Laptop
»	AMD Athlon II X3 400e	3	1,320	908	45	AM3	Desktop
»	AMD Phenom II P940 Quad-Core	4	1,319	679	35	S1	Laptop
»	AMD Opteron 2393 SE	2	1,317	1,237	105	F (1207)	Server
»	Qualcomm Snapdragon 810	8	1,316	667	NA	Unknown	Mobile/Embedded
»	ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz	4	1,312	632	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A73 6 Core 1992 MHz	6	1,311	479	NA	Unknown	Mobile/Embedded
»	AMD Athlon X2 340 Dual Core	2	1,307	1,296	65	FM2	Desktop
»	Intel Xeon E5310 @ 1.60GHz	4	1,306	640	80	LGA771	Server
»	ARM Cortex-A15 4 Core 1500 MHz	4	1,304	594	NA	Unknown	Mobile/Embedded
»	AMD A6-9230	2	1,303	1,124	15	Unknown	Desktop
»	AMD Athlon II X2 270	2	1,301	1,360	65	AM3	Desktop
»	Intel Core i5-460M @ 2.53GHz	2	1,299	1,127	35	BGA1288	Laptop
»	AMD Phenom II N850 Triple-Core	3	1,298	895	35	S1	Laptop
»	AMD A4-5000 APU	4	1,297	508	15	FT3	Laptop
»	AMD Phenom X4 Quad-Core GP-9500	4	1,297	711	95	AM2+	Desktop
»	AMD Phenom II X2 555	2	1,296	1,307	80	AM2+/AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon X2 450	2	1,295	878	65	FM2+	Desktop
»	ARM Cortex-A72 4 Core 2400 MHz	4	1,295	830	NA	Unknown	Mobile/Embedded
»	AMD A6-3420M APU	4	1,294	773	35	FS1	Laptop
»	Intel Xeon X3210 @ 2.13GHz	4	1,293	816	105	LGA775	Server
»	Intel Core i3-3227U @ 1.90GHz	2	1,291	951	17	BGA1023	Laptop
»	MT6795	8	1,290	461	NA	Unknown	Mobile/Embedded
»	Intel Atom x7-Z8750 @ 1.60GHz	4	1,289	679	4	UTFCBGA1380	Laptop
»	Intel Core i7-660UM @ 1.33GHz	2	1,284	925	18	BGA1288	Laptop
»	AMD Phenom 8850B Triple-Core	3	1,281	972	95	Unknown	Desktop
»	AMD A6-9220	2	1,280	1,135	15	Unknown	Laptop
»	AMD Phenom 9100e Quad-Core	4	1,279	734	65	AM2+	Desktop
»	Intel Core i3-2348M @ 2.30GHz	2	1,279	1,008	35	rPGA988B	Laptop
»	Unisoc UIS8581E	8	1,279	498	NA	Unknown	Mobile/Embedded
»	AMD Sempron 240	2	1,278	1,300	65	FM2	Desktop
»	Intel Core i3-4012Y @ 1.50GHz	2	1,278	726	11.5	FCBGA1168	Laptop
»	MT6755	8	1,278	536	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1020M @ 2.10GHz	2	1,275	1,176	35	FCPGA988	Laptop
»	AMD A6-5400K APU	1	1,273	1,271	65	FM2	Desktop
»	MediaTek MT6762V/CA	8	1,272	450	NA	Unknown	Mobile/Embedded
»	AMD Embedded G-Series GX-224IJ Radeon R4E	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
»	Intel Core2 Duo E8500 @ 3.16GHz	2	1,271	1,323	65	LGA775	Desktop
»	MT6750V/DN	8	1,271	437	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 B28	2	1,269	1,350	65	AM3	Desktop
»	Samsung M13 SWA INS 00 board based on EXYNOS850	8	1,269	492	NA	Unknown	Mobile/Embedded
»	AMD A4-4020 APU	2	1,268	1,220	65	FM2	Desktop
»	AMD Athlon II X2 265	2	1,267	1,336	65	AM3	Desktop
»	Intel Celeron J3160 @ 1.60GHz	4	1,266	603	6	BGA1170	Desktop
»	XTRONS_IX	8	1,266	431	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 511	2	1,265	1,295	65	AM2+/AM3	Desktop
»	AMD A6-3410MX APU	4	1,263	732	45	FS1	Laptop
»	AMD Phenom II X620 Dual-Core	2	1,262	1,339	45	S1	Laptop
»	Intel Core i3-330E @ 2.13GHz	2	1,260	934	35	BGA1288	Laptop
»	Intel Celeron G550 @ 2.60GHz	2	1,259	1,210	65	LGA1155	Desktop
»	Intel Core i3-390M @ 2.67GHz	2	1,259	1,068	35	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»»	AMD Phenom 8450e Triple-Core	3	1,257	826	65	AM2+	Desktop
»»	Qualcomm MSM8992	6	1,255	431	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A72 4 Core 2394 MHz	4	1,254	800	NA	Unknown	Mobile/Embedded
»»	Intel Pentium G840 @ 2.80GHz	2	1,253	1,271	65	FCLGA1155	Desktop
»»	Intel Celeron 3765U @ 1.90GHz	2	1,252	1,171	15	FCBGA1168	Laptop
»»	Intel Pentium N3700 @ 1.60GHz	4	1,252	632	6	FCBGA1170	Laptop
»»	Intel Core i3-2350M @ 2.30GHz	2	1,251	967	35	PGA988B	Laptop
»»	AMD Phenom II P860 Triple-Core	3	1,250	831	35	S1	Laptop
»»	Intel Pentium A1020 @ 2.41GHz	4	1,249	726	10	FCBGA1170	Laptop
»»	Intel Pentium J2900 @ 2.41GHz	4	1,249	733	10	FCBGA1170	Desktop
»»	AMD Phenom II X2 B57	2	1,247	1,273	80	Unknown	Desktop
»»	Rockchip RK	8	1,246	654	NA	Unknown	Mobile/Embedded
»»	AMD A4-5300B APU	2	1,243	1,233	65	FM2	Desktop
»»	ARM Cortex-A73 6 Core 1896 MHz	6	1,242	483	NA	Unknown	Unknown
»»	Intel Xeon E3110 @ 3.00GHz	2	1,242	1,331	65	LGA775	Server
»»	BCM2835	4	1,239	700	NA	Unknown	Mobile/Embedded
»»	Intel Core i5-450M @ 2.40GHz	2	1,238	1,044	35	PGA988A	Laptop
»»	Intel Pentium G6950 @ 2.80GHz	2	1,238	1,109	73	LGA1156	Desktop
»»	Intel Xeon X5260 @ 3.33GHz	2	1,238	1,406	80	LGA771	Server
»»	Intel Core i3-2328M @ 2.20GHz	2	1,237	980	35	PGA988	Laptop
»»	Intel Atom x5-Z8500 @ 1.44GHz	4	1,236	631	4	UTFCBGA1380	Laptop
»»	Intel Celeron 2950M @ 2.00GHz	2	1,234	1,143	37	FCPGA946	Laptop
»»	AMD A6-5350M APU	2	1,232	1,236	35	FS1r2	Laptop
»»	MediaTek MT6762G	8	1,231	492	NA	Unknown	Mobile/Embedded
»»	AMD A6-9210	2	1,230	1,076	15	FP4	Laptop
»»	Samsung A13 EUR OPEN REV02B board based on EXYNOS8	8	1,230	470	NA	Unknown	Mobile/Embedded
»»	ARM Cortex-A57 4 Core 2014 MHz	4	1,229	431	NA	Unknown	Mobile/Embedded
»»	MT6755M	8	1,229	501	NA	Unknown	Mobile/Embedded
»»	AMD Phenom X4 Quad-Core GP-9530	4	1,228	417	NA	AM2+ (940-pin)	Desktop
»»	Intel Core i3-2330M @ 2.20GHz	2	1,228	964	35	BGA1023	Laptop
»»	Intel Pentium G645T @ 2.50GHz	2	1,228	1,131	35	LGA1155	Desktop
»»	Intel Core i3-3217U @ 1.80GHz	2	1,226	913	17	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD A4-9120	2	1,224	1,046	15	BGA	Laptop
»	Nvidia Tegra T132	2	1,224	1,051	NA	Unknown	Mobile/Embedded
»	Intel Core i5-2537M @ 1.40GHz	2	1,223	954	17	BGA1023	Laptop
»	AMD Phenom II N830 Triple-Core	3	1,222	823	35	S1	Laptop
»	AMD Phenom II X2 545	2	1,222	1,183	80	AM2+/AM3	Desktop
»	AMD Phenom II X3 705e	3	1,222	962	65	AM3	Desktop
»	Intel Core i3-2310M @ 2.10GHz	2	1,221	944	35	BGA1023	Laptop
»	Intel Celeron 3855U @ 1.60GHz	2	1,219	900	15	FCBGA1356	Laptop
»	MT6755V/BM	8	1,219	520	NA	Unknown	Mobile/Embedded
»	AMD Phenom 8650 Triple-Core	3	1,218	865	95	AM2+	Desktop
»	AMD PRO A6-7350B	2	1,218	1,154	15	FMA4	Laptop
»	AMD Phenom 8450 Triple-Core	3	1,216	835	95	AM2+	Desktop
»	Intel Core2 Duo T9800 @ 2.93GHz	2	1,216	1,236	35	BGA479	Laptop
»	AMD R-272F APU	2	1,215	1,087	35	FS1	Desktop, Laptop
»	Mediatek MT8365	4	1,214	565	NA	Unknown	Mobile/Embedded
»	Intel Pentium G620 @ 2.60GHz	2	1,212	1,181	65	LGA1155	Desktop
»	AMD A4-9125	2	1,210	1,041	15	BGA (FT4)	Laptop
»	AMD Phenom 8600 Triple-Core	3	1,210	898	95	AM2+	Desktop
»	Intel Pentium A1018 @ 2.10GHz	2	1,210	1,085	35	FCPGA988	Laptop
»	AMD Athlon II X2 B26	2	1,206	1,266	65	Unknown	Unknown
»	Intel Core2 Duo E8400 @ 3.00GHz	2	1,205	1,238	65	LGA775	Desktop
»	Intel Core i5-430M @ 2.27GHz	2	1,202	980	35	BGA1288	Laptop
»	Intel Core i3-380M @ 2.53GHz	2	1,201	1,022	35	PGA988A	Laptop
»	Intel Pentium N3540 @ 2.16GHz	4	1,200	707	7.5	FCBGA1170	Laptop
»	MT8175B	4	1,199	554	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2222	2	1,198	618	95	F (1207)	Server
»	Intel Celeron J3355 @ 2.00GHz	2	1,197	826	10	FCBGA1296	Desktop, Laptop
»	ROC-RK3568-PC HDMI (Android)	4	1,197	551	NA	Unknown	Mobile/Embedded
»	Intel Core i7-680UM @ 1.47GHz	2	1,196	911	18	BGA1288	Laptop
»	Intel Celeron 3965Y @ 1.50GHz	2	1,194	901	6	FCBGA1515	Laptop
»	Intel Celeron N3150 @ 1.60GHz	4	1,192	568	6	FCBGA1170	Laptop
»	Mediatek MT8766B	4	1,192	566	NA	Unknown	Mobile/Embedded
»	AMD A6-3400M APU	4	1,191	691	35	FS1	Laptop
»	Intel Pentium N3530 @ 2.16GHz	4	1,189	699	7.5	FCBGA1170	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Phenom 8750B Triple-Core	3	1,188	901	95	AM2+	Desktop
»	Intel Atom Z3795 @ 1.60GHz	4	1,188	640	4	UTFCBGA1380	Laptop
»	Intel Core2 Duo T9900 @ 3.06GHz	2	1,187	1,183	35	BGA479,PGA478	Laptop
»	MediaTek MT6750T	8	1,187	468	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A73 4 Core 2100 MHz	4	1,185	570	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 B55	2	1,183	1,201	80	AM3	Desktop
»	ARM Cortex-A72 6 Core 1512 MHz	6	1,183	533	NA	Unknown	Mobile/Embedded
»	Intel Core i7-640UM @ 1.20GHz	2	1,183	879	18	BGA1288	Laptop
»	Intel Celeron 3755U @ 1.70GHz	2	1,182	1,022	15	FCBGA1168	Laptop
»	Intel Celeron N3160 @ 1.60GHz	4	1,182	560	6	FCBGA1170	Laptop
»	Intel Pentium E6700 @ 3.20GHz	2	1,182	1,311	65	LGA775	Desktop
»	Intel Celeron G540 @ 2.50GHz	2	1,181	1,146	65	LGA1155	Desktop
»	Intel Pentium 3805U @ 1.90GHz	2	1,180	1,099	15	FCBGA1168	Laptop
»	Qualcomm MSM8939	8	1,180	415	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 260	2	1,178	1,256	65	AM3	Desktop
»	Samsung EXYNOS5433	8	1,178	514	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 255	2	1,175	1,234	65	AM3	Desktop
»	Intel Pentium E6500 @ 2.93GHz	2	1,172	1,244	65	LGA775	Desktop
»	AMD Athlon II X2 245e	2	1,171	1,182	45	AM3	Desktop
»	Intel Core2 Extreme X9100 @ 3.06GHz	2	1,171	1,178	44	PGA478	Laptop
»	ARM Cortex-A57 4 Core 1734 MHz	4	1,170	387	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A57 4 Core 2091 MHz	4	1,170	413	NA	Unknown	Mobile/Embedded
»	AMD Phenom II X2 550	2	1,167	1,233	80	AM2+/AM3	Desktop
»	Mediatek MT6761	4	1,166	531	NA	Unknown	Mobile/Embedded
»	AMD A6-5357M APU	2	1,165	1,243	35	FP2	Laptop
»	AMD Phenom II X640 Dual-Core	2	1,165	1,142	45	S1	Desktop
»	Intel Pentium E5800 @ 3.20GHz	2	1,165	1,270	65	LGA775	Desktop
»	AMD Phenom 8400 Triple-Core	3	1,164	819	95	AM2+	Desktop
»	Intel Pentium E6800 @ 3.33GHz	2	1,164	1,301	65	LGA775	Desktop
»	Intel Xeon W3505 @ 2.53GHz	2	1,161	1,106	130	LGA1366	Server
»	MT6757WH	8	1,161	419	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 250	2	1,160	1,197	65	AM3	Desktop
»	ARM Cortex-A15 8 Core 1400 MHz	8	1,160	563	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Rockchip RK3566 HD15 Board	4	1,160	546	NA	Unknown	Mobile/Embedded
»	MTK6757	8	1,158	709	NA	Unknown	Mobile/Embedded
»	Intel Atom x5-Z8550 @ 1.44GHz	4	1,156	667	4	UTFCBGA1380	Laptop, Mobile/Embedded
»	AMD Athlon II X2 250e	2	1,155	1,201	45	AM3	Desktop
»	AMD QC-4000	4	1,155	449	15	FT3	Laptop
»	Intel Core i3-370M @ 2.40GHz	2	1,154	974	35	PGA988A	Laptop
»	MediaTek MT6750V/WT	8	1,153	403	NA	Unknown	Mobile/Embedded
»	AMD A8-7050	2	1,152	945	15	Unknown	Laptop
»	AMD E2-3800 APU	4	1,152	436	15	FT3	Laptop
»	Intel Celeron J1900 @ 1.99GHz	4	1,152	652	10	FCBGA1170	Desktop
»	Intel Core2 Duo E7600 @ 3.06GHz	2	1,151	1,256	65	LGA775	Desktop
»	AMD Sempron 3850 APU	4	1,150	448	25	AM1,FS1b	Desktop
»	Intel Core2 Duo P9700 @ 2.80GHz	2	1,149	1,157	28	PGA478	Laptop
»	MediaTek MT6753T	8	1,149	416	NA	Unknown	Mobile/Embedded
»	AMD A6 Micro-6500T APU	4	1,146	630	NA	Unknown	Laptop
»	Intel Pentium N3520 @ 2.16GHz	4	1,146	663	7.5	FCBGA1170	Laptop
»	AMD A4-4000 APU	1	1,145	1,134	65	FM2	Desktop
»	AMD Phenom 8850 Triple-Core	3	1,142	982	95	AM2+	Desktop
»	ARM Cortex-A15 4 Core 1400 MHz	4	1,141	543	NA	Unknown	Mobile/Embedded
»	Intel Pentium G640T @ 2.40GHz	2	1,139	1,102	35	LGA1155	Desktop
»	Intel Core2 Extreme X7800 @ 2.60GHz	2	1,138	1,077	44	PGA478	Laptop
»	AMD Phenom II X2 B53	2	1,137	1,161	80	AM3	Desktop
»	Intel Celeron G540T @ 2.10GHz	2	1,137	995	35	LGA1155	Desktop
»	Intel Core2 Duo E7500 @ 2.93GHz	2	1,136	1,206	65	LGA775	Desktop
»	AMD PRO A4-4350B	2	1,134	952	15	FT4	Laptop
»	Intel Core2 Duo E6850 @ 3.00GHz	2	1,130	1,183	65	LGA775	Desktop
»	AMD E2-6110 APU	4	1,128	474	15	AM1,FT3b	Laptop
»	Intel Core i3-2312M @ 2.10GHz	2	1,128	893	35	PGA988B	Laptop
»	AMD PRO A6-8530B	2	1,127	1,149	15	FP4	Laptop
»	UGOOS UT8 Board	4	1,127	551	NA	Unknown	Mobile/Embedded
»	mocha	4	1,125	722	NA	Unknown	Mobile/Embedded
»	Intel Celeron G530 @ 2.40GHz	2	1,123	1,099	65	LGA1155	Desktop
»	Qualcomm Technologies, Inc SCUBAPIOT	4	1,123	522	NA	Unknown	Mobile/Embedded
»	AMD A6-5345M APU	2	1,122	1,094	17	FP2	Laptop
»	MT8768WD	8	1,122	448	NA	Unknown	Mobile/Embedded
»	Intel Pentium E6600 @ 3.06GHz	2	1,121	1,192	65	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon II X2 B24	2	1,120	1,206	65	AM3	Desktop
»	Intel Core2 Duo E8200 @ 2.66GHz	2	1,119	1,143	65	LGA775	Desktop
»	Intel Xeon L5320 @ 1.86GHz	4	1,118	281	50	LGA771	Server
»	Intel Xeon W3503 @ 2.40GHz	2	1,118	1,025	130	LGA1366	Server
»	AMD A6-9200	2	1,116	970	10	BGA	Laptop
»	AMD Phenom 8250 Triple-Core	3	1,114	752	65	Unknown	Desktop
»	Intel Core2 Duo E8135 @ 2.66GHz	2	1,112	1,127	NA	Socket P	Laptop
»	AMD Athlon II X2 245	2	1,110	1,150	65	AM2+/AM3	Desktop
»	Intel Atom x6214RE @ 1.40GHz	2	1,109	754	6	FCBGA1493	Mobile/Embedded
»	AMD A9-9420e	2	1,107	962	NA	Unknown	Laptop
»	Intel Celeron N3350 @ 1.10GHz	2	1,107	800	6	FCBGA1296	Laptop
»	AMD Opteron 2220	2	1,106	553	95	F (1207)	Server
»	Intel Celeron 1005M @ 1.90GHz	2	1,106	1,015	35	FCPGA988	Laptop
»	Rockchip RK3568 EVB7 DDR4 V10 Board	4	1,106	508	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 210e	2	1,105	1,105	45	AM3	Desktop
»	Intel Core2 Duo E8435 @ 3.06GHz	2	1,104	1,223	NA	Socket P	Laptop
»	Intel Core2 Extreme X7900 @ 2.80GHz	2	1,104	1,085	44	PGA478	Laptop
»	Intel Core2 Extreme X9000 @ 2.80GHz	2	1,099	1,098	44	PGA478	Laptop
»	Qualcomm Technologies, Inc MSM8937	8	1,099	377	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3075 @ 2.66GHz	2	1,096	1,096	NA	Unknown	Server
»	AMD GX-412HC	4	1,095	414	7	FT3b	Laptop
»	Intel Core2 Extreme X6800 @ 2.93GHz	2	1,095	1,107	75	PLGA775	Desktop
»	AMD E2-9010	2	1,093	909	15	FP4	Laptop
»	Intel Celeron 2002E @ 1.50GHz	2	1,091	871	25	FCBGA1364	Laptop
»	Intel Pentium G630T @ 2.30GHz	2	1,090	1,058	35	LGA1155	Desktop
»	MT6755V/WM	8	1,090	361	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1222	2	1,089	1,128	103	AM2	Server
»	Intel Core2 Duo P9600 @ 2.66GHz	2	1,088	1,120	25	PGA478	Laptop
»	Intel Pentium B970 @ 2.30GHz	2	1,088	1,031	35	PGA988	Laptop
»	Qualcomm MSM 8939 HUAWEI KIW-L21	8	1,088	351	NA	Unknown	Mobile/Embedded
»	AMD A4-3400 APU	2	1,086	1,082	65	FM1	Desktop
»	Intel Celeron G1101 @ 2.27GHz	2	1,086	929	73	FCLGA1156	Desktop
»	Intel Core i3-350M @ 2.27GHz	2	1,086	878	35	BGA1288	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Qualcomm MSM 8939 HUAWEI TEXAS-A1	8	1,085	383	NA	Unknown	Mobile/Embedded
»	AMD Phenom 8250e Triple-Core	3	1,084	729	65	940	Desktop
»	Intel Pentium E5700 @ 3.00GHz	2	1,084	1,197	65	LGA775	Desktop
»	Rockchip RK3568 EVB1 DDR4 V10 Board	4	1,084	498	NA	Unknown	Mobile/Embedded
»	AMD Phenom II N660 Dual-Core	2	1,083	1,093	35	S1	Laptop
»	Intel Celeron 3215U @ 1.70GHz	2	1,083	1,015	15	FCBGA1168	Laptop
»	AMD A4 Micro-6400T APU	4	1,082	540	4.5	FT3b	Laptop
»	Intel Pentium B980 @ 2.40GHz	2	1,082	1,047	35	FCPGA988	Laptop
»	MT8732T	4	1,081	399	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 235e	2	1,079	1,098	45	AM3	Desktop
»	AMD Phenom II P840 Triple-Core	3	1,079	760	35	S1	Laptop
»	AMD Phenom X3 8550	3	1,079	835	95	AM2/AM2+	Desktop
»	Rockchip RK3566 BOX DEMO V10 ANDROID Board	4	1,079	518	NA	Unknown	Mobile/Embedded
»	Grandstream GXV3480 Video Phone	4	1,078	503	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc MSM8994	8	1,076	521	NA	Unknown	Mobile/Embedded
»	Intel Celeron G550T @ 2.20GHz	2	1,074	1,018	35	LGA1155	Desktop
»	Intel Core2 Duo T9600 @ 2.80GHz	2	1,074	1,120	35	BGA479	Laptop
»	MT8768WB	4	1,074	480	NA	Unknown	Mobile/Embedded
»	AMD A6-1450 APU	4	1,072	460	8	FT3	Laptop
»	DO-Regular	1	1,070	1,277	NA	Unknown	Unknown
»	Intel Celeron 1000M @ 1.80GHz	2	1,070	974	35	FCPGA988	Laptop
»	Intel Xeon 3085 @ 3.00GHz	2	1,070	1,124	65	LGA775	Server
»	MT6755BM	8	1,070	520	NA	Unknown	Mobile/Embedded
»	Mediatek MT6761V/CAB	4	1,069	558	NA	Unknown	Mobile/Embedded
»	AMD Phenom II P820 Triple-Core	3	1,068	717	25	S1	Laptop
»	ARM Cortex-A72 6 Core 1416 MHz	6	1,065	462	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM 8939 HUAWEI KIW-L24	8	1,065	344	NA	Unknown	Mobile/Embedded
»	AMD Embedded G-Series GX-215JJ Radeon R2E	2	1,064	861	10	FP4	Laptop, Mobile/Embedded
»	Intel Pentium 2127U @ 1.90GHz	2	1,064	969	17	FCBGA1023	Laptop
»	AMD Phenom X4 Quad-Core GS-6560	4	1,063	282	NA	Unknown	Desktop
»	Snapdragon 435	8	1,062	347	NA	Unknown	Mobile/Embedded
»	AMD Athlon 7850 Dual-Core	2	1,058	1,118	95	AM2+	Desktop
»	Intel Pentium 3556U @ 1.70GHz	2	1,058	951	15	BGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core2 Duo E8335 @ 2.66GHz	2	1,057	1,157	NA	Socket P	Laptop
»	Intel Celeron 2980U @ 1.60GHz	2	1,056	929	15	FCBGA1168	Laptop
»	Intel Celeron G530T @ 2.00GHz	2	1,056	962	35	LGA1155	Desktop
»	MT6592T	8	1,056	354	NA	Unknown	Mobile/Embedded
»	Rockchip RK3562	4	1,055	521	NA	Unknown	Mobile/Embedded
»	AMD A4-3420 APU	2	1,054	1,113	65	FM1	Desktop
»	AMD A6-9220C	2	1,053	995	6	FT4	Laptop
»	AMD Athlon II X2 B22	2	1,053	1,129	65	AM3	Desktop
»	Hisilicon Kirin 925	8	1,053	398	NA	Unknown	Mobile/Embedded
»	Intel Atom E3845 @ 1.91GHz	4	1,052	536	10	FCBGA1170	Desktop
»	MT8168B	4	1,050	538	NA	Unknown	Mobile/Embedded
»	MediaTek MT6750	8	1,047	372	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T9500 @ 2.60GHz	2	1,046	1,074	35	BGA479	Laptop
»	AMD GX-222GC SOC	2	1,044	783	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
»	Intel Celeron N2940 @ 1.83GHz	4	1,043	607	7.5	FCBGA1170	Laptop
»	Qualcomm MSM8937	8	1,043	350	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 220	2	1,041	1,091	65	AM3	Desktop
»	Intel Core2 Duo P9600 @ 2.53GHz	2	1,040	1,082	25	PGA478	Laptop
»	JLQ JR510	8	1,039	582	NA	Unknown	Mobile/Embedded
»	MT8783	8	1,039	353	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 240	2	1,037	1,078	65	AM3	Desktop
»	Intel Pentium E5500 @ 2.80GHz	2	1,037	1,133	65	LGA775	Desktop
»	AMD Opteron 1220	2	1,036	1,077	103	AM2	Server
»	AMD Opteron 2218	2	1,036	491	95	F (1207)	Server
»	Intel Pentium 3558U @ 1.70GHz	2	1,036	946	15	FCBGA1168	Laptop
»	AMD Turion II Ultra Dual-Core Mobile M640	2	1,034	1,067	35	S1	Laptop
»	Intel Pentium E6300 @ 2.80GHz	2	1,032	1,143	65	LGA775	Desktop
»	MediaTek MT8168	4	1,029	492	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 7870	8	1,029	338	NA	Unknown	Mobile/Embedded
»	Intel Atom C3338 @ 1.50GHz	2	1,028	806	8.5	FCBGA1310	Server, Mobile/Embedded
»	Intel Celeron U1900 @ 1.99GHz	4	1,028	527	NA	Unknown	Unknown
»	Intel Celeron 2981U @ 1.60GHz	2	1,027	892	15	BGA1168	Laptop
»	Intel Core2 Duo E7400 @ 2.80GHz	2	1,027	1,108	65	LGA775	Desktop
»	tn8	4	1,027	630	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3070 @ 2.66GHz	2	1,025	1,024	65	LGA775	Server
»	Intel Core i3-330M @ 2.13GHz	2	1,023	815	35	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Cortex-A57 8 Core 1500 MHz	8	1,022	346	NA	Unknown	Mobile/Embedded
»	MT6762V/CR	8	1,022	406	NA	Unknown	Mobile/Embedded
»	AMD Turion II P540 Dual-Core	2	1,021	957	35	S1	Laptop
»	Intel Pentium 2117U @ 1.80GHz	2	1,021	930	17	FCBGA1023	Laptop
»	Intel Celeron G1820TE @ 2.20GHz	2	1,020	978	35	LGA1150	Desktop
»	Intel Core2 Duo E8235 @ 2.80GHz	2	1,020	1,112	NA	Socket P	Laptop
»	nxp IMX8MP	4	1,020	477	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2930 @ 1.83GHz	4	1,018	584	7.5	FCBGA1170	Laptop
»	Intel Pentium J2850 @ 2.41GHz	4	1,016	646	10	FCBGA1170	Desktop
»	AMD Athlon X2 240e	2	1,015	1,092	45	Unknown	Unknown
»	Intel Core i5-560UM @ 1.33GHz	2	1,015	898	18	BGA1288	Laptop
»	MediaTek MT6753	8	1,015	337	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6750 @ 2.66GHz	2	1,013	1,028	65	LGA775	Desktop
»	Qualcomm Technologies, Inc SDM429	4	1,013	547	NA	Unknown	Mobile/Embedded
»	AMD Turion II Ultra Dual-Core Mobile M660	2	1,011	1,103	35	S1	Laptop
»	AMD A6-4400M APU	1	1,010	1,027	35	FS1r2	Laptop
»	AMD A6-7000	2	1,010	857	17	FP3	Laptop
»	AMD Phenom X2 Dual-Core GE-7060	2	1,010	1,332	NA	Unknown	Desktop
»	Intel Core i7-620UM @ 1.07GHz	2	1,010	820	18	BGA1288	Laptop
»	Rockchip RK3566 RK817 TABLET LP4X Board	4	1,010	492	NA	Unknown	Mobile/Embedded
»	AMD A6 PRO-7050B APU	2	1,009	875	17	FP3	Laptop
»	Intel Core2 Duo T9400 @ 2.53GHz	2	1,009	1,046	35	BGA479	Laptop
»	Intel Core i3-3229Y @ 1.40GHz	2	1,008	692	13	BGA1023	Desktop
»	ARM Cortex-A57 4 Core 1912 MHz	4	1,007	388	NA	Unknown	Mobile/Embedded
»	AMD Phenom II P920 Quad-Core	4	1,006	597	25	S1	Laptop
»	Intel Core i5-540UM @ 1.20GHz	2	1,002	818	18	BGA1288	Laptop
»	Intel Core2 Duo E8335 @ 2.93GHz	2	1,002	1,132	NA	Socket P	Laptop
»	Mediatek t50	4	1,001	695	NA	Unknown	Mobile/Embedded
»	AMD A4-4300M APU	1	1,000	1,014	35	FS1	Laptop
»	AMD Athlon 64 X2 Dual Core 6400+	2	998	1,141	125	AM2	Desktop
»	Intel Celeron 1037U @ 1.80GHz	2	998	936	17	FCBGA1023	Laptop
»	Intel Pentium B950 @ 2.10GHz	2	998	941	35	PGA988	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-	-	-
»	Intel Core2 Duo E8300 @ 2.83GHz	2	997	1,075	65	LGA775	Desktop
»	AMD Athlon X2 215	2	996	1,107	65	Unknown	Unknown
»	Intel Core2 Duo E7200 @ 2.53GHz	2	996	1,059	65	LGA775	Desktop
»	Rockchip RK3566 EVB3 DDR3 V10 Board	4	994	498	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 FX-62 Dual Core	2	993	1,022	125	AM2	Desktop
»	Intel Core2 Duo P9500 @ 2.53GHz	2	993	1,057	25	BGA479	Laptop
»	AMD Phenom II N620 Dual-Core	2	992	1,092	35	S1	Laptop
»	AC8259V/WAB	8	990	512	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 4300e	2	990	1,074	13	Unknown	Desktop
»	Intel Core2 Duo E6700 @ 2.66GHz	2	990	1,023	65	LGA775	Desktop
»	AMD Athlon 7750 Dual-Core	2	987	1,043	95	AM2+	Desktop
»	AMD Athlon II X2 240e	2	987	1,091	45	AM3	Desktop
»	Intel Pentium Extreme Edition 965 @ 3.73GHz	2	987	818	130	PLGA775	Desktop
»	ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz	4	984	593	NA	Unknown	Mobile/Embedded
»	AMD E2-9030	2	983	860	NA	BGA (FT4)	Desktop
»	Intel Xeon 3060 @ 2.40GHz	2	983	957	65	LGA775	Server
»	Rockchip RK3566	4	980	522	NA	Unknown	Mobile/Embedded
»	AMD Opteron 1218 HE	2	979	940	65	AM2	Server
»	Intel Core2 Duo T9300 @ 2.50GHz	2	979	1,025	35	BGA479	Laptop
»	Mediatek MT8766A	4	979	551	NA	Unknown	Mobile/Embedded
»	Intel Pentium B960 @ 2.20GHz	2	978	967	35	PGA988	Laptop
»	AMD A6-9220e	2	977	863	NA	Unknown	Laptop
»	Intel Core i3-2340UE @ 1.30GHz	2	976	620	17	BGA-1023	Laptop
»	Intel Pentium E5400 @ 2.70GHz	2	975	1,081	65	LGA775	Desktop
»	AMD Athlon II X2 215	2	973	1,023	65	AM3	Desktop
»	Intel Core2 Duo E8135 @ 2.40GHz	2	973	1,028	NA	Unknown	Desktop
»	AMD Athlon 64 FX-74	2	972	617	125	F (1207)	Desktop
»	Amlogic AMLT982	4	972	531	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T9550 @ 2.66GHz	2	972	1,068	35	BGA479	Laptop
»	Unisoc ums312	4	972	1,078	NA	Unknown	Mobile/Embedded
»	AMD E2-3200 APU	2	968	971	65	FM1	Desktop
»	MT6795M	8	968	377	NA	Unknown	Mobile/Embedded
»	AMD E2-9000	2	967	816	10	Unknown	Laptop
»	Intel Celeron B840 @ 1.90GHz	2	967	882	35	PGA988B	Laptop
»	AMD Phenom II N640 Dual-Core	2	965	1,039	35	S1	Laptop
»	Intel Xeon 5160 @ 3.00GHz	2	963	1,134	80	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Atom x5-E8000 @ 1.04GHz	4	962	509	5	FCBGA1170	Laptop
»	Intel Core2 Duo P8700 @ 2.53GHz	2	961	1,024	25	BGA479	Laptop
»	Intel Atom C2538 @ 2.40GHz	4	960	491	15	FCBGA1283	Laptop
»	Qualcomm Technologies, Inc MSM8939	8	959	352	NA	Unknown	Mobile/Embedded
»	AMD Opteron 285	2	956	509	95	940	Server
»	MT8766A	4	956	467	NA	Unknown	Mobile/Embedded
»	AMD Turion II Ultra Dual-Core Mobile M600	2	955	987	35	S1	Laptop
»	MT6750V/CS	8	955	384	NA	Unknown	Mobile/Embedded
»	AMD R-260H APU	2	954	902	17	BGA827 (FP2)	Laptop
»	MediaTek MT8166B	4	953	527	NA	Unknown	Mobile/Embedded
»	AMD Opteron 290	2	952	570	95	940	Server
»	Intel Core2 Duo P9300 @ 2.26GHz	2	952	950	NA	Unknown	Laptop
»	ARM Cortex-A57 4 Core 1479 MHz	4	951	356	NA	Unknown	Mobile/Embedded
»	Rockchip RK3566 EVB2 LP4X V10 Board	4	951	480	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2920 @ 1.86GHz	4	950	552	7.5	FCBGA1170	Laptop
»	MT8165	4	950	498	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T7700 @ 2.40GHz	2	948	969	35	BGA479	Laptop
»	Intel Celeron 3205U @ 1.50GHz	2	947	907	15	FCBGA1168	Laptop
»	AMD Athlon II X2 4400e	2	944	1,063	37	Unknown	Desktop
»	AMD A4-3300 APU	2	942	973	65	FM1	Desktop
»	Intel Celeron J1850 @ 1.99GHz	4	942	455	10	FCBGA1170	Desktop
»	Intel Core2 Duo E6600 @ 2.40GHz	2	942	946	65	PLGA775	Desktop
»	Intel Core2 Duo E7300 @ 2.66GHz	2	942	1,065	65	LGA775	Desktop
»	AMD Athlon X2 255	2	938	1,095	65	AM2+/AM3	Unknown
»	Intel Core2 Duo P8800 @ 2.66GHz	2	937	1,075	25	BGA479	Laptop
»	Intel Celeron E3500 @ 2.70GHz	2	935	1,154	65	LGA775	Desktop
»	AMD Athlon 64 X2 Dual Core 6000+	2	934	1,036	89	AM2	Desktop
»	MT6750V/WS	8	934	383	NA	Unknown	Mobile/Embedded
»	AMD Phenom II P650 Dual-Core	2	933	985	35	S1	Laptop
»	Pentium Dual-Core T4500 @ 2.30GHz	2	932	915	NA	Unknown	Unknown
»	Intel Pentium E5200 @ 2.50GHz	2	931	1,002	65	LGA775	Desktop
»	AMD Sempron X2 198 Dual-Core	2	930	1,070	65	FM1	Desktop
»	Intel Atom x5-E3930 @ 1.30GHz	2	928	642	6.5	BGA1296	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Xeon L3406 @ 2.27GHz	2	928	647	30	LGA1156	Server
»	Samsung J7 Max LTE SWA board based on MT6757V/WL	8	928	282	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 1416 MHz	4	927	491	NA	Unknown	Mobile/Embedded
»	Qualcomm Technologies, Inc SCUBAIOT	4	926	462	NA	Unknown	Mobile/Embedded
»	Intel Xeon 5150 @ 2.66GHz	2	924	1,023	65	LGA771	Server
»	ARM Cortex-A15 4 Core 2000 MHz	4	923	524	NA	Unknown	Mobile/Embedded
»	AMD Athlon X2 240	2	921	1,017	65	Unknown	Unknown
»	Intel Core2 Duo T7800 @ 2.60GHz	2	921	918	35	BGA479	Laptop
»	ARM Cortex-A72 4 Core 2300 MHz	4	915	669	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5400B	2	914	985	65	AM2	Desktop
»	AMD Turion II Dual-Core Mobile M540	2	912	967	35	S1	Laptop
»	Intel Xeon 5148 @ 2.33GHz	2	912	868	40	LGA771	Server
»	AMD A4-1350 APU	4	911	345	8	FT3	Laptop
»	AMD Opteron 1218	2	910	962	103	AM2	Server
»	MT6761V/CBB	4	910	522	NA	Unknown	Mobile/Embedded
»	SAMSUNG Exynos7580	8	910	271	NA	Unknown	Mobile/Embedded
»	AMD Opteron 2220 SE	2	909	519	119	F (1207)	Server
»	Intel Core i5-520UM @ 1.07GHz	2	908	699	18	BGA1288	Laptop
»	Intel Core2 Duo E4700 @ 2.60GHz	2	908	990	65	LGA775	Desktop
»	Intel Pentium P6200 @ 2.13GHz	2	908	857	35	PGA988	Laptop
»	AMD Athlon 64 X2 Dual Core 5400+	2	907	999	65	AM2	Desktop
»	AMD Athlon 64 X2 Dual Core 5600+	2	907	1,024	89	AM2	Desktop
»	Qualcomm Technologies, Inc MSM8952	8	907	362	NA	Unknown	Mobile/Embedded
»	VIA Eden X4 C4250 @ 1.2+GHz	4	904	482	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2375M @ 1.50GHz	2	903	693	17	BGA1023	Laptop
»	Intel Pentium E5300 @ 2.60GHz	2	901	1,013	65	LGA775	Desktop
»	Intel Xeon 3.73GHz	2	901	734	NA	Unknown	Server
»	Pentium Dual-Core T4300 @ 2.10GHz	2	901	883	NA	Unknown	Unknown
»	AMD Athlon 7550 Dual-Core	2	900	934	95	AM2+	Desktop
»	AMD Athlon II N370 Dual-Core	2	899	913	35	S1g4	Laptop
»	Intel Core2 Duo E6550 @ 2.33GHz	2	898	909	65	LGA775	Desktop
»	Intel Core2 Duo T8300 @ 2.40GHz	2	896	970	35	BGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Pentium G620T @ 2.20GHz	2	896	961	35	LGA1155	Desktop
»	Rockchip RK3568 EVB2 LP4X V10 Board	4	895	518	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1017U @ 1.60GHz	2	893	810	17	FCBGA1023	Laptop
»	AMD RX-225FB	2	892	794	NA	FP3	Mobile/Embedded
»	Intel Atom x5-Z8350 @ 1.44GHz	4	891	471	4	UTFCBGA592	Laptop
»	AMD E2-9000e	2	890	753	6	Unknown	Laptop
»	MT8365	4	889	489	NA	Unknown	Mobile/Embedded
»	Rockchip RK3528 DEMO4 DDR4 V10 Board	4	888	435	NA	Unknown	Mobile/Embedded
»	Intel Xeon 5133 @ 2.20GHz	2	887	838	40	LGA771	Server
»	MT8168M	4	887	482	NA	Unknown	Mobile/Embedded
»	AMD Phenom X2 Dual-Core GP-7730	2	884	1,047	NA	Unknown	Desktop
»	ARM FT-2000/4 4 Core 2200 MHz	4	881	565	NA	Unknown	Mobile/Embedded
»	Intel Pentium P6100 @ 2.00GHz	2	880	831	35	PGA988	Laptop
»	AMD Sempron X2 190	2	879	977	45	AM2+/AM3	Unknown
»	AMD Turion II P560 Dual-Core	2	878	1,001	25	S1	Laptop
»	Intel Pentium N3510 @ 1.99GHz	4	878	534	7.5	FCBGA1170	Laptop
»	Qualcomm Technologies, Inc MSM8992	6	878	552	NA	Unknown	Mobile/Embedded
»	Samsung Exynos 7580	8	878	308	NA	Unknown	Mobile/Embedded
»	AMD Turion II N550 Dual-Core	2	877	891	35	S1	Laptop
»	Intel Celeron 2955U @ 1.40GHz	2	877	781	15	FCBGA1168	Laptop
»	Athlon 64 Dual Core 5600+	2	875	993	65	AM2	Desktop
»	QTI QCM2290	4	875	532	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5000 Dual-Core	2	872	898	65	AM2,AM2+	Desktop
»	Intel Core2 Duo E4600 @ 2.40GHz	2	870	927	65	LGA775	Desktop
»	rockchip,rk3368	8	870	347	NA	Unknown	Mobile/Embedded
»	AMD Athlon 5200 Dual-Core	2	869	915	75	AM2	Desktop
»	Intel Celeron E3400 @ 2.60GHz	2	869	1,001	65	LGA775	Desktop
»	AMD Athlon II X2 4450e	2	867	1,066	45	AM2	Desktop
»	Intel Xeon 3065 @ 2.33GHz	2	867	836	65	LGA775	Server
»	AMD Turion 64 X2 Mobile TL-68	2	866	882	35	S1	Laptop
»	Intel Celeron B830 @ 1.80GHz	2	863	828	35	rPGA988B	Laptop
»	Intel Core2 Duo SP9400 @ 2.40GHz	2	863	929	25	BGA956	Laptop
»	Synaptics VS640	4	862	550	NA	Unknown	Mobile/Embedded
»	Intel Celeron 2957U @ 1.40GHz	2	858	781	15	FCBGA1168	Laptop
»	Intel Xeon 5140 @ 2.33GHz	2	857	870	65	LGA771	Server



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MT8161AA	4	857	419	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5000B	2	856	942	65	AM2	Desktop
»	Intel Core2 Duo P7550 @ 2.26GHz	2	856	969	25	PGA478	Laptop
»	AMD Athlon X2 250	2	855	1,099	65	Unknown	Unknown
»	AMD Turion II N530 Dual-Core	2	855	968	35	S1	Laptop
»	AMD Turion II Neo N54L Dual-Core	2	853	894	25	BGA812	Laptop
»	AMD A4-9120C	2	852	891	6	FT4	Laptop
»	BCM2711	4	852	607	NA	Unknown	Mobile/Embedded
»	AMD A4-9120e	2	851	744	NA	FT4	Laptop
»	Athlon 64 Dual Core 5000+	2	850	924	89	Unknown	Desktop
»	Intel Core2 Duo P8400 @ 2.26GHz	2	850	921	25	BGA479	Laptop
»	Intel Pentium 3560Y @ 1.20GHz	2	849	700	11.5	BGA1168	Laptop
»	Intel Pentium B940 @ 2.00GHz	2	849	849	35	PGA988	Laptop
»	Intel Celeron P4500 @ 1.87GHz	2	848	747	35	PGA988A	Laptop
»	Intel Core i3-2367M @ 1.40GHz	2	847	621	17	BGA1023	Laptop
»	AMD Athlon 64 X2 Dual Core 5200+	2	846	932	65	AM2	Desktop
»	AMD Athlon Dual Core 5050e	2	846	917	45	AM2	Desktop
»	Intel Celeron P4600 @ 2.00GHz	2	846	784	35	PGA988A	Laptop
»	Intel Core2 Duo P7570 @ 2.26GHz	2	845	930	25	PGA478	Laptop
»	Intel Core2 Duo P8600 @ 2.40GHz	2	845	943	25	BGA479	Laptop
»	MT6750V/W	8	845	342	NA	Unknown	Mobile/Embedded
»	MT9950	4	845	653	NA	Unknown	Mobile/Embedded
»	AMD Turion II Dual-Core Mobile M520	2	844	923	35	S1	Laptop
»	ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz	4	843	487	NA	Unknown	Mobile/Embedded
»	[Dual CPU] Intel Xeon 3.40GHz	1	843	723	103	PPGA604	Server
»	Intel Pentium E2220 @ 2.40GHz	2	842	915	65	LGA775	Desktop
»	MTK8257	8	842	404	NA	Unknown	Mobile/Embedded
»	AMD TurionX2 Ultra DualCore Mobile ZM-85	2	841	686	35	S1	Laptop
»	Intel Celeron E1600 @ 2.40GHz	2	840	916	65	LGA775	Desktop
»	AMD Opteron 275	2	839	445	95	940	Server
»	Intel Celeron E3200 @ 2.40GHz	2	839	970	65	LGA775	Desktop
»	Thor	6	839	387	NA	Unknown	Mobile/Embedded
»	Intel Xeon E5205 @ 1.86GHz	2	838	788	65	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Celeron 1007U @ 1.50GHz	2	837	772	17	FCBGA1023	Laptop
»	Intel Xeon E5502 @ 1.87GHz	2	837	799	80	LGA1366	Server
»	Intel Pentium P6300 @ 2.27GHz	2	834	772	35	PGA988	Laptop
»	AArch64	4	833	368	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2377M @ 1.50GHz	2	833	613	17	BGA1023	Laptop
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-85	2	828	864	35	S1	Laptop
»	Intel Core2 Duo T7500 @ 2.20GHz	2	828	863	35	BGA479	Laptop
»	Amlogic AMLS905X4	4	827	555	NA	Unknown	Mobile/Embedded
»	Rockchip RK3368	8	827	329	NA	Unknown	Mobile/Embedded
»	AMD Sempron X2 180	2	826	865	45	Unknown	Unknown
»	Intel Core2 Duo T7600 @ 2.33GHz	2	824	874	34	PBGA479, PPGA478	Laptop
»	Intel Pentium T4500 @ 2.30GHz	2	824	904	35	PGA478	Laptop
»	AMD Athlon Dual Core 5200B	2	823	966	65	AM2	Desktop
»	MT8766B	4	822	509	NA	Unknown	Mobile/Embedded
»	Intel Core i3-2365M @ 1.40GHz	2	820	608	17	BGA1023	Laptop
»	Intel Core2 Duo T6670 @ 2.20GHz	2	818	881	35	PGA478	Laptop
»	Intel Xeon 3050 @ 2.13GHz	2	818	711	65	LGA775	Server
»	MT8161A	4	818	344	NA	Unknown	Mobile/Embedded
»	MT6761V/CAB	4	816	515	NA	Unknown	Mobile/Embedded
»	MT6761V/WAB	4	816	487	NA	Unknown	Mobile/Embedded
»	Amlogic AMLS905D3	4	815	493	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 2200 MHz	4	815	603	NA	Unknown	Mobile/Embedded
»	AMD Turion II Ultra Dual-Core Mobile M620	2	814	945	35	S1	Laptop
»	Intel Atom x5-Z8300 @ 1.44GHz	4	814	455	4	UTFCBGA592	Laptop, Mobile/Embedded
»	AMD Turion II P520 Dual-Core	2	812	882	25	S1	Laptop
»	Intel Celeron B820 @ 1.70GHz	2	811	757	35	PGA988B	Laptop
»	Intel Pentium P6000 @ 1.87GHz	2	810	735	35	PGA988	Laptop
»	Intel Atom x5-Z8330 @ 1.44GHz	4	809	458	4	Unknown	Laptop
»	Intel Pentium 997 @ 1.60GHz	2	809	746	17	BGA-1023	Desktop
»	Intel Core2 Duo E6540 @ 2.33GHz	2	808	969	65	LGA775	Desktop
»	AMD Athlon II Dual-Core M340	2	807	858	35	Unknown	Laptop
»	Intel Pentium D 960 @ 3.60GHz	2	807	782	130	PLGA775	Desktop
»	AMD A4-4355M APU	2	806	813	17	FP2	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Opteron 1214 HE	2	806	811	65	AM2	Server
»	Intel Xeon E5503 @ 2.00GHz	2	804	845	80	LGA1366	Server
»	MT8173	4	804	597	NA	Unknown	Mobile/Embedded
»	AMD Athlon64 X2 Dual Core 4600+	2	803	755	110	AM2	Desktop
»	npx IMX8MQ	4	803	389	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-84	2	802	787	35	S1	Laptop
»	Intel Atom Z3580 @ 1.33GHz	4	802	587	NA	Unknown	Laptop, Mobile/Embedded
»	AMD Turion X2 Dual-Core Mobile RM-76	2	799	761	35	S1	Laptop
»	hi6210sft	8	796	269	NA	Unknown	Mobile/Embedded
»	Intel Celeron E3300 @ 2.50GHz	2	795	967	65	LGA775	Desktop
»	Intel Xeon 5130 @ 2.00GHz	2	795	796	65	LGA771	Server
»	Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	4	795	508	NA	Unknown	Mobile/Embedded
»	AMD GX-217GA SOC	2	794	565	15	FT3 (769-BGA)	Laptop
»	Intel Atom Z3775D @ 1.49GHz	4	794	646	4.4	UTFCBGA1380	Laptop
»	AMD A6-4455M APU	1	793	786	17	FP2	Laptop
»	Intel Core2 Duo T6600 @ 2.20GHz	2	793	860	35	PGA478	Laptop
»	Intel Core2 Duo P7370 @ 2.00GHz	2	790	793	25	PGA478	Laptop
»	Intel Xeon 3040 @ 1.86GHz	2	790	621	65	LGA775	Server
»	AMD Athlon 7450 Dual-Core	2	789	853	95	AM2+	Desktop
»	AC8257V/WAB	8	788	485	NA	Unknown	Unknown
»	Intel Core i3-2357M @ 1.30GHz	2	788	601	17	Unknown	Laptop
»	Intel Core2 Duo L9600 @ 2.13GHz	2	788	849	17	BGA956	Laptop
»	AMD Athlon 64 X2 Dual Core 5000+	2	786	898	65	AM2	Desktop
»	[Dual CPU] Intel Xeon 3.20GHz	1	786	673	103	PPGA604	Server
»	Qualcomm MSM8994	8	785	412	NA	Unknown	Mobile/Embedded
»	Mediatek MT8168B	4	784	501	NA	Unknown	Mobile/Embedded
»	MT6761V/CD	4	784	488	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 4850e	2	783	903	45	AM2	Desktop
»	Intel Core2 Duo P7450 @ 2.13GHz	2	783	837	25	PGA478	Laptop
»	AMD A4-3310MX APU	2	782	832	45	FS1	Laptop
»	AMD Opteron 1216	2	781	810	103	AM2	Server
»	ARM Cortex-A17 4 Core 1800 MHz	4	781	490	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6400 @ 2.13GHz	2	780	825	65	LGA775	Desktop
»	MediaTek MT6761V/WBB	4	780	481	NA	Unknown	Mobile/Embedded
»	Intel Core i5-470UM @ 1.33GHz	2	778	727	18	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM ARMv7 rev 1 (v7l) 4 Core 1608 MHz	4	776	445	NA	Unknown	Unknown
»	Intel Celeron B810 @ 1.60GHz	2	775	754	35	PGA988B	Laptop
»	Pentium Dual-Core T4200 @ 2.00GHz	2	775	824	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2910 @ 1.60GHz	4	773	447	7.5	FCBGA1170	Laptop
»	VIA QuadCore L4700 @ 1.2+ GHz	4	773	355	27.5	Unknown	Laptop
»	ARM Cortex-A72 4 Core 2000 MHz	4	772	575	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3735G @ 1.33GHz	4	772	476	4.4	Unknown	Laptop
»	AMD Opteron 1212 HE	2	771	731	65	AM2	Server
»	Athlon Dual Core 4850e	2	769	861	45	AM2	Desktop
»	Intel Pentium T4400 @ 2.20GHz	2	769	842	35	PGA478	Laptop
»	Intel Core2 Duo T8100 @ 2.10GHz	2	768	832	35	BGA479	Laptop
»	AMD Athlon II N350 Dual-Core	2	767	945	35	Unknown	Laptop
»	AMD A4-5150M APU	2	765	800	35	FS1r2	Laptop
»	AMD Opteron 280	2	765	430	95	940	Server
»	Intel Xeon 5120 @ 1.86GHz	2	763	748	65	LGA771	Server
»	Intel Core2 Duo T7400 @ 2.16GHz	2	761	757	34	BGA479	Laptop
»	rockchip,rk3328	4	761	356	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6420 @ 2.13GHz	2	760	785	65	PLGA775	Desktop
»	M7221	4	760	646	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo SL9400 @ 1.86GHz	2	759	786	17	BGA956	Laptop
»	AMD A4-3305M APU	2	758	837	35	FS1	Laptop
»	Intel Core2 Duo T6570 @ 2.10GHz	2	758	843	35	PGA478	Laptop
»	MT6797D	10	758	326	NA	Unknown	Mobile/Embedded
»	Intel Pentium T4300 @ 2.10GHz	2	757	811	35	PGA478	Laptop
»	MediaTek MT6761V/WE	4	757	446	NA	Unknown	Mobile/Embedded
»	AMD A4-3330MX APU	2	756	908	45	FS1 uPGA	Laptop
»	AMD Turion II Dual-Core Mobile M500	2	756	847	35	S1	Laptop
»	Celeron Dual-Core T3500 @ 2.10GHz	2	756	862	35	PGA478	Laptop
»	ARM Cortex-A55 4 Core 2016 MHz	4	755	327	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1900 MHz	4	755	562	NA	Unknown	Mobile/Embedded
»	AMD GX-218GL SOC	2	754	627	15	BGA769 (FT3b)	Laptop
»	Intel Celeron 887 @ 1.50GHz	2	754	703	17	BGA1023	Laptop
»	Rockchip RK3566 EVB1 DDR4 V10 Board	4	751	466	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Atom Z3560 @ 1.00GHz	4	749	486	NA	Unknown	Mobile/Embedded
»	Dual-Core AMD Opteron 1220 SE	2	748	900	103	AM2	Server
»	Intel Celeron 1047UE @ 1.40GHz	2	748	526	17	FCBGA1023	Desktop
»	Intel Core2 Duo P7350 @ 2.00GHz	2	748	796	25	BGA479	Laptop
»	Spreadtrum SC9853I-IA	8	748	467	NA	Unknown	Mobile/Embedded
»	AMD Opteron 180	2	746	874	110	939	Server
»	Intel Core i3-380UM @ 1.33GHz	2	745	581	18	BGA1288	Laptop
»	Intel Pentium Dual T2390 @ 1.86GHz	2	745	712	35	PPGA478	Laptop
»	Mediatek MT6761V/WD	4	744	482	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Dual-Core M320	2	743	850	35	Unknown	Laptop
»	ARM Cortex-A55 4 Core 2124 MHz	4	742	336	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T6500 @ 2.10GHz	2	742	835	35	PGA478	Laptop
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-87	2	741	730	35	S1	Laptop
»	Mediatek MT8696	4	740	542	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E4500 @ 2.20GHz	2	739	813	65	LGA775	Desktop
»	Intel Core2 Duo T7200 @ 2.00GHz	2	738	743	34	PBGA479, PPGA478	Laptop
»	MT8696	4	738	535	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 5600B	2	737	1,003	65	AM2+	Desktop
»	AMD Opteron 270	2	736	587	95	940	Server
»	Athlon 64 Dual Core 3800+	2	736	653	35	Unknown	Unknown
»	Intel Atom Z3770 @ 1.46GHz	4	736	539	4	UTFCBGA1380	Laptop
»	Intel Pentium D 3.40GHz	2	736	723	NA	Unknown	Desktop
»	Intel Celeron E1400 @ 2.00GHz	2	735	758	65	LGA775	Desktop
»	ARM Cortex-A72 6 Core 1008 MHz	6	734	394	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-82	2	733	770	35	S1	Laptop
»	Intel Celeron B815 @ 1.60GHz	2	731	705	35	PGA988B	Laptop
»	AMD Athlon II P360 Dual-Core	2	730	861	25	S1g4	Laptop
»	Intel Pentium E2200 @ 2.20GHz	2	730	819	65	LGA775	Desktop
»	Qualcomm Technologies, Inc APQ8096pro	4	730	435	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 4200+	2	728	802	89	AM2	Desktop
»	AMD Athlon Dual Core 4850B	2	727	887	45	AM2+	Desktop
»	AMD Opteron 1216 HE	2	727	847	65	AM2	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD E2-3000 APU	2	726	547	15	FT3	Laptop
»	Intel Core2 Duo T6400 @ 2.00GHz	2	726	796	35	PGA478	Laptop
»	MT3561S	4	723	335	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 4600+	2	720	835	65	AM2	Desktop
»	Qualcomm APQ 8084 (Flattened Device Tree)	4	720	443	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8974	4	719	431	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E6320 @ 1.86GHz	2	717	712	65	PLGA775	Desktop
»	Qualcomm Technologies, Inc SDA429W	4	715	516	NA	Unknown	Mobile/Embedded
»	AMD A4-3300M APU	2	714	790	65	FM1	Laptop
»	Intel Pentium T4200 @ 2.00GHz	2	714	779	35	PGA478	Laptop
»	AMD Athlon II X2 260u	2	713	716	25	AM3	Desktop
»	MediaTek MT8168A	4	712	448	NA	Unknown	Mobile/Embedded
»	AMD Athlon Dual Core 4450B	2	711	792	45	AM2+	Desktop
»	AMD Athlon 64 FX-60 Dual Core	2	709	912	110	939	Desktop
»	AMD Turion X2 Dual-Core Mobile RM-75	2	708	770	35	S1	Laptop
»	Intel Core2 Duo T7250 @ 2.00GHz	2	708	771	35	BGA479	Laptop
»	Rockchip RK3288	4	708	766	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1908 MHz	4	707	311	NA	Unknown	Unknown
»	AMD Athlon Dual Core 4450e	2	705	801	45	AM2	Desktop
»	Intel Atom E3840 @ 1.91GHz	4	704	477	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3735D @ 1.33GHz	4	704	544	4.4	Unknown	Laptop
»	Intel Atom Z3775 @ 1.46GHz	4	704	505	4	UTFCBGA1380	Laptop
»	MT8735T	4	704	356	NA	Unknown	Mobile/Embedded
»	AMD Athlon II P320 Dual-Core	2	702	820	25	Unknown	Laptop
»	Intel Pentium E2210 @ 2.20GHz	2	702	946	65	LGA775	Desktop
»	MT5893	4	702	641	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo E4400 @ 2.00GHz	2	701	779	65	LGA775	Desktop
»	Intel Core2 Duo T5870 @ 2.00GHz	2	698	740	35	PPGA478, Socket	Laptop
»	AMD Athlon II P340 Dual-Core	2	697	840	25	S1g4	Laptop
»	AMD Opteron 1214	2	696	830	103	AM2	Server
»	AMD Turion 64 X2 Mobile TL-66	2	696	846	35	S1	Laptop
»	AMD Opteron 185	2	695	884	110	939	Server
»	AMD Turion X2 Ultra Dual-Core Mobile ZM-86	2	695	820	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Mediatek MT6739	4	695	370	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A72 4 Core 1800 MHz	4	693	512	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5750 @ 2.00GHz	2	693	741	35	Socket P	Laptop
»	Samsung EXYNOS5420	4	693	464	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 4000+	2	692	737	65	AM2	Desktop
»	Intel Celeron 877 @ 1.40GHz	2	692	645	17	BGA1023	Laptop
»	MT6738	8	692	430	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Dual Core Mobile RM-76	2	691	729	35	S1	Laptop
»	Intel Atom Z3560 @ 1.83GHz	4	690	476	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo L9300 @ 1.60GHz	2	690	703	17	BGA956	Laptop
»	Intel Celeron P4505 @ 1.87GHz	2	689	820	35	BGA1288	Laptop
»	MediaTek MT6737T	4	689	397	NA	Unknown	Mobile/Embedded
»	Celeron Dual-Core T3000 @ 1.80GHz	2	687	748	35	PGA478	Laptop
»	Intel Core2 Duo T5850 @ 2.16GHz	2	687	787	NA	Socket P	Laptop
»	Qualcomm MSM8974PRO-AB	4	686	371	NA	Unknown	Mobile/Embedded
»	Rockchip RK3566 RK817 TABLET RKG11 LP4 Board	8	686	314	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1992 MHz	4	685	313	NA	Unknown	Mobile/Embedded
»	AMD Turion II Neo K685 Dual-Core	2	684	729	15	BGA812	Laptop
»	Intel Celeron 2961Y @ 1.10GHz	2	684	634	11.5	Unknown	Laptop
»	Intel Pentium E2180 @ 2.00GHz	2	683	736	65	LGA775	Desktop
»	AMD Opteron 175	2	682	773	110	939	Server
»	ARM Cortex-A53 8 Core 1512 MHz	8	681	165	NA	Unknown	Mobile/Embedded
»	Athlon Dual Core 4450e	2	681	792	45	AM2	Desktop
»	Intel Pentium D 950 @ 3.40GHz	2	681	695	130	PLGA775	Desktop
»	Intel Core2 Duo L7800 @ 2.00GHz	2	680	622	NA	Unknown	Unknown
»	Intel Core2 Duo T7300 @ 2.00GHz	2	680	762	35	BGA479	Laptop
»	AMD Athlon 64 X2 Dual Core 4800+	2	679	876	65	AM2	Desktop
»	Intel Celeron J3060 @ 1.60GHz	2	679	636	6	BGA1170	Desktop
»	AMD Athlon 64 X2 Dual Core 4400+	2	675	764	65	AM2	Desktop
»	AMD Athlon II X2 270u	2	675	791	25	AM3	Desktop
»	AMD Turion 64 X2 Mobile TL-64	2	675	702	35	S1	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon Dual Core 4050e	2	674	751	45	AM2	Desktop
»	AMD Athlon X2 Dual Core BE-2400	2	674	749	18	FT1	Desktop
»	ARM Cortex-A72 4 Core 2100 MHz	4	674	545	NA	Unknown	Mobile/Embedded
»	Allwinner A133	4	673	411	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8974PRO-AA	4	672	390	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Dual-Core M300	2	670	776	35	Unknown	Laptop
»	Athlon Dual Core 4050e	2	670	744	45	AM2	Desktop
»	AMD A4-3320M APU	2	668	708	35	FS1	Laptop
»	AMD E2-3000M APU	2	668	731	35	FS1	Laptop
»	ARM Cortex-A72 4 Core 1600 MHz	4	667	429	NA	Unknown	Mobile/Embedded
»	Rockchip (Device Tree)	4	666	487	NA	Unknown	Mobile/Embedded
»	VIA QuadCore U4650 @ 1.0+ GHz	4	666	296	27.5	Unknown	Desktop
»	AMD Athlon II N330 Dual-Core	2	665	813	35	Unknown	Laptop
»	Intel Celeron N3060 @ 1.60GHz	2	664	630	6	Unknown	Laptop
»	ARM Cortex-A55 4 Core 2100 MHz	4	663	306	NA	Unknown	Mobile/Embedded
»	AMD E2-7015 APU	2	662	507	NA	Unknown	Laptop
»	AMD Turion Dual-Core RM-75	2	659	444	35	S1	Laptop
»	Broadcom STB (Flattened Device Tree)	4	659	412	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5600 @ 1.83GHz	2	658	678	34	PGA478	Laptop
»	Intel Celeron B800 @ 1.50GHz	2	657	642	35	PGA988B	Laptop
»	Intel Core2 Duo L7500 @ 1.60GHz	2	657	664	17	BGA479	Laptop
»	Intel Pentium 987 @ 1.50GHz	2	657	625	17	FCBGA1023	Laptop
»	Qualcomm MSM8917	4	656	369	NA	Unknown	Mobile/Embedded
»	AMD Turion X2 Dual-Core Mobile RM-74	2	655	738	35	S1	Laptop
»	MT8735A	4	655	334	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 5800+	2	653	746	89	Unknown	Desktop
»	AMD Turion X2 Dual-Core Mobile RM-72	2	653	756	35	S1	Laptop
»	Intel Pentium T3400 @ 2.16GHz	2	653	732	35	PPGA478	Laptop
»	AMD Athlon 64 X2 QL-60	2	652	654	35	S1	Laptop
»	Intel Core2 Duo T5900 @ 2.20GHz	2	652	768	NA	Socket P	Laptop
»	AMD GX-412TC SOC	4	650	250	6	FT3b	Mobile/Embedded
»	AMD Turion 64 X2 Mobile TL-62	2	649	724	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
»	AMD Turion Dual-Core RM-72	2	649	725	35	S1	Laptop
»	AMD Opteron 170	2	648	715	110	939	Server
»	AMD GX-212JC SOC	2	646	452	6	FT3b	Laptop
»	Qualcomm MSM8974PRO-AC	4	644	379	NA	Unknown	Mobile/Embedded
»	Intel Pentium 967 @ 1.30GHz	2	643	616	17	FCBGA1023	Laptop
»	Intel Pentium E2160 @ 1.80GHz	2	643	680	65	LGA775	Desktop
»	AMD Athlon 64 X2 QL-66	2	641	751	35	S1	Laptop
»	AMD Turion 64 X2 Mobile TL-60	2	639	703	31	S1	Laptop
»	ARM Cortex-A53 4 Core 1908 MHz	4	638	274	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 QL-65	2	637	681	35	S1	Laptop
»	AMD E2-7015	2	637	491	NA	Unknown	Laptop
»	Intel Core2 Duo T5550 @ 1.83GHz	2	637	680	35	PGA478	Laptop
»	Amlogic	4	636	457	NA	Unknown	Unknown
»	Intel Atom Z3740 @ 1.33GHz	4	634	419	4	UTFCBGA1380	Laptop
»	Intel Core2 Duo E6300 @ 1.86GHz	2	634	690	65	LGA775, PLGA775	Desktop
»	AMD Athlon 64 X2 Dual Core 3600+	2	633	666	65	AM2	Desktop
»	Celeron Dual-Core T3300 @ 2.00GHz	2	633	711	35	î¼FCPGA-478	Laptop
»	Generic DT based system	4	632	459	NA	Unknown	Mobile/Embedded
»	Intel Pentium T3200 @ 2.00GHz	2	631	711	35	PPGA478	Laptop
»	AMD Athlon 64 X2 Dual Core 3800+	2	629	718	89	AM2	Desktop
»	Intel Core2 Duo T5800 @ 2.00GHz	2	628	725	35	PGA478	Laptop
»	ARM Cortex-A72 4 Core 1500 MHz	4	627	449	NA	Unknown	Mobile/Embedded
»	Intel Core i5-430UM @ 1.20GHz	2	627	481	18	BGA1288	Laptop
»	Intel Celeron E1500 @ 2.20GHz	2	626	764	65	LGA775	Desktop
»	ARM Cortex-A55 4 Core 1800 MHz	4	625	288	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 QL-64	2	624	731	35	S1	Laptop
»	Intel Pentium U5600 @ 1.33GHz	2	624	588	18	BGA1288	Laptop
»	Intel Pentium 957 @ 1.20GHz	2	622	574	17	FCBGA1023	Laptop
»	Intel Atom Z3745 @ 1.33GHz	4	621	435	4	UTFCBGA1380	Laptop
»	Intel Celeron N3000 @ 1.04GHz	2	621	568	4	FCBGA1170	Laptop
»	AMD Athlon 64 X2 Dual-Core TK-57	2	620	626	31	Unknown	Desktop
»	AMD Turion II Neo K625 Dual-Core	2	618	631	15	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	MT6795MM	8	618	567	NA	Unknown	Mobile/Embedded
»	Allwinner H618	4	617	395	NA	Unknown	Mobile/Embedded
»	AMD Turion II Neo N40L Dual-Core	2	617	635	15	BGA812	Laptop
»	Intel Atom Z3740D @ 1.33GHz	4	614	459	4.4	UTFCBGA1380	Laptop
»	AMD Turion X2 Dual-Core Mobile RM-70	2	612	672	31	S1	Laptop
»	MediaTek MT6762V/CN	4	611	421	NA	Unknown	Mobile/Embedded
»	Intel U4100 @ 1.30GHz	2	610	554	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1000 MHz	4	608	354	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo L7700 @ 1.80GHz	2	607	748	17	Unknown	Laptop
»	MediaTek MT8163	4	606	345	NA	Unknown	Mobile/Embedded
»	Intel Celeron N3010 @ 1.04GHz	2	605	588	4	FCBGA1170	Laptop
»	Intel Core2 Duo T7100 @ 1.80GHz	2	604	688	35	BGA479	Laptop
»	AMD Turion X2 Dual Core L510	2	603	593	20	ASB1	Laptop
»	Qualcomm APQ8084	4	603	357	NA	Unknown	Mobile/Embedded
»	AMD E1 Micro-6200T APU	2	600	498	3.95	FT3b	Laptop
»	AMD TurionX2 Ultra DualCore Mobile ZM-87	2	599	770	35	S1	Mobile/Embedded
»	Celeron Dual-Core T3100 @ 1.90GHz	2	599	637	35	BGA479	Laptop
»	Intel Atom Z3745D @ 1.33GHz	4	599	415	4.4	Unknown	Laptop
»	Samsung GrandPrimePlus LTE LTN DTV rev04 board bas	4	599	336	NA	Unknown	Mobile/Embedded
»	AMD Athlon II X2 250u	2	597	638	25	AM3	Desktop
»	AMD Sempron 150	1	597	1,117	45	AM3	Desktop
»	Intel Celeron J1750 @ 2.41GHz	2	595	659	10	FCBGA1170	Desktop
»	rk3566	4	595	460	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core BE-2300	2	594	624	45	AM2	Desktop
»	AMD Opteron 1212	2	593	729	103	AM2	Server
»	Intel Core2 Duo E4300 @ 1.80GHz	2	593	662	65	LGA775	Desktop
»	AMD E1-7010 APU	2	592	484	10	BGA769 (FT3b)	Laptop
»	Mediatek MT8175B	4	592	446	NA	Unknown	Mobile/Embedded
»	AMD Athlon X2 Dual Core BE-2350	2	591	705	45	AM2	Desktop
»	AMD E1-2500 APU	2	591	453	15	FT3	Laptop
»	Intel Core2 Duo T5470 @ 1.60GHz	2	590	636	35	PGA478	Laptop
»	AMD Turion Dual-Core RM-74	2	588	595	35	S1	Laptop
»	Intel Celeron N2840 @ 2.16GHz	2	587	671	7	FCBGA1170	Laptop
»	Intel Core2 Duo T5670 @ 1.80GHz	2	587	664	35	Socket P	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Pentium 2129Y @ 1.10GHz	2	587	564	10	FCBGA1023	Laptop
»	Intel Celeron N3050 @ 1.60GHz	2	586	552	6	FCBGA1170	Laptop
»	Intel Atom C2338 @ 1.74GHz	2	584	233	7	FCBGA1283	Laptop
»	Intel Celeron 847E @ 1.10GHz	2	584	520	17	FCBGA1023	Laptop
»	Intel Core2 Duo T5450 @ 1.66GHz	2	583	592	35	PGA478	Laptop
»	AMD Athlon 64 X2 QL-67	2	582	515	35	S1	Laptop
»	Intel Xeon MV 3.20GHz	2	582	378	90	mPGA604	Server
»	MT6761V/WD	4	580	430	NA	Unknown	Mobile/Embedded
»	Intel Celeron U3600 @ 1.20GHz	2	579	523	18	BGA1288	Laptop
»	Intel Atom C2358 @ 1.74GHz	2	578	391	7	FCBGA1283	Laptop
»	AMD Athlon 64 X2 Dual-Core TK-42	2	577	537	20	Unknown	Desktop
»	ARM Cortex-A72 4 Core 1700 MHz	4	577	455	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo U9600 @ 1.60GHz	2	577	659	10	BGA956	Laptop
»	MediaTek MT6735	4	577	321	NA	Unknown	Mobile/Embedded
»	Intel Celeron 1019Y @ 1.00GHz	2	576	521	10	FCBGA1023	Desktop
»	AMD Athlon 64 X2 Dual Core BE-2350	2	573	674	45	AM2	Desktop
»	Intel Celeron @ 1.30GHz	1	572	610	NA	Unknown	Unknown
»	Intel Celeron J1800 @ 2.41GHz	2	572	658	10	FCBGA1170	Desktop
»	MT8735P	4	572	242	NA	Unknown	Mobile/Embedded
»	AMD E1-6015 APU	2	571	448	NA	BGA769 (FT3b)	Laptop
»	AMD Athlon X2 Dual Core BE-2300	2	570	644	45	AM2	Desktop
»	Intel Celeron G470 @ 2.00GHz	1	570	837	35	LGA1155	Desktop
»	Intel Celeron 857 @ 1.20GHz	2	569	476	17	BGA1023	Laptop
»	Intel Pentium T2390 @ 1.86GHz	2	568	651	35	PPGA478	Laptop
»	MT8765WA	4	567	334	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 3800+	2	566	745	89	939	Desktop
»	Intel Pentium T2410 @ 2.00GHz	2	566	712	NA	Unknown	Unknown
»	Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre	4	566	219	NA	Unknown	Mobile/Embedded
»	ap201	4	565	385	NA	Unknown	Mobile/Embedded
»	Intel Atom Z3530 @ 1.33GHz	4	565	368	NA	FC-MB5T1064	Mobile/Embedded
»	AMD Athlon X2 Dual Core 6850e	2	564	623	22	Unknown	Unknown
»	Intel Pentium D 830 @ 3.00GHz	2	564	574	95	PLGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Mediatek MT8765WA	4	564	371	NA	Unknown	Mobile/Embedded
»	AMD Sempron Dual Core 2200	2	563	649	65	Unknown	Unknown
»	AMD Turion X2 Dual-Core Mobile RM-77	2	562	735	35	S1	Laptop
»	Intel Celeron 867 @ 1.30GHz	2	562	584	17	BGA1023	Laptop
»	AMD Turion Dual-Core RM-70	2	561	548	31	S1	Laptop
»	Qualcomm Technologies, Inc MSM8929	8	560	252	NA	Unknown	Mobile/Embedded
»	sun50iw1p1	4	559	280	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual-Core TK-53	2	558	602	31	Unknown	Desktop
»	Intel Pentium T2370 @ 1.73GHz	2	558	594	35	PPGA478	Laptop
»	Intel Atom Z3735E @ 1.33GHz	4	557	478	4.4	UTFCBGA1380	Laptop
»	AMD Athlon Neo X2 Dual Core L325	2	556	567	18	Unknown	Unknown
»	ARM Cortex-A53 4 Core 1704 MHz	4	556	244	NA	Unknown	Mobile/Embedded
»	AMD Sempron Dual Core 2300	2	555	697	65	Unknown	Unknown
»	Intel Core i3-330UM @ 1.20GHz	2	555	392	18	BGA1288	Laptop
»	QCT APQ8064 FLO	4	553	311	NA	Unknown	Mobile/Embedded
»	Intel Pentium D 940 @ 3.20GHz	2	552	609	130	PLGA775	Desktop
»	Intel Pentium U5400 @ 1.20GHz	2	552	501	18	BGA1288	Laptop
»	AMD Sempron 2650 APU	2	551	477	25	AM1,FSB1	Desktop
»	Intel Celeron N2830 @ 2.16GHz	2	551	628	7.5	FCBGA1170	Laptop
»	Intel Celeron T1600 @ 1.66GHz	2	551	629	35	Unknown	Laptop
»	Intel Core2 Duo T5250 @ 1.50GHz	2	549	567	35	PGA478	Laptop
»	Intel Core2 Duo T5500 @ 1.66GHz	2	548	608	34	PGA478	Laptop
»	Intel T1400 @ 1.73GHz	2	548	648	NA	Unknown	Unknown
»	Intel T1500 @ 1.86GHz	2	548	661	NA	Unknown	Unknown
»	Intel Celeron G465 @ 1.90GHz	1	547	819	35	LGA1155	Desktop
»	Intel Atom Z3735F @ 1.33GHz	4	541	387	4.4	UTFCBGA592	Laptop
»	Intel Pentium E2140 @ 1.60GHz	2	539	599	65	LGA775, PLGA775	Desktop
»	Intel Pentium T2330 @ 1.60GHz	2	538	572	35	PPGA478	Laptop
»	mt6762m	4	538	350	NA	Unknown	Mobile/Embedded
»	SAMSUNG JF	4	537	328	NA	Unknown	Mobile/Embedded
»	AMD TurionX2 Dual Core Mobile RM-70	2	536	674	31	S1	Laptop
»	Intel Core2 Duo L7300 @ 1.40GHz	2	536	551	17	BGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD E1-6010 APU	2	535	425	10	FT3b	Laptop
»	Spreadtrum SC9832E	4	535	301	NA	Unknown	Mobile/Embedded
»	AMD Turion 64 X2 Mobile TL-52	2	534	564	31	S1	Laptop
»	AMD Sempron Dual Core 2100	2	533	596	65	Unknown	Unknown
»	[Dual CPU] Intel Xeon 3.06GHz	1	533	600	NA	Unknown	Server
»	MT6739CH	4	533	305	NA	Unknown	Mobile/Embedded
»	MT8167D	4	532	316	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 X2 Dual Core 3400+	2	531	505	89	754	Desktop
»	AMD Opteron 165	2	531	638	110	939	Server
»	Intel Pentium T2310 @ 1.46GHz	2	531	559	35	PPGA478	Laptop
»	Intel Core2 Duo T5300 @ 1.73GHz	2	530	533	34	PGA478	Laptop
»	AMD Athlon Neo X2 Dual Core L335	2	529	570	18	Unknown	Unknown
»	MT6737H	8	528	319	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Neo K345 Dual-Core	2	527	552	12	Unknown	Laptop
»	Qualcomm Technologies, Inc MSM8917	4	527	312	NA	Unknown	Mobile/Embedded
»	Intel Atom S1260 @ 2.00GHz	2	526	313	8.5	FCBGA1283	Server
»	AMD Athlon 64 X2 QL-62	2	525	623	35	S1	Laptop
»	Intel Core2 Duo U7300 @ 1.30GHz	2	522	531	10	BGA956	Laptop
»	Qualcomm Technologies, Inc APQ8017	4	522	331	NA	Unknown	Mobile/Embedded
»	MT6592	8	521	211	NA	Unknown	Mobile/Embedded
»	Intel Atom C2350 @ 1.74GHz	2	520	493	6	FCBGA1283	Server
»	AMD Athlon 64 X2 Dual-Core TK-55	2	518	609	35	Unknown	Desktop
»	AMD Sempron 145	1	518	1,015	45	AM3	Desktop
»	AMD Athlon 64 FX-57	1	517	552	104	939	Desktop
»	Intel Celeron E1200 @ 1.60GHz	2	516	580	65	LGA775	Desktop
»	Intel Celeron U3400 @ 1.07GHz	2	516	456	18	BGA1288	Laptop
»	Intel Core2 Duo L7400 @ 1.50GHz	2	516	555	17	BGA479	Laptop
»	Intel T2050 @ 2.00GHz	2	516	611	31	PPGA478	Unknown
»	ARM Cortex-A53 4 Core 1800 MHz	4	513	237	NA	Unknown	Mobile/Embedded
»	AMD Sempron 130	1	511	1,059	45	AM2+/AM3	Unknown
»	Intel Atom D2701 @ 2.13GHz	2	511	384	10	BGA559	Laptop
»	Intel Celeron N2808 @ 1.58GHz	2	510	586	4.5	FCBGA1170	Laptop
»	MT8161P	4	508	261	NA	Unknown	Mobile/Embedded
»	Rockchip RK3288 (Flattened Device Tree)	4	508	403	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»»	AMD Turion X2 Ultra Dual-Core Mobile ZM-80	2	506	618	32	S1	Laptop
»»	Intel Core2 Duo SU9400 @ 1.40GHz	2	503	583	10	BGA956	Laptop
»»	Intel Celeron N2820 @ 2.13GHz	2	502	602	7.5	FCBGA1170	Laptop
»»	ARM Cortex-A53 4 Core 2016 MHz	4	500	220	NA	Unknown	Mobile/Embedded
»»	AMD Turion 64 X2 Mobile TL-56	2	498	591	31	S1	Laptop
»»	Intel Core Duo T2700 @ 2.33GHz	2	498	652	31	BGA479	Laptop
»»	sun50iw6	4	498	339	NA	Unknown	Mobile/Embedded
»»	Unisoc SC9832e	4	498	316	NA	Unknown	Mobile/Embedded
»»	AMD Turion X2 Dual Core Mobile RM-70	2	497	504	31	S1	Laptop
»»	AMD E2-2000 APU	2	496	538	18	BGA413,FT1	Laptop
»»	Intel Atom Z3736F @ 1.33GHz	4	496	423	4.4	UTFCBGA592	Laptop
»»	Intel Celeron N2815 @ 1.86GHz	2	495	560	7.5	FCBGA1170	Laptop
»»	MT8735	4	495	299	NA	Unknown	Mobile/Embedded
»»	Intel Pentium SU4100 @ 1.30GHz	2	492	524	10	BGA956	Laptop
»»	Rockchip RK3328 box liantong avb	4	491	239	NA	Unknown	Mobile/Embedded
»»	Intel Celeron N2806 @ 1.60GHz	2	489	537	4.5	FCBGA1170	Laptop
»»	Intel Atom Z3770D @ 1.49GHz	4	488	361	4.4	BGA1380	Laptop
»»	AMD Athlon II Neo N36L Dual-Core	2	487	524	12	Unknown	Laptop
»»	Qualcomm Technologies, Inc MSM8920	4	487	298	NA	Unknown	Mobile/Embedded
»»	AMD E-350D APU	2	486	523	18	Unknown	Laptop, Mobile/Embedded
»»	AMD Sempron 140	1	486	1,037	45	AM3	Desktop
»»	Intel Celeron N2807 @ 1.58GHz	2	486	565	4.3	FCBGA1170	Laptop
»»	AMD Athlon 64 3100+	1	484	600	89	754	Desktop
»»	AMD G-T56N	2	484	528	18	FT1	Laptop
»»	AMD Turion 64 X2 Mobile TL-58	2	483	574	31	S1	Laptop
»»	Intel Celeron SU2300 @ 1.20GHz	2	482	507	10	BGA956	Laptop
»»	Intel Celeron 847 @ 1.10GHz	2	481	473	17	BGA1023	Laptop
»»	Intel Xeon 3.20GHz	1	478	696	103	PPGA604	Server
»»	MT8167A	4	478	285	NA	Unknown	Mobile/Embedded
»»	Intel Celeron 925 @ 2.30GHz	1	477	910	35	Unknown	Laptop
»»	AMD E1-2200 APU	2	474	368	9	FT3	Laptop
»»	AMD Turion 64 X2 Mobile TL-50	2	474	541	31	S1	Laptop
»»	AMD TurionX2 Dual Core Mobile RM-72	2	471	392	35	S1	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	ARM Cortex-A53 4 Core 1512 MHz	4	471	213	NA	Unknown	Mobile/Embedded
»	Intel Core2 Duo T5200 @ 1.60GHz	2	470	592	34	Socket M	Laptop
»	Samsung Exynos 7570	4	470	307	NA	Unknown	Mobile/Embedded
»	Intel Celeron G460 @ 1.80GHz	1	469	699	35	LGA1155	Desktop
»	Intel Pentium Extreme Edition 955 @ 3.46GHz	2	469	515	130	PLGA775	Desktop
»	Intel Atom D2700 @ 2.13GHz	2	467	378	10	BGA559	Desktop
»	Intel Core2 Duo L7100 @ 1.20GHz	2	467	484	NA	BGA956	Laptop
»	AMD Athlon 64 FX-59	1	465	575	NA	939	Desktop
»	Intel Pentium D 915 @ 2.80GHz	2	465	532	95	PLGA775	Desktop
»	MediaTek MT6737	4	465	270	NA	Unknown	Mobile/Embedded
»	Intel Atom E3827 @ 1.74GHz	2	463	468	8	FCBGA1170	Laptop
»	Rockchip rk3326 evb board	4	463	335	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A53 4 Core 1608 MHz	4	462	218	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A55 4 Core 1416 MHz	4	460	230	NA	Unknown	Mobile/Embedded
»	Intel Core Duo T2600 @ 2.16GHz	2	460	667	31	BGA479	Laptop
»	Qualcomm Technologies, Inc QM215	4	458	309	NA	Unknown	Mobile/Embedded
»	AMD Opteron 154	1	457	534	104	939	Server
»	AMD Athlon Neo X2 Dual Core 6850e	2	456	566	22	Unknown	Unknown
»	ARM Cortex-A53 4 Core 1600 MHz	4	453	210	NA	Unknown	Mobile/Embedded
»	QCT APQ8064 DEB	4	453	278	NA	Unknown	Mobile/Embedded
»	AMD Opteron 254	1	451	578	68	940	Server
»	AMD E2-1800 APU	2	449	525	18	FT1	Desktop
»	Intel Atom N2800 @ 1.86GHz	2	444	319	6.5	BGA559	Laptop
»	AMD G-T56E	2	442	522	18	FT1	Laptop
»	Intel Core2 Duo U9300 @ 1.20GHz	2	440	502	10	BGA956	Laptop
»	ARM Cortex-A53 4 Core 1300 MHz	4	438	262	NA	Unknown	Mobile/Embedded
»	MediaTek MT6739WW	4	438	293	NA	Unknown	Mobile/Embedded
»	AMD E-450 APU	2	437	499	18	FT1	Laptop
»	Intel Atom D2560 @ 2.00GHz	2	433	353	10	Unknown	Desktop
»	AMD Turion Neo X2 Dual Core L625	2	432	486	18	ASB1	Laptop
»	AMD Athlon LE-1640	1	430	489	45	AM2	Desktop
»	Intel Core2 Duo U7700 @ 1.33GHz	2	429	442	10	Unknown	Laptop
»	MT8127	4	429	253	NA	Unknown	Mobile/Embedded
»	AMD Opteron 152	1	428	487	104	939	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Sony Mobile fusion3	4	428	234	NA	Unknown	Unknown
»	AMD G-T48E	2	427	457	18	FT1	Laptop
»	Intel Core2 Duo T5270 @ 1.40GHz	2	427	535	35	PGA478	Laptop
»	MediaTek MT6737M	4	427	222	NA	Unknown	Mobile/Embedded
»	Intel Celeron G440 @ 1.60GHz	1	425	743	35	LGA1155	Desktop
»	Intel Xeon 3.00GHz	1	425	607	103	PPGA604	Server
»	Qualcomm MSM8916	4	424	314	NA	Unknown	Mobile/Embedded
»	AMD E-350 APU	2	423	490	18	FT1 BGA	Desktop, Laptop
»	AMD V140	1	422	860	25	S1	Laptop
»	Rockchip RK3326	4	422	272	NA	Unknown	Mobile/Embedded
»	AMD Athlon LE-1620	1	421	475	45	AM2	Desktop
»	AMD E-350	2	421	485	18	FT1	Desktop, Laptop
»	Intel Celeron N2810 @ 2.00GHz	2	420	512	7.5	FCBGA1170	Laptop
»	MT8765WB	4	419	249	NA	Unknown	Mobile/Embedded
»	MediaTek MT8735B	4	418	225	NA	Unknown	Mobile/Embedded
»	AMD Athlon II Neo K325 Dual-Core	2	417	486	12	Unknown	Laptop
»	AMD Sempron LE-1300	1	417	614	45	AM2	Desktop
»	ARM Cortex-A53 4 Core 1392 MHz	4	417	193	NA	Unknown	Mobile/Embedded
»	AMD Athlon LE-1660	1	416	428	45	AM2	Desktop
»	ARM Cortex-A53 4 Core 1296 MHz	4	416	183	NA	Unknown	Mobile/Embedded
»	Intel Celeron 450 @ 2.20GHz	1	415	713	35	LGA775	Desktop
»	Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	4	415	179	NA	Unknown	Mobile/Embedded
»	AMD Athlon 1640B	1	412	462	45	AM2	Desktop
»	AMD Athlon LE-1600	1	412	430	45	AM2	Desktop
»	Intel Core Duo T2450 @ 2.00GHz	2	411	608	31	PGA478	Laptop
»	Intel Atom D2550 @ 1.86GHz	2	409	322	10	BGA559	Desktop
»	Qualcomm Technologies, Inc QCM2150	4	409	295	NA	Unknown	Mobile/Embedded
»	Intel Core Duo T2500 @ 2.00GHz	2	408	613	31	BGA479	Laptop
»	ARM Cortex-A53 4 Core 1199 MHz	4	407	178	NA	Unknown	Mobile/Embedded
»	AMD A4-1250 APU	2	406	329	8	FT3	Laptop
»	Intel Atom D510 @ 1.66GHz	2	406	293	13	BGA559	Desktop
»	Intel Atom E3805 @ 1.33GHz	2	406	376	3	FCBGA1170	Mobile/Embedded
»	Intel Celeron 900 @ 2.20GHz	1	406	827	34.8	PGA478	Laptop
»	Qualcomm Technologies, Inc APQ8016	4	406	248	NA	Unknown	Mobile/Embedded
»	AMD E1-2100 APU	2	405	322	9	FT3	Laptop
»	Intel Xeon 5110 @ 1.60GHz	2	405	423	65	LGA771	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon 64 FX-55	1	404	505	104	939	Desktop
»	Intel Core Duo L2500 @ 1.83GHz	2	404	578	15	BGA479	Laptop
»	Qualcomm Technologies, Inc MSM8916	4	404	252	NA	Unknown	Mobile/Embedded
»	ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz	4	403	272	NA	Unknown	Mobile/Embedded
»	Intel Xeon 3.60GHz	1	403	643	110	PPGA604	Server
»	MediaTek MT8167B	4	403	271	NA	Unknown	Mobile/Embedded
»	Intel Atom D525 @ 1.80GHz	2	402	306	13	BGA559	Desktop
»	AMD Geode NX 2400+	1	400	634	NA	Unknown	Unknown
»	AMD Turion 64 Mobile ML-42	1	400	455	35	754	Laptop
»	Intel Core i7-2630UM @ 1.60GHz	2	400	221	NA	Unknown	Laptop
»	VIA Nano X2 U4025 @ 1.2 GHz	2	400	298	NA	BGA400	Laptop
»	ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz	4	399	273	NA	Unknown	Mobile/Embedded
»	QCT APQ8064 MAKO	4	399	254	NA	Unknown	Unknown
»	AMD E1-1500 APU	2	398	458	18	FT1	Laptop
»	MediaTek MT6739WA	4	395	263	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3700+	1	394	435	89	939	Desktop
»	MT6580	4	394	273	NA	Unknown	Mobile/Embedded
»	AMD Opteron 150	1	393	471	85.3	939	Server
»	Intel Xeon 3.80GHz	1	393	594	110	PPGA604	Server
»	AMD Opteron 148	1	392	443	85.3	939	Server
»	Intel Celeron 807 @ 1.50GHz	1	392	608	17	BGA-1023	Laptop
»	Intel Core2 Duo U7500 @ 1.06GHz	2	392	393	10	BGA479	Laptop
»	Rockchip RK3399 Generic Board edp (Android)	6	391	642	NA	Unknown	Mobile/Embedded
»	UNIVERSAL3470	4	391	254	NA	Unknown	Mobile/Embedded
»	QCT APQ8064 MTP	4	389	330	NA	Unknown	Mobile/Embedded
»	MT8735M	4	388	244	NA	Unknown	Mobile/Embedded
»	Intel Core Duo L2300 @ 1.50GHz	2	387	442	15	BGA479	Desktop
»	ARM Cortex-A53 4 Core 1368 MHz	4	385	166	NA	Unknown	Mobile/Embedded
»	Intel Core Duo T2350 @ 1.86GHz	2	385	576	31	PGA478	Laptop
»	Intel Pentium 4 3.73GHz	1	385	572	115	Unknown	Desktop
»	AMD Turion 64 Mobile ML-44	1	384	469	35	754	Laptop
»	Intel Pentium T2130 @ 1.86GHz	2	382	583	31	PGA478	Laptop
»	QCT APQ8064 AWIFI	4	382	276	NA	Unknown	Mobile/Embedded
»	AMD E1-1200 APU	2	380	430	18	FT1	Laptop
»	Intel Atom E3825 @ 1.33GHz	2	378	309	6	FCBGA1170	Desktop
»	Qualcomm MSM8212	4	378	247	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3500+	1	377	576	45	AM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Athlon 64 3300+	1	375	477	NA	Unknown	Desktop
»	Intel Xeon 3.40GHz	1	375	519	103	PPGA604	Server
»	Intel Pentium D 805 @ 2.66GHz	2	374	497	95	PLGA775	Desktop
»	MT6735P	4	374	224	NA	Unknown	Mobile/Embedded
»	Intel Celeron D 360 @ 3.46GHz	1	372	712	65	PLGA775	Desktop
»	Intel Celeron 827E @ 1.40GHz	1	371	674	17	FCBGA1023	Laptop
»	AMD A4-1200 APU	2	369	303	3.9	FT3	Laptop
»	Intel Celeron 440 @ 2.00GHz	1	368	444	35	LGA775	Desktop
»	Qualcomm MSM8928	4	367	226	NA	Unknown	Mobile/Embedded
»	Rockchip rk3326 863 rkisp1 board	4	365	300	NA	Unknown	Mobile/Embedded
»	AMD Sempron 3600+	1	364	377	62	AM2	Desktop
»	Intel Atom 330 @ 1.60GHz	2	363	255	8	BGA437	Desktop
»	AMD Turion 64 Mobile MK-38	1	362	801	31	S1	Laptop
»	Intel Core Duo T2400 @ 1.83GHz	2	362	527	31	BGA479	Laptop
»	AMD Sempron 3800+	1	360	422	62	AM2	Desktop
»	Intel Atom N2600 @ 1.60GHz	2	360	289	3.5	BGA559	Laptop
»	AMD Athlon II 160u	1	358	717	20	Unknown	Desktop
»	Intel Pentium 4 3.80GHz	1	358	671	65	Unknown	Desktop
»	AMD Athlon X2 Dual Core 3250e	2	357	458	22	Unknown	Unknown
»	Manta	2	356	426	NA	Unknown	Mobile/Embedded
»	Mobile AMD Athlon 64 3700+	1	356	485	81.5	Unknown	Laptop
»	AMD Athlon II 170u	1	355	731	20	AM2+,AM3	Desktop
»	ARM Cortex-A7 4 Core 1368 MHz	4	354	266	NA	Unknown	Mobile/Embedded
»	Nakamichi	4	353	238	NA	Unknown	Mobile/Embedded
»	AMD V120	1	352	806	25	S1	Laptop
»	Intel Core Duo T2250 @ 1.73GHz	2	350	530	31	PGA478	Laptop
»	AMD Sempron LE-1200	1	349	551	45	AM2	Desktop
»	Intel Core Duo L2400 @ 1.66GHz	2	348	501	15	BGA479	Laptop
»	Intel Core2 Duo U7600 @ 1.20GHz	2	347	429	10	BGA479	Laptop
»	AMD Opteron 146	1	346	400	67	939	Server
»	Intel Celeron 570 @ 2.26GHz	1	344	431	31	PGA478	Laptop
»	Mobile Intel Pentium 4 3.33GHz	1	344	552	NA	Unknown	Laptop
»	Qualcomm MSM8226	4	344	234	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A7 4 Core 1300 MHz	4	343	247	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A53 4 Core 1152 MHz	4	342	151	NA	Unknown	Mobile/Embedded
»	Intel 2.80GHz	2	341	456	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Atom N570 @ 1.66GHz	2	341	273	8.5	BGA559	Laptop
»	Intel Pentium T2080 @ 1.73GHz	2	341	528	31	PGA478	Laptop
»	Qualcomm Technologies, Inc APQ8009	4	341	208	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 4000+	1	340	565	62	AM2	Desktop
»	ARM Cortex-A53 4 Core 1500 MHz	4	340	197	NA	Unknown	Mobile/Embedded
»	AMD E-300 APU	2	339	394	18	FT1	Laptop
»	Intel Celeron 560 @ 2.13GHz	1	339	632	31	PGA478	Laptop
»	AMD Athlon TF-36	1	338	349	25	Unknown	Unknown
»	MT6739WM	4	338	236	NA	Unknown	Mobile/Embedded
»	Unisoc SC7731e	4	338	241	NA	Unknown	Mobile/Embedded
»	AMD V160	1	337	838	25	S1	Laptop
»	AMD Turion 64 Mobile ML-40	1	336	662	35	754	Laptop
»	ARM Cortex-A72 4 Core 1750 MHz	4	335	463	NA	Unknown	Mobile/Embedded
»	Intel Celeron N2805 @ 1.46GHz	2	335	394	4.3	FCBGA1170	Laptop
»	Mobile AMD Sempron 3800+	1	335	735	NA	S1	Laptop
»	sun8iw11p1	4	335	243	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3000+	1	334	615	89	Socket 754	Desktop
»	AMD Turion 64 Mobile MK-36	1	334	735	31	S1	Laptop
»	AMD Turion 64 Mobile ML-37	1	334	510	35	754	Laptop
»	ARM Cortex-A35 4 Core 1296 MHz	4	334	166	NA	Unknown	Mobile/Embedded
»	Intel Celeron 550 @ 2.00GHz	1	334	662	31	BGA479	Laptop
»	AMD Athlon 2850e	1	333	337	22	AM2	Desktop
»	Intel Core Duo T2050 @ 1.60GHz	2	333	498	31	PGA478	Desktop
»	Mobile AMD Athlon 64 3400+	1	333	432	81.5	Unknown	Laptop
»	AMD Sempron M100	1	332	546	NA	Unknown	Unknown
»	Qualcomm APQ8026	4	332	224	NA	Unknown	Mobile/Embedded
»	Qualcomm MSM8228	4	332	214	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4 3.20GHz	1	330	547	82	PGA478	Desktop
»	Intel Pentium T2060 @ 1.60GHz	2	330	490	31	PGA478	Laptop
»	AMD Athlon X2 Dual Core L310	2	329	395	13	S1	Laptop
»	ARM Cortex-A35 4 Core 1200 MHz	4	329	157	NA	Unknown	Mobile/Embedded
»	VIA Eden X2 U4200 @ 1.0+ GHz	2	327	293	NA	Unknown	Mobile/Embedded
»	Mobile AMD Athlon 64 3200+	1	326	400	81.5	Unknown	Laptop
»	ARM ARMv7 rev 5 (v7l) 4 Core 1200 MHz	4	325	232	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core Duo T2300 @ 1.66GHz	2	325	509	31	BGA479	Laptop
»	AMD Turion 64 Mobile ML-34	1	319	526	35	754	Laptop
»	Rockchip RK3328	4	319	204	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A57 2 Core 1479 MHz	2	318	207	NA	Unknown	Mobile/Embedded
»	Spreadtrum SC7731e	4	318	216	NA	Unknown	Unknown
»	AMD Athlon 64 3400+	1	317	547	89	754	Desktop
»	Intel Pentium 4 3.00GHz	1	317	537	81.9	PGA478	Desktop
»	AMD C-60 APU	2	316	357	9	Unknown	Laptop, Mobile/Embedded
»	AMD Opteron 144	1	316	376	67	939	Server
»	AMD Athlon II Neo K125	1	315	616	12	S1	Laptop
»	AMD C-70 APU	2	315	364	9	Unknown	Laptop, Mobile/Embedded
»	AMD Sempron 3300+	1	315	394	62	754	Desktop
»	AMD Sempron LE-1100	1	315	509	45	AM2	Desktop
»	Intel Pentium 4 3.60GHz	1	315	447	115	Unknown	Desktop
»	ARM Cortex-A72 4 Core 2800 MHz	4	314	243	NA	Unknown	Mobile/Embedded
»	Intel Celeron D 420 @ 1.60GHz	1	313	388	35	LGA775	Desktop
»	Mobile AMD Athlon 64 4000+	1	313	338	62	Unknown	Laptop
»	Samsung GrandPrimePlus LTE CIS rev04 board based o	4	312	213	NA	Unknown	Mobile/Embedded
»	ARM Cortex-A53 4 Core 1008 MHz	4	310	132	NA	Unknown	Mobile/Embedded
»	MT6735M	4	308	190	NA	Unknown	Mobile/Embedded
»	Intel Celeron 3.06GHz	1	307	544	NA	Unknown	Unknown
»	msm8960dt	2	306	324	NA	Unknown	Mobile/Embedded
»	UNIVERSAL3475	4	306	197	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 3200+	1	305	621	62	AM2	Desktop
»	AMD Z-01	2	305	294	NA	Unknown	Unknown
»	Intel Celeron 540 @ 1.86GHz	1	305	550	30	PGA478	Laptop
»	Intel Atom E3826 @ 1.46GHz	2	304	395	7	FCBGA1170	Laptop
»	Intel Celeron M 530 @ 1.73GHz	1	302	578	30	PBGA479, PPGA478	Laptop
»	AMD Sempron LE-1250	1	301	508	45	AM2	Desktop
»	AMD G-T40N	2	299	323	9	FT1	Laptop
»	AMD Athlon II Neo K145	1	298	592	12	S1	Laptop
»	AMD Sempron 3100+	1	298	383	62	754	Desktop
»	Intel Atom Z2760 @ 1.80GHz	2	298	206	NA	FC-MB4760	Laptop
»	Intel Pentium 4 3.40GHz	1	298	649	89	PGA478	Desktop
»	AMD Athlon 64 2800+	1	295	375	89	754	Desktop
»	ARM Cortex-A53 4 Core 1400 MHz	4	295	226	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4 3.46GHz	1	295	512	110.7	Unknown	Desktop
»	Mobile AMD Sempron 3300+	1	294	391	NA	Socket 754	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
≡	Qualcomm MSM8626	4	294	185	NA	Unknown	Mobile/Embedded
≡	AMD Athlon 64 3800+	1	292	461	45	AM2	Desktop
≡	AMD Sempron 3400+	1	292	346	62	AM2	Desktop
≡	Intel Pentium M 2.10GHz	1	292	353	21	H-PBGA479, PPGA4	Laptop
≡	Qualcomm Technologies, Inc MSM8216	4	292	155	NA	Unknown	Mobile/Embedded
≡	AMD Athlon 2800+	1	291	439	89	754	Desktop
≡	Qualcomm Technologies, Inc MSM8909	4	291	191	NA	Unknown	Mobile/Embedded
≡	AMD C-60	2	290	354	9	Unknown	Unknown
≡	AMD G-T40E	2	289	313	6.4	FT1	Laptop
≡	AMD Sempron SI-40	1	288	631	25	S1	Laptop
≡	ARM Cortex-A53 4 Core 1200 MHz	4	288	204	NA	Unknown	Mobile/Embedded
≡	AMD Sempron 3000+	1	286	462	62	AM2	Desktop
≡	AMD Turion 64 Mobile MT-32	1	286	367	24	754	Laptop
≡	Qualcomm MSM8926	4	286	182	NA	Unknown	Mobile/Embedded
≡	AMD Turion 64 Mobile ML-32	1	285	321	35	754	Laptop
≡	Mobile AMD Sempron 3600+	1	284	618	25	S1	Laptop
≡	Intel Atom N550 @ 1.50GHz	2	283	239	8.5	BGA559	Laptop
≡	AMD Athlon XP 3100+	1	282	431	NA	Unknown	Unknown
≡	AMD Athlon XP 3200+	1	281	430	62	AM2	Unknown
≡	Intel Celeron 430 @ 1.80GHz	1	280	615	35	LGA775	Desktop
≡	Intel Pentium M 1.80GHz	1	280	389	21	H-PBGA479, PPGA4	Laptop
≡	AMD Turion 64 Mobile MT-34	1	279	328	24	754	Laptop
≡	ARM Cortex-A72 4 Core 800 MHz	4	279	214	NA	Unknown	Mobile/Embedded
≡	VIA Nano L2100@1800MHz	1	279	182	25	BGA400	Laptop
≡	ARM Cortex-A7 4 Core 1000 MHz	4	278	194	NA	Unknown	Mobile/Embedded
≡	AMD Turion 64 Mobile ML-30	1	277	314	35	754	Laptop
≡	Mobile AMD Sempron 3100+	1	277	359	NA	Socket 754	Laptop
≡	AMD Athlon XP 2900+	1	276	410	NA	Unknown	Unknown
≡	AMD Athlon Neo MV-40	1	275	485	15	Unknown	Unknown
≡	Intel Celeron 743 @ 1.30GHz	1	275	496	10	BGA956	Laptop
≡	AMD Athlon 2650e	1	274	304	15	AM2	Desktop
≡	AMD Turion 64 Mobile MT-37	1	274	501	25	754	Laptop
≡	Intel Celeron D 352 @ 3.20GHz	1	274	576	86	PLGA775	Desktop
≡	Intel Pentium M 2.00GHz	1	270	363	21	H-PBGA479, PPGA4	Laptop
≡	ARM Cortex-A7 4 Core 1008 MHz	4	269	198	NA	Unknown	Mobile/Embedded
≡	Mobile AMD Sempron 3000+	1	269	350	NA	Socket 754	Laptop
≡	Mobile AMD Sempron 3400+	1	269	489	25	Socket S1 (S1g1)	Laptop
≡	Intel Celeron 530 @ 1.73GHz	1	268	468	27	PGA478	Laptop



	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	AMD Sempron 210U	1	267	299	15	Unknown	Unknown
»	Intel Celeron 3.20GHz	1	267	599	NA	Unknown	Unknown
»	Intel Celeron M 723 @ 1.20GHz	1	267	507	10	BGA956	Laptop
»	SAMSUNG SERRANO	2	266	330	NA	Unknown	Mobile/Embedded
»	AMD Athlon TF-20	1	265	454	15	Unknown	Unknown
»	AMD C-50	2	265	312	9	FT1	Laptop
»	Intel Celeron 3.33GHz	1	263	528	NA	Unknown	Unknown
»	VIA Eden C1050@1.06GHz	1	263	283	NA	Unknown	Mobile/Embedded
»	AMD Athlon XP 3000+	1	262	396	62	Socket A	Desktop
»	AMD Z-60 APU	2	262	318	4.5	FT1	Laptop
»	ARM Cortex-A7 4 Core 1200 MHz	4	262	198	NA	Unknown	Mobile/Embedded
»	AMD Athlon XP 2800+	1	260	408	89	754	Unknown
»	Intel Xeon 2.80GHz	1	260	384	103	PPGA604	Server
»	Mobile AMD Sempron 3500+	1	259	535	NA	S1	Laptop
»	AMD Athlon XP 2700+	1	256	398	NA	Unknown	Unknown
»	Mobile AMD Sempron 2600+	1	256	316	NA	Socket 754	Laptop
»	Intel Core Duo U2400 @ 1.06GHz	2	255	342	9	BGA479	Laptop
»	AMD Turion 64 Mobile ML-28	1	254	314	25	754	Laptop
»	AMD Sempron 2600+	1	253	325	NA	Socket A	Desktop
»	Intel Core Solo T1400 @ 1.83GHz	1	253	525	27	PGA478	Laptop
»	Intel Celeron M 1.70GHz	1	252	370	NA	Unknown	Laptop
»	Intel Core2 Solo U3500 @ 1.40GHz	1	252	546	5.5	BGA956	Laptop
»	AMD Sempron 3200+	1	251	456	62	AM2	Desktop
»	AMD Sempron LE-1150	1	251	477	45	AM2	Desktop
»	Intel Celeron D 356 @ 3.33GHz	1	251	619	86	PLGA775	Desktop
»	Intel Pentium 4 3.06GHz	1	249	551	81.8	PGA478	Desktop
»	AMD GX-210JA SOC	2	248	231	6	FT3 (769-BGA)	Laptop
»	AMD Sempron M120	1	247	559	25	S1	Laptop
»	AMD Turion 64 Mobile MT-30	1	246	294	25	754	Laptop
»	Intel Atom D2500 @ 1.86GHz	2	246	326	10	BGA559	Desktop
»	AMD Sempron SI-42	1	245	637	25	S1	Laptop
»	Mobile AMD Sempron 3200+	1	245	525	NA	S1	Laptop
»	Rockchip RK3229	4	244	165	NA	Unknown	Mobile/Embedded
»	AMD Athlon 64 2600+	1	243	292	15	Unknown	Desktop
»	AMD Athlon XP2400+	1	243	390	NA	Unknown	Unknown
»	AMD Sempron 2800+	1	243	408	62	AM2	Desktop
»	AMD Athlon XP 2600+	1	242	380	NA	Unknown	Unknown
»	Intel Celeron 807UE @ 1.00GHz	1	241	421	10	BGA-1023	Laptop
»	Mobile AMD Athlon 2500+	1	241	365	NA	Unknown	Laptop
»	Mobile AMD Athlon XP-M 2600+	1	241	375	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Pentium M 1.50GHz	1	240	323	24.5	H-PBGA479, PPG	Laptop
»	Intel Celeron M 520 @ 1.60GHz	1	239	505	30	PPGA478	Laptop
»	Intel Pentium M 1.70GHz	1	239	318	24.5	H-PBGA479, PPG	Laptop
»	Mobile AMD Athlon XP-M 2800+	1	238	385	NA	Unknown	Laptop
»	Mobile AMD Athlon XP-M 3000+	1	238	365	NA	Unknown	Laptop
»	VIA Nano L2007@1600MHz	1	238	273	25	BGA400	Laptop
»	Intel Pentium 4 2.80GHz	1	237	509	69.7	PGA478	Desktop
»	Intel Pentium M 1700MHz	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
»	Mobile AMD Athlon XP-M 2200+	1	237	363	NA	Unknown	Laptop
»	Mobile AMD Sempron 2800+	1	237	299	NA	Socket 754	Laptop
»	Intel Celeron 420 @ 1.60GHz	1	235	471	35	LGA775	Desktop
»	AMD Athlon XP 2400+	1	234	375	NA	Unknown	Unknown
»	Intel Pentium M 2.13GHz	1	234	472	27	H-PBGA479, PPGA4	Laptop
»	Intel Core2 Solo U2100 @ 1.06GHz	1	233	258	5.5	Unknown	Laptop
»	Mobile AMD Athlon 4 2400+	1	233	358	NA	Unknown	Laptop
»	SAMSUNG EXPRESS2	2	233	239	NA	Unknown	Mobile/Embedded
»	AMD Sempron 3500+	1	232	264	62	AM2	Desktop
»	Intel Celeron D 347 @ 3.06GHz	1	232	565	86	PLGA775	Desktop
»	Mobile Intel Pentium 4 3.20GHz	1	232	468	82	PGA478	Desktop
»	AMD Athlon XP 2500+	1	231	353	NA	Unknown	Unknown
»	Intel Celeron 2.93GHz	1	230	396	NA	Unknown	Unknown
»	Intel Celeron M 450 @ 2.00GHz	1	230	598	27	PPGA478	Laptop
»	ARM Cortex-A7 4 Core 900 MHz	4	229	164	NA	Unknown	Mobile/Embedded
»	Intel Pentium SU2700 @ 1.30GHz	1	228	480	10	Unknown	Laptop
»	Intel Pentium M 2.26GHz	1	227	508	27	H-PBGA479, PPGA4	Laptop
»	Mobile AMD Athlon XP-M 2500+	1	226	355	NA	Unknown	Laptop
»	ARM Cortex-A7 4 Core 1296 MHz	4	225	162	NA	Unknown	Mobile/Embedded
»	Intel Pentium M 1.40GHz	1	225	264	22	H-PBGA479, PPG	Laptop
»	Mobile AMD Athlon XP-M 2400+	1	225	355	NA	Unknown	Laptop
»	Intel Atom N470 @ 1.83GHz	1	224	308	6.5	BGA559	Laptop
»	Intel Core Duo U2500 @ 1.20GHz	2	223	361	9	BGA479	Laptop
»	Intel Celeron 2.53GHz	1	222	396	NA	Unknown	Unknown
»	Intel Pentium M 1.86GHz	1	222	499	27	H-PBGA479, PPGA4	Laptop
»	Intel Celeron M 360 1.40GHz	1	221	305	21	H-PBGA479, PPGA4	Laptop
»	ARM Cortex-A53 4 Core 600 MHz	4	220	137	NA	Unknown	Mobile/Embedded
»	Mobile Intel Pentium 4 3.06GHz	1	220	423	81.8	PGA478	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Celeron M 1500MHz	1	217	297	NA	Unknown	Laptop
»	ARM Cortex-A53 4 Core 1000 MHz	4	215	169	NA	Unknown	Mobile/Embedded
»	Intel Pentium 4 2.60GHz	1	215	494	69	PGA478	Desktop
»	AMD Athlon XP 2200+	1	214	335	NA	Unknown	Unknown
»	ARM Cortex-A53 4 Core 1536 MHz	4	213	198	NA	Unknown	Mobile/Embedded
»	Intel Celeron 723 @ 1.20GHz	1	213	460	10	BGA956	Laptop
»	AMD Athlon XP 2100+	1	210	327	NA	Unknown	Unknown
»	Intel Core Solo T1300 @ 1.66GHz	1	210	518	27	PGA478	Laptop
»	Intel Celeron 220 @ 1.20GHz	1	209	255	19	BGA479	Desktop
»	Intel Pentium M 1400MHz	1	208	282	22	H-PBGA479, PPGA4	Laptop
»	AMD Sempron 2300+	1	207	314	NA	Socket A	Desktop
»	AMD Sempron 2500+	1	207	405	NA	Socket A	Desktop
»	ARM Cortex-A53 4 Core 1333 MHz	4	207	196	NA	Unknown	Mobile/Embedded
»	AMD Sempron 2400+	1	205	321	NA	Socket A	Desktop
»	Intel Celeron M 1.30GHz	1	205	284	NA	Unknown	Laptop
»	Intel Pentium M 1.73GHz	1	205	494	27	H-PBGA479, PPGA4	Laptop
»	Mobile Intel Pentium 4 2.80GHz	1	205	397	69.7	PGA478	Desktop
»	Intel Atom D425 @ 1.80GHz	1	204	271	10	BGA559	Desktop
»	AMD Athlon XP 1900+	1	203	312	NA	Unknown	Unknown
»	Intel Atom N450 @ 1.66GHz	1	203	277	5.5	BGA559	Laptop
»	ARM Cortex-A72 4 Core 1850 MHz	4	199	343	NA	Unknown	Mobile/Embedded
»	Intel Pentium M 1.20GHz	1	199	262	NA	Unknown	Laptop
»	VIA Nano U2500@1200MHz	1	199	184	7	BGA400	Laptop
»	RK30board	4	198	226	NA	Unknown	Mobile/Embedded
»	AMD Athlon L110	1	197	223	13	Unknown	Unknown
»	Intel Celeron M 1300MHz	1	197	274	NA	Unknown	Laptop
»	Intel Pentium M 1300MHz	1	197	271	22	H-PBGA479, PPGA4	Laptop
»	Intel Pentium M 1.30GHz	1	196	250	22	H-PBGA479, PPG	Laptop
»	Mobile AMD Athlon XP-M 2000+	1	196	301	NA	Unknown	Laptop
»	AMD Athlon XP 1800+	1	195	301	66	Socket A	Desktop
»	AMD Athlon XP 2000+	1	195	311	70	Socket A	Desktop
»	AMD E-240	1	195	403	18	FT1	Laptop
»	Intel Core Solo T1350 @ 1.86GHz	1	194	413	31	Unknown	Laptop
»	Intel Pentium III 1400S @ 1400MHz	1	194	278	32.2	Socket 370	Desktop
»	Intel Pentium M 1.60GHz	1	194	427	24.5	H-PBGA479, PPG	Laptop
»	Intel Atom N455 @ 1.66GHz	1	193	266	6.5	BGA559	Laptop
»	Intel Pentium III 1400 @ 1400MHz	1	193	272	31.2	Socket 370	Desktop
»	Intel Pentium M 1600MHz	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
»	Mobile AMD Athlon XP-M 1800+	1	193	291	45	Socket A	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Celeron M 1.50GHz	1	192	374	21	PPGA478, H-PBGA4	Laptop
»	Mobile AMD Athlon MP-M 2400+	1	192	314	NA	Unknown	Laptop
»	AMD Athlon 1500+	1	191	275	NA	Unknown	Desktop
»	Intel Celeron 2.80GHz	1	190	425	68.4	PPGA478	Desktop
»	Intel Celeron M 1.60GHz	1	190	433	NA	Unknown	Laptop
»	Intel Atom N2100 @ 1.60GHz	1	188	310	NA	BGA559	Laptop
»	Intel Pentium M 1500MHz	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
»	Google R11 BtWifi Evt1.1	2	187	240	NA	Unknown	Mobile/Embedded
»	VIA Nano U2250 (1.6GHz Capable)	1	187	256	8	BGA400	Laptop
»	AMD Sempron 2200+	1	184	279	NA	Socket A	Desktop
»	AMD V105	1	184	452	9	BGA812	Laptop
»	Intel Atom E3815 @ 1.46GHz	1	184	266	5	FCBGA1170	Desktop
»	Intel Pentium M 1.10GHz	1	184	218	NA	Unknown	Laptop
»	VIA Nano U3500@1000MHz	1	184	286	5	BGA400	Laptop
»	AMD Athlon XP1600+	1	183	272	NA	Unknown	Unknown
»	Intel Atom Z530 @ 1.60GHz	1	183	161	2	BGA441	Laptop
»	Mobile Intel Celeron 1333MHz	1	183	248	NA	Unknown	Laptop
»	Intel Celeron 2.26GHz	1	182	382	NA	Unknown	Unknown
»	Mobile Intel Pentium 4 2.66GHz	1	182	425	66.1	PGA478	Desktop
»	Intel Atom D410 @ 1.66GHz	1	180	241	10	BGA559	Desktop
»	Intel Xeon 2.40GHz	1	180	387	NA	Unknown	Server
»	Intel Atom N475 @ 1.83GHz	1	179	281	6.5	BGA559	Laptop
»	VIA Nano U2250@1300+MHz	1	179	156	10	BGA400	Laptop
»	AMD C-30	1	178	375	9	FT1	Laptop
»	AMD G-T52R	1	177	381	18	FT1	Laptop
»	AMD Athlon XP 1700+	1	176	272	64	Socket A (462)	Desktop
»	AMD Athlon XP 1600+	1	174	265	NA	Unknown	Unknown
»	ARM Cortex-A72 4 Core 1200 MHz	4	174	178	NA	Unknown	Mobile/Embedded
»	Intel Celeron 215 @ 1.33GHz	1	174	440	27	BGA479	Laptop
»	Mobile AMD Athlon MP-M 1800+	1	173	262	35	Unknown	Laptop
»	Intel Atom 230 @ 1.60GHz	1	169	185	4	BGA437	Desktop
»	Intel Celeron M 430 @ 1.73GHz	1	169	466	27	PPGA478	Laptop
»	Intel Celeron M 440 @ 1.86GHz	1	169	485	27	PBGA479, PPGA478	Laptop
»	Mobile AMD Athlon XP-M 1600+	1	169	274	NA	Unknown	Laptop
»	AMD Athlon XP 1500+	1	167	251	NA	Unknown	Unknown
»	Intel Celeron 2.13GHz	1	166	361	NA	Unknown	Unknown
»	VIA Nano L2207@1600MHz	1	165	191	17	BGA400	Laptop
»	Intel Celeron 2.50GHz	1	164	431	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»	Intel Core Solo U1500 @ 1.33GHz	1	164	375	5.5	Unknown	Laptop
»	Intel Pentium III Mobile 1133MHz	1	164	218	NA	Unknown	Laptop
»	Intel XEON 2.20GHz	1	164	351	NA	Unknown	Server
»	Mobile AMD Sempron 2100+	1	164	203	8	S1	Laptop, Mobile/Embedded
»	Intel Pentium 4 2.53GHz	1	162	442	61.5	PGA478	Desktop
»	Intel Pentium 4 2.50GHz	1	160	385	61	PGA478	Desktop
»	Intel Pentium III Mobile 1066MHz	1	160	210	NA	Unknown	Laptop
»	Intel Celeron 1200MHz	1	159	212	NA	Unknown	Unknown
»	Intel Celeron 2.70GHz	1	159	386	NA	Unknown	Unknown
»	Intel Atom Z670 @ 1.50GHz	1	158	95	3	BGA518	Laptop
»	Intel Atom N280 @ 1.66GHz	1	157	234	2.5	BGA437	Laptop
»	Intel Pentium 4 2.20GHz	1	157	379	57.1	PGA478	Desktop
»	Intel Pentium 4 2.66GHz	1	157	431	66.1	PGA478	Desktop
»	Intel Pentium III Mobile 1200MHz	1	156	216	NA	Unknown	Laptop
»	Intel Pentium M 1000MHz	1	156	222	7	Unknown	Laptop
»	Intel Pentium M 1200MHz	1	155	166	12	Unknown	Laptop
»	AMD Athlon 64 2000+	1	154	173	8	Unknown	Desktop
»	Intel Pentium 4 3.83GHz	1	154	237	NA	Unknown	Desktop
»	Mobile Intel Celeron 2.40GHz	1	154	376	NA	Unknown	Laptop
»	Intel Atom N435 @ 1.33GHz	1	153	220	NA	Unknown	Unknown
»	Intel Xeon 2.00GHz	1	152	259	NA	Unknown	Server
»	Intel Pentium 4 2.26GHz	1	151	409	58	PGA478	Desktop
»	Intel Pentium 4 2.93GHz	1	150	269	NA	Unknown	Desktop
»	VIA C7-D 1800MHz	1	150	147	20	BGA400	Desktop
»	Intel Celeron M 1.00GHz	1	149	197	NA	Unknown	Laptop
»	Intel Celeron 2.30GHz	1	148	364	NA	Unknown	Unknown
»	Mobile Intel Celeron 2.20GHz	1	147	355	NA	Unknown	Laptop
»	Mobile Intel Pentium III - M 1200MHz	1	146	185	22	BGA2, microPGA2	Laptop
»	VIA C7-M 6300MHz	1	145	121	NA	Unknown	Laptop
»	Intel Celeron 2.40GHz	1	143	397	NA	Unknown	Unknown
»	Intel Celeron 2.60GHz	1	143	353	NA	Unknown	Unknown
»	Mobile Intel Pentium 4 - M 2.20GHz	1	143	388	NA	Unknown	Laptop
»	ARM Cortex-A7 2 Core 1080 MHz	2	142	200	NA	Unknown	Mobile/Embedded
»	Intel Pentium M 900MHz	1	141	200	7	Unknown	Laptop
»	Intel Celeron 1000MHz	1	139	174	NA	Unknown	Unknown
»	Intel Celeron 2.20GHz	1	139	349	NA	Unknown	Unknown
»	Intel Celeron M 420 @ 1.60GHz	1	139	391	27	PPGA478	Laptop
»	Mobile Intel Pentium 4 - M 2.40GHz	1	139	317	NA	Unknown	Laptop
»	ARM Cortex-A7 2 Core 996 MHz	2	138	192	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
		-	-	-	-		
»»	Mobile Intel Pentium 4 - M 2.00GHz	1	138	345	NA	Unknown	Laptop
»»	Intel Atom N270 @ 1.60GHz	1	136	174	2.5	BGA437	Laptop
»»	Intel Pentium 4 Mobile 1.90GHz	1	136	282	NA	Unknown	Laptop
»»	VIA Esther 1500MHz	1	135	112	NA	Unknown	Unknown
»»	Intel Pentium 4 2.00GHz	1	133	349	54.3	PGA478	Desktop
»»	Mobile Intel Celeron 2.00GHz	1	133	290	NA	Unknown	Laptop
»»	Intel Pentium 4 Mobile 2.00GHz	1	132	310	NA	Unknown	Laptop
»»	Intel Celeron 2.66GHz	1	131	359	NA	Unknown	Unknown
»»	Intel Pentium 4 2.40GHz	1	131	360	59.8	PGA478	Desktop
»»	Intel Core Solo U1400 @ 1.20GHz	1	130	365	5.5	PBGA479	Laptop
»»	Mobile Intel Pentium III - M 933MHz	1	130	177	20.1	BGA2, microPGA2	Laptop
»»	Intel Core Solo U1300 @ 1.06GHz	1	127	340	6	PBGA479	Laptop
»»	AMD Sempron 200U	1	125	311	8	Unknown	Unknown
»»	Intel Celeron 2.00GHz	1	125	338	52.8	PPGA478	Desktop
»»	Intel Celeron M 443 @ 1.20GHz	1	125	288	5.5	PBGA479	Laptop
»»	Intel Celeron M 410 @ 1.46GHz	1	123	301	27	PPGA478	Laptop
»»	Intel Celeron M 900MHz	1	123	155	NA	Unknown	Laptop
»»	Intel Atom Z520 @ 1.33GHz	1	122	151	2	BGA441	Laptop
»»	Mobile Intel Celeron 1.80GHz	1	121	280	66.1	PPGA478	Laptop
»»	Mobile Intel Pentium 4 - M 1.70GHz	1	121	297	NA	Unknown	Laptop
»»	AMD G-T40R	1	120	327	5.5	FT1	Laptop
»»	AMD G-T44R	1	120	302	9	FT1	Laptop
»»	Intel Pentium III Mobile 800MHz	1	119	155	NA	Unknown	Laptop
»»	Mobile Intel Pentium 4 - M 1.80GHz	1	119	297	NA	Unknown	Laptop
»»	Mobile Intel Celeron 1.70GHz	1	118	254	NA	Unknown	Laptop
»»	Intel Pentium 4 Mobile 1.60GHz	1	116	254	NA	Unknown	Laptop
»»	VIA C7-M 1600MHz	1	116	124	15	BGA400	Laptop
»»	Intel Pentium 4 1.80GHz	1	115	318	68.1	PGA478	Desktop
»»	Intel Pentium 4 1800MHz	1	114	317	68.1	PGA478	Desktop
»»	Intel Pentium 4 Mobile 1.80GHz	1	114	195	NA	Unknown	Laptop
»»	Intel Celeron 1100MHz	1	113	183	NA	Unknown	Unknown
»»	VIA C7-M 1200MHz	1	112	93	NA	Unknown	Laptop
»»	ARM Cortex-A7 2 Core 960 MHz	2	111	160	NA	Unknown	Mobile/Embedded
»»	Intel Celeron B710 @ 1.60GHz	1	106	101	35	rPGA988B	Laptop
»»	Intel Pentium 4 1.90GHz	1	104	292	69.2	PGA423	Desktop
»»	Intel Celeron 1.70GHz	1	101	190	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	-	-	-	-	-		
≡	VIA Nehemiah	1	101	75	NA	Unknown	Unknown
≡	Intel Pentium 4 1700MHz	1	100	266	64	PGA423	Desktop
≡	Intel Pentium III Mobile 866MHz	1	99	132	NA	Unknown	Laptop
≡	OMAP4 Espresso board	2	98	222	NA	Unknown	Mobile/Embedded
≡	Intel Celeron 1.80GHz	1	96	307	66.1	PPGA478	Desktop
≡	VIA Esther 1000MHz	1	95	82	NA	Unknown	Unknown
≡	VIA Eden 1200MHz	1	93	97	7	NanoBGA2	Laptop
≡	Intel Pentium 4 1.50GHz	1	86	228	57.8	PGA423	Desktop
≡	Intel Pentium 4 1.70GHz	1	86	254	64	PGA423	Desktop
≡	Intel Pentium 4 1.60GHz	1	84	225	38	PGA478	Desktop
≡	Intel Pentium 4 1400MHz	1	83	180	54.7	PGA423	Desktop
≡	Intel Pentium 4 1500MHz	1	81	223	57.8	PGA423	Desktop
≡	VIA Eden 1000MHz	1	80	83	5	NanoBGA2	Laptop
≡	Intel Pentium 4 1300MHz	1	77	203	51.6	PGA423	Desktop